

Sophie Giorgetti-Peraldi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3712883/publications.pdf>

Version: 2024-02-01

9
papers

759
citations

1307366

7
h-index

1474057

9
g-index

10
all docs

10
docs citations

10
times ranked

1654
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of oncolytic vaccinia restriction factors in canine high-grade mammary tumor cells using single-cell transcriptomics. <i>PLoS Pathogens</i> , 2020, 16, e1008660.	2.1	4
2	Is REDD1 a metabolic double agent? Lessons from physiology and pathology. <i>American Journal of Physiology - Cell Physiology</i> , 2020, 319, C807-C824.	2.1	39
3	Intermittent Hypoxia Mediates Caveolae Disassembly That Parallels Insulin Resistance Development. <i>Frontiers in Physiology</i> , 2020, 11, 565486.	1.3	5
4	REDD1 deficiency protects against nonalcoholic hepatic steatosis induced by high-fat diet. <i>FASEB Journal</i> , 2020, 34, 5046-5060.	0.2	13
5	Glucocorticoid-dependent REDD1 expression reduces muscle metabolism to enable adaptation under energetic stress. <i>BMC Biology</i> , 2018, 16, 65.	1.7	32
6	Implication of REDD1 in the activation of inflammatory pathways. <i>Scientific Reports</i> , 2017, 7, 7023.	1.6	40
7	Regulated in Development and DNA Damage Responses -1 (REDD1) Protein Contributes to Insulin Signaling Pathway in Adipocytes. <i>PLoS ONE</i> , 2012, 7, e52154.	1.1	34
8	Metformin, Independent of AMPK, Induces mTOR Inhibition and Cell-Cycle Arrest through REDD1. <i>Cancer Research</i> , 2011, 71, 4366-4372.	0.4	545
9	Insulin Induces REDD1 Expression through Hypoxia-inducible Factor 1 Activation in Adipocytes. <i>Journal of Biological Chemistry</i> , 2010, 285, 5157-5164.	1.6	47