

Marcello Imbriani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3713296/publications.pdf>

Version: 2024-02-01

131
papers

4,190
citations

147566

31
h-index

138251

58
g-index

143
all docs

143
docs citations

143
times ranked

5384
citing authors

#	ARTICLE	IF	CITATIONS
1	Music in the workplace: A narrative literature review of intervention studies. <i>Journal of Complementary and Integrative Medicine</i> , 2021, 17, .	0.4	5
2	The new generation PFAS C6O4 does not produce adverse effects on thyroid cells in vitro. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 1625-1635.	1.8	17
3	Hand rehabilitation with sonification techniques in the subacute stage of stroke. <i>Scientific Reports</i> , 2021, 11, 7237.	1.6	10
4	Algorithmic Music for Therapy: Effectiveness and Perspectives. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8833.	1.3	8
5	Forecast of Malignant Peritoneal Mesothelioma Mortality in Italy up to 2040. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 160.	1.2	4
6	Particle measurements of metal additive manufacturing to assess working occupational exposures: a comparative analysis of selective laser melting, laser metal deposition and hybrid laser metal deposition. <i>Industrial Health</i> , 2021, 60, 371-386.	0.4	3
7	Daily music listening to reduce work-related stress: a randomized controlled pilot trial. <i>Journal of Public Health</i> , 2020, 42, e81-e87.	1.0	11
8	Machine learning techniques to predict the effectiveness of music therapy: A randomized controlled trial. <i>Computer Methods and Programs in Biomedicine</i> , 2020, 185, 105160.	2.6	14
9	Adverse effects of in vitro GenX exposure on rat thyroid cell viability, DNA integrity and thyroid-related genes expression. <i>Environmental Pollution</i> , 2020, 264, 114778.	3.7	24
10	Thyroid Disrupting Effects of Old and New Generation PFAS. <i>Frontiers in Endocrinology</i> , 2020, 11, 612320.	1.5	89
11	The fitness to work certificate in a worker exposed to ionizing radiation with an oncological disease: criteria and assessment process. <i>Radioprotection</i> , 2019, 54, 303-307.	0.5	1
12	Effect of long- and short-chain perfluorinated compounds on cultured thyroid cells viability and response to TSH. <i>Journal of Endocrinological Investigation</i> , 2019, 42, 1329-1335.	1.8	20
13	The SonicHand Protocol for Rehabilitation of Hand Motor Function: A Validation and Feasibility Study. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 664-672.	2.7	21
14	Treatment of Biofilm Communities: An Update on New Tools from the Nanosized World. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 845.	1.3	22
15	The effect of pulsed electromagnetic field exposure on osteoinduction of human mesenchymal stem cells cultured on nano-TiO2 surfaces. <i>PLoS ONE</i> , 2018, 13, e0199046.	1.1	32
16	Active music therapy approach for stroke patients in the post-acute rehabilitation. <i>Neurological Sciences</i> , 2017, 38, 893-897.	0.9	39
17	The Music Therapy Session Assessment Scale (MTSAS): Validation of a new tool for music therapy process evaluation. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, O1547-O1561.	1.4	2
18	Thyroid disruption by perfluorooctane sulfonate (PFOS) and perfluorooctanoate (PFOA). <i>Journal of Endocrinological Investigation</i> , 2017, 40, 105-121.	1.8	117

#	ARTICLE	IF	CITATIONS
19	PEEK Titanium Composite (PTC) for Spinal Implants. , 2017, , 427-465.		1
20	The Maugeri Stress Index – reduced form: a questionnaire for job stress assessment. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 917-926.	1.0	7
21	The missing link between human ecology and public health: the case of cancer. Giornale Italiano Di Medicina Del Lavoro Ed Ergonomia, 2017, 39, 106-112.	0.3	0
22	Antimicrobial Properties and Cytocompatibility of PLGA/Ag Nanocomposites. Materials, 2016, 9, 37.	1.3	25
23	P041–Cohorts without cohorts. mapping occupational cancer in milan great area. , 2016, , .		0
24	Nanostructured TiO2 Surfaces Promote Human Bone Marrow Mesenchymal Stem Cells Differentiation to Osteoblasts. Nanomaterials, 2016, 6, 124.	1.9	24
25	Active music therapy approach in amyotrophic lateral sclerosis: a randomized-controlled trial. International Journal of Rehabilitation Research, 2016, 39, 365-367.	0.7	23
26	Pharmaceutical Industries Air Quality. Comprehensive Analytical Chemistry, 2016, , 589-621.	0.7	2
27	Osteogenic Potential of Human Oral–Periosteal Cells (PCs) Isolated From Different Oral Origin: An In Vitro Study. Journal of Cellular Physiology, 2016, 231, 607-612.	2.0	20
28	Microgravity-driven remodeling of the proteome reveals insights into molecular mechanisms and signal networks involved in response to the space flight environment. Journal of Proteomics, 2016, 137, 3-18.	1.2	40
29	Effects of active music therapy on the normal brain: fMRI based evidence. Brain Imaging and Behavior, 2016, 10, 182-186.	1.1	15
30	Professional activity, information demands, training and updating needs of occupational medicine physicians in Italy: National survey. International Journal of Occupational Medicine and Environmental Health, 2016, 29, 837-858.	0.6	17
31	P034. Technostress and primary headache: psychosocial risk. Journal of Headache and Pain, 2015, 16, A147.	2.5	1
32	P033. Headache and commuting: preliminary data in a group of workers. Journal of Headache and Pain, 2015, 16, A79.	2.5	0
33	Effect of Active Music Therapy and Individualized Listening to Music on Dementia: A Multicenter Randomized Controlled Trial. Journal of the American Geriatrics Society, 2015, 63, 1534-1539.	1.3	119
34	Determination of Glucocorticoids in UPLC-MS in Environmental Samples from an Occupational Setting. International Journal of Analytical Chemistry, 2015, 2015, 1-8.	0.4	2
35	In vitro effect of temperature on the conformational structure and collagen binding of SdrF, a Staphylococcus epidermidis adhesin. Applied Microbiology and Biotechnology, 2015, 99, 5593-5603.	1.7	4
36	Exposure to perfluorinated compounds: in vitro study on thyroid cells. Environmental Science and Pollution Research, 2015, 22, 2287-2294.	2.7	44

#	ARTICLE	IF	CITATIONS
37	Pleural mesothelioma: Case-report of uncommon occupational asbestos exposure in a small furniture industry. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2015, 29, 523-526.	0.6	5
38	The Interaction of Bacteria with Engineered Nanostructured Polymeric Materials: A Review. <i>Scientific World Journal</i> , The, 2014, 2014, 1-18.	0.8	141
39	In vitro study of multiwall carbon nanotubes (MWCNTs) with adsorbed mitoxantrone (MTO) as a drug delivery system to treat breast cancer. <i>RSC Advances</i> , 2014, 4, 18683-18693.	1.7	22
40	Female Breast Cancer and Electrical Manufacturing: Results of a Nested Case-control Study. <i>Journal of Occupational Health</i> , 2014, 56, 369-378.	1.0	11
41	Investigation of low-level laser therapy potentiality on proliferation and differentiation of human osteoblast-like cells in the absence/presence of osteogenic factors. <i>Journal of Biomedical Optics</i> , 2013, 18, 128006.	1.4	48
42	Combined Effects of Ag Nanoparticles and Oxygen Plasma Treatment on PLGA Morphological, Chemical, and Antibacterial Properties. <i>Biomacromolecules</i> , 2013, 14, 626-636.	2.6	52
43	High-Frequency Vibration Treatment of Human Bone Marrow Stromal Cells Increases Differentiation toward Bone Tissue. <i>Bone Marrow Research</i> , 2013, 2013, 1-13.	1.7	25
44	Female breast cancer in Lombardy, Italy (2002-2009): A case-control study on occupational risks. <i>American Journal of Industrial Medicine</i> , 2013, 56, 1051-1062.	1.0	9
45	A Comparative Analysis of the <i>In Vitro</i> Effects of Pulsed Electromagnetic Field Treatment on Osteogenic Differentiation of Two Different Mesenchymal Cell Lineages. <i>BioResearch Open Access</i> , 2013, 2, 283-294.	2.6	81
46	Oxidative Activity of Ammonium Persulfate Salt on Mast Cells and Basophils: Implication in Hairdressers' Asthma. <i>International Archives of Allergy and Immunology</i> , 2013, 160, 409-419.	0.9	24
47	In Vitro Osteogenesis of Human Stem Cells by Using a Three-Dimensional Perfusion Bioreactor Culture System: A Review. <i>Recent Patents on Drug Delivery and Formulation</i> , 2013, 7, 29-38.	2.1	6
48	A Novel Antibacterial Modification Treatment of Titanium Capable to Improve Osseointegration. <i>International Journal of Artificial Organs</i> , 2012, 35, 864-875.	0.7	48
49	In vitro Antibacterial Activity of Different Self-Etch Adhesives. <i>International Journal of Artificial Organs</i> , 2012, 35, 847-853.	0.7	12
50	Occupational exposure to antineoplastic drugs in four Italian health care settings. <i>Toxicology Letters</i> , 2012, 213, 107-115.	0.4	64
51	Development of Classification Models for Identifying α -P-glycoprotein (P-gp) Inhibitors Through Inhibition, ATPase Activation and Monolayer Efflux Assays. <i>International Journal of Molecular Sciences</i> , 2012, 13, 6924-6943.	1.8	10
52	Evaluation of Bacterial Adhesion on Machined Titanium, Osseotite [®] and Nanotite [®] Discs. <i>International Journal of Artificial Organs</i> , 2012, 35, 754-761.	0.7	16
53	The in vivo effect of chelidonine on the stem cell system of planarians. <i>European Journal of Pharmacology</i> , 2012, 686, 1-7.	1.7	17
54	Occupational exposure to antineoplastic drugs in seven Italian hospitals: The effect of quality assurance and adherence to guidelines. <i>Journal of Oncology Pharmacy Practice</i> , 2011, 17, 320-332.	0.5	51

#	ARTICLE	IF	CITATIONS
55	Effect of Electrospun Fiber Diameter and Alignment on Macrophage Activation and Secretion of Proinflammatory Cytokines and Chemokines. <i>Biomacromolecules</i> , 2011, 12, 1900-1911.	2.6	236
56	Bone Reconstruction: Au Nanocomposite Bioglasses with Antibacterial Properties. <i>International Journal of Artificial Organs</i> , 2011, 34, 920-928.	0.7	23
57	Titanium Oxide Antibacterial Surfaces in Biomedical Devices. <i>International Journal of Artificial Organs</i> , 2011, 34, 929-946.	0.7	219
58	In vitro analysis of low-level laser irradiation on human osteoblast-like cells proliferation. <i>Proceedings of SPIE</i> , 2011, , .	0.8	0
59	Photoactivated Disinfection (PAD) in Endodontics: an <i>in vitro</i> Microbiological Evaluation. <i>International Journal of Artificial Organs</i> , 2011, 34, 889-897.	0.7	31
60	Optimizing QSAR Models for Predicting Ligand Binding to the Drug-Metabolizing Cytochrome P450 Isoenzyme CYP2D6. <i>Chemical Biology and Drug Design</i> , 2011, 78, 236-251.	1.5	6
61	Structure-Activity Relationships on Purine and 2,3-Dihydropurine Derivatives as Antitubercular Agents: a Data Mining Approach. <i>Chemical Biology and Drug Design</i> , 2011, 78, 718-724.	1.5	0
62	Identification of selective ligands for human fibrin recognition using high-throughput docking. <i>Journal of Molecular Recognition</i> , 2011, 24, 824-832.	1.1	0
63	Development of classification model batteries for predicting inhibition of tubulin polymerization by small molecules. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2011, 107, 206-214.	1.8	0
64	In vitro calcified matrix deposition by human osteoblasts onto a zinc-containing bioactive glass. , 2011, 21, 59-72.		68
65	An analysis to study trends in occupational exposure to antineoplastic drugs among health care workers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2593-2605.	1.2	62
66	A simple and fast method for the determination of selected organohalogenated compounds in serum samples from the general population. <i>Toxicology Letters</i> , 2010, 192, 66-71.	0.4	29
67	Perfluorooctane Sulfonate and Perfluorooctanoic Acid in Surgical Thyroid Specimens of Patients with Thyroid Diseases. <i>Thyroid</i> , 2009, 19, 1407-1412.	2.4	26
68	Evaluation of urinary biomarkers of exposure to benzene: correlation with blood benzene and influence of confounding factors. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 985-995.	1.1	72
69	Development of QSAR models for predicting hepatocarcinogenic toxicity of chemicals. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 3658-3664.	2.6	16
70	Saliva as an analytical tool to measure occupational exposure to toluene. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 1021-1028.	1.1	14
71	Mercapturic acids of styrene in man: Comparability of the results obtained by LC/MS/MS and by HPLC-fluorimeter, and stability of samples under different storage conditions. <i>Toxicology Letters</i> , 2006, 162, 225-233.	0.4	8
72	Determination of perfluorooctanoic acid and perfluorooctanesulfonate in human tissues by liquid chromatography/single quadrupole mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2728-2734.	0.7	171

#	ARTICLE	IF	CITATIONS
73	The Italian surveillance system for occupational cancers: Characteristics, initial results, and future prospects. <i>American Journal of Industrial Medicine</i> , 2006, 49, 791-798.	1.0	13
74	Arrhythmogenesis in Catecholaminergic Polymorphic Ventricular Tachycardia. <i>Circulation Research</i> , 2006, 99, 292-298.	2.0	293
75	High-pressure liquid chromatographic-mass spectrometric determination of sorbic acid in urine: Verification of formation of trans,trans-muconic acid. <i>Chemico-Biological Interactions</i> , 2005, 153-154, 243-246.	1.7	21
76	Gases and organic solvents in urine as biomarkers of occupational exposure: a review. <i>International Archives of Occupational and Environmental Health</i> , 2005, 78, 1-19.	1.1	55
77	Determination of urinary S-phenylmercapturic acid, a specific metabolite of benzene, by liquid chromatography/single quadrupole mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 1139-1144.	0.7	27
78	Cytogenetic markers, DNA single-strand breaks, urinary metabolites, and DNA repair rates in styrene-exposed lamination workers.. <i>Environmental Health Perspectives</i> , 2004, 112, 867-871.	2.8	70
79	A Field Method for Sampling Toluene in End-Exhaled Air, as a Biomarker of Occupational Exposure: Correlation with Other Exposure Indices.. <i>Industrial Health</i> , 2004, 42, 226-234.	0.4	23
80	Occupational exposure of midwives to nitrous oxide on delivery suites * Author's reply. <i>Occupational and Environmental Medicine</i> , 2004, 61, 558-558.	1.3	6
81	Urinary determination of N -acetyl- S -(N -methylcarbamoyl)cysteine and N -methylformamide in workers exposed to N , N -dimethylformamide. <i>International Archives of Occupational and Environmental Health</i> , 2002, 75, 445-452.	1.1	17
82	Measurement of urinary N-acetyl-S-(N-methylcarbamoyl)cysteine by high-performance liquid chromatography with direct ultraviolet detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 778, 231-236.	1.2	8
83	METABOLIC POLYMORPHISMS AND URINARY BIOMARKERS IN SUBJECTS WITH LOW BENZENE EXPOSURE. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2001, 64, 607-618.	1.1	65
84	Trichloroethylene in Urine as Biological Exposure Index.. <i>Industrial Health</i> , 2001, 39, 225-230.	0.4	17
85	Exposure to benzene in urban workers: environmental and biological monitoring of traffic police in Rome. <i>Occupational and Environmental Medicine</i> , 2001, 58, 165-171.	1.3	111
86	Environmental and biological monitoring of traffic wardens from the city of Rome. <i>Occupational Medicine</i> , 2001, 51, 198-203.	0.8	61
87	Importance of genetic polymorphisms of drug-metabolizing enzymes for the interpretation of biomarkers of exposure to styrene. <i>Biomarkers</i> , 2001, 6, 236-249.	0.9	40
88	Evaluation of half-mask respirator protection in styrene-exposed workers. <i>International Archives of Occupational and Environmental Health</i> , 2000, 73, 56-60.	1.1	13
89	Determination of S-phenylmercapturic acid in urine as an indicator of exposure to benzene. <i>Toxicology Letters</i> , 1999, 108, 329-334.	0.4	32
90	Biological monitoring of workers exposed to carbon disulfide (CS ₂) in a viscose rayon fibers factory. , 1998, 33, 478-484.		15

#	ARTICLE	IF	CITATIONS
91	Determination of Specific Mercapturic Acids as an Index of Exposure to Environmental Benzene, Toluene, and Styrene.. <i>Industrial Health</i> , 1997, 35, 489-501.	0.4	28
92	The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review. <i>Science of the Total Environment</i> , 1997, 199, 3-12.	3.9	32
93	Excretion of N-acetyl-S-(1-phenyl-2-hydroxyethyl)-cysteine and N-acetyl-S-(2-phenyl-2-hydroxyethyl)-cysteine in workers exposed to styrene. <i>Science of the Total Environment</i> , 1997, 199, 13-22.	3.9	13
94	Urinary excretion of specific mercapturic acids in workers exposed to styrene. , 1997, 31, 636-644.		27
95	The Determination of Trans, Trans-Muconic Acid in Urine as an Indicator of Occupational Exposure to Benzene. <i>Journal of Occupational and Environmental Hygiene</i> , 1996, 11, 187-192.	0.5	13
96	Determination of urinary mercapturic acids of styrene in man by high-performance liquid chromatography with fluorescence detection. <i>Biomedical Applications</i> , 1996, 687, 387-394.	1.7	15
97	Acetone in Urine as Biological Index of Occupational Exposure to Isopropyl Alcohol.. <i>Industrial Health</i> , 1996, 34, 409-414.	0.4	6
98	Low flow anaesthesia reduces occupational exposure to inhalation anaesthetics Environmental and biological measurements in operating room personnel. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 586-591.	0.7	37
99	Anesthetic in urine as biological index of exposure in operating room personnel. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1995, 46, 249-260.	1.1	22
100	Prognostic value of serum IgM and platelet count in the first stages of HIV infection. <i>European Journal of Haematology</i> , 1995, 55, 209-210.	1.1	0
101	Evaluation of occupational exposure to benzene by urinalysis. <i>International Archives of Occupational and Environmental Health</i> , 1995, 67, 195-200.	1.1	85
102	Biological Monitoring of Workers Exposed to Carbon Tetrachloride Vapor. <i>Journal of Occupational and Environmental Hygiene</i> , 1994, 9, 353-357.	0.5	6
103	Biological Monitoring of Occupational Exposure to Enflurane (Ethrane) in Operating Room Personnel. <i>Archives of Environmental Health</i> , 1994, 49, 135-140.	0.4	3
104	Determination of 2,5-hexandione by high-performance liquid chromatography after derivatization with dansylhydrazine. <i>Biomedical Applications</i> , 1994, 657, 111-117.	1.7	11
105	Serum albumin and other parameters in HIV infected intravenous drug users. <i>Journal of Infection</i> , 1993, 26, 233-234.	1.7	0
106	On the need of a sampling strategy in biological monitoring: The example of hexane exposure. <i>International Archives of Occupational and Environmental Health</i> , 1993, 65, S171-S176.	1.1	8
107	Carbon Disulfide and the Central Nervous System: A 15-Year Neurobehavioral Surveillance of an Exposed Population. <i>Environmental Research</i> , 1993, 63, 252-263.	3.7	15
108	Hypoalbuminemia in Human Immunodeficiency Virus Infection: Causes and Possible Prognostic Value. <i>Journal of Parenteral and Enteral Nutrition</i> , 1993, 17, 101-102.	1.3	2

#	ARTICLE	IF	CITATIONS
109	Urinary excretion of unmetabolized benzene as an indicator of benzene exposure. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1993, 38, 233-243.	1.1	61
110	METHYLENE CHLORIDE EXPOSURE IN INDUSTRIAL WORKERS. AIHA Journal, 1993, 54, 27-31.	0.4	20
111	An Evaluation of a New Portable Multi-Gas Monitor. Journal of Occupational and Environmental Hygiene, 1993, 8, 283-287.	0.5	3
112	Thrombocytopenia (TP) in HIV infection. European Journal of Haematology, 1993, 50, 239-240.	1.1	6
113	Hypoalbuminemia in human immunodeficiency virus infection: causes and possible prognostic value. Journal of Parenteral and Enteral Nutrition, 1993, 17, 101-102.	1.3	1
114	Urinary styrene in the biological monitoring of styrene exposure.. Scandinavian Journal of Work, Environment and Health, 1993, 19, 175-182.	1.7	31
115	Acquired Dyschromatopsia among Styrene-Exposed Workers. Journal of Occupational and Environmental Medicine, 1991, 33, 761-765.	0.9	82
116	Biological monitoring of the occupational exposure to halothane (fluothane) in operating room personnel. American Journal of Industrial Medicine, 1991, 20, 103-112.	1.0	11
117	1,2-Dichloropropane hepatotoxicity in rats after inhalation exposure. Journal of Applied Toxicology, 1990, 10, 391-394.	1.4	5
118	Biological Monitoring of Occupational Exposure to Styrene. Journal of Occupational and Environmental Hygiene, 1990, 5, 223-228.	0.5	4
119	Conjugated serum bile acid concentrations in workers exposed to low doses of toluene and xylene.. Occupational and Environmental Medicine, 1989, 46, 141-142.	1.3	9
120	Urinary Excretion of Tetrachloroethylene (Perchloroethylene) in Experimental and Occupational Exposure. Archives of Environmental Health, 1988, 43, 292-298.	0.4	15
121	Evaluation of exposure to isoflurane (forane): Environmental and biological measurements in operating room personnel. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1988, 25, 393-402.	1.1	15
122	Urinary Concentration, Environmental Concentration, and Respiratory Uptake of Some Solvents: Effect of the Work Load. AIHA Journal, 1988, 49, 546-552.	0.4	35
123	Nitrous Oxide (N ₂ O) in Urine as Biological Index of Exposure in Operating Room Personnel. Applied Industrial Hygiene, 1988, 3, 223-226.	0.1	22
124	1,1,1-Trichloroethane (methyl chloroform) in urine as biological index of exposure. American Journal of Industrial Medicine, 1988, 13, 211-222.	1.0	15
125	The Urinary Concentration of Solvents as a Biological Indicator of Exposure: Proposal for the Biological Equivalent Exposure Limit for Nine Solvents. AIHA Journal, 1987, 48, 786-790.	0.4	122
126	Toluene and Styrene in Urine as Biological Exposure Indices. Applied Industrial Hygiene, 1986, 1, 172-176.	0.1	15

#	ARTICLE	IF	CITATIONS
127	Effects of Dimethylformamide (DMF) on Coagulation and Platelet Activity. Archives of Environmental Health, 1986, 41, 90-93.	0.4	5
128	Urinary elimination of acetone in experimental and occupational exposure.. Scandinavian Journal of Work, Environment and Health, 1986, 12, 603-608.	1.7	41
129	Urinary elimination of styrene in experimental and occupational exposure.. Scandinavian Journal of Work, Environment and Health, 1985, 11, 371-379.	1.7	25
130	n-Hexane urine elimination and weighted exposure concentration. International Archives of Occupational and Environmental Health, 1984, 55, 33-41.	1.1	14
131	Can Nanotechnology Shine a New Light on Antimicrobial Photodynamic Therapies?. , 0, , .		2