

# Chris J L M Meijer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3716592/publications.pdf>

Version: 2024-02-01

280  
papers

41,396  
citations

6613

79  
h-index

2385

198  
g-index

282  
all docs

282  
docs citations

282  
times ranked

20912  
citing authors

#	ARTICLE	IF	CITATIONS
1	Human papillomavirus is a necessary cause of invasive cervical cancer worldwide. <i>Journal of Pathology</i> , 1999, 189, 12-19.	4.5	7,095
2	Epidemiologic Classification of Human Papillomavirus Types Associated with Cervical Cancer. <i>New England Journal of Medicine</i> , 2003, 348, 518-527.	27.0	5,264
3	Human papillomavirus genotype attribution in invasive cervical cancer: a retrospective cross-sectional worldwide study. <i>Lancet Oncology</i> , The, 2010, 11, 1048-1056.	10.7	2,093
4	Efficacy of HPV-based screening for prevention of invasive cervical cancer: follow-up of four European randomised controlled trials. <i>Lancet</i> , The, 2014, 383, 524-532.	13.7	1,282
5	Human Papillomavirus and Oral Cancer: The International Agency for Research on Cancer Multicenter Study. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1772-1783.	6.3	1,013
6	Overview of the European and North American studies on HPV testing in primary cervical cancer screening. <i>International Journal of Cancer</i> , 2006, 119, 1095-1101.	5.1	922
7	Against which human papillomavirus types shall we vaccinate and screen? the international perspective. <i>International Journal of Cancer</i> , 2004, 111, 278-285.	5.1	912
8	Primary and secondary cutaneous CD30+lymphoproliferative disorders: a report from the Dutch Cutaneous Lymphoma Group on the long-term follow-up data of 219 patients and guidelines for diagnosis and treatment. <i>Blood</i> , 2000, 95, 3653-3661.	1.4	741
9	Male Circumcision, Penile Human Papillomavirus Infection, and Cervical Cancer in Female Partners. <i>New England Journal of Medicine</i> , 2002, 346, 1105-1112.	27.0	707
10	Evidence Regarding Human Papillomavirus Testing in Secondary Prevention of Cervical Cancer. <i>Vaccine</i> , 2012, 30, F88-F99.	3.8	695
11	A novel algorithm for reliable detection of human papillomavirus in paraffin embedded head and neck cancer specimen. <i>International Journal of Cancer</i> , 2007, 121, 2465-2472.	5.1	658
12	Sexually Transmitted Infection as a Cause of Anal Cancer. <i>New England Journal of Medicine</i> , 1997, 337, 1350-1358.	27.0	635
13	Relation of human papilloma virus status to cervical lesions and consequences for cervical-cancer screening: a prospective study. <i>Lancet</i> , The, 1999, 354, 20-25.	13.7	627
14	Worldwide Human Papillomavirus Etiology of Cervical Adenocarcinoma and Its Cofactors: Implications for Screening and Prevention. <i>Journal of the National Cancer Institute</i> , 2006, 98, 303-315.	6.3	568
15	Guidelines for human papillomavirus DNA test requirements for primary cervical cancer screening in women 30 years and older. <i>International Journal of Cancer</i> , 2009, 124, 516-520.	5.1	557
16	Overview of Human Papillomavirus-Based and Other Novel Options for Cervical Cancer Screening in Developed and Developing Countries. <i>Vaccine</i> , 2008, 26, K29-K41.	3.8	526
17	GP5+/6+ PCR followed by Reverse Line Blot Analysis Enables Rapid and High-Throughput Identification of Human Papillomavirus Genotypes. <i>Journal of Clinical Microbiology</i> , 2002, 40, 779-787.	3.9	484
18	Human papillomavirus testing for the detection of high-grade cervical intraepithelial neoplasia and cancer: final results of the POBASCAM randomised controlled trial. <i>Lancet Oncology</i> , The, 2012, 13, 78-88.	10.7	431

#	ARTICLE	IF	CITATIONS
19	Chapter 9: Clinical applications of HPV testing: A summary of meta-analyses. <i>Vaccine</i> , 2006, 24, S78-S89.	3.8	393
20	Genetic Patterns in Head and Neck Cancers That Contain or Lack Transcriptionally Active Human Papillomavirus. <i>Journal of the National Cancer Institute</i> , 2004, 96, 998-1006.	6.3	378
21	HPV-mediated cervical carcinogenesis: concepts and clinical implications. <i>Journal of Pathology</i> , 2006, 208, 152-164.	4.5	360
22	The presence of persistent high-risk hpv genotypes in dysplastic cervical lesions is associated with progressive disease: Natural history up to 36 months. <i>International Journal of Cancer</i> , 1995, 61, 306-311.	5.1	344
23	Clinical implications of (epi)genetic changes in HPV-induced cervical precancerous lesions. <i>Nature Reviews Cancer</i> , 2014, 14, 395-405.	28.4	295
24	Biological evidence that human papillomaviruses are etiologically involved in a subgroup of head and neck squamous cell carcinomas. <i>International Journal of Cancer</i> , 2001, 93, 232-235.	5.1	277
25	Distribution of 37 mucosotropic HPV types in women with cytologically normal cervical smears: The age-related patterns for high-risk and low-risk types. <i>International Journal of Cancer</i> , 2000, 87, 221-227.	5.1	243
26	Prevalence of HPV in cytomorphologically normal cervical smears, as determined by the polymerase chain reaction, is age-dependent. <i>International Journal of Cancer</i> , 1993, 53, 919-923.	5.1	242
27	HPV testing on self collected cervicovaginal lavage specimens as screening method for women who do not attend cervical screening: cohort study. <i>BMJ: British Medical Journal</i> , 2010, 340, c1040-c1040.	2.3	240
28	The clinical relevance of human papillomavirus testing: relationship between analytical and clinical sensitivity. <i>Journal of Pathology</i> , 2003, 201, 1-6.	4.5	232
29	POBASCAM, a population-based randomized controlled trial for implementation of high-risk HPV testing in cervical screening: Design, methods and baseline data of 44,102 women. <i>International Journal of Cancer</i> , 2004, 110, 94-101.	5.1	230
30	Human papillomavirus 16 load in normal and abnormal cervical scrapes: An indicator of CIN II/III and viral clearance. <i>International Journal of Cancer</i> , 2002, 98, 590-595.	5.1	219
31	Methylation-mediated silencing and tumour suppressive function of hsa-miR-124 in cervical cancer. <i>Molecular Cancer</i> , 2010, 9, 167.	19.2	217
32	Presence of high-risk human papillomavirus DNA in penile carcinoma predicts favorable outcome in survival. <i>International Journal of Cancer</i> , 2006, 119, 1078-1081.	5.1	214
33	Cytological regression and clearance of high-risk human papillomavirus in women with an abnormal cervical smear. <i>Lancet, The</i> , 2001, 358, 1782-1783.	13.7	210
34	High-risk HPV testing on self-sampled versus clinician-collected specimens: A review on the clinical accuracy and impact on population attendance in cervical cancer screening. <i>International Journal of Cancer</i> , 2013, 132, 2223-2236.	5.1	210
35	The Polycomb group protein EZH2 is upregulated in proliferating, cultured human mantle cell lymphoma. <i>British Journal of Haematology</i> , 2001, 112, 950-958.	2.5	200
36	TSLC1 Gene Silencing in Cervical Cancer Cell Lines and Cervical Neoplasia. <i>Journal of the National Cancer Institute</i> , 2004, 96, 294-305.	6.3	194

#	ARTICLE	IF	CITATIONS
37	Risk of recurrent high-grade cervical intraepithelial neoplasia after successful treatment: a long-term multi-cohort study. <i>Lancet Oncology</i> , The, 2011, 12, 441-450.	10.7	182
38	Evaluation of 14 triage strategies for HPV DNA-positive women in population-based cervical screening. <i>International Journal of Cancer</i> , 2012, 130, 602-610.	5.1	179
39	Increasing prevalence rates of HPV attributable oropharyngeal squamous cell carcinomas in the Netherlands as assessed by a validated test algorithm. <i>International Journal of Cancer</i> , 2013, 132, 1565-1571.	5.1	177
40	Condom use promotes regression of cervical intraepithelial neoplasia and clearance of human papillomavirus: A randomized clinical trial. <i>International Journal of Cancer</i> , 2003, 107, 811-816.	5.1	171
41	Intraoperative rapid diagnostic method based on CK19 mRNA expression for the detection of lymph node metastases in breast cancer. <i>International Journal of Cancer</i> , 2008, 122, 2562-2567.	5.1	167
42	HPV-FASTER: broadening the scope for prevention of HPV-related cancer. <i>Nature Reviews Clinical Oncology</i> , 2016, 13, 119-132.	27.6	154
43	Human Papillomavirus-16 Is the Predominant Type Etiologically Involved in Penile Squamous Cell Carcinoma. <i>Journal of Clinical Oncology</i> , 2007, 25, 4550-4556.	1.6	147
44	Triage by methylation-marker testing versus cytology in women who test HPV-positive on self-collected cervicovaginal specimens (PROTECT-3): a randomised controlled non-inferiority trial. <i>Lancet Oncology</i> , The, 2014, 15, 315-322.	10.7	147
45	Evidence for at least three alternative mechanisms targeting the p16INK4A/cyclin D/Rb pathway in penile carcinoma, one of which is mediated by high-risk human papillomavirus. <i>Journal of Pathology</i> , 2003, 201, 109-118.	4.5	145
46	Human papillomavirus testing on self-sampled cervicovaginal brushes: An effective alternative to protect nonresponders in cervical screening programs. <i>International Journal of Cancer</i> , 2007, 120, 1505-1510.	5.1	145
47	Expression of the granzyme B inhibitor, protease inhibitor 9, by tumor cells in patients with non-Hodgkin and Hodgkin lymphoma: a novel protective mechanism for tumor cells to circumvent the immune system?. <i>Blood</i> , 2002, 99, 232-237.	1.4	138
48	CD4+CD25hi regulatory T-cell frequency correlates with persistence of human papillomavirus type 16 and T helper cell responses in patients with cervical intraepithelial neoplasia. <i>International Journal of Cancer</i> , 2007, 121, 1749-1755.	5.1	134
49	The presence of high-risk HPV combined with specific p53 and p16 <sup>INK4a</sup> expression patterns points to high-risk HPV as the main causative agent for adenocarcinoma <i>in situ</i> and adenocarcinoma of the cervix. <i>Journal of Pathology</i> , 2003, 201, 535-543.	4.5	133
50	Most Primary Cutaneous CD30-Positive Lymphoproliferative Disorders Have a CD4-Positive Cytotoxic T-Cell Phenotype. <i>Journal of Investigative Dermatology</i> , 1997, 109, 636-640.	0.7	131
51	Factors affecting transmission of mucosal human papillomavirus. <i>Lancet Infectious Diseases</i> , The, 2010, 10, 862-874.	9.1	131
52	Acquisition and Persistence of Human Papillomavirus Infection in Younger Men: A Prospective Follow-up Study among Danish Soldiers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1528-1533.	2.5	130
53	HPV-mediated transformation of the anogenital tract. <i>Journal of Clinical Virology</i> , 2005, 32, 25-33.	3.1	130
54	Performance of human papillomavirus testing on self-collected versus clinician-collected samples for the detection of cervical intraepithelial neoplasia of grade 2 or worse: a randomised, paired screen-positive, non-inferiority trial. <i>Lancet Oncology</i> , The, 2019, 20, 229-238.	10.7	129

#	ARTICLE	IF	CITATIONS
55	Human papillomavirus and risk factors for cervical cancer in Chennai, India: A case-control study. <i>International Journal of Cancer</i> , 2003, 107, 127-133.	5.1	126
56	Do HPV-negative cervical carcinomas exist?. , 1997, 181, 253-254.		125
57	Cervical cancer in the Netherlands 1989-1998: Decrease of squamous cell carcinoma in older women, increase of adenocarcinoma in younger women. <i>International Journal of Cancer</i> , 2005, 113, 1005-1009.	5.1	120
58	Combined Promoter Methylation Analysis of CADM1 and MAL: An Objective Triage Tool for High-Risk Human Papillomavirus DNA-Positive Women. <i>Clinical Cancer Research</i> , 2011, 17, 2459-2465.	7.0	119
59	Expression levels of apoptosis-related proteins predict clinical outcome in anaplastic large cell lymphoma. <i>Blood</i> , 2002, 99, 4540-4546.	1.4	118
60	New Technologies and Procedures for Cervical Cancer Screening. <i>Vaccine</i> , 2012, 30, F107-F116.	3.8	117
61	2020 list of human papillomavirus assays suitable for primary cervical cancer screening. <i>Clinical Microbiology and Infection</i> , 2021, 27, 1083-1095.	6.0	116
62	Concordance of Specific Human Papillomavirus Types in Sex Partners Is More Prevalent than Would Be Expected by Chance and Is Associated with Increased Viral Loads. <i>Clinical Infectious Diseases</i> , 2005, 41, 612-620.	5.8	112
63	Monitoring of Epstein-Barr Virus DNA Load in Peripheral Blood by Quantitative Competitive PCR. <i>Journal of Clinical Microbiology</i> , 1999, 37, 2852-2857.	3.9	111
64	Prevalence of mucosotropic human papillomaviruses in squamous-cell carcinomas of the head and neck. , 1996, 66, 464-469.		110
65	ALK-negative systemic anaplastic large cell lymphoma: differential diagnostic and prognostic aspects-a review. <i>Journal of Pathology</i> , 2003, 200, 4-15.	4.5	103
66	Experience with high-risk human papillomavirus testing on vaginal brush-based self-samples of non-attendees of the cervical screening program. <i>International Journal of Cancer</i> , 2012, 130, 1128-1135.	5.1	101
67	<i>CADM1</i> and <i>MAL</i> promoter methylation levels in hrHPV-positive cervical scrapes increase proportional to degree and duration of underlying cervical disease. <i>International Journal of Cancer</i> , 2013, 133, 1293-1299.	5.1	100
68	Clinical Progression of High-Grade Cervical Intraepithelial Neoplasia: Estimating the Time to Preclinical Cervical Cancer From Doubly Censored National Registry Data. <i>American Journal of Epidemiology</i> , 2013, 178, 1161-1169.	3.4	100
69	Determination of viral load thresholds in cervical scrapings to rule out CIN 3 in HPV 16, 18, 31 and 33-positive women with normal cytology. <i>International Journal of Cancer</i> , 2006, 119, 1102-1107.	5.1	99
70	Analysis of cytomorphologically abnormal cervical scrapes for the presence of 27 mucosotropic human papillomavirus genotypes, using polymerase chain reaction. <i>International Journal of Cancer</i> , 1994, 56, 802-806.	5.1	98
71	Condom use promotes regression of human papillomavirus-associated penile lesions in male sexual partners of women with cervical intraepithelial neoplasia. <i>International Journal of Cancer</i> , 2003, 107, 804-810.	5.1	98
72	Role of Epstein-Barr Virus DNA Load Monitoring in Prevention and Early Detection of Post-transplant Lymphoproliferative Disease. <i>Leukemia and Lymphoma</i> , 2002, 43, 831-840.	1.3	97

#	ARTICLE	IF	CITATIONS
73	High-risk human papillomavirus testing versus cytology in predicting post-treatment disease in women treated for high-grade cervical disease: A systematic review and meta-analysis. <i>Gynecologic Oncology</i> , 2012, 125, 500-507.	1.4	97
74	Methylation Analysis of the <i>FAM19A4</i> Gene in Cervical Scrapes Is Highly Efficient in Detecting Cervical Carcinomas and Advanced CIN2/3 Lesions. <i>Cancer Prevention Research</i> , 2014, 7, 1251-1257.	1.5	97
75	Repression of MAL tumour suppressor activity by promoter methylation during cervical carcinogenesis. <i>Journal of Pathology</i> , 2009, 219, 327-336.	4.5	95
76	Penile lesions and human papillomavirus in male sexual partners of women with cervical intraepithelial neoplasia. <i>Journal of the American Academy of Dermatology</i> , 2002, 47, 351-357.	1.2	88
77	Combined <i>CADM1</i> and <i>MAL</i> promoter methylation analysis to detect (pre)malignant cervical lesions in high-risk HPV-positive women. <i>International Journal of Cancer</i> , 2011, 129, 2218-2225.	5.1	87
78	Safety of extending screening intervals beyond five years in cervical screening programmes with testing for high risk human papillomavirus: 14 year follow-up of population based randomised cohort in the Netherlands. <i>BMJ, The</i> , 2016, 355, i4924.	6.0	86
79	<i>CADM1</i> , <i>MAL</i> and <i>miR124-2</i> methylation analysis in cervical scrapes to detect cervical and endometrial cancer. <i>Journal of Clinical Pathology</i> , 2014, 67, 1067-1071.	2.0	82
80	Primary hrHPV DNA Testing in Cervical Cancer Screening: How to Manage Screen-Positive Women? A POBASCAM Trial Substudy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 55-63.	2.5	82
81	High Concordance of Results of Testing for Human Papillomavirus in Cervicovaginal Samples Collected by Two Methods, with Comparison of a Novel Self-Sampling Device to a Conventional Endocervical Brush. <i>Journal of Clinical Microbiology</i> , 2006, 44, 2518-2523.	3.9	81
82	Human papillomavirus in early laryngeal carcinoma. <i>Laryngoscope</i> , 2009, 119, 1531-1537.	2.0	81
83	Anal and penile high-risk human papillomavirus prevalence in HIV-negative and HIV-infected MSM. <i>Aids</i> , 2013, 27, 2921-2931.	2.2	80
84	Validation of the <i>FAM19A4</i> / <i>mir124-2</i> DNA methylation test for both lavage- and brush-based self-samples to detect cervical (pre)cancer in HPV-positive women. <i>Gynecologic Oncology</i> , 2016, 141, 341-347.	1.4	80
85	Human papillomavirus type 16 E6/E7-specific cytotoxic T lymphocytes in women with cervical neoplasia. <i>International Journal of Cancer</i> , 2000, 88, 92-98.	5.1	79
86	Human papilloma virus in head and neck cancer: The need for a standardised assay to assess the full clinical importance. <i>European Journal of Cancer</i> , 2009, 45, 2935-2939.	2.8	77
87	Focal aberrations indicate <i>EYA2</i> and <i>hsa-miR-375</i> as oncogene and tumor suppressor in cervical carcinogenesis. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 56-68.	2.8	76
88	Mailed, Home-Obtained Urine Specimens: a Reliable Screening Approach for Detecting Asymptomatic <i>Chlamydia trachomatis</i> Infections. <i>Journal of Clinical Microbiology</i> , 1999, 37, 976-980.	3.9	73
89	High-risk HPV testing in women with borderline and mild dyskaryosis: long-term follow-up data and clinical relevance. <i>Journal of Pathology</i> , 2001, 195, 300-306.	4.5	72
90	Increased Risk of HIV Acquisition among Kenyan Men with Human Papillomavirus Infection. <i>Journal of Infectious Diseases</i> , 2010, 201, 1677-1685.	4.0	72

#	ARTICLE	IF	CITATIONS
91	Selective gene delivery toward gastric and esophageal adenocarcinoma cells via EpCAM-targeted adenoviral vectors. <i>Cancer Gene Therapy</i> , 2001, 8, 342-351.	4.6	71
92	Reasons for non-attendance to cervical screening and preferences for HPV self-sampling in Dutch women. <i>Preventive Medicine</i> , 2014, 64, 108-113.	3.4	70
93	A phase III clinical study to compare the immunogenicity and safety of the 9-valent and quadrivalent HPV vaccines in men. <i>Vaccine</i> , 2016, 34, 4205-4212.	3.8	68
94	Genome-wide DNA Methylation Profiling Reveals Methylation Markers Associated with 3q Gain for Detection of Cervical Precancer and Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 3813-3822.	7.0	68
95	Telomerase Suppression by Chromosome 6 in a Human Papillomavirus Type 16-Immortalized Keratinocyte Cell Line and in a Cervical Cancer Cell Line. <i>Journal of the National Cancer Institute</i> , 2001, 93, 865-872.	6.3	67
96	Methylation-mediated transcriptional repression of microRNAs during cervical carcinogenesis. <i>Epigenetics</i> , 2013, 8, 220-228.	2.7	67
97	HPV Detection Methods. <i>Disease Markers</i> , 2007, 23, 273-281.	1.3	66
98	Model-Based Estimation of Viral Transmissibility and Infection-Induced Resistance From the Age-Dependent Prevalence of Infection for 14 High-Risk Types of Human Papillomavirus. <i>American Journal of Epidemiology</i> , 2010, 171, 817-825.	3.4	66
99	Comprehensive analysis of human papillomavirus prevalence and the potential role of low-risk types in verrucous carcinoma. <i>Modern Pathology</i> , 2012, 25, 1354-1363.	5.5	66
100	Offering self-sampling for human papillomavirus testing to non-attendees of the cervical screening programme: Characteristics of the responders. <i>European Journal of Cancer</i> , 2012, 48, 1799-1808.	2.8	66
101	Seroreactivity to Human Papillomavirus Type 16 Virus-like Particles Is Lower in High-Risk Men than in High-Risk Women. <i>Journal of Infectious Diseases</i> , 1997, 176, 876-883.	4.0	63
102	HPV testing can reduce the number of follow-up visits in women treated for cervical intraepithelial neoplasia grade 3. <i>Gynecologic Oncology</i> , 2003, 91, 67-73.	1.4	63
103	Cervical cancer risk in HPV-positive women after a negative FAM19A4/mir124 methylation test: A post hoc analysis in the POBASCAM trial with 14 year follow-up. <i>International Journal of Cancer</i> , 2018, 143, 1541-1548.	5.1	63
104	HPV16 and increased risk of recurrence after treatment for CIN. <i>Gynecologic Oncology</i> , 2007, 104, 273-275.	1.4	62
105	Long-term Impact of Human Papillomavirus Vaccination on Infection Rates, Cervical Abnormalities, and Cancer Incidence. <i>Epidemiology</i> , 2011, 22, 505-515.	2.7	62
106	Prevalence of human papillomavirus in women with invasive cervical carcinoma by HIV status in Kenya and South Africa. <i>International Journal of Cancer</i> , 2012, 131, 949-955.	5.1	62
107	Triaging HPV-positive women with normal cytology by p16/Ki67 dual-stained cytology testing: Baseline and longitudinal data. <i>International Journal of Cancer</i> , 2015, 136, 2361-2368.	5.1	61
108	A report on the current status of European research on the use of human papillomavirus testing for primary cervical cancer screening. <i>International Journal of Cancer</i> , 2006, 118, 791-796.	5.1	60

#	ARTICLE	IF	CITATIONS
109	Human Papillomavirus Type-Specific 18-Month Risk of High-Grade Cervical Intraepithelial Neoplasia in Women with a Normal or Borderline/Mildly Dyskaryotic Smear. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1268-1273.	2.5	60
110	Comparing the performance of <i>FAM19A4</i> methylation analysis, cytology and HPV16/18 genotyping for the detection of cervical (pre)cancer in high-risk HPV-positive women of a gynecologic outpatient population (COMETH study). <i>International Journal of Cancer</i> , 2016, 138, 992-1002.	5.1	60
111	HPV16 semiquantitative viral load and serologic biomarkers in oral and oropharyngeal squamous cell carcinomas. <i>International Journal of Cancer</i> , 2005, 115, 329-332.	5.1	59
112	High-risk human papillomavirus DNA load in a population-based cervical screening cohort in relation to the detection of high-grade cervical intraepithelial neoplasia and cervical cancer. <i>International Journal of Cancer</i> , 2009, 124, 381-386.	5.1	59
113	Genomic profiling identifies common HPV-associated chromosomal alterations in squamous cell carcinomas of cervix and head and neck. <i>BMC Medical Genomics</i> , 2009, 2, 32.	1.5	56
114	Oral human papillomavirus infection in HIV-negative and HIV-infected MSM. <i>Aids</i> , 2013, 27, 2117-2128.	2.2	56
115	Methylation markers <i>FAM19A4</i> and <i>miR124</i> as triage strategy for primary human papillomavirus screen positive women: A large European multicenter study. <i>International Journal of Cancer</i> , 2021, 148, 396-405.	5.1	56
116	Risk of high-grade cervical intra-epithelial neoplasia based on cytology and high-risk HPV testing at baseline and at 6-months. <i>International Journal of Cancer</i> , 2007, 121, 361-367.	5.1	55
117	<i>FAM19A4</i> methylation analysis in self-samples compared with cervical scrapes for detecting cervical (pre)cancer in HPV-positive women. <i>British Journal of Cancer</i> , 2016, 115, 579-587.	6.4	55
118	Identification and Validation of a 3-Gene Methylation Classifier for HPV-Based Cervical Screening on Self-Samples. <i>Clinical Cancer Research</i> , 2018, 24, 3456-3464.	7.0	55
119	Development of a multiplex methylation-specific PCR as candidate triage test for women with an HPV-positive cervical scrape. <i>BMC Cancer</i> , 2012, 12, 551.	2.6	54
120	Different risk factor patterns for high-grade and low-grade intraepithelial lesions on the cervix among HPV-positive and HPV-negative young women. , 1998, 76, 613-619.		53
121	Chromosomal Signatures of a Subset of High-Grade Premalignant Cervical Lesions Closely Resemble Invasive Carcinomas. <i>Cancer Research</i> , 2009, 69, 647-655.	0.9	53
122	hTERT promoter activity and CpG methylation in HPV-induced carcinogenesis. <i>BMC Cancer</i> , 2010, 10, 271.	2.6	53
123	Adverse Effects of Activated Cytotoxic T Lymphocytes on the Clinical Outcome of Nodal Anaplastic Large Cell Lymphoma. <i>Blood</i> , 1999, 93, 2688-2696.	1.4	51
124	Male circumcision is associated with a lower prevalence of human papillomavirus-associated penile lesions among Kenyan men. <i>International Journal of Cancer</i> , 2012, 130, 1888-1897.	5.1	51
125	Prevalence of types 16 and 33 is increased in high-risk human papillomavirus positive women with cervical intraepithelial neoplasia grade 2 or worse. <i>International Journal of Cancer</i> , 2005, 117, 177-181.	5.1	50
126	Methods for HPV detection in exfoliated cell and tissue specimens. <i>Apms</i> , 2010, 118, 520-528.	2.0	50

#	ARTICLE	IF	CITATIONS
127	Risk factors for HPV infection in women from sexually transmitted disease clinics: Comparison between two areas with different cervical cancer incidence. , 1998, 75, 1-8.		49
128	Differential expression of human Polycomb group proteins in various tissues and cell types. Journal of Cellular Biochemistry, 2001, 81, 129-143.	2.6	49
129	Evaluation of p16/Ki-67 dual-stained cytology as triage test for high-risk human papillomavirus-positive women. Modern Pathology, 2017, 30, 1021-1031.	5.5	49
130	HPV-associated flat penile lesions in men of a non-STD hospital population: Less frequent and smaller in size than in male sexual partners of women with CIN. International Journal of Cancer, 2005, 113, 36-41.	5.1	48
131	Optimization of primary and secondary cervical cancer prevention strategies in an era of cervical cancer vaccination: A multi-regional health economic analysis. Vaccine, 2008, 26, F46-F58.	3.8	48
132	Methylation-specific digital karyotyping of HPV16E6E7-expressing human keratinocytes identifies novel methylation events in cervical carcinogenesis. Journal of Pathology, 2013, 231, 53-62.	4.5	48
133	Experience with HPV self-sampling and clinician-based sampling in women attending routine cervical screening in the Netherlands. Preventive Medicine, 2019, 125, 5-11.	3.4	48
134	Pathologic analysis of sentinel lymph nodes. Journal of Surgical Oncology, 2001, 20, 238-245.	1.4	47
135	Evaluation of cervical screening strategies with adjunct high-risk human papillomavirus testing for women with borderline or mild dyskaryosis. International Journal of Cancer, 2006, 118, 1759-1768.	5.1	47
136	PIK3CA-mediated PI3-kinase signalling is essential for HPV-induced transformation in vitro. Molecular Cancer, 2011, 10, 71.	19.2	47
137	Viral E6-E7 Transcription in the Basal Layer of Organotypic Cultures without Apparent p21cip1 Protein Precedes Immortalization of Human Papillomavirus Type 16- and 18-Transfected Human Keratinocytes. Journal of Virology, 1998, 72, 749-757.	3.4	47
138	Methylation marker analysis and HPV16/18 genotyping in high-risk HPV positive self-sampled specimens to identify women with high grade CIN or cervical cancer. Gynecologic Oncology, 2014, 135, 58-63.	1.4	45
139	Management of high-risk HPV-positive women for detection of cervical (pre)cancer. Expert Review of Molecular Diagnostics, 2016, 16, 961-974.	3.1	45
140	p16/Ki-67 dual-stained cytology for detecting cervical (pre)cancer in a HPV-positive gynecologic outpatient population. Modern Pathology, 2016, 29, 870-878.	5.5	43
141	Host-cell DNA methylation patterns during high-risk HPV-induced carcinogenesis reveal a heterogeneous nature of cervical pre-cancer. Epigenetics, 2018, 13, 769-778.	2.7	43
142	No direct role for Epstein-Barr virus in oral carcinogenesis: A study at the DNA, RNA and protein levels. , 2000, 86, 356-361.		42
143	High numbers of active caspase 3-positive Reed-Sternberg cells in pretreatment biopsy specimens of patients with Hodgkin disease predict favorable clinical outcome. Blood, 2002, 100, 36-42.	1.4	42
144	Assessing the introduction of universal human papillomavirus vaccination for preadolescent girls in The Netherlands. Vaccine, 2007, 25, 6245-6256.	3.8	41

#	ARTICLE	IF	CITATIONS
145	Brush-based self-sampling in combination with GP5+/6+-PCR-based hrHPV testing: High concordance with physician-taken cervical scrapes for HPV genotyping and detection of high-grade CIN. <i>Journal of Clinical Virology</i> , 2012, 54, 147-151.	3.1	40
146	Correlation between viral load, multiplicity of infection, and persistence of HPV16 and HPV18 infection in a Dutch cohort of young women. <i>Journal of Clinical Virology</i> , 2016, 83, 6-11.	3.1	40
147	<i>FAM19A4/miR124</i> methylation in invasive cervical cancer: A retrospective cross-sectional worldwide study. <i>International Journal of Cancer</i> , 2020, 147, 1215-1221.	5.1	40
148	Down-Regulation of GATA-3 Expression during Human Papillomavirus-Mediated Immortalization and Cervical Carcinogenesis. <i>American Journal of Pathology</i> , 2002, 160, 1945-1951.	3.8	39
149	Flat penile lesions: The infectious "invisible" link in the transmission of human papillomavirus. <i>International Journal of Cancer</i> , 2006, 119, 2505-2512.	5.1	39
150	HPV16/18 vaccination to prevent cervical cancer in The Netherlands: Model-based cost-effectiveness. <i>International Journal of Cancer</i> , 2009, 124, 970-978.	5.1	39
151	Combined <i>CADM1</i> / <i>MAL</i> Methylation and Cytology Testing for Colposcopy Triage of High-Risk HPV-Positive Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1933-1937.	2.5	39
152	Presence of human papillomavirus in semen in relation to semen quality. <i>Human Reproduction</i> , 2016, 31, dev317.	0.9	39
153	Human papillomavirus is a necessary cause of invasive cervical cancer worldwide. , 1999, 189, 12.		39
154	Genotyping of <i>Chlamydia trachomatis</i> in Urine Specimens Will Facilitate Large Epidemiological Studies. <i>Journal of Clinical Microbiology</i> , 1998, 36, 3077-3078.	3.9	38
155	Prevalence and risk factors of human papillomavirus infection by penile site in uncircumcised Kenyan men. <i>International Journal of Cancer</i> , 2010, 126, 572-577.	5.1	37
156	Chromosomal profiles of high-grade cervical intraepithelial neoplasia relate to duration of preceding high-risk human papillomavirus infection. <i>International Journal of Cancer</i> , 2012, 131, E579-85.	5.1	37
157	HPV E4 expression and DNA hypermethylation of <i>CADM1</i> , <i>MAL</i> , and <i>miR124-2</i> genes in cervical cancer and precursor lesions. <i>Modern Pathology</i> , 2018, 31, 1842-1850.	5.5	37
158	HPV DNA Detection and Typing in Cervical Scrapes. , 2005, 119, 101-114.		36
159	Cancer Risk Stratification of Anal Intraepithelial Neoplasia in Human Immunodeficiency Virus-Positive Men by Validated Methylation Markers Associated With Progression to Cancer. <i>Clinical Infectious Diseases</i> , 2021, 72, 2154-2163.	5.8	36
160	Natural history and screening model for high-risk human papillomavirus infection, neoplasia and cervical cancer in the Netherlands. <i>International Journal of Cancer</i> , 2005, 115, 268-275.	5.1	35
161	Methylation-mediated repression of <i>PRDM14</i> contributes to apoptosis evasion in HPV-positive cancers. <i>Carcinogenesis</i> , 2014, 35, 2611-2618.	2.8	35
162	<i>CADM1</i> and <i>MAL</i> methylation status in cervical scrapes is representative of the most severe underlying lesion in women with multiple cervical biopsies. <i>International Journal of Cancer</i> , 2016, 138, 463-471.	5.1	35

#	ARTICLE	IF	CITATIONS
163	p53 immunoeexpression in non-malignant oral mucosa adjacent to oral squamous cell carcinoma: potential consequences for clinical management. , 2000, 191, 132-137.		34
164	Triage using HPV-testing in persistent borderline and mildly dyskaryotic smears: Proposal for new guidelines. International Journal of Cancer, 2005, 116, 122-129.	5.1	34
165	Early detection of CIN3 and cervical cancer during long-term follow-up using HPV/Pap smear co-testing and risk-adapted follow-up in a locally organised screening programme. International Journal of Cancer, 2014, 135, 1408-1416.	5.1	33
166	Methylation Levels of CADM1, MAL, and MIR124-2 in Cervical Scrapes for Triage of HIV-Infected, High-Risk HPV-Positive Women in Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, 311-318.	2.1	33
167	Three-tiered score for Ki-67 and p16 <sup>ink4a</sup> improves accuracy and reproducibility of grading CIN lesions. Journal of Clinical Pathology, 2018, 71, 981-988.	2.0	33
168	Whole-Genome Sequencing and Variant Analysis of Human Papillomavirus 16 Infections. Journal of Virology, 2017, 91, .	3.4	33
169	Apoptosis in B-cell lymphomas and reactive lymphoid tissues always involves activation of caspase 3 as determined by a new in situ detection method. Journal of Pathology, 2002, 196, 307-315.	4.5	32
170	Long-term CIN3+ risk of HPV positive women after triage with FAM19A4/miR124-2 methylation analysis. Gynecologic Oncology, 2019, 154, 368-373.	1.4	32
171	Large cell lymphomas. I. Differential diagnosis of centroblastic and b-immunoblastic subtypes by morphometry on histologic preparations. Cancer, 1984, 54, 2082-2087.	4.1	31
172	Non-random allelic losses at 3p, 11p and 13q during HPV-mediated immortalization and concomitant loss of terminal differentiation of human keratinocytes. , 1998, 76, 412-417.		31
173	Absence of p16 <sup>met</sup> expression of c-met in human gastric mucosa and carcinoma. Journal of Pathology, 2001, 194, 428-435.	4.5	31
174	Methylation status of the E2 binding sites of HPV16 in cervical lesions determined with the Luminex <sup>®</sup> xMAP <sup>®</sup> system. Virology, 2012, 422, 357-365.	2.4	30
175	Human Papillomavirus Detection by Penile Site in Young Men From Kenya. Sexually Transmitted Diseases, 2007, 34, 928-934.	1.7	29
176	Human papillomavirus infection in a population-based sample of women in Algiers, Algeria. International Journal of Cancer, 2011, 128, 2224-2229.	5.1	29
177	Longitudinal assessment of DNA methylation changes during HPV16-induced immortalization of primary keratinocytes. Epigenetics, 2015, 10, 73-81.	2.7	29
178	Genome-wide microRNA analysis of HPV-positive self-samples yields novel triage markers for early detection of cervical cancer. International Journal of Cancer, 2019, 144, 372-379.	5.1	29
179	The expression pattern of contractile and intermediate filament proteins in developing skeletal muscle and rhabdomyosarcoma of childhood: Diagnostic and prognostic utility. Journal of Pathology, 1994, 174, 283-292.	4.5	28
180	HPV-positive women with normal cytology remain at increased risk of CIN3 after a negative repeat HPV test. British Journal of Cancer, 2017, 117, 1557-1561.	6.4	28

#	ARTICLE	IF	CITATIONS
181	Squamous Cell Carcinoma of the Penis: Premalignant Lesions. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000, 34, 187-188.	1.4	27
182	HPV testing in cervical screening. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2006, 20, 253-266.	2.8	27
183	Differential <i>In Vitro</i> Immortalization Capacity of Eleven, Probable High-Risk Human Papillomavirus Types. <i>Journal of Virology</i> , 2014, 88, 1714-1724.	3.4	27
184	Epstein-Barr virus is present in neoplastic cytotoxic T cells in extranodal, and predominantly in B cells in nodal T non-Hodgkin lymphomas. <i>Journal of Pathology</i> , 2000, 191, 400-406.	4.5	26
185	Gene expression profiling to identify markers associated with deregulated hTERT in HPV-transformed keratinocytes and cervical cancer. <i>International Journal of Cancer</i> , 2008, 122, 877-888.	5.1	26
186	Post-treatment CIN: Randomised clinical trial using hrHPV testing for prediction of residual/recurrent disease. <i>International Journal of Cancer</i> , 2009, 124, 889-895.	5.1	26
187	Classification of high-grade cervical intraepithelial neoplasia by p16 <sup>ink4a</sup> , Ki67, HPV E4 and FAM19A4/miR124-2 methylation status demonstrates considerable heterogeneity with potential consequences for management. <i>International Journal of Cancer</i> , 2021, 149, 707-716.	5.1	26
188	Host Cell Deoxyribonucleic Acid Methylation Markers for the Detection of High-grade Anal Intraepithelial Neoplasia and Anal Cancer. <i>Clinical Infectious Diseases</i> , 2019, 68, 1110-1117.	5.8	25
189	Immortalization capacity of HPV types is inversely related to chromosomal instability. <i>Oncotarget</i> , 2016, 7, 37608-37621.	1.8	25
190	Clinical Regression of High-Grade Cervical Intraepithelial Neoplasia Is Associated With Absence of FAM19A4/miR124-2 DNA Methylation (CONCERVE Study). <i>Journal of Clinical Oncology</i> , 2022, 40, 3037-3046.	1.6	25
191	Five-Year Cervical (Pre)Cancer Risk of Women Screened by HPV and Cytology Testing. <i>Cancer Prevention Research</i> , 2015, 8, 502-508.	1.5	24
192	The clinical value of HPV genotyping in triage of women with high-risk-HPV-positive self-samples. <i>International Journal of Cancer</i> , 2016, 139, 691-699.	5.1	23
193	Six-Month Incidence and Persistence of Oral HPV Infection in HIV-Negative and HIV-Infected Men Who Have Sex with Men. <i>PLoS ONE</i> , 2014, 9, e98955.	2.5	23
194	Pearly penile papules: Still no reason for uneasiness. <i>Journal of the American Academy of Dermatology</i> , 2003, 49, 50-54.	1.2	22
195	Follow-up of high-risk HPV positive women by combined cytology and bi-marker CADM1/MAL methylation analysis on cervical scrapes. <i>Gynecologic Oncology</i> , 2015, 137, 55-59.	1.4	22
196	Aberrant methylation-mediated silencing of microRNAs contributes to HPV-induced anchorage independence. <i>Oncotarget</i> , 2016, 7, 43805-43819.	1.8	22
197	Noncutaneous T-cell lymphomas recognition of a lymphoma type (large cell anaplastic) with a relatively favorable prognosis. <i>Cancer</i> , 1993, 71, 2604-2612.	4.1	21
198	Primary human papillomavirus DNA screening for cervical cancer prevention: Can the screening interval be safely extended?. <i>International Journal of Cancer</i> , 2015, 137, 420-427.	5.1	21

#	ARTICLE	IF	CITATIONS
199	Acquisition and Persistence of Human Papillomavirus 16 (HPV-16) and HPV-18 Among Men With High-HPV Viral Load Infections in a Circumcision Trial in Kisumu, Kenya. <i>Journal of Infectious Diseases</i> , 2015, 211, 811-820.	4.0	21
200	Molecular heterogeneity in human papillomavirus-dependent and -independent vulvar carcinogenesis. <i>Cancer Medicine</i> , 2018, 7, 4542-4553.	2.8	21
201	Is Chlamydia pneumoniae present in the central nervous system of multiple sclerosis patients?. <i>Annals of Neurology</i> , 2000, 48, 399-399.	5.3	20
202	Molecular targeted therapies for diffuse large B-cell lymphoma based on apoptosis profiles. <i>Journal of Pathology</i> , 2010, 220, 509-520.	4.5	20
203	Presence of human papillomavirus in semen of healthy men is firmly associated with HPV infections of the penile epithelium. <i>Fertility and Sterility</i> , 2015, 104, 838-844.e8.	1.0	20
204	Comparing triage algorithms using HPV DNA genotyping, HPV E7 mRNA detection and cytology in high-risk HPV DNA-positive women. <i>Journal of Clinical Virology</i> , 2015, 67, 59-66.	3.1	20
205	The use of molecular markers for cervical screening of women living with HIV in South Africa. <i>Aids</i> , 2019, 33, 2035-2042.	2.2	20
206	IL-1B promoter polymorphism and Epstein-Barr virus in Dutch patients with gastric carcinoma. <i>International Journal of Cancer</i> , 2003, 107, 866-867.	5.1	19
207	High-risk human papillomavirus seems not involved in DES-related and of limited importance in nonDES related clear-cell carcinoma of the cervix. <i>Gynecologic Oncology</i> , 2011, 122, 297-302.	1.4	19
208	Twelve-month incidence and clearance of oral HPV infection in HIV-negative and HIV-infected men who have sex with men: the H2M cohort study. <i>BMC Infectious Diseases</i> , 2014, 14, 668.	2.9	19
209	How to screen for cervical cancer after HPV16/18 vaccination in The Netherlands. <i>Vaccine</i> , 2009, 27, 5111-5119.	3.8	18
210	Novel molecular subtypes of cervical cancer – potential clinical consequences. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 397-398.	27.6	18
211	Detection of hypermethylated genes as markers for cervical screening in women living with HIV. <i>Journal of the International AIDS Society</i> , 2018, 21, e25165.	3.0	18
212	Triage of high-risk HPV-positive women in population-based screening by miRNA expression analysis in cervical scrapes; a feasibility study. <i>Clinical Epigenetics</i> , 2018, 10, 76.	4.1	18
213	Differential presence of Papillomavirus variants in cervical cancer: An analysis for HPV33, HPV45 and HPV58. <i>Infection, Genetics and Evolution</i> , 2013, 13, 96-104.	2.3	17
214	Selection of women at risk for cervical cancer in an HIV-infected South African population. <i>Aids</i> , 2017, 31, 1945-1953.	2.2	17
215	Performance of DNA methylation analysis of <i>ASCL1</i> , <i>LHX8</i> , <i>ST6GALNAC5</i> , <i>GHSR</i> , <i>ZIC1</i> and <i>SST</i> for the triage of HPV-positive women: Results from a Dutch primary HPV-based screening cohort. <i>International Journal of Cancer</i> , 2022, 150, 440-449.	5.1	17
216	Telomerase activity in high-grade cervical lesions is associated with allelic imbalance at 6Q14-22. <i>International Journal of Cancer</i> , 2003, 105, 577-582.	5.1	16

#	ARTICLE	IF	CITATIONS
217	Good performance of p16/ki67 dual-stained cytology for surveillance of women treated for high-grade CIN. <i>International Journal of Cancer</i> , 2017, 140, 423-430.	5.1	16
218	Comparison of HPV and cytology triage algorithms for women with borderline or mild dyskaryosis in population-based cervical screening (VUSA-screen study). <i>International Journal of Cancer</i> , 2010, 126, 2175-2181.	5.1	15
219	Posttreatment Assessment of Women at Risk of Developing High-Grade Cervical Disease. <i>Journal of Lower Genital Tract Disease</i> , 2014, 18, 338-343.	1.9	15
220	Reliable identification of women with CIN3+ using hrHPV genotyping and methylation markers in a cytology-screened referral population. <i>International Journal of Cancer</i> , 2019, 144, 160-168.	5.1	15
221	Effect of the bivalent HPV vaccine on viral load of vaccine and non-vaccine HPV types in incident clearing and persistent infections in young Dutch females. <i>PLoS ONE</i> , 2019, 14, e0212927.	2.5	15
222	Evaluation of six methylation markers derived from genome-wide screens for detection of cervical precancer and cancer. <i>Epigenomics</i> , 2020, 12, 1569-1578.	2.1	15
223	High Whole-Genome Sequence Diversity of Human Papillomavirus Type 18 Isolates. <i>Viruses</i> , 2018, 10, 68.	3.3	14
224	Expression of p16 and HPV E4 on biopsy samples and methylation of FAM19A4 and miR124-2 on cervical cytology samples in the classification of cervical squamous intraepithelial lesions. <i>Cancer Medicine</i> , 2020, 9, 2454-2461.	2.8	13
225	Risk-stratification of HPV-positive women with low-grade cytology by FAM19A4/miR124-2 methylation and HPV genotyping. <i>British Journal of Cancer</i> , 2022, 126, 259-264.	6.4	13
226	Role of FAM19A4/miR124-2 methylation analysis in predicting regression or non-regression of CIN2/3 lesions: a protocol of an observational longitudinal cohort study. <i>BMJ Open</i> , 2019, 9, e029017.	1.9	12
227	Male Circumcision Reduces Penile HPV Incidence and Persistence: A Randomized Controlled Trial in Kenya. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1139-1148.	2.5	12
228	The Age Distribution of Type-Specific High-Risk Human Papillomavirus Incidence in Two Population-Based Screening Trials. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 111-118.	2.5	11
229	HPV type-related chromosomal profiles in high-grade cervical intraepithelial neoplasia. <i>BMC Cancer</i> , 2012, 12, 36.	2.6	10
230	Why follow-back studies should be interpreted cautiously: The case of an HPV-negative cervical lesion. <i>Cancer Cytopathology</i> , 2016, 124, 66-67.	2.4	10
231	Impact of Collection Volume and DNA Extraction Method on the Detection of Biomarkers and HPV DNA in First-Void Urine. <i>Molecules</i> , 2021, 26, 1989.	3.8	10
232	Management of HPV-positive women in cervical screening using results from two consecutive screening rounds. <i>International Journal of Cancer</i> , 2019, 144, 2339-2346.	5.1	9
233	Stratifying HPV-positive women for CIN3+ risk after one and two rounds of HPV-based screening. <i>International Journal of Cancer</i> , 2017, 141, 1551-1560.	5.1	7
234	HPV16-Related Cervical Cancers and Precancers Have Increased Levels of Host Cell DNA Methylation in Women Living with HIV. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3297.	4.1	7

#	ARTICLE	IF	CITATIONS
235	Defining hrHPV genotypes in cervical intraepithelial neoplasia by laser capture microdissection supports reflex triage of self-samples using HPV16/18 and FAM19A4/miR124-2 methylation. <i>Gynecologic Oncology</i> , 2018, 151, 311-318.	1.4	7
236	Complementarity between miRNA expression analysis and DNA methylation analysis in hrHPV-positive cervical scrapes for the detection of cervical disease. <i>Epigenetics</i> , 2019, 14, 558-567.	2.7	7
237	Estimating the direct effect of human papillomavirus vaccination on the lifetime risk of screen-detected cervical precancer. <i>International Journal of Cancer</i> , 2021, 148, 320-328.	5.1	7
238	Bortezomib Induces Caspase-9-Mediated Apoptosis through Activation of the BH3-Only Proteins Noxa, Bik and Puma In Both ALK-Positive and ALK-Negative Anaplastic Large Cell Lymphoma Cells. <i>Blood</i> , 2010, 116, 2847-2847.	1.4	7
239	Higher HPV16 and HPV18 Penile Viral Loads Are Associated With Decreased Human Papillomavirus Clearance in Uncircumcised Kenyan Men. <i>Sexually Transmitted Diseases</i> , 2016, 43, 572-578.	1.7	6
240	HPV16 variant analysis in primary and recurrent CIN2/3 lesions demonstrates presence of the same consensus variant. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019, 7, 168-172.	4.5	6
241	Characterization of cervical biopsies of women with HIV and HPV co-infection using p16ink4a, ki-67 and HPV E4 immunohistochemistry and DNA methylation. <i>Modern Pathology</i> , 2020, 33, 1968-1978.	5.5	6
242	Characterisation of anal intraepithelial neoplasia and anal cancer in HIV-positive men by immunohistochemical markers p16, Ki-67, HPV E4 and DNA methylation markers. <i>International Journal of Cancer</i> , 2021, 149, 1833-1844.	5.1	6
243	Direct bisulphite conversion of cervical samples for DNA methylation analysis. <i>Epigenetics</i> , 2022, 17, 1173-1179.	2.7	6
244	Follow-up after treatment for cervical intraepithelial neoplasia. <i>BMJ, The</i> , 2012, 345, e7186-e7186.	6.0	5
245	Cervical cancer "should we abandon cytology for screening?. <i>Nature Reviews Clinical Oncology</i> , 2012, 9, 558-559.	27.6	5
246	ALK-negative anaplastic large cell lymphoma is sensitive to bortezomib through Noxa upregulation and release of Bax from Bcl-2. <i>Haematologica</i> , 2015, 100, e365-e368.	3.5	5
247	Human Papillomavirus Triage of Women With Atypical Squamous Cells of Undetermined Significance "Reduction of Overtreatment Needed. <i>JAMA Oncology</i> , 2017, 3, 1310.	7.1	5
248	Anal HPV 16 and 18 viral load: A comparison between HIV-negative and HIV-positive MSM and association with persistence. <i>Journal of Medical Virology</i> , 2018, 90, 76-83.	5.0	5
249	HPV infections and flat penile lesions of the penis in men who have sex with men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019, 8, 100173.	4.5	5
250	Different risk factor patterns for high-grade and low-grade intraepithelial lesions on the cervix among HPV-positive and HPV-negative young women. <i>International Journal of Cancer</i> , 1998, 76, 613-619.	5.1	5
251	Chemotherapy-Refractory Diffuse Large B-Cell Lymphomas (DLBCL) Are Effectively Killed by Ofatumumab-Induced Complement-Mediated Cytotoxicity.. <i>Blood</i> , 2007, 110, 2346-2346.	1.4	5
252	Prevention of cervical cancer: Where immunology meets diagnostics. <i>Immunology Letters</i> , 2009, 122, 126-127.	2.5	4

#	ARTICLE	IF	CITATIONS
253	HPV Screening: Available Data and Recommendations for Clinical Practice. <i>Current Cancer Therapy Reviews</i> , 2010, 6, 104-109.	0.3	4
254	Arguments in favor of HPV testing for cervical screening and post-treatment CIN2+ monitoring. <i>Expert Review of Molecular Diagnostics</i> , 2014, 14, 245-248.	3.1	4
255	Evaluation of <i>FAM19A4/miR124</i> methylation performance in the management of <i>CIN3</i> diagnosed pregnant women. <i>International Journal of Cancer</i> , 0, , .	5.1	4
256	<i>FAM19A4/miR124-2</i> Methylation Testing and Human Papillomavirus (HPV) 16/18 Genotyping in HPV-Positive Women Under the Age of 30 Years. <i>Clinical Infectious Diseases</i> , 2023, 76, e827-e834.	5.8	4
257	Colposcopic Characteristics of High-Risk Human Papillomavirus-Related Cervical Lesions. <i>Journal of Lower Genital Tract Disease</i> , 2010, 14, 49-55.	1.9	3
258	A new approach to cervical screening. <i>Lancet Oncology</i> , The, 2011, 12, 612-613.	10.7	3
259	Developing and Standardizing Human Papillomavirus Tests. , 2020, , 111-130.		3
260	Distribution of 37 mucosotropic HPV types in women with cytologically normal cervical smears: The age-related patterns for high-risk and low-risk types. <i>International Journal of Cancer</i> , 2000, 87, 221-227.	5.1	3
261	High-risk HPV testing in women with borderline and mild dyskaryosis: long-term follow-up data and clinical relevance. <i>Journal of Pathology</i> , 2001, 195, 300-306.	4.5	3
262	Cervical cancer prevention: who should receive vaccination?. <i>Nature Clinical Practice Oncology</i> , 2008, 5, 12-13.	4.3	2
263	Small-Molecule XIAP Antagonist Restores Caspase-9-Mediated Apoptosis in XIAP-Positive Diffuse Large B-Cell Lymphoma Cells.. <i>Blood</i> , 2007, 110, 803-803.	1.4	2
264	Women with a positive high-risk human papillomavirus (HPV) test remain at increased risk of HPV infection and cervical precancer 15 years later. <i>Tumour Virus Research</i> , 2022, 14, 200240.	3.8	2
265	Infection to Cancer—Finding Useful Biomarkers for Predicting Risk of Progression to Cancer. , 2020, , 269-282.		1
266	Molecular Biology of Penile Cancer. , 2011, , 13-25.		1
267	Post-treatment monitoring by ASCL1/LHX8 methylation analysis in women with HIV treated for cervical intraepithelial neoplasia grade 2/3. <i>Aids</i> , 2022, Publish Ahead of Print, .	2.2	1
268	Clinical Validation of the Fully Automated NeuMoDx HPV Assay for Cervical Cancer Screening. <i>Viruses</i> , 2022, 14, 893.	3.3	1
269	Tobacco, condom use and regression of CIN lesions. <i>International Journal of Cancer</i> , 2004, 112, 165-165.	5.1	0
270	Molecular Markers for Cervical Cancer. , 2006, , 73-81.		0

#	ARTICLE	IF	CITATIONS
271	Primary Screening by Human Papillomavirus Testing: Development, Implementation, and Perspectives. , 2020, , 245-268.		0
272	Incidence and clearance of penile human papillomavirus infection among circumcised Kenyan men. International Journal of STD and AIDS, 2020, 31, 1202-1211.	1.1	0
273	Risk of Cervical Intraepithelial Neoplasia Grade 3 or Worse in HPV-Positive Women with Normal Cytology and Five-Year Type Concordance: A Randomized Comparison. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 485-491.	2.5	0
274	Profiling of Caspase Signaling Pathways Predicts Clinical Response to Chemotherapy in Diffuse Large B-Cell Lymphomas.. Blood, 2004, 104, 1544-1544.	1.4	0
275	HPV Typing Comparison of Different Molecular Assays. , 2004, , 640-645.		0
276	Promiscuous Behavior of HPV16E6 Specific T Cell Receptor Beta Chains Hampers Functional Expression in TCR Transgenic T Cells, Which Can Be Restored in Part by Genetic Modification. Analytical Cellular Pathology, 2010, 32, 43-56.	1.4	0
277	Enteropathy-Associated T-Cell Lymphoma: a Clinical Prognostic Model to Identify High Risk Patients. Blood, 2010, 116, 3092-3092.	1.4	0
278	hsTRAIL/Apo2L Induces Apoptosis in Enteropathy-Associated T-Cell Lymphoma. Blood, 2011, 118, 1665-1665.	1.4	0
279	Bortezomib Restores Defective Apoptosis by Upregulation of Noxa in Enteropathy-Associated T-Cell Lymphoma. Blood, 2011, 118, 2722-2722.	1.4	0
280	Imbalance in Alternative Splicing of MCL-1 Inhibits Apoptosis in Diffuse Large B-Cell Lymphoma. Blood, 2014, 124, 5424-5424.	1.4	0