

Yi-Long Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3716644/yi-long-wu-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

473
papers

47,183
citations

82
h-index

213
g-index

537
ext. papers

58,365
ext. citations

6.5
avg, IF

7.07
L-index

#	Paper	IF	Citations
473	Gefitinib or carboplatin-paclitaxel in pulmonary adenocarcinoma. <i>New England Journal of Medicine</i> , 2009 , 361, 947-57	59.2	6253
472	Erlotinib versus chemotherapy as first-line treatment for patients with advanced EGFR mutation-positive non-small-cell lung cancer (OPTIMAL, CTONG-0802): a multicentre, open-label, randomised, phase 3 study. <i>Lancet Oncology, The</i> , 2011 , 12, 735-42	21.7	3028
471	Crizotinib versus chemotherapy in advanced ALK-positive lung cancer. <i>New England Journal of Medicine</i> , 2013 , 368, 2385-94	59.2	2594
470	First-line crizotinib versus chemotherapy in ALK-positive lung cancer. <i>New England Journal of Medicine</i> , 2014 , 371, 2167-77	59.2	2116
469	The IASLC Lung Cancer Staging Project: Proposals for Revision of the TNM Stage Groupings in the Forthcoming (Eighth) Edition of the TNM Classification for Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 39-51	8.9	1888
468	Osimertinib or Platinum-Pemetrexed in EGFR T790M-Positive Lung Cancer. <i>New England Journal of Medicine</i> , 2017 , 376, 629-640	59.2	1811
467	Afatinib versus cisplatin plus gemcitabine for first-line treatment of Asian patients with advanced non-small-cell lung cancer harbouring EGFR mutations (LUX-Lung 6): an open-label, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2014 , 15, 213-22	21.7	1395
466	Lung cancer: current therapies and new targeted treatments. <i>Lancet, The</i> , 2017 , 389, 299-311	40	1358
465	Pembrolizumab versus chemotherapy for previously untreated, PD-L1-expressing, locally advanced or metastatic non-small-cell lung cancer (KEYNOTE-042): a randomised, open-label, controlled, phase 3 trial. <i>Lancet, The</i> , 2019 , 393, 1819-1830	40	1272
464	Biomarker analyses and final overall survival results from a phase III, randomized, open-label, first-line study of gefitinib versus carboplatin/paclitaxel in clinically selected patients with advanced non-small-cell lung cancer in Asia (IPASS). <i>Journal of Clinical Oncology</i> , 2011 , 29, 2866-74	2.2	1102
463	Afatinib versus cisplatin-based chemotherapy for EGFR mutation-positive lung adenocarcinoma (LUX-Lung 3 and LUX-Lung 6): analysis of overall survival data from two randomised, phase 3 trials. <i>Lancet Oncology, The</i> , 2015 , 16, 141-51	21.7	1081
462	Gefitinib versus docetaxel in previously treated non-small-cell lung cancer (INTEREST): a randomised phase III trial. <i>Lancet, The</i> , 2008 , 372, 1809-18	40	1067
461	Maintenance pemetrexed plus best supportive care versus placebo plus best supportive care for non-small-cell lung cancer: a randomised, double-blind, phase 3 study. <i>Lancet, The</i> , 2009 , 374, 1432-40	40	926
460	Preexistence and clonal selection of MET amplification in EGFR mutant NSCLC. <i>Cancer Cell</i> , 2010 , 17, 77-88	24.3	816
459	First-line ceritinib versus platinum-based chemotherapy in advanced ALK-rearranged non-small-cell lung cancer (ASCEND-4): a randomised, open-label, phase 3 study. <i>Lancet, The</i> , 2017 , 389, 917-929	40	609
458	Dacomitinib versus gefitinib as first-line treatment for patients with EGFR-mutation-positive non-small-cell lung cancer (ARCHER 1050): a randomised, open-label, phase 3 trial. <i>Lancet Oncology, The</i> , 2017 , 18, 1454-1466	21.7	559
457	Clinical activity of afatinib in patients with advanced non-small-cell lung cancer harbouring uncommon EGFR mutations: a combined post-hoc analysis of LUX-Lung 2, LUX-Lung 3, and LUX-Lung 6. <i>Lancet Oncology, The</i> , 2015 , 16, 830-8	21.7	551

456	The IASLC Lung Cancer Staging Project: Proposals for the Revisions of the T Descriptors in the Forthcoming Eighth Edition of the TNM Classification for Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 990-1003	8.9	451
455	Potential Predictive Value of and Mutation Status for Response to PD-1 Blockade Immunotherapy in Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2017 , 23, 3012-3024	12.9	442
454	The International Association for the Study of Lung Cancer Lung Cancer Staging Project: Proposals for the Revision of the N Descriptors in the Forthcoming 8th Edition of the TNM Classification for Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 1675-84	8.9	358
453	Detection and Dynamic Changes of EGFR Mutations from Circulating Tumor DNA as a Predictor of Survival Outcomes in NSCLC Patients Treated with First-line Intercalated Erlotinib and Chemotherapy. <i>Clinical Cancer Research</i> , 2015 , 21, 3196-203	12.9	341
452	Osimertinib in Resected -Mutated Non-Small-Cell Lung Cancer. <i>New England Journal of Medicine</i> , 2020 , 383, 1711-1723	59.2	335
451	The IASLC Lung Cancer Staging Project: Proposals for Coding T Categories for Subsolid Nodules and Assessment of Tumor Size in Part-Solid Tumors in the Forthcoming Eighth Edition of the TNM Classification of Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1204-1223	8.9	333
450	COVID-19 in patients with thoracic malignancies (TERAVOLT): first results of an international, registry-based, cohort study. <i>Lancet Oncology, The</i> , 2020 , 21, 914-922	21.7	328
449	Phase III Randomized Trial of Ipilimumab Plus Etoposide and Platinum Versus Placebo Plus Etoposide and Platinum in Extensive-Stage Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3740-3748	2.2	319
448	Challenges to effective cancer control in China, India, and Russia. <i>Lancet Oncology, The</i> , 2014 , 15, 489-538	1.7	316
447	Final overall survival results from a randomised, phase III study of erlotinib versus chemotherapy as first-line treatment of EGFR mutation-positive advanced non-small-cell lung cancer (OPTIMAL, CTONG-0802). <i>Annals of Oncology</i> , 2015 , 26, 1877-1883	10.3	308
446	Icotinib versus gefitinib in previously treated advanced non-small-cell lung cancer (ICOGEN): a randomised, double-blind phase 3 non-inferiority trial. <i>Lancet Oncology, The</i> , 2013 , 14, 953-61	21.7	307
445	Gefitinib plus chemotherapy versus placebo plus chemotherapy in EGFR-mutation-positive non-small-cell lung cancer after progression on first-line gefitinib (IMPRESS): a phase 3 randomised trial. <i>Lancet Oncology, The</i> , 2015 , 16, 990-8	21.7	291
444	Global cancer surgery: delivering safe, affordable, and timely cancer surgery. <i>Lancet Oncology, The</i> , 2015 , 16, 1193-224	21.7	290
443	Improvement in Overall Survival in a Randomized Study That Compared Dacomitinib With Gefitinib in Patients With Advanced Non-Small-Cell Lung Cancer and EGFR-Activating Mutations. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2244-2250	2.2	263
442	Gefitinib versus vinorelbine plus cisplatin as adjuvant treatment for stage II-III A (N1-N2) EGFR-mutant NSCLC (ADJUVANT/CTONG1104): a randomised, open-label, phase 3 study. <i>Lancet Oncology, The</i> , 2018 , 19, 139-148	21.7	253
441	First-Line Afatinib versus Chemotherapy in Patients with Non-Small Cell Lung Cancer and Common Epidermal Growth Factor Receptor Gene Mutations and Brain Metastases. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 380-90	8.9	240
440	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. <i>Nature Genetics</i> , 2012 , 44, 1330-5	36.3	237
439	Intercalated combination of chemotherapy and erlotinib for patients with advanced stage non-small-cell lung cancer (FASTACT-2): a randomised, double-blind trial. <i>Lancet Oncology, The</i> , 2013 , 14, 777-86	21.7	237

438	A randomized trial of systematic nodal dissection in resectable non-small cell lung cancer. <i>Lung Cancer</i> , 2002 , 36, 1-6	5.9	234
437	Fusion of EML4 and ALK is associated with development of lung adenocarcinomas lacking EGFR and KRAS mutations and is correlated with ALK expression. <i>Molecular Cancer</i> , 2010 , 9, 188	42.1	227
436	BEYOND: A Randomized, Double-Blind, Placebo-Controlled, Multicenter, Phase III Study of First-Line Carboplatin/Paclitaxel Plus Bevacizumab or Placebo in Chinese Patients With Advanced or Recurrent Nonsquamous Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2197-204	2.2	224
435	CNS Efficacy of Osimertinib in Patients With T790M-Positive Advanced Non-Small-Cell Lung Cancer: Data From a Randomized Phase III Trial (AURA3). <i>Journal of Clinical Oncology</i> , 2018 , 36, 2702-2709	2.2	221
434	The International Association for the Study of Lung Cancer Lung Cancer Staging Project: Proposals for the Revision of the Clinical and Pathologic Staging of Small Cell Lung Cancer in the Forthcoming Eighth Edition of the TNM Classification for Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 300-11	8.9	218
433	Safety and efficacy of first-line bevacizumab-based therapy in advanced non-squamous non-small-cell lung cancer (SAiL, MO19390): a phase 4 study. <i>Lancet Oncology</i> , 2010 , 11, 733-40	21.7	213
432	Impact of Specific Epidermal Growth Factor Receptor (EGFR) Mutations and Clinical Characteristics on Outcomes After Treatment With EGFR Tyrosine Kinase Inhibitors Versus Chemotherapy in EGFR-Mutant Lung Cancer: A Meta-Analysis. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1958-65	2.2	211
431	Final Overall Survival Analysis From a Study Comparing First-Line Crizotinib Versus Chemotherapy in ALK-Mutation-Positive Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2251-2258	2.2	197
430	The IASLC Lung Cancer Staging Project: External Validation of the Revision of the TNM Stage Groupings in the Eighth Edition of the TNM Classification of Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 1109-1121	8.9	193
429	Randomized, placebo-controlled, phase II study of sequential erlotinib and chemotherapy as first-line treatment for advanced non-small-cell lung cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5080-7	2.2	191
428	Relative abundance of EGFR mutations predicts benefit from gefitinib treatment for advanced non-small-cell lung cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3316-21	2.2	184
427	EGFR mutation correlates with uninflamed phenotype and weak immunogenicity, causing impaired response to PD-1 blockade in non-small cell lung cancer. <i>Oncotarget</i> , 2017 , 6, e1356145	7.2	177
426	Intracranial Efficacy of Crizotinib Versus Chemotherapy in Patients With Advanced ALK-Positive Non-Small-Cell Lung Cancer: Results From PROFILE 1014. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2858-65	2.2	171
425	Multinational Randomized Phase III Trial With or Without Consolidation Chemotherapy Using Docetaxel and Cisplatin After Concurrent Chemoradiation in Inoperable Stage III Non-Small-Cell Lung Cancer: KCSG-LU05-04. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2660-6	2.2	170
424	Epidermal growth factor receptor mutations and their correlation with gefitinib therapy in patients with non-small cell lung cancer: a meta-analysis based on updated individual patient data from six medical centers in mainland China. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 430-9	8.9	159
423	Phase II Study of Crizotinib in East Asian Patients With ROS1-Positive Advanced Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 1405-1411	2.2	152
422	The IASLC Lung Cancer Staging Project: Background Data and Proposed Criteria to Distinguish Separate Primary Lung Cancers from Metastatic Foci in Patients with Two Lung Tumors in the Forthcoming Eighth Edition of the TNM Classification for Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 651-665	8.9	148
421	Phase Ib/II Study of Capmatinib (INC280) Plus Gefitinib After Failure of Epidermal Growth Factor Receptor (EGFR) Inhibitor Therapy in Patients With EGFR-Mutated, MET Factor-Dysregulated Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 3101-3109	2.2	146

420	Nivolumab Versus Docetaxel in a Predominantly Chinese Patient Population With Previously Treated Advanced NSCLC: CheckMate 078 Randomized Phase III Clinical Trial. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 867-875	8.9	141
419	Gefitinib or Erlotinib vs Chemotherapy for EGFR Mutation-Positive Lung Cancer: Individual Patient Data Meta-Analysis of Overall Survival. <i>Journal of the National Cancer Institute</i> , 2017 , 109,	9.7	136
418	Identification of enriched driver gene alterations in subgroups of non-small cell lung cancer patients based on histology and smoking status. <i>PLoS ONE</i> , 2012 , 7, e40109	3.7	136
417	The Potential of Combined Immunotherapy and Antiangiogenesis for the Synergistic Treatment of Advanced NSCLC. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 194-207	8.9	132
416	EGFR mutation heterogeneity and the mixed response to EGFR tyrosine kinase inhibitors of lung adenocarcinomas. <i>Oncologist</i> , 2012 , 17, 978-85	5.7	131
415	Leptomeningeal Metastases in Patients with NSCLC with EGFR Mutations. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1962-1969	8.9	128
414	The IASLC Lung Cancer Staging Project: Summary of Proposals for Revisions of the Classification of Lung Cancers with Multiple Pulmonary Sites of Involvement in the Forthcoming Eighth Edition of the TNM Classification. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 639-650	8.9	122
413	Clinical modes of EGFR tyrosine kinase inhibitor failure and subsequent management in advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2013 , 79, 33-9	5.9	122
412	Lung cancers with concomitant EGFR mutations and ALK rearrangements: diverse responses to EGFR-TKI and crizotinib in relation to diverse receptors phosphorylation. <i>Clinical Cancer Research</i> , 2014 , 20, 1383-92	12.9	121
411	A phase III randomised controlled trial of erlotinib vs gefitinib in advanced non-small cell lung cancer with EGFR mutations. <i>British Journal of Cancer</i> , 2017 , 116, 568-574	8.7	120
410	Four-Year Survival With Durvalumab After Chemoradiotherapy in Stage III NSCLC-an Update From the PACIFIC Trial. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 860-867	8.9	118
409	The IASLC Lung Cancer Staging Project: Background Data and Proposals for the Application of TNM Staging Rules to Lung Cancer Presenting as Multiple Nodules with Ground Glass or Lepidic Features or a Pneumonic Type of Involvement in the Forthcoming Eighth Edition of the TNM Classification. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 611-620	8.9	116
408	The IASLC Mesothelioma Staging Project: Proposals for the M Descriptors and for Revision of the TNM Stage Groupings in the Forthcoming (Eighth) Edition of the TNM Classification for Mesothelioma. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 2112-2119	8.9	116
407	Unique genetic profiles from cerebrospinal fluid cell-free DNA in leptomeningeal metastases of EGFR-mutant non-small-cell lung cancer: a new medium of liquid biopsy. <i>Annals of Oncology</i> , 2018 , 29, 945-952	10.3	115
406	Icotinib versus whole-brain irradiation in patients with EGFR-mutant non-small-cell lung cancer and multiple brain metastases (BRAIN): a multicentre, phase 3, open-label, parallel, randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2017 , 5, 707-716	35.1	114
405	Lung Adenocarcinoma Harboring EGFR T790M and InTrans C797S Responds to Combination Therapy of First- and Third-Generation EGFR TKIs and Shifts Allelic Configuration at Resistance. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 1723-1727	8.9	109
404	Health-related quality-of-life in a randomized phase III first-line study of gefitinib versus carboplatin/paclitaxel in clinically selected patients from Asia with advanced NSCLC (IPASS). <i>Journal of Thoracic Oncology</i> , 2011 , 6, 1872-80	8.9	106
403	A comprehensive review of uncommon EGFR mutations in patients with non-small cell lung cancer. <i>Lung Cancer</i> , 2017 , 114, 96-102	5.9	105

402	Detection of EGFR mutations in plasma circulating tumour DNA as a selection criterion for first-line gefitinib treatment in patients with advanced lung adenocarcinoma (BENEFIT): a phase 2, single-arm, multicentre clinical trial. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 681-690	35.1	103
401	Afatinib beyond progression in patients with non-small-cell lung cancer following chemotherapy, erlotinib/gefitinib and afatinib: phase III randomized LUX-Lung 5 trial. <i>Annals of Oncology</i> , 2016 , 27, 417-23	19.3	101
400	The IASLC Mesothelioma Staging Project: Proposals for Revisions of the T Descriptors in the Forthcoming Eighth Edition of the TNM Classification for Pleural Mesothelioma. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 2089-2099	8.9	100
399	Safety and efficacy of pembrolizumab monotherapy in elderly patients with PD-L1-positive advanced non-small-cell lung cancer: Pooled analysis from the KEYNOTE-010, KEYNOTE-024, and KEYNOTE-042 studies. <i>Lung Cancer</i> , 2019 , 135, 188-195	5.9	99
398	Epidermal growth factor receptor inhibition in lung cancer: status 2012. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 373-84	8.9	99
397	Gefitinib Plus Chemotherapy Versus Chemotherapy in Epidermal Growth Factor Receptor Mutation-Positive Non-Small-Cell Lung Cancer Resistant to First-Line Gefitinib (IMPRESS): Overall Survival and Biomarker Analyses. <i>Journal of Clinical Oncology</i> , 2017 , 35, 4027-4034	2.2	97
396	Erlotinib Versus Gemcitabine Plus Cisplatin as Neoadjuvant Treatment of Stage IIIA-N2 -Mutant Non-Small-Cell Lung Cancer (EMERGING-CTONG 1103): A Randomized Phase II Study. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2235-2245	2.2	94
395	Better survival with EGFR exon 19 than exon 21 mutations in gefitinib-treated non-small cell lung cancer patients is due to differential inhibition of downstream signals. <i>Cancer Letters</i> , 2008 , 265, 307-17	9.9	94
394	Comprehensive genomic and immunological characterization of Chinese non-small cell lung cancer patients. <i>Nature Communications</i> , 2019 , 10, 1772	17.4	92
393	Clinicopathologic and molecular features of epidermal growth factor receptor T790M mutation and c-MET amplification in tyrosine kinase inhibitor-resistant Chinese non-small cell lung cancer. <i>Pathology and Oncology Research</i> , 2009 , 15, 651-8	2.6	87
392	Results of PROFILE 1029, a Phase III Comparison of First-Line Crizotinib versus Chemotherapy in East Asian Patients with ALK-Positive Advanced Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1539-1548	8.9	85
391	Characterization of large structural genetic mosaicism in human autosomes. <i>American Journal of Human Genetics</i> , 2015 , 96, 487-97	11	77
390	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014 , 23, 6616-33	5.6	77
389	Stromal PD-L1-Positive Regulatory T cells and PD-1-Positive CD8-Positive T cells Define the Response of Different Subsets of Non-Small Cell Lung Cancer to PD-1/PD-L1 Blockade Immunotherapy. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 521-532	8.9	74
388	The IASLC Lung Cancer Staging Project: Background Data and Proposals for the Classification of Lung Cancer with Separate Tumor Nodules in the Forthcoming Eighth Edition of the TNM Classification for Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 681-692	8.9	74
387	Monotherapy Administration of Sorafenib in Patients With Non-Small Cell Lung Cancer (MISSION) Trial: A Phase III, Multicenter, Placebo-Controlled Trial of Sorafenib in Patients with Relapsed or Refractory Predominantly Nonsquamous Non-Small-Cell Lung Cancer after 2 or 3 Previous Treatments. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 1715-23	8.9	74
386	The IASLC Mesothelioma Staging Project: Proposals for Revisions of the N Descriptors in the Forthcoming Eighth Edition of the TNM Classification for Pleural Mesothelioma. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 2100-2111	8.9	73
385	Enhanced apoptosis and tumor growth suppression elicited by combination of MEK (selumetinib) and mTOR kinase inhibitors (AZD8055). <i>Cancer Research</i> , 2012 , 72, 1804-13	10.1	70

384	Emerging therapies for non-small cell lung cancer. <i>Journal of Hematology and Oncology</i> , 2019 , 12, 45	22.4	69
383	Tepotinib plus gefitinib in patients with EGFR-mutant non-small-cell lung cancer with MET overexpression or MET amplification and acquired resistance to previous EGFR inhibitor (INSIGHT study): an open-label, phase 1b/2, multicentre, randomised trial. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 1132-1143	35.1	66
382	EGFR as a Pharmacological Target in EGFR-Mutant Non-Small-Cell Lung Cancer: Where Do We Stand Now?. <i>Trends in Pharmacological Sciences</i> , 2016 , 37, 887-903	13.2	65
381	Establishment of patient-derived non-small cell lung cancer xenograft models with genetic aberrations within EGFR, KRAS and FGFR1: useful tools for preclinical studies of targeted therapies. <i>Journal of Translational Medicine</i> , 2013 , 11, 168	8.5	63
380	KRAS mutation in patients with lung cancer: a predictor for poor prognosis but not for EGFR-TKIs or chemotherapy. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1381-8	3.1	63
379	Correlation of plasma exosomal microRNAs with the efficacy of immunotherapy in wild-type advanced non-small cell lung cancer 2020 , 8,		63
378	Strong Programmed Death Ligand 1 Expression Predicts Poor Response and De Novo Resistance to EGFR Tyrosine Kinase Inhibitors Among NSCLC Patients With EGFR Mutation. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1668-1675	8.9	63
377	Potential biomarker for checkpoint blockade immunotherapy and treatment strategy. <i>Tumor Biology</i> , 2016 , 37, 4251-61	2.9	62
376	EGFR mutation detection in circulating cell-free DNA of lung adenocarcinoma patients: analysis of LUX-Lung 3 and 6. <i>British Journal of Cancer</i> , 2017 , 116, 175-185	8.7	61
375	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016 , 7, 11843	17.4	59
374	INSPIRE: A phase III study of the BLP25 liposome vaccine (L-BLP25) in Asian patients with unresectable stage III non-small cell lung cancer. <i>BMC Cancer</i> , 2011 , 11, 430	4.8	59
373	PSCA and MUC1 in non-small-cell lung cancer as targets of chimeric antigen receptor T cells. <i>Oncotarget</i> , 2017 , 6, e1284722	7.2	58
372	A Higher Proportion of the EGFR T790M Mutation May Contribute to the Better Survival of Patients with Exon 19 Deletions Compared with Those with L858R. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 1368-1375	8.9	57
371	Genetic variants associated with longer telomere length are associated with increased lung cancer risk among never-smoking women in Asia: a report from the female lung cancer consortium in Asia. <i>International Journal of Cancer</i> , 2015 , 137, 311-9	7.5	55
370	Retrospective analysis of prognostic factors in 205 patients with laryngeal squamous cell carcinoma who underwent surgical treatment. <i>PLoS ONE</i> , 2013 , 8, e60157	3.7	54
369	Distribution and prognosis of uncommon metastases from non-small cell lung cancer. <i>BMC Cancer</i> , 2016 , 16, 149	4.8	53
368	Detection of Driver and Resistance Mutations in Leptomeningeal Metastases of NSCLC by Next-Generation Sequencing of Cerebrospinal Fluid Circulating Tumor Cells. <i>Clinical Cancer Research</i> , 2017 , 23, 5480-5488	12.9	52
367	Acquired Y1248H and D1246N Mutations Mediate Resistance to MET Inhibitors in Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 4929-4937	12.9	50

366	ADAURA: Phase III, Double-blind, Randomized Study of Osimertinib Versus Placebo in EGFR Mutation-positive Early-stage NSCLC After Complete Surgical Resection. <i>Clinical Lung Cancer</i> , 2018 , 19, e533-e536	4.9	48
365	In vitro sequence-dependent synergism between paclitaxel and gefitinib in human lung cancer cell lines. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 637-46	3.5	48
364	Complete mediastinal lymphadenectomy: the core component of the multidisciplinary therapy in resectable non-small cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2008 , 34, 187-95	3	47
363	Epidermal growth factor receptor mutation analysis in tissue and plasma from the AURA3 trial: Osimertinib versus platinum-pemetrexed for T790M mutation-positive advanced non-small cell lung cancer. <i>Cancer</i> , 2020 , 126, 373-380	6.4	47
362	Does c-Met remain a rational target for therapy in patients with EGFR TKI-resistant non-small cell lung cancer?. <i>Cancer Treatment Reviews</i> , 2017 , 61, 70-81	14.4	46
361	Phase II study of biomarker-guided neoadjuvant treatment strategy for IIIA-N2 non-small cell lung cancer based on epidermal growth factor receptor mutation status. <i>Journal of Hematology and Oncology</i> , 2015 , 8, 54	22.4	46
360	Symptom and Quality of Life Improvement in LUX-Lung 6: An Open-Label Phase III Study of Afatinib Versus Cisplatin/Gemcitabine in Asian Patients With EGFR Mutation-Positive Advanced Non-small-cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 883-9	8.9	45
359	The IASLC Mesothelioma Staging Project: Improving Staging of a Rare Disease Through International Participation. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 2082-2088	8.9	45
358	Efficacy of epidermal growth factor receptor inhibitors versus chemotherapy as second-line treatment in advanced non-small-cell lung cancer with wild-type EGFR: a meta-analysis of randomized controlled clinical trials. <i>Lung Cancer</i> , 2014 , 85, 66-73	5.9	44
357	Gefitinib Versus Vinorelbine Plus Cisplatin as Adjuvant Treatment for Stage II-IIIa (N1-N2) EGFR-Mutant NSCLC: Final Overall Survival Analysis of CTONG1104 Phase III Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 713-722	2.2	44
356	Incorporation of a hinge domain improves the expansion of chimeric antigen receptor T cells. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 68	22.4	43
355	BCL11A overexpression predicts survival and relapse in non-small cell lung cancer and is modulated by microRNA-30a and gene amplification. <i>Molecular Cancer</i> , 2013 , 12, 61	42.1	42
354	Five-Year Survival Outcomes From the PACIFIC Trial: Durvalumab After Chemoradiotherapy in Stage III Non-Small-Cell Lung Cancer.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2101308	2.2	42
353	The Unique Characteristics of MET Exon 14 Mutation in Chinese Patients with NSCLC. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1503-10	8.9	41
352	Genomic Landscape and Immune Microenvironment Features of Preinvasive and Early Invasive Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 1912-1923	8.9	41
351	Differences in driver genes between smoking-related and non-smoking-related lung cancer in the Chinese population. <i>Cancer</i> , 2015 , 121 Suppl 17, 3069-79	6.4	41
350	A comparative study of the risk factors for lung cancer in Guangdong, China. <i>Lung Cancer</i> , 1996 , 14 Suppl 1, S99-105	5.9	41
349	Blockade of Hedgehog Signaling Synergistically Increases Sensitivity to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Non-Small-Cell Lung Cancer Cell Lines. <i>PLoS ONE</i> , 2016 , 11, e0149370	3.7	41

348	Maintenance erlotinib versus erlotinib at disease progression in patients with advanced non-small-cell lung cancer who have not progressed following platinum-based chemotherapy (IUNO study). <i>Lung Cancer</i> , 2016 , 102, 30-37	5.9	41
347	Clinical Utility of Cerebrospinal Fluid Cell-Free DNA as Liquid Biopsy for Leptomeningeal Metastases in ALK-Rearranged NSCLC. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 924-932	8.9	40
346	Afatinib in the treatment of EGFR mutation-positive NSCLC--a network meta-analysis. <i>Lung Cancer</i> , 2014 , 85, 230-8	5.9	40
345	Osimertinib as adjuvant therapy in patients (pts) with stage IB/IIA EGFR mutation positive (EGFRm) NSCLC after complete tumor resection: ADAURA.. <i>Journal of Clinical Oncology</i> , 2020 , 38, LBA5-LBA5	2.2	40
344	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2017 , 26, 454-465	5.6	40
343	Afatinib as First-line Treatment of Older Patients With EGFR Mutation-Positive Non-Small-Cell Lung Cancer: Subgroup Analyses of the LUX-Lung 3, LUX-Lung 6, and LUX-Lung 7 Trials. <i>Clinical Lung Cancer</i> , 2018 , 19, e465-e479	4.9	39
342	Tumor response and health-related quality of life in clinically selected patients from Asia with advanced non-small-cell lung cancer treated with first-line gefitinib: post hoc analyses from the IPASS study. <i>Lung Cancer</i> , 2013 , 81, 280-7	5.9	39
341	The value of combined use of survivin, cytokeratin 20 and mucin 7 mRNA for bladder cancer detection in voided urine. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 659-65	4.9	38
340	Anaplastic Lymphoma Kinase Variants and the Percentage of ALK-Positive Tumor Cells and the Efficacy of Crizotinib in Advanced NSCLC. <i>Clinical Lung Cancer</i> , 2016 , 17, 223-31	4.9	37
339	Establishment of peripheral blood mononuclear cell-derived humanized lung cancer mouse models for studying efficacy of PD-L1/PD-1 targeted immunotherapy. <i>MAbs</i> , 2018 , 10, 1301-1311	6.6	37
338	The emerging roles of NGS-based liquid biopsy in non-small cell lung cancer. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 167	22.4	36
337	Epidermal growth factor receptor mutation analysis in previously unanalyzed histology samples and cytology samples from the phase III Iressa Pan-ASia Study (IPASS). <i>Lung Cancer</i> , 2014 , 83, 174-81	5.9	36
336	EML4-ALK rearrangement and its clinical significance in Chinese patients with advanced non-small cell lung cancer. <i>Oncology</i> , 2012 , 83, 248-56	3.6	36
335	HER2-positive status is an independent predictor for coexisting invasion of ductal carcinoma in situ of the breast presenting extensive DCIS component. <i>Pathology Research and Practice</i> , 2011 , 207, 1-7	3.4	36
334	miR-144-3p, a tumor suppressive microRNA targeting ETS-1 in laryngeal squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 11637-50	3.3	36
333	EGFR L792H and G796R: Two Novel Mutations Mediating Resistance to the Third-Generation EGFR Tyrosine Kinase Inhibitor Osimertinib. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1415-1421	8.9	35
332	Insulin-like growth factor-1 restores erectile function in aged rats: modulation the integrity of smooth muscle and nitric oxide-cyclic guanosine monophosphate signaling activity. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1345-54	1.1	35
331	The resistance mechanisms and treatment strategies for -mutant advanced non-small-cell lung cancer. <i>Oncotarget</i> , 2017 , 8, 71358-71370	3.3	34

330	Ongoing clinical trials of PD-1 and PD-L1 inhibitors for lung cancer in China. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 136	22.4	33
329	Phase III, randomized, open-label, first-line study in Asia of gefitinib versus carboplatin/paclitaxel in clinically selected patients with advanced non-small-cell lung cancer: evaluation of patients recruited from mainland China. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2012 , 8, 232-43	1.9	33
328	The epidermal growth factor receptor intron1 (CA) n microsatellite polymorphism is a potential predictor of treatment outcome in patients with advanced lung cancer treated with Gefitinib. <i>European Journal of Pharmacology</i> , 2007 , 570, 175-81	5.3	33
327	Toward an Expert Level of Lung Cancer Detection and Classification Using a Deep Convolutional Neural Network. <i>Oncologist</i> , 2019 , 24, 1159-1165	5.7	33
326	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016 , 25, 620-9	5.6	32
325	Novel agents and strategies for overcoming EGFR TKIs resistance. <i>Experimental Hematology and Oncology</i> , 2014 , 3, 2	7.8	32
324	Multiple primary malignancies involving lung cancer. <i>BMC Cancer</i> , 2015 , 15, 696	4.8	32
323	Five-year survival outcomes with durvalumab after chemoradiotherapy in unresectable stage III NSCLC: An update from the PACIFIC trial.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 8511-8511	2.2	32
322	Efficacy according to blind independent central review: Post-hoc analyses from the phase III, randomized, multicenter, IPASS study of first-line gefitinib versus carboplatin/paclitaxel in Asian patients with EGFR mutation-positive advanced NSCLC. <i>Lung Cancer</i> , 2017 , 104, 119-125	5.9	31
321	Serial cfDNA assessment of response and resistance to EGFR-TKI for patients with EGFR-L858R mutant lung cancer from a prospective clinical trial. <i>Journal of Hematology and Oncology</i> , 2016 , 9, 86	22.4	31
320	Everolimus synergizes with gefitinib in non-small-cell lung cancer cell lines resistant to epidermal growth factor receptor tyrosine kinase inhibitors. <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 70, 707-16	3.5	31
319	Targeting mTOR to overcome epidermal growth factor receptor tyrosine kinase inhibitor resistance in non-small cell lung cancer cells. <i>PLoS ONE</i> , 2013 , 8, e69104	3.7	31
318	Clinical relevance of PD-L1 expression and CD8+ T cells infiltration in patients with EGFR-mutated and ALK-rearranged lung cancer. <i>Lung Cancer</i> , 2018 , 125, 86-92	5.9	31
317	Tislelizumab in Chinese patients with advanced solid tumors: an open-label, non-comparative, phase 1/2 study 2020 , 8,		30
316	Prognostic significance of genotype and number of metastatic sites in advanced non-small-cell lung cancer. <i>Clinical Lung Cancer</i> , 2014 , 15, 441-7	4.9	30
315	Crizotinib versus Chemotherapy in Asian Patients with ALK-Positive Advanced Non-small Cell Lung Cancer. <i>Cancer Research and Treatment</i> , 2018 , 50, 691-700	5.2	30
314	Scientific Advances in Thoracic Oncology 2016. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 1183-1209	8.9	29
313	Genetic and Immune Profiles of Solid Predominant Lung Adenocarcinoma Reveal Potential Immunotherapeutic Strategies. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 85-96	8.9	29

312	A family history of cancer and lung cancer risk in never-smokers: A clinic-based case-control study. <i>Lung Cancer</i> , 2015 , 89, 94-8	5.9	29
311	Efficacy and safety of erlotinib in 1242 East/South-East Asian patients with advanced non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 1609-15	8.9	29
310	Neoadjuvant and adjuvant epidermal growth factor receptor tyrosine kinase inhibitor (EGFR-TKI) therapy for lung cancer. <i>Translational Lung Cancer Research</i> , 2015 , 4, 82-93	4.4	29
309	Specific TP53 subtype as biomarker for immune checkpoint inhibitors in lung adenocarcinoma. <i>EBioMedicine</i> , 2020 , 60, 102990	8.8	29
308	Synthetic peptide studies on the severe acute respiratory syndrome (SARS) coronavirus spike glycoprotein: perspective for SARS vaccine development. <i>Clinical Chemistry</i> , 2004 , 50, 1036-42	5.5	28
307	Phase (Ph) II safety and efficacy results of a single-arm phase II study of capmatinib (INC280) + gefitinib in patients (pts) with EGFR-mutated (mut), cMET-positive (cMET+) non-small cell lung cancer (NSCLC).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9020-9020	2.2	28
306	Clinical utility of a blood-based EGFR mutation test in patients receiving first-line erlotinib therapy in the ENSURE, FASTACT-2, and ASPIRATION studies. <i>Lung Cancer</i> , 2018 , 126, 1-8	5.9	28
305	ASTRIS: a global real-world study of osimertinib in >3000 patients with T790M positive non-small-cell lung cancer. <i>Future Oncology</i> , 2019 , 15, 3003-3014	3.6	27
304	Prevalence of driver mutations in non-small-cell lung cancers in the People's Republic of China. <i>Lung Cancer: Targets and Therapy</i> , 2014 , 5, 1-9	2.9	27
303	Efficacy and safety of maintenance erlotinib in Asian patients with advanced non-small-cell lung cancer: a subanalysis of the phase III, randomized SATURN study. <i>Lung Cancer</i> , 2012 , 77, 339-45	5.9	27
302	Second-line erlotinib in patients with advanced non-small-cell lung cancer: subgroup analyses from the TRUST study. <i>Lung Cancer</i> , 2011 , 74, 274-9	5.9	27
301	CYP1A1*2A polymorphism as a predictor of clinical outcome in advanced lung cancer patients treated with EGFR-TKI and its combined effects with EGFR intron 1 (CA)n polymorphism. <i>European Journal of Cancer</i> , 2011 , 47, 1962-70	7.5	27
300	RRM1 single nucleotide polymorphism -37C->A correlates with progression-free survival in NSCLC patients after gemcitabine-based chemotherapy. <i>Journal of Hematology and Oncology</i> , 2010 , 3, 10	22.4	27
299	Use of bipolar energy for transurethral resection of superficial bladder tumors: long-term results. <i>Journal of Endourology</i> , 2008 , 22, 545-9	2.7	27
298	Safety and efficacy of INC280 in combination with gefitinib (gef) in patients with EGFR-mutated (mut), MET-positive NSCLC: A single-arm phase II study.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 8017-8027	8.2	27
297	Neoadjuvant Crizotinib in Resectable Locally Advanced Non-Small Cell Lung Cancer with ALK Rearrangement. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 726-731	8.9	27
296	EGFR T790M ctDNA testing platforms and their role as companion diagnostics: Correlation with clinical outcomes to EGFR-TKIs. <i>Cancer Letters</i> , 2017 , 403, 186-194	9.9	25
295	Can EGFR-TKIs be used in first line treatment for advanced non-small cell lung cancer based on selection according to clinical factors? - A literature-based meta-analysis. <i>Journal of Hematology and Oncology</i> , 2012 , 5, 62	22.4	25

294	Expression of cyclin D1 splice variants is differentially associated with outcome in non-small cell lung cancer patients. <i>Human Pathology</i> , 2008 , 39, 1792-801	3.7	25
293	Interactions between household air pollution and GWAS-identified lung cancer susceptibility markers in the Female Lung Cancer Consortium in Asia (FLCCA). <i>Human Genetics</i> , 2015 , 134, 333-41	6.3	24
292	MET expression plays differing roles in non-small-cell lung cancer patients with or without EGFR mutation. <i>Journal of Thoracic Oncology</i> , 2014 , 9, 725-8	8.9	24
291	CTONG1104: Adjuvant gefitinib versus chemotherapy for resected N1-N2 NSCLC with EGFR mutation: Final overall survival analysis of the randomized phase III trial 1 analysis of the randomized phase III trial.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 9005-9005	2.2	24
290	The coexistence of MET over-expression and an EGFR T790M mutation is related to acquired resistance to EGFR tyrosine kinase inhibitors in advanced non-small cell lung cancer. <i>Oncotarget</i> , 2016 , 7, 51311-51319	3.3	24
289	Comparison of three-dimensional and two-dimensional visualization in video-assisted thoracoscopic lobectomy. <i>Thoracic Cancer</i> , 2016 , 7, 530-534	3.2	24
288	The Accuracy of Clinical Staging of Stage I-IIIa Non-Small Cell Lung Cancer: An Analysis Based on Individual Participant Data. <i>Chest</i> , 2019 , 155, 502-509	5.3	24
287	The Unique Spatial-Temporal Treatment Failure Patterns of Adjuvant Gefitinib Therapy: A Post Hoc Analysis of the ADJUVANT Trial (CTONG 1104). <i>Journal of Thoracic Oncology</i> , 2019 , 14, 503-512	8.9	23
286	Molecular characteristics and clinical outcomes of exon 19 indel subtypes to EGFR TKIs in NSCLC patients. <i>Oncotarget</i> , 2017 , 8, 111246-111257	3.3	23
285	Efficacy and safety of pemetrexed/cisplatin versus gemcitabine/cisplatin as first-line treatment in Chinese patients with advanced nonsquamous non-small cell lung cancer. <i>Lung Cancer</i> , 2014 , 85, 401-7	5.9	23
284	Posttreatment plasma VEGF levels may be associated with the overall survival of patients with advanced non-small cell lung cancer treated with bevacizumab plus chemotherapy. <i>Medical Oncology</i> , 2012 , 29, 627-32	3.7	23
283	Efficacy and safety of pemetrexed maintenance therapy versus best supportive care in patients from East Asia with advanced, nonsquamous non-small cell lung cancer: an exploratory subgroup analysis of a global, randomized, phase 3 clinical trial. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 567-73	8.9	23
282	Randomized clinical trial of pembrolizumab vs chemotherapy for previously untreated Chinese patients with PD-L1-positive locally advanced or metastatic non-small-cell lung cancer: KEYNOTE-042 China Study. <i>International Journal of Cancer</i> , 2021 , 148, 2313-2320	7.5	23
281	Osimertinib and Cabozantinib Combinatorial Therapy in an EGFR-Mutant Lung Adenocarcinoma Patient with Multiple MET Secondary-Site Mutations after Resistance to Crizotinib. <i>Journal of Thoracic Oncology</i> , 2018 , 13, e49-e53	8.9	23
280	Immunotherapy in the Asiatic population: any differences from Caucasian population?. <i>Journal of Thoracic Disease</i> , 2018 , 10, S1482-S1493	2.6	23
279	The changing landscape of clinical trial and approval processes in China. <i>Nature Reviews Clinical Oncology</i> , 2017 , 14, 577-583	19.4	22
278	Disease flare after EGFR tyrosine kinase inhibitor cessation predicts poor survival in patients with non-small cell lung cancer. <i>Pathology and Oncology Research</i> , 2013 , 19, 833-8	2.6	22
277	Molecular mechanism of the schedule-dependent synergistic interaction in EGFR-mutant non-small cell lung cancer cell lines treated with paclitaxel and gefitinib. <i>Journal of Hematology and Oncology</i> , 2011 , 4, 5	22.4	22

276	Analysis of resistance mechanisms to abivertinib, a third-generation EGFR tyrosine kinase inhibitor, in patients with EGFR T790M-positive non-small cell lung cancer from a phase I trial. <i>EBioMedicine</i> , 2019 , 43, 180-187	8.8	21
275	A multicenter survey of first-line treatment patterns and gene aberration test status of patients with unresectable Stage IIIB/IV nonsquamous non-small cell lung cancer in China (CTONG 1506). <i>BMC Cancer</i> , 2017 , 17, 462	4.8	21
274	EGFR mutation analysis for prospective patient selection in AURA3 phase III trial of osimertinib versus platinum-pemetrexed in patients with EGFR T790M-positive advanced non-small-cell lung cancer. <i>Lung Cancer</i> , 2018 , 126, 133-138	5.9	21
273	Mixed Responses to Systemic Therapy Revealed Potential Genetic Heterogeneity and Poor Survival in Patients with Non-Small Cell Lung Cancer. <i>Oncologist</i> , 2017 , 22, 61-69	5.7	20
272	Osimertinib in EGFR T790M-Positive Lung Cancer. <i>New England Journal of Medicine</i> , 2017 , 376, 1993-4	59.2	20
271	Safety and efficacy of first-line bevacizumab with chemotherapy in Asian patients with advanced nonsquamous NSCLC: results from the phase IV MO19390 (SAiL) study. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 1092-7	8.9	20
270	Two-dose-level confirmatory study of the pharmacokinetics and tolerability of everolimus in Chinese patients with advanced solid tumors. <i>Journal of Hematology and Oncology</i> , 2011 , 4, 3	22.4	20
269	Ensartinib vs Crizotinib for Patients With Anaplastic Lymphoma Kinase-Positive Non-Small Cell Lung Cancer: A Randomized Clinical Trial. <i>JAMA Oncology</i> , 2021 , 7, 1617-1625	13.4	20
268	Bevacizumab plus erlotinib in Chinese patients with untreated, EGFR-mutated, advanced NSCLC (ARTEMIS-CTONG1509): A multicenter phase 3 study. <i>Cancer Cell</i> , 2021 , 39, 1279-1291.e3	24.3	20
267	The -271 G>A polymorphism of kinase insert domain-containing receptor gene regulates its transcription level in patients with non-small cell lung cancer. <i>BMC Cancer</i> , 2009 , 9, 144	4.8	19
266	Plasma extracellular vesicle microRNAs for pulmonary ground-glass nodules. <i>Journal of Extracellular Vesicles</i> , 2019 , 8, 1663666	16.4	18
265	Tau expression correlated with breast cancer sensitivity to taxanes-based neoadjuvant chemotherapy. <i>Tumor Biology</i> , 2013 , 34, 33-8	2.9	18
264	Clinical trials and biomarker research on lung cancer in China. <i>Expert Opinion on Therapeutic Targets</i> , 2012 , 16 Suppl 1, S45-50	6.4	18
263	Reviewing the safety of erlotinib in non-small cell lung cancer. <i>Expert Opinion on Drug Safety</i> , 2011 , 10, 147-57	4.1	18
262	Co-overexpression of fibroblast growth factor 3 and epidermal growth factor receptor is correlated with the development of nonsmall cell lung carcinoma. <i>Cancer</i> , 2006 , 106, 146-55	6.4	18
261	Early clearance of plasma EGFR mutations as a predictor of response to osimertinib in the AURA3 trial.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 9027-9027	2.2	18
260	Sequencing of therapy following first-line afatinib in patients with EGFR mutation-positive non-small cell lung cancer. <i>Lung Cancer</i> , 2019 , 132, 126-131	5.9	17
259	Chimeric antigen receptor T cells targeting PD-L1 suppress tumor growth. <i>Biomarker Research</i> , 2020 , 8, 19	8	17

258	Supracricoid partial laryngectomy cricohyoidoepiglottopexy (SCPL-CHEP) versus vertical partial laryngectomy for the treatment of glottic carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 1027-34	3.5	17
257	Lung cancer treatment disparities in China: a question in need of an answer. <i>Oncologist</i> , 2014 , 19, 1084-90	3.7	17
256	Involvement of discoidin domain 1 receptor in recurrence of hepatocellular carcinoma by genome-wide analysis. <i>Medical Oncology</i> , 2012 , 29, 3077-82	3.7	17
255	Lung cancer working group report. <i>Japanese Journal of Clinical Oncology</i> , 2010 , 40 Suppl 1, i7-12	2.8	17
254	Comparative study of the impact of 3- versus 8-month neoadjuvant hormonal therapy on outcome of laparoscopic radical prostatectomy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 555-62	4.9	17
253	Clinical outcomes of advanced non-small-cell lung cancer patients with EGFR mutation, ALK rearrangement and EGFR/ALK co-alterations. <i>Oncotarget</i> , 2016 , 7, 65185-65195	3.3	17
252	Disparity in clinical outcomes between pure and combined pulmonary large-cell neuroendocrine carcinoma: A multi-center retrospective study. <i>Lung Cancer</i> , 2020 , 139, 118-123	5.9	17
251	Crizotinib in advanced non-small-cell lung cancer with concomitant ALK rearrangement and c-Met overexpression. <i>BMC Cancer</i> , 2018 , 18, 1171	4.8	17
250	Clinical trials of tyrosine kinase inhibitors for lung cancer in China: a review. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 147	22.4	16
249	Tumor marker analyses from the phase III, placebo-controlled, FASTACT-2 study of intercalated erlotinib with gemcitabine/platinum in the first-line treatment of advanced non-small-cell lung cancer. <i>Lung Cancer</i> , 2016 , 98, 1-8	5.9	16
248	Targeting the MET pathway for potential treatment of NSCLC. <i>Expert Opinion on Therapeutic Targets</i> , 2015 , 19, 663-74	6.4	16
247	Lung adenocarcinoma harboring concomitant EGFR mutation and EML4-ALK fusion that benefits from three kinds of tyrosine kinase inhibitors: a case report and literature review. <i>Clinical Lung Cancer</i> , 2015 , 16, e5-9	4.9	16
246	Cancer drug development in China: recent advances and future challenges. <i>Drug Discovery Today</i> , 2015 , 20, 766-71	8.8	16
245	KDR expression is associated with the stage and cigarette smoking of the patients with lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 635-42	4.9	16
244	Phase I Study of the Pan-PI3K Inhibitor Buparlisib in Adult Chinese Patients with Advanced Solid Tumors. <i>Anticancer Research</i> , 2016 , 36, 6185-6194	2.3	16
243	Tislelizumab: an investigational anti-PD-1 antibody for the treatment of advanced non-small cell lung cancer (NSCLC). <i>Expert Opinion on Investigational Drugs</i> , 2020 , 29, 1355-1364	5.9	16
242	Association of maximum standardized uptake value with occult mediastinal lymph node metastases in cN0 non-small cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 50, 914-919	3	16
241	Effects of epidermal growth factor receptor-tyrosine kinase inhibitors alone on EGFR-mutant non-small cell lung cancer with brain metastasis. <i>Thoracic Cancer</i> , 2016 , 7, 648-654	3.2	16

240	Updated Overall Survival in a Randomized Study Comparing Dacomitinib with Gefitinib as First-Line Treatment in Patients with Advanced Non-Small-Cell Lung Cancer and EGFR-Activating Mutations. <i>Drugs</i> , 2021 , 81, 257-266	12.1	16
239	Afatinib versus gemcitabine/cisplatin for first-line treatment of Chinese patients with advanced non-small-cell lung cancer harboring mutations: subgroup analysis of the LUX-Lung 6 trial. <i>OncoTargets and Therapy</i> , 2018 , 11, 8575-8587	4.4	16
238	Emerging paradigms in targeted treatments for Asian patients with NSCLC. <i>Expert Opinion on Pharmacotherapy</i> , 2015 , 16, 1167-76	4	15
237	Acute esophagitis for patients with local-regional advanced non small cell lung cancer treated with concurrent chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2016 , 118, 465-70	5.3	15
236	Clinical characteristics and sequence complexity of anaplastic lymphoma kinase gene fusions in Chinese lung cancer patients. <i>Lung Cancer</i> , 2017 , 114, 90-95	5.9	15
235	Clinical efficacy of crizotinib in Chinese patients with ALK-positive non-small-cell lung cancer with brain metastases. <i>Journal of Thoracic Disease</i> , 2015 , 7, 1181-8	2.6	15
234	First-line afatinib for advanced EGFRm+ NSCLC: Analysis of long-term responders in the LUX-Lung 3, 6, and 7 trials. <i>Lung Cancer</i> , 2019 , 133, 10-19	5.9	14
233	Venous thromboembolism risk factors in Chinese non-small cell lung cancer patients. <i>Supportive Care in Cancer</i> , 2015 , 23, 635-41	3.9	14
232	Development and validation of a genomic mutation signature to predict response to PD-1 inhibitors in non-squamous NSCLC: a multicohort study 2020 , 8,		14
231	Clinical characteristics and prognostic value of the mutation in Chinese non-small cell lung cancer patients. <i>Biomarker Research</i> , 2020 , 8, 22	8	14
230	Effects of dose modifications on the safety and efficacy of dacomitinib for mutation-positive non-small-cell lung cancer. <i>Future Oncology</i> , 2019 , 15, 2795-2805	3.6	14
229	Reduced chemotherapy sensitivity in EGFR-mutant lung cancer patient with frontline EGFR tyrosine kinase inhibitor. <i>Lung Cancer</i> , 2014 , 86, 219-24	5.9	14
228	Detecting the spectrum of multigene mutations in non-small cell lung cancer by Snapshot assay. <i>Chinese Journal of Cancer</i> , 2014 , 33, 346-50		14
227	DNAX-activating protein 10 co-stimulation enhances the anti-tumor efficacy of chimeric antigen receptor T cells. <i>Onc Immunology</i> , 2019 , 8, e1509173	7.2	14
226	Mutational landscape and characteristics of ERBB2 in non-small cell lung cancer. <i>Thoracic Cancer</i> , 2020 , 11, 1512-1521	3.2	14
225	A multicenter phase II study of sorafenib monotherapy in clinically selected patients with advanced lung adenocarcinoma after failure of EGFR-TKI therapy (Chinese Thoracic Oncology Group, CTONG 0805). <i>Lung Cancer</i> , 2014 , 83, 369-73	5.9	13
224	A randomized, double-blind phase III study of icotinib versus gefitinib in patients with advanced non-small cell lung cancer (NSCLC) previously treated with chemotherapy (ICOGEN).. <i>Journal of Clinical Oncology</i> , 2011 , 29, 7522-7522	2.2	13
223	Chinese guidelines on the diagnosis and treatment of primary lung cancer (2011). <i>Journal of Thoracic Disease</i> , 2012 , 4, 88-101	2.6	13

222	Nivolumab versus docetaxel in a predominantly Chinese patient population with previously treated advanced non-small cell lung cancer: 2-year follow-up from a randomized, open-label, phase 3 study (CheckMate 078). <i>Lung Cancer</i> , 2021 , 152, 7-14	5.9	13
221	Genotyping of Cerebrospinal Fluid Associated With Osimertinib Response and Resistance for Leptomeningeal Metastases in EGFR-Mutated NSCLC. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 250-258	8.9	13
220	Application of next-generation sequencing technology to precision medicine in cancer: joint consensus of the Tumor Biomarker Committee of the Chinese Society of Clinical Oncology. <i>Cancer Biology and Medicine</i> , 2019 , 16, 189-204	5.2	12
219	Osimertinib Overcomes Alectinib Resistance Caused by Amphiregulin in a Leptomeningeal Carcinomatosis Model of ALK-Rearranged Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2020 , 15, 752-765	8.9	12
218	Safety and efficacy of first-line bevacizumab combination therapy in Chinese population with advanced non-squamous NSCLC: data of subgroup analyses from MO19390 (SAiL) study. <i>Clinical and Translational Oncology</i> , 2014 , 16, 463-8	3.6	12
217	Combinations of laminin 5 with PTEN, p-EGFR and p-Akt define a group of distinct molecular subsets indicative of poor prognosis in patients with non-small cell lung cancer. <i>Experimental and Therapeutic Medicine</i> , 2012 , 4, 226-230	2.1	12
216	Afatinib in the first-line treatment of epidermal-growth-factor-receptor mutation-positive non-small cell lung cancer: a review of the clinical evidence. <i>Therapeutic Advances in Respiratory Disease</i> , 2016 , 10, 256-64	4.9	12
215	Efficacy and Safety of Gefitinib as Third-line Treatment in NSCLC Patients With Activating EGFR Mutations Treated With First-line Gefitinib Followed by Second-line Chemotherapy: A Single-Arm, Prospective, Multicenter Phase II Study (RE-CHALLENGE, CTONG1304). <i>American Journal of Clinical Oncology</i> , 2018 , 41, 132-138	2.7	12
214	Association of genetic and immuno-characteristics with clinical outcomes in patients with RET-rearranged non-small cell lung cancer: a retrospective multicenter study. <i>Journal of Hematology and Oncology</i> , 2020 , 13, 37	22.4	12
213	Does EGFR Mutation Type Influence Patient-Reported Outcomes in Patients with Advanced EGFR Mutation-Positive Non-Small-Cell Lung Cancer? Analysis of Two Large, Phase III Studies Comparing Afatinib with Chemotherapy (LUX-Lung 3 and LUX-Lung 6). <i>Patient</i> , 2018 , 11, 131-141	3.7	12
212	Do-not-resuscitate orders among advanced-stage Chinese lung cancer patients who died in hospital. <i>Supportive Care in Cancer</i> , 2016 , 24, 1763-9	3.9	11
211	Predictive and prognostic value of de novo MET expression in patients with advanced non-small-cell lung cancer. <i>Lung Cancer</i> , 2015 , 90, 375-80	5.9	11
210	Heterogeneous responses and resistant mechanisms to crizotinib in ALK-positive advanced non-small cell lung cancer. <i>Thoracic Cancer</i> , 2018 , 9, 1093-1103	3.2	11
209	Toward innovative combinational immunotherapy: A systems biology perspective. <i>Cancer Treatment Reviews</i> , 2018 , 68, 1-8	14.4	11
208	Postoperative Chemotherapy Use and Outcomes From ADAURA: Osimertinib as Adjuvant Therapy for Resected EGFR-Mutated NSCLC. <i>Journal of Thoracic Oncology</i> , 2021 ,	8.9	11
207	Retrospective study on bevacizumab in the treatment of non-small cell lung cancer with brain metastases. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 267-273	4.2	11
206	Genomic characteristics and drug screening among organoids derived from non-small cell lung cancer patients. <i>Thoracic Cancer</i> , 2020 , 11, 2279-2290	3.2	10
205	A randomized, double-blind, phase III study comparing two doses of erlotinib for second-line treatment of current smokers with advanced non-small-cell lung cancer (CurrentS). <i>Lung Cancer</i> , 2016 , 99, 94-101	5.9	10

204	Meta-Analysis of First-Line Pemetrexed Plus Platinum Treatment in Compared to Other Platinum-Based Doublet Regimens in Elderly East Asian Patients With Advanced Nonsquamous Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2016 , 17, e103-e112	4.9	10
203	Personalized treatment strategies for non-small-cell lung cancer in Chinese patients: the role of crizotinib. <i>OncoTargets and Therapy</i> , 2015 , 8, 999-1007	4.4	10
202	A randomized phase II clinical trial of nab-paclitaxel and carboplatin compared with gemcitabine and carboplatin as first-line therapy in locally advanced or metastatic squamous cell carcinoma of lung. <i>BMC Cancer</i> , 2014 , 14, 684	4.8	10
201	High expression of truncated GLI3 is associated with poor overall survival in patients with non-small cell lung cancer. <i>Cancer Biomarkers</i> , 2013 , 13, 37-47	3.8	10
200	Three cases of severe hepatic impairment caused by erlotinib. <i>British Journal of Clinical Pharmacology</i> , 2009 , 68, 464-7	3.8	10
199	An autologous therapeutic dendritic cell vaccine transfected with total lung carcinoma RNA stimulates cytotoxic T lymphocyte responses against non-small cell lung cancer. <i>Immunological Investigations</i> , 2009 , 38, 665-80	2.9	10
198	Sugemalimab versus placebo after concurrent or sequential chemoradiotherapy in patients with locally advanced, unresectable, stage III non-small-cell lung cancer in China (GEMSTONE-301): interim results of a randomised, double-blind, multicentre, phase 3 trial.. <i>Lancet Oncology</i> , 2022 ,	21.7	10
197	The BCL11A-XL expression predicts relapse in squamous cell carcinoma and large cell carcinoma. <i>Journal of Thoracic Disease</i> , 2015 , 7, 1630-6	2.6	10
196	Correlation of exosomal microRNA clusters with bone metastasis in non-small cell lung cancer. <i>Clinical and Experimental Metastasis</i> , 2021 , 38, 109-117	4.7	10
195	Clinical management of third-generation EGFR inhibitor-resistant patients with advanced non-small cell lung cancer: Current status and future perspectives. <i>Cancer Letters</i> , 2019 , 459, 240-247	9.9	9
194	Management of common adverse events related to first-line dacomitinib use in mutation-positive non-small-cell lung cancer: a pooled safety analysis. <i>Future Oncology</i> , 2019 , 15, 1481-1491	3.6	9
193	Managing Pain in Patients With Cancer: The Chinese Good Pain Management Experience. <i>Journal of Global Oncology</i> , 2017 , 3, 583-595	2.6	9
192	Soluble c-Met Levels Correlated With Tissue c-Met Protein Expression in Patients With Advanced Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2017 , 18, 85-91	4.9	9
191	Planned FDG PET-CT Scan in Follow-Up Detects Disease Progression in Patients With Locally Advanced NSCLC Receiving Curative Chemoradiotherapy Earlier Than Standard CT. <i>Medicine (United States)</i> , 2015 , 94, e1863	1.8	9
190	A clinical model to estimate the pretest probability of lung cancer, based on 1198 pedigrees in China. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 1534-40	8.9	9
189	Genomic signatures define three subtypes of EGFR-mutant stage II-III non-small-cell lung cancer with distinct adjuvant therapy outcomes. <i>Nature Communications</i> , 2021 , 12, 6450	17.4	9
188	Comparing overall survival between first generation EGFR-TKIs and chemotherapy in lung cancer patients with Del19/L858R. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2016 , 28, 339-47	3.8	9
187	Timing and Origins of Local and Distant Metastases in Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 1136-1148	8.9	9

186	Intratumoral heterogeneity of EGFR-activating mutations in advanced NSCLC patients at the single-cell level. <i>BMC Cancer</i> , 2019 , 19, 369	4.8	8
185	Application of indocyanine green fluorescence for precision sublobar resection. <i>Thoracic Cancer</i> , 2019 , 10, 624-630	3.2	8
184	Sensitivity to epidermal growth factor receptor tyrosine kinase inhibitors in males, smokers, and non-adenocarcinoma lung cancer in patients with EGFR mutations. <i>International Journal of Biological Markers</i> , 2013 , 28, 249-58	2.8	8
183	Higher expression of mRNA and protein of insulin-like growth factor binding protein-3 in old rat penile tissues: implications for erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2181-90	1.1	8
182	Multiple pulmonary chondromas in a young female patient: a component of Carney triad. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 751-2	8.9	8
181	KDR and Sema3 genes expression in bone marrow stromal cells and hematopoietic cells from leukemia patients and normal individuals. <i>Hematology</i> , 2005 , 10, 307-12	2.2	8
180	Phase 3 KEYNOTE-042 trial of pembrolizumab (MK-3475) versus platinum doublet chemotherapy in treatment-naive patients (pts) with PD-L1 β positive advanced non-small cell lung cancer (NSCLC).. <i>Journal of Clinical Oncology</i> , 2015 , 33, TPS8105-TPS8105	2.2	8
179	Dacomitinib (daco) versus gefitinib (gef) for first-line treatment of advanced NSCLC (ARCHER 1050): Final overall survival (OS) analysis.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 9004-9004	2.2	8
178	Plasma dynamic monitoring of soluble c-Met level for EGFR-TKI treatment in advanced non-small cell lung cancer. <i>Oncotarget</i> , 2016 , 7, 39535-39543	3.3	8
177	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020 , 112, 1223-1232	4.3	8
176	A molecular graded prognostic assessment (molGPA) model specific for estimating survival in lung cancer patients with leptomeningeal metastases. <i>Lung Cancer</i> , 2019 , 131, 134-138	5.9	7
175	A randomised phase II clinical trial of nab-paclitaxel and carboplatin compared with gemcitabine and carboplatin as first-line therapy in advanced squamous cell lung carcinoma (C-TONG1002). <i>European Journal of Cancer</i> , 2019 , 109, 183-191	7.5	7
174	Feasibility and Safety of Neoadjuvant Alectinib in a Patient With ALK-Positive Locally Advanced NSCLC. <i>Journal of Thoracic Oncology</i> , 2020 , 15, e95-e99	8.9	7
173	Visceral pleural invasion in T1 tumors (\geq cm), particularly T1a, in the eighth tumor-node-metastasis classification system for non-small cell lung cancer: a population-based study. <i>Journal of Thoracic Disease</i> , 2019 , 11, 2754-2762	2.6	7
172	Novel targeted agents for the treatment of lung cancer in China. <i>Cancer</i> , 2015 , 121 Suppl 17, 3089-96	6.4	7
171	The role of T790M mutation in EGFR-TKI re-challenge for patients with EGFR-mutant advanced lung adenocarcinoma. <i>Oncotarget</i> , 2017 , 8, 4994-5002	3.3	7
170	Low frequency of mutation of epidermal growth factor receptor (EGFR) and arrangement of anaplastic lymphoma kinase (ALK) in primary pulmonary lymphoepithelioma-like carcinoma. <i>Thoracic Cancer</i> , 2020 , 11, 346-352	3.2	7
169	Refined Stratification Based on Baseline Concomitant Mutations and Longitudinal Circulating Tumor DNA Monitoring in Advanced EGFR-Mutant Lung Adenocarcinoma Under Gefitinib Treatment. <i>Journal of Thoracic Oncology</i> , 2020 , 15, 1857-1870	8.9	7

168	Predictive and Prognostic Potential of TP53 in Patients With Advanced Non-Small-Cell Lung Cancer Treated With EGFR-TKI: Analysis of a Phase III Randomized Clinical Trial (CTONG 0901). <i>Clinical Lung Cancer</i> , 2021 , 22, 100-109.e3	4.9	7
167	Myeloid-derived suppressor cells promote lung cancer metastasis by CCL11 to activate ERK and AKT signaling and induce epithelial-mesenchymal transition in tumor cells. <i>Oncogene</i> , 2021 , 40, 1476-1489 ²	8.2	7
166	The Association between Distal Findings and Proximal Colorectal Neoplasia: A Systematic Review and Meta-Analysis. <i>American Journal of Gastroenterology</i> , 2017 , 112, 1234-1245	0.7	6
165	Complex ALK Fusions Are Associated With Better Prognosis in Advanced Non-Small Cell Lung Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 596937	5.3	6
164	Randomized Trial of an Improved Drainage Strategy Versus Routine Chest Tube After Lung Wedge Resection. <i>Annals of Thoracic Surgery</i> , 2020 , 109, 1040-1046	2.7	6
163	Immunotherapy for small-cell lung cancer. <i>Lancet Oncology</i> , 2016 , 17, 846-847	21.7	6
162	Down-regulation of p16 and MGMT promotes the anti-proliferative and pro-apoptotic effects of 5-Aza-dC and radiation on cervical cancer cells. <i>Cell Biochemistry and Function</i> , 2017 , 35, 488-496	4.2	6
161	Heterogeneity of the resistance to gefitinib treatment in a non-small cell lung cancer patient with active epidermal growth factor receptor mutation. <i>Thoracic Cancer</i> , 2017 , 8, 51-53	3.2	6
160	Developing CSCO Lung Cancer Practice Guidelines Stratified by Resource Availability and Treatment Value. <i>Journal of Global Oncology</i> , 2017 , 3, 285-288	2.6	6
159	Epidermal growth factor receptor is associated with the onset of skeletal related events in non-small cell lung cancer. <i>Oncotarget</i> , 2017 , 8, 81369-81376	3.3	6
158	Single nucleotide polymorphisms in VTI1A gene contribute to the susceptibility of Chinese population to non-small cell lung cancer. <i>International Journal of Biological Markers</i> , 2015 , 30, e286-93	2.8	6
157	Genetic evolution of epidermal growth factor receptor in adenocarcinoma with a bronchioloalveolar carcinoma component. <i>Clinical Lung Cancer</i> , 2010 , 11, 160-8	4.9	6
156	Weekly gemcitabine as a radiosensitizer for the treatment of brain metastases in patients with non-small cell lung cancer: phase I trial. <i>Chinese Medical Journal</i> , 2007 , 120, 458-462	2.9	6
155	Phase 3 study of first-line crizotinib vs pemetrexed+displatin/carboplatin (PCC) in East Asian patients (pts) with ALK+ advanced non-squamous non-small cell lung cancer (NSCLC).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9058-9058	2.2	6
154	Accidental invisible intrathoracic disseminated pT4-M1a: a distinct lung cancer with favorable prognosis. <i>Journal of Thoracic Disease</i> , 2015 , 7, 1205-12	2.6	6
153	Beyond tissue biopsy: a diagnostic framework to address tumor heterogeneity in lung cancer. <i>Current Opinion in Oncology</i> , 2020 , 32, 68-77	4.2	6
152	Real-World Scenario of Patients With Lung Cancer Amid the Coronavirus Disease 2019 Pandemic in the People's Republic of China. <i>JTO Clinical and Research Reports</i> , 2020 , 1, 100053	1.4	6
151	Comparing nanoparticle polymeric micellar paclitaxel and solvent-based paclitaxel as first-line treatment of advanced non-small-cell lung cancer: an open-label, randomized, multicenter, phase III trial. <i>Annals of Oncology</i> , 2021 , 32, 85-96	10.3	6

150	Prophylactic air-extraction strategy after thoracoscopic wedge resection. <i>Thoracic Cancer</i> , 2018 , 9, 1406-1412	6	6
149	TNM stages inversely correlate with the age at diagnosis in -positive lung cancer. <i>Translational Lung Cancer Research</i> , 2019 , 8, 144-154	4.4	5
148	Re-emerging C797S In Trans and Rechallenge of Osimertinib With Erlotinib. <i>Journal of Thoracic Oncology</i> , 2019 , 14, e81-e82	8.9	5
147	Rare discrepancies in a driver gene alteration within histologically heterogeneous primary lung cancers. <i>Lung Cancer</i> , 2015 , 90, 205-11	5.9	5
146	Safety of EGFR-TKIs for EGFR mutation-positive non-small cell lung cancer. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 589-599	4.1	5
145	Lower Ras expression as an independent predictor of patient outcomes in lung cancer treated with bevacizumab plus chemotherapy. <i>Cancer Gene Therapy</i> , 2014 , 21, 110-4	5.4	5
144	Nedaplatin/Gemcitabine Versus Carboplatin/Gemcitabine in Treatment of Advanced Non-small Cell Lung Cancer: A Randomized Clinical Trial. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2012 , 24, 97-102	3.8	5
143	Maintenance pemetrexed (Pem) plus best supportive care (BSC) versus placebo (Plac) plus BSC: A randomized phase III study in advanced non-small cell lung cancer (NSCLC). <i>Journal of Clinical Oncology</i> , 2009 , 27, CRA8000-CRA8000	2.2	5
142	A phase II cluster study of single agent AUY922, BYL719, INC280, LDK378, and MEK162 in Chinese patients with advanced non-small cell lung cancer (NSCLC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, TPS8122-TPS8122	2.2	5
141	Tolerability, efficacy and recommended phase II dose (RP2D) of tepotinib plus gefitinib in Asian patients with c-Met-positive/EGFR-mutant NSCLC: Phase Ib data.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e20501-e20501	2.2	5
140	A consensus on immunotherapy from the 2017 Chinese Lung Cancer Summit expert panel. <i>Translational Lung Cancer Research</i> , 2018 , 7, 428-436	4.4	5
139	Efficacy of crizotinib in first-line treatment of adults with ALK-positive advanced NSCLC. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 1693-701	4	5
138	Biomarker for personalized immunotherapy. <i>Translational Lung Cancer Research</i> , 2019 , 8, S308-S317	4.4	5
137	A phase Ib study of the highly selective MET-TKI savolitinib plus gefitinib in patients with EGFR-mutated, MET-amplified advanced non-small-cell lung cancer. <i>Investigational New Drugs</i> , 2021 , 39, 477-487	4.3	5
136	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. <i>Environment International</i> , 2021 , 147, 105975	12.9	5
135	Emerging challenges of advanced squamous cell lung cancer. <i>ESMO Open</i> , 2016 , 1, e000129	6	4
134	Dacomitinib in non-small-cell lung cancer: a comprehensive review for clinical application. <i>Future Oncology</i> , 2019 , 15, 2769-2777	3.6	4
133	The second wave of checkpoint inhibitors with chemotherapy for advanced non-small-cell lung cancer. <i>Lancet Oncology, The</i> , 2019 , 20, 889-891	21.7	4

132	The spatiotemporal evolution of EGFR C797S mutation in EGFR-mutant non-small cell lung cancer: opportunities for third-generation EGFR inhibitors re-challenge. <i>Science Bulletin</i> , 2019 , 64, 499-503	10.6	4
131	Erlotinib versus gemcitabine/cisplatin in Chinese patients with EGFR mutation-positive advanced non-small-cell lung cancer: Crossover extension and post-hoc analysis of the ENSURE study. <i>Lung Cancer</i> , 2019 , 130, 18-24	5.9	4
130	Wait-and-See Treatment Strategy Could be Considered for Lung Adenocarcinoma with Special Pleural Dissemination Lesions, and Low Genomic Instability Correlates with Better Survival. <i>Annals of Surgical Oncology</i> , 2020 , 27, 3808-3818	3.1	4
129	Recursive partitioning analysis of patients with oligometastatic non-small cell lung cancer: a retrospective study. <i>BMC Cancer</i> , 2019 , 19, 1051	4.8	4
128	Different dissecting orders of the pulmonary bronchus and vessels during right upper lobectomy are associated with surgical feasibility and postoperative recovery for lung cancer patients. <i>Chinese Journal of Cancer</i> , 2017 , 36, 53		4
127	CD215+ Myeloid Cells Respond to Interleukin 15 Stimulation and Promote Tumor Progression. <i>Frontiers in Immunology</i> , 2017 , 8, 1713	8.4	4
126	Insight into early-phase trials for lung cancer in the United States. <i>Chinese Journal of Cancer</i> , 2015 , 34, 288-94		4
125	Predictive value of TCR Vβ17 profile for adjuvant gefitinib in EGFR mutant NSCLC from ADJUVANT-CTONG 1104 trial.. <i>JCI Insight</i> , 2022 , 7,	9.9	4
124	The impact on overall survival (OS) of first-line gefitinib (G) and erlotinib (E) and of clinical factors in advanced non-small cell lung cancer (NSCLC) with activating epidermal growth factor receptor mutations (EGFR mut) based on meta-analysis of 1,231 patients (pts) enrolled in 6 major randomized trials.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 8072-8072	2.2	4
123	Uncommon ALK fusion partners in advanced ALK-positive non-small-cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 8561-8561	2.2	4
122	Establishment and application of a multiplex genetic mutation-detection method of lung cancer based on MassARRAY platform. <i>Cancer Biology and Medicine</i> , 2016 , 13, 68-76	5.2	4
121	Quantifying invasiveness of clinical stage IA lung adenocarcinoma with computed tomography texture features. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020 ,	1.5	4
120	Capmatinib for patients with non-small cell lung cancer with MET exon 14 skipping mutations: A review of preclinical and clinical studies. <i>Cancer Treatment Reviews</i> , 2021 , 95, 102173	14.4	4
119	Clinical outcomes of non-small cell lung cancer patients with leptomeningeal metastases after immune checkpoint inhibitor treatments. <i>European Journal of Cancer</i> , 2021 , 150, 23-30	7.5	4
118	Intraoperative frozen sections of the regional lymph nodes contribute to surgical decision-making in non-small cell lung cancer patients. <i>Journal of Thoracic Disease</i> , 2016 , 8, 1974-80	2.6	4
117	Characterization of PD-L1 expression in Chinese non-small cell lung cancer patients with PTEN expression as a means for tissue quality screening. <i>Cancer Immunology, Immunotherapy</i> , 2018 , 67, 471-481 ⁴	7.4	4
116	A consensus on liquid biopsy from the 2016 Chinese Lung Cancer Summit expert panel. <i>ESMO Open</i> , 2017 , 2, e000174	6	3
115	Integrative Analyses of Lung Squamous Cell Carcinoma in Ten Chinese Patients with Transcriptome Sequencing. <i>Journal of Genetics and Genomics</i> , 2015 , 42, 579-587	4	3

114	Germline variation networks in the PI3K/AKT pathway corresponding to familial high-incidence lung cancer pedigrees. <i>BMC Cancer</i> , 2020 , 20, 1209	4.8	3
113	Concomitant genetic alterations having greater impact on the clinical benefit of EGFR-TKIs in EGFR-mutant advanced NSCLC than BIM deletion polymorphism. <i>Clinical and Translational Medicine</i> , 2020 , 10, 337-345	5.7	3
112	First-Line Crizotinib Vs Pemetrexed + Cisplatin/Carboplatin in Asian Patients with Advanced Alk+ Nslc in Profile 1014. <i>Annals of Oncology</i> , 2014 , 25, v2	10.3	3
111	Complete remission and fatal interstitial pneumonitis related to nab-paclitaxel in refractory small cell lung cancer: A case report and review of the literature. <i>Thoracic Cancer</i> , 2012 , 3, 84-87	3.2	3
110	Feasibility of computed tomography-guided core needle biopsy in producing state-of-the-art clinical management in Chinese lung cancer. <i>Thoracic Cancer</i> , 2014 , 5, 155-61	3.2	3
109	A Phase IIIb Open-Label, Single-Arm Study of Afatinib in EGFR TKI-Naïve Patients with EGFRm+ NSCLC: Final Analysis, with a Focus on Patients Enrolled at Sites in China.. <i>Targeted Oncology</i> , 2022 , 17, 1-13	5	3
108	INSIGHT 2: a Phase II study of tepotinib plus osimertinib in -amplified NSCLC and first-line osimertinib resistance.. <i>Future Oncology</i> , 2021 ,	3.6	3
107	ZD1839 for the treatment of heavily pretreated non-small cell lung cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 7341-7341	2.2	3
106	Research and standard care: lung cancer in china. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2012 , 432-6	7.1	3
105	Principles of biopsy in suspected lung cancer: priority still based on invasion in the era of targeted therapy?. <i>Journal of Thoracic Disease</i> , 2013 , 5, E93-7	2.6	3
104	From diagnosis to therapy in lung cancer: management of CT detected pulmonary nodules, a summary of the 2015 Chinese-German Lung Cancer Expert Panel. <i>Translational Lung Cancer Research</i> , 2016 , 5, 377-88	4.4	3
103	Integrated histological and molecular analyses of rebiopsy samples at osimertinib progression improve post-progression survivals: A single-center retrospective study. <i>Lung Cancer</i> , 2020 , 150, 97-106	5.9	3
102	Three-dimensional printed navigational template for localizing small pulmonary nodules: A case-controlled study. <i>Thoracic Cancer</i> , 2020 , 11, 2690-2697	3.2	3
101	Phase 1/2 study of ceritinib in Chinese patients with advanced anaplastic lymphoma kinase-rearranged non-small cell lung cancer previously treated with crizotinib: Results from ASCEND-6. <i>Lung Cancer</i> , 2020 , 150, 240-246	5.9	3
100	Quantitative multiplex immunofluorescence analysis identifies infiltrating PD1 CD8 and CD8 T cells as predictive of response to neoadjuvant chemotherapy in breast cancer. <i>Thoracic Cancer</i> , 2020 , 11, 2941-2954	3.2	3
99	Clinical recommendations for perioperative immunotherapy-induced adverse events in patients with non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021 , 12, 1469-1488	3.2	3
98	Safety and efficacy of first-line dacomitinib in Asian patients with EGFR mutation-positive non-small cell lung cancer: Results from a randomized, open-label, phase 3 trial (ARCHER 1050). <i>Lung Cancer</i> , 2021 , 154, 176-185	5.9	3
97	Multomics analysis reveals a distinct response mechanism in multiple primary lung adenocarcinoma after neoadjuvant immunotherapy 2021 , 9,		3

96	Right upper lobectomy performed as dividing posterior ascending artery-bronchus-pulmonary vessels is alternative to primary indolent scar carcinomas. <i>Journal of Thoracic Disease</i> , 2016 , 8, 1340-4	2.6	3
95	Polymorphism of rs9387478 correlates with overall survival in female nonsmoking patients with lung cancer. <i>International Journal of Biological Markers</i> , 2016 , 31, e144-52	2.8	3
94	An East Asian subgroup analysis of PROCLAIM, a phase III trial of pemetrexed and cisplatin or etoposide and cisplatin plus thoracic radiation therapy followed by consolidation chemotherapy in locally advanced nonsquamous non-small cell lung cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016 , 12, 380-387	1.9	3
93	An immunological storm for cancer therapy: 2018 Nobel Prize in Physiology or Medicine. <i>Science Bulletin</i> , 2018 , 63, 1608-1610	10.6	3
92	High SHP2 expression determines the efficacy of PD-1/PD-L1 inhibitors in advanced KRAS mutant non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021 , 12, 2564-2573	3.2	3
91	Dynamic change of fatigue of pemetrexed maintenance treatment in the JMEN trial. <i>Lung Cancer</i> , 2018 , 115, 121-126	5.9	2
90	Dacomitinib in NSCLC: a positive trial with little clinical impact - AuthorsReply. <i>Lancet Oncology</i> , 2018 , 19, e5	21.7	2
89	Responses to crizotinib in a patient with c-ros oncogene 1, receptor tyrosine kinase-positive advanced lung adenocarcinoma: A case report. <i>Oncology Letters</i> , 2014 , 8, 2624-2626	2.6	2
88	Cancer management can be personalized? Cancer genomic research in China. <i>Chinese-German Journal of Clinical Oncology</i> , 2006 , 5, 156-158		2
87	Clinical research of lung cancer in China. <i>Chinese-German Journal of Clinical Oncology</i> , 2002 , 1, 132-134		2
86	eXalt3: Phase 3 randomized study comparing ensartinib to crizotinib in anaplastic lymphoma kinase (ALK) positive non-small cell lung cancer (NSCLC) patients.. <i>Journal of Clinical Oncology</i> , 2018 , 36, TPS9115-TPS9115	2.2	2
85	SAF-189s in previously treated patients with advanced ALK-rearranged non-small cell lung cancer (NSCLC): Results from the dose-finding portion in a single-arm, first-in-human phase I/II study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e21689-e21689	2.2	2
84	MET amplification identified by next-generation sequencing and its clinical relevance for MET inhibitors. <i>Experimental Hematology and Oncology</i> , 2021 , 10, 52	7.8	2
83	Real-World Survival Outcomes Based on Mutation Status in Chinese Patients With Lung Adenocarcinoma After Complete Resection: Results From the ICAN Study.. <i>JTO Clinical and Research Reports</i> , 2022 , 3, 100257	1.4	2
82	A story of ALK variants and the efficacy of ALK inhibitors: moving toward precision oncology. <i>Translational Cancer Research</i> , 2017 , 6, S292-S295	0.3	2
81	Clinical trials for lung cancer in China. <i>Translational Lung Cancer Research</i> , 2014 , 3, 311-6	4.4	2
80	Camrelizumab in different PD-L1 expression cohorts of pre-treated advanced or metastatic non-small cell lung cancer: a phase II study. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1	7.4	2
79	GEMSTONE-301: a phase III clinical trial of CS1001 as consolidation therapy in patients with locally advanced/unresectable (stage III) non-small cell lung cancer (NSCLC) who did not have disease progression after prior concurrent/sequential chemoradiotherapy. <i>Translational Lung Cancer Research</i> , 2020 , 9, 2008-2015	4.4	2

78	Association of Cerebrospinal Fluid Tumor DNA Genotyping With Survival Among Patients With Lung Adenocarcinoma and Central Nervous System Metastases. <i>JAMA Network Open</i> , 2020 , 3, e209077	10.4	2
77	Clinical utility of plasma EGFR mutation detection with quantitative PCR in advanced lung cancer: A meta-analysis. <i>Lung Cancer</i> , 2021 , 154, 113-117	5.9	2
76	Surgery in oligometastatic NSCLC patients in the targeted therapy era. <i>Lung Cancer Management</i> , 2016 , 5, 141-153	2.6	2
75	Modification of Pathologic T Classification for Non-small Cell Lung Cancer With Visceral Pleural Invasion: Data From 1,055 Cases of Cancers. <i>Chest</i> , 2021 , 160, 754-764	5.3	2
74	Genetic Profiling of Cell-Free DNA From Pleural Effusion in Advanced Lung Cancer as a Surrogate for Tumor Tissue and Revealed Additional Clinical Actionable Targets. <i>Clinical Lung Cancer</i> , 2021 ,	4.9	2
73	Precise resection of multiple pulmonary nodules using a three-dimensional reconstruction model: A case report. <i>Thoracic Cancer</i> , 2021 , 12, 970-973	3.2	2
72	ESMO expert consensus statements on the management of EGFR mutant Non-Small Cell Lung Cancer.. <i>Annals of Oncology</i> , 2022 ,	10.3	2
71	Clinical trials in lung cancer surgery and research cooperation. <i>Chinese Clinical Oncology</i> , 2014 , 3, 46	2.3	2
70	Longitudinal Undetectable Molecular Residual Disease Defines Potentially Cured Population in Localized Non-Small Cell Lung Cancer.. <i>Cancer Discovery</i> , 2022 , OF1-OF12	24.4	2
69	Supraclavicular lymph node incisional biopsies have no influence on the prognosis of advanced non-small cell lung cancer patients: a retrospective study. <i>World Journal of Surgical Oncology</i> , 2017 , 15, 12	3.4	1
68	Healthcare resource utilization and associated cost analysis of the PROCLAIM study in patients with stage III non-small-cell lung cancer. <i>Current Medical Research and Opinion</i> , 2019 , 35, 1761-1767	2.5	1
67	Uniportal video-assisted thoracoscopic surgery left upper lobectomy and systematic lymph node dissection with fused fissure. <i>Journal of Thoracic Disease</i> , 2017 , 9, 1375-1381	2.6	1
66	Systemic tunnel dissection of mediastinal lymph nodes without clamping via uniportal video-assisted thoracoscopic surgery. <i>Journal of Thoracic Disease</i> , 2017 , 9, 3272-3274	2.6	1
65	Safety and efficacy of targeted agents monotherapy in advanced NSCLC. <i>Expert Review of Clinical Pharmacology</i> , 2016 , 9, 143-55	3.8	1
64	Factors associated with gene aberration test status and treatment decision in patients with unresectable Stage IIIB/IV nonsquamous non-small cell lung cancer: A multicenter survey in China (CTONG 1506). <i>Lung Cancer</i> , 2018 , 123, 7-13	5.9	1
63	Familial association of lung cancer with liver cancer in first-degree relatives. <i>Cancer Management and Research</i> , 2019 , 11, 5813-5819	3.6	1
62	Rapid Postoperative Relapse in ALK-Positive Locally Advanced NSCLC Patient with Complete Pathological Response to Neoadjuvant Crizotinib. <i>Journal of Thoracic Oncology</i> , 2019 , 14, e234-e236	8.9	1
61	Intercalated chemotherapy and erlotinib: a viable first-line option for patients with advanced NSCLC? - authors' reply. <i>Lancet Oncology</i> , 2013 , 14, e438-e439	21.7	1

60	Establishment of a Novel Method for Screening Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor Resistance Mutations in Lung Cancer. <i>Chinese Medical Journal</i> , 2017 , 130, 1446-1453	2.9	1
59	IMPRESS is impressing. <i>Lung Cancer Management</i> , 2015 , 4, 51-53	2.6	1
58	Recent advances of immunotherapy in lung cancer: anti-programmed cell death-1/programmed death ligand-1 antibodies. <i>Lung Cancer Management</i> , 2014 , 3, 175-190	2.6	1
57	Is 18 F-fluorodeoxyglucose positron emission tomography-based metabolic response superior to Response Evaluation Criteria In Solid Tumors-based response after two cycles of platinum-based chemotherapy in predicting clinical outcome of untreated patients with advanced non-small cell lung cancer? <i>Nuclear Medicine Communications</i> , 2011 , 32, 1113-20	1.6	1
56	Gene fusions in non-small-cell lung cancer. <i>Lung Cancer Management</i> , 2012 , 1, 283-292	2.6	1
55	Docetaxel as salvage chemotherapy in patients with advanced non-small cell lung cancer after failure of cytotoxic agents and gefitinib treatment. <i>Chinese-German Journal of Clinical Oncology</i> , 2008 , 7, 495-499		1
54	Post-operative staging and survival based on the revised tnm staging system for non-small cell lung cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2000 , 12, 278-281	3.8	1
53	MET overexpression as a promising therapeutic target in non-small cell lung cancer with acquired resistance to EGFR TKIs.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e19047-e19047	2.2	1
52	Identification of leptomeningeal metastasis-specific exosomal miRNA signature in cerebrospinal fluid of non-small-cell lung cancer patients.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e21024-e21024	2.2	1
51	Bevacizumab Plus Erlotinib in Chinese Patients with Untreated, EGFR-Mutated, Advanced NSCLC (ARTEMIS-CTONG1509): A Multicenter Phase 3 Study. <i>SSRN Electronic Journal</i> ,	1	1
50	A novel third generation EGFR tyrosine kinase inhibitor Abivertinib for EGFR T790M mutant Non-Small Cell Lung Cancer: a multicenter phase1/2 study. <i>Clinical Cancer Research</i> , 2021 ,	12.9	1
49	Identification of osimertinib resistance mechanisms in Chinese NSCLC patients: Analysis from AURA17 trial.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 9077-9077	2.2	1
48	A three-dimensional printing navigational template combined with mixed reality technique for localizing pulmonary nodules. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2021 , 32, 552-559	1.8	1
47	Prediction of unfavourable response to checkpoint blockade in lung cancer patients through an integrated tumour-immune expression score. <i>Translational Oncology</i> , 2021 , 15, 101254	4.9	1
46	Crizotinib in advanced non-small-cell lung cancer with de novo c-Met overexpression.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 8090-8090	2.2	1
45	Quality of life with adjuvant gefitinib versus vinorelbine plus cisplatin in patients with completely resected stage II-IIIa (N1-N2) EGFR-mutant non-small-cell lung cancer: Results from the ADJUVANT (CTONG1104) study. <i>Lung Cancer</i> , 2020 , 150, 164-171	5.9	1
44	Impact of EGFR amplification on survival of patients with EGFR exon 20 insertion-positive non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2020 , 12, 5822-5832	2.6	1
43	Survival Benefit and Genetic Profile of Pemetrexed as Initial Chemotherapy in Selected Chinese Patients With Advanced Lung Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020 , 10, 1568	5.3	1

42	Afatinib in EGFR TKI-Naïve Patients with Locally Advanced or Metastatic EGFR Mutation-Positive Non-Small Cell Lung Cancer: A Pooled Analysis of Three Phase IIIb Studies. <i>Frontiers in Oncology</i> , 2021 , 11, 709877	5.3	1
41	Gene co-expression modules integrated with immunoscore predicts survival of non-small cell lung cancer. <i>Cancer Treatment and Research Communications</i> , 2021 , 26, 100297	2	1
40	Docetaxel maintenance therapy versus best supportive care after first-line chemotherapy with different dose docetaxel plus cisplatin for advanced non-small cell lung cancer (TFINE study, CTONG-0904): an open-label, randomized, phase III trial. <i>Annals of Translational Medicine</i> , 2021 , 9, 338	3.2	1
39	Impact of menopausal status and HER-2/neu protein on efficacy of EGFR-TKI in mutant patients with non-small cell lung cancer. <i>Journal of Cancer</i> , 2018 , 9, 2987-2993	4.5	1
38	Clinical features and intervention timing in patients with pregnancy-associated non-small-cell lung cancer. <i>Journal of Thoracic Disease</i> , 2021 , 13, 4125-4136	2.6	1
37	Applications of Circulating Tumor DNA in Immune Checkpoint Inhibition: Emerging Roles and Future Perspectives.. <i>Frontiers in Oncology</i> , 2022 , 12, 836891	5.3	1
36	Reimagining patient-centric cancer clinical trials: a multi-stakeholder international coalition.. <i>Nature Medicine</i> , 2022 , 28, 620-626	50.5	1
35	Poor prognosis of intra-tumoural TRBV6-6 variants in EGFR-mutant NSCLC: Results from the ADJUVANT-CTONG1104 trial.. <i>Clinical and Translational Medicine</i> , 2022 , 12, e775	5.7	1
34	Adjuvant therapy for resected EGFR-mutant non-small-cell lung cancer - AuthorsReply. <i>Lancet Oncology, The</i> , 2018 , 19, e127	21.7	0
33	Three-year follow-up and patient-reported outcomes from CheckMate 078: Nivolumab versus docetaxel in a predominantly Chinese patient population with previously treated advanced non-small cell lung cancer.. <i>Lung Cancer</i> , 2021 , 165, 71-81	5.9	0
32	Incorporating circulating tumor DNA detection to radiographic assessment for treatment response in advanced EGFR-mutant lung cancer. <i>Lung Cancer</i> , 2021 , 163, 14-18	5.9	0
31	Clinical Characteristics and Outcomes in Advanced -Mutated NSCLC: A Multicenter Collaboration in Asia (ATORG-005).. <i>JTO Clinical and Research Reports</i> , 2022 , 3, 100261	1.4	0
30	The safety profile of a selective EGFR TKI epitinib (HMPL-813) in patients with advanced solid tumors and preliminary clinical efficacy in EGFRm+ NSCLC patients with brain metastasis.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e20502-e20502	2.2	0
29	Afatinib for the first-line treatment of mutation-positive NSCLC in China: a review of clinical data. <i>Future Oncology</i> , 2020 , 16, 2569-2586	3.6	0
28	A New Prognostic Index Combines the Metabolic Response and RECIST 1.1 to Evaluate the Therapeutic Response in Patients With Non-Small Cell Lung Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 1503 ^{5.3}	5.3	0
27	Effect of Dose Adjustments on the Safety and Efficacy of Afatinib in Chinese Patients with Mutated Non-Small Cell Lung Cancer Who Participated in the LUX-Lung Clinical Trial Program. <i>OncoTargets and Therapy</i> , 2020 , 13, 12539-12547	4.4	0
26	Ceritinib Efficacy and Safety in Treatment-Naïve Asian Patients With Advanced -Rearranged NSCLC: An ASCEND-4 Subgroup Analysis. <i>JTO Clinical and Research Reports</i> , 2021 , 2, 100131	1.4	0
25	Watershed analysis of the target pulmonary artery for real-time localization of non-palpable pulmonary nodules. <i>Translational Lung Cancer Research</i> , 2021 , 10, 1711-1719	4.4	0

24	Osimertinib Leads the Way Toward Improving Outcomes of EGFR-Mutant NSCLC With Leptomeningeal Metastases. <i>Journal of Thoracic Oncology</i> , 2021 , 16, e12-e14	8.9	o
23	Cancer treatment in the coronavirus disease pandemic. <i>Lung Cancer</i> , 2021 , 152, 98-103	5.9	o
22	The Chinese Thoracic Oncology Group (CTONG) therapeutic option scoring system: a multiple-parameter framework to assess the value of lung cancer treatment options. <i>Translational Lung Cancer Research</i> , 2021 , 10, 3594-3607	4.4	o
21	Intrathecal Pemetrexed: Another Potential Treatment Modality for Tyrosine Kinase Inhibitor-Failed Leptomeningeal Metastases?. <i>Journal of Thoracic Oncology</i> , 2021 , 16, e82-e84	8.9	o
20	Predictive value of intra-tumoural TCR γ rearrangements in precisely selecting adjuvant therapy for EGFR -mutant non-small-cell lung cancer. <i>Clinical and Translational Discovery</i> , 2022 , 2,		o
19	Little Influence of Bevacizumab in Diagnosis of Leptomeningeal Metastases in Current Study. <i>Journal of Thoracic Oncology</i> , 2017 , 12, e5-e6	8.9	
18	The superstars of precision medicine-EGFR inhibitors in adjuvant treatment of lung cancer. <i>Journal of Thoracic Disease</i> , 2019 , 11, E11-E13	2.6	
17	Treatment failure patterns of adjuvant gefitinib therapy and minimal residual disease detection in resected EGFR-mutant non-small cell lung cancer: author's reply. <i>Translational Lung Cancer Research</i> , 2020 , 9, 160-162	4.4	
16	Personalized adjuvant treatment: go through the past to the future. <i>Journal of Thoracic Disease</i> , 2019 , 11, E109-E111	2.6	
15	BRAIN study: it is hard to draw a conclusion - Authors' reply. <i>Lancet Respiratory Medicine</i> , 2017 , 5, e34	35.1	
14	Mutation and polymorphism in the tyrosine kinase domain of KDR in Chinese human lung cancer patients. <i>Chinese-German Journal of Clinical Oncology</i> , 2009 , 8, 309-313		
13	Elevated expression level of laminin 5 may be a negative predictive factor for the response to gefitinib in lung cancer patients. <i>Chinese-German Journal of Clinical Oncology</i> , 2008 , 7, 677-681		
12	Transdermal Fentanyl for Management of Cancer Pain in Elderly Patients in China. <i>Chinese-German Journal of Clinical Oncology</i> , 2004 , 3, 85		
11	Subaortic blind mitral pouch in a double-inlet right ventricle. <i>Thoracic and Cardiovascular Surgeon</i> , 1994 , 42, 315-7	1.6	
10	Percutaneous superfine-needle aspiration biopsy of intrathoracic lesions guided by simulator. <i>Journal of Surgical Oncology</i> , 1989 , 40, 135-8	2.8	
9	A dedicated lung cancer immunotherapy outpatient clinic: The first experience in China.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e14022-e14022	2.2	
8	ALK FISH positivity and crizotinib efficacy in patients (pts) with non-small cell lung cancer (NSCLC).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9062-9062	2.2	
7	Reply to A. Tateishi et al. <i>Journal of Clinical Oncology</i> , 2020 , 38, 286-287	2.2	

- 6 Long-Term Survival of Over 6 Years with Afatinib Sequential Treatment in a Patient with EGFR Mutation-Positive Non-Small Cell Lung Cancer: A Case Report. *Clinical Drug Investigation*, **2021**, 41, 483-488 2.3
- 5 Misuse of Pirated Drugs: Why China? What Is Next?. *Journal of Global Oncology*, **2016**, 2, 440-441 2.6
- 4 The patient's perspective on treatment with dacomitinib: patient-reported outcomes from the Phase III trial ARCHER 1050. *Future Oncology*, **2021**, 17, 783-794 3.6
- 3 Reply to L. Zeng et al. *Journal of Clinical Oncology*, **2018**, JCO1800584 2.2
- 2 Adjuvant TKIs: still an optimal choice. *Journal of Thoracic Disease*, **2018**, 10, E812-E814 2.6
- 1 Pseudopathologic vertebral body enhancement. *Cleveland Clinic Journal of Medicine*, **2021**, 88, 424-425 2.8