

Andrea Scribante

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3717119/publications.pdf>

Version: 2024-02-01

137
papers

3,446
citations

125106

35
h-index

232693

48
g-index

138
all docs

138
docs citations

138
times ranked

2677
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of fluorosed enamel on orthodontic bracket bonding. <i>Journal of Orofacial Orthopedics</i> , 2023, 84, 88-99.	0.5	1
2	The role of cochlear implant positioning on MR imaging quality: a preclinical in vivo study with a novel implant magnet system. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 2889-2898.	0.8	6
3	Effect of Enamel Pretreatment with Pastes Presenting Different Relative Dentin Abrasivity (RDA) Values on Orthodontic Bracket Bonding Efficacy of Microfilled Composite Resin: In Vitro Investigation and Randomized Clinical Trial. <i>Materials</i> , 2022, 15, 531.	1.3	6
4	Oral Hygiene Practice among Hospitalized Patients: An Assessment by Dental Hygiene Students. <i>Healthcare (Switzerland)</i> , 2022, 10, 115.	1.0	6
5	Influence of Enamel Exposure to Acidic Drink on Shear Bond Strength of Different Fissure Sealants. <i>Bioengineering</i> , 2022, 9, 20.	1.6	1
6	Home Oral Care of Periodontal Patients Using Antimicrobial Gel with Postbiotics, Lactoferrin, and Aloe Barbadensis Leaf Juice Powder vs. Conventional Chlorhexidine Gel: A Split-Mouth Randomized Clinical Trial. <i>Antibiotics</i> , 2022, 11, 118.	1.5	64
7	Properties of CAD/CAM 3D Printing Dental Materials and Their Clinical Applications in Orthodontics: Where Are We Now?. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 551.	1.3	12
8	Paraprobiotics in Non-Surgical Periodontal Therapy: Clinical and Microbiological Aspects in a 6-Month Follow-Up Domiciliary Protocol for Oral Hygiene. <i>Microorganisms</i> , 2022, 10, 337.	1.6	64
9	Evaluation of Children Caries Risk Factors: A Narrative Review of Nutritional Aspects, Oral Hygiene Habits, and Bacterial Alterations. <i>Children</i> , 2022, 9, 262.	0.6	30
10	Management of Periodontal Disease with Adjunctive Therapy with Ozone and Photobiomodulation (PBM): A Randomized Clinical Trial. <i>Photonics</i> , 2022, 9, 138.	0.9	23
11	Domiciliary Use of Chlorhexidine vs. Postbiotic Gels in Patients with Peri-Implant Mucositis: A Split-Mouth Randomized Clinical Trial. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2800.	1.3	55
12	Customized Minimally Invasive Protocols for the Clinical and Microbiological Management of the Oral Microbiota. <i>Microorganisms</i> , 2022, 10, 675.	1.6	22
13	Oral Microbiota in Patients with Peri-Implant Disease: A Narrative Review. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 3250.	1.3	47
14	Bone Modifications Induced by Rapid Maxillary Expander: A Three-Dimensional Cephalometric Pilot Study Comparing Two Different Cephalometric Software Programs. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 4313.	1.3	2
15	Evaluation of Adjuvant Systems in Non-Surgical Peri-Implant Treatment: A Literature Review. <i>Healthcare (Switzerland)</i> , 2022, 10, 886.	1.0	25
16	Effect of different enamel pretreating agents on bonding efficacy and survival rates of orthodontic brackets: In Vitro study and split-mouth randomized clinical trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2022, 162, 297-306.	0.8	14
17	Assessment of the Bacterial Loads of Vacuum-Thermoformed Removable Retainers (VTRR) in Patients under Retention Therapy: A Randomized Clinical Trial. <i>Healthcare (Switzerland)</i> , 2022, 10, 1239.	1.0	1
18	Dental Erosion Evaluation with Intact-Tooth Smartphone Application: Preliminary Clinical Results from September 2019 to March 2022. <i>Sensors</i> , 2022, 22, 5133.	2.1	4

#	ARTICLE	IF	CITATIONS
19	Home Oral Care with Biomimetic Hydroxyapatite vs. Conventional Fluoridated Toothpaste for the Remineralization and Desensitizing of White Spot Lesions: Randomized Clinical Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8676.	1.2	22
20	MRI-induced artifact by a cochlear implant with a novel magnet system: an experimental cadaver study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3753-3762.	0.8	8
21	The Efficacy of Powered Oscillating Heads vs. Powered Sonic Action Heads Toothbrushes to Maintain Periodontal and Peri-Implant Health: A Narrative Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1468.	1.2	33
22	Retrosigmoidal placement of an active transcutaneous bone conduction implant: surgical and audiological perspectives in a multicentre study. <i>Acta Otorhinolaryngologica Italica</i> , 2021, 41, 91-99.	0.7	4
23	Universal Adhesive for Fixed Retainer Bonding: In Vitro Evaluation and Randomized Clinical Trial. <i>Materials</i> , 2021, 14, 1341.	1.3	11
24	Ozone therapy in dentistry: from traditional applications towards innovative ones. A review of the literature. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 707, 012001.	0.2	7
25	Assessment of Genetical, Pre, Peri and Post Natal Risk Factors of Deciduous Molar Hypomineralization (DMH), Hypomineralized Second Primary Molar (HSPM) and Molar Incisor Hypomineralization (MIH): A Narrative Review. <i>Children</i> , 2021, 8, 432.	0.6	25
26	Efficacy of a Trial Oral Appliance in OSAS Management: A New Protocol to Recognize Responder/Nonresponder Patients. <i>International Journal of Dentistry</i> , 2021, 2021, 1-9.	0.5	9
27	Ozone Gel in Chronic Periodontal Disease: A Randomized Clinical Trial on the Anti-Inflammatory Effects of Ozone Application. <i>Biology</i> , 2021, 10, 625.	1.3	18
28	Microbiological Changes during Orthodontic Aligner Therapy: A Prospective Clinical Trial. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6758.	1.3	13
29	SEM/EDS Evaluation of the Mineral Deposition on a Polymeric Composite Resin of a Toothpaste Containing Biomimetic Zn-Carbonate Hydroxyapatite (microRepair ^Å) in Oral Environment: A Randomized Clinical Trial. <i>Polymers</i> , 2021, 13, 2740.	2.0	55
30	Restorative Treatment of Amelogenesis Imperfecta with Prefabricated Composite Veneers. <i>Case Reports in Dentistry</i> , 2021, 2021, 1-11.	0.2	7
31	Ozonized Water Administration in Peri-Implant Mucositis Sites: A Randomized Clinical Trial. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 7812.	1.3	44
32	Skeletal Divergence and Condylar Asymmetry in Patients with Temporomandibular Disorders (TMD): A Retrospective Study. <i>BioMed Research International</i> , 2021, 2021, 1-6.	0.9	3
33	Management of Gingival Bleeding in Periodontal Patients with Domiciliary Use of Toothpastes Containing Hyaluronic Acid, Lactoferrin, or Paraprobiotics: A Randomized Controlled Clinical Trial. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8586.	1.3	50
34	The Effect of Chairside Verbal Instructions Matched with Instagram Social Media on Oral Hygiene of Young Orthodontic Patients: A Randomized Clinical Trial. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 706.	1.3	25
35	Probiotic Alternative to Chlorhexidine in Periodontal Therapy: Evaluation of Clinical and Microbiological Parameters. <i>Microorganisms</i> , 2021, 9, 69.	1.6	91
36	Assessment of Oral Microbiome Changes in Healthy and COVID-19-Affected Pregnant Women: A Narrative Review. <i>Microorganisms</i> , 2021, 9, 2385.	1.6	9

#	ARTICLE	IF	CITATIONS
37	In Vitro Weight Loss of Dental Composite Resins and Glass-Ionomer Cements Exposed to a Challenge Simulating the Oral Intake of Acidic Drinks and Foods. <i>Journal of Composites Science</i> , 2021, 5, 298.	1.4	2
38	Silvio Palazzi (1892-1979), un pioniere della moderna odontoiatria Italiana. <i>AMHA - Acta Medico-Historica Adriatica</i> , 2021, 19, 323-336.	0.0	0
39	Correlation between the Mandibular Lingula Position and Some Anatomical Landmarks in Cone Beam CT. <i>Healthcare (Switzerland)</i> , 2021, 9, 1747.	1.0	8
40	Orthodontic Treatment and Healthcare Goals: Evaluation of Multibrackets Treatment Results Using PAR Index (Peer Assessment Rating). <i>Healthcare (Switzerland)</i> , 2020, 8, 473.	1.0	4
41	Bio-Inspired Systems in Nonsurgical Periodontal Therapy to Reduce Contaminated Aerosol during COVID-19: A Comprehensive and Bibliometric Review. <i>Journal of Clinical Medicine</i> , 2020, 9, 3914.	1.0	23
42	Copper-Alloy Surfaces and Cleaning Regimens against the Spread of SARS-CoV-2 in Dentistry and Orthopedics. From Fomites to Anti-Infective Nanocoatings. <i>Materials</i> , 2020, 13, 3244.	1.3	60
43	Imaging Software Programs for Reliable Mathematical Measurements in Orthodontics. <i>Dentistry Journal</i> , 2020, 8, 81.	0.9	0
44	Exposure of Biomimetic Composite Materials to Acidic Challenges: Influence on Flexural Resistance and Elastic Modulus. <i>Biomimetics</i> , 2020, 5, 56.	1.5	10
45	Photobiomodulation and Pain Reduction in Patients Requiring Orthodontic Band Application: Randomized Clinical Trial. <i>BioMed Research International</i> , 2020, 2020, 1-10.	0.9	13
46	New Resin-Based Bulk-Fill Composites: in vitro Evaluation of Micro-Hardness and Depth of Cure as Infection Risk Indexes. <i>Materials</i> , 2020, 13, 1308.	1.3	42
47	Class Fiber Reinforced Composite Orthodontic Retainer: In Vitro Effect of Tooth Brushing on the Surface Wear and Mechanical Properties. <i>Materials</i> , 2020, 13, 1028.	1.3	15
48	Minimally Invasive Diastema Restoration with Prefabricated Sectional Veneers. <i>Dentistry Journal</i> , 2020, 8, 60.	0.9	4
49	Influence of Different Surface Pretreatments on Shear Bond Strength of an Adhesive Resin Cement to Various Zirconia Ceramics. <i>Materials</i> , 2020, 13, 652.	1.3	19
50	Biomimetic Effect of Nano-Hydroxyapatite in Demineralized Enamel before Orthodontic Bonding of Brackets and Attachments: Visual, Adhesion Strength, and Hardness in In Vitro Tests. <i>BioMed Research International</i> , 2020, 2020, 1-9.	0.9	78
51	In Vitro Re-Hardening of Bleached Enamel Using Mineralizing Pastes: Toward Preventing Bacterial Colonization. <i>Materials</i> , 2020, 13, 818.	1.3	25
52	Ozonized Gel Against Four Candida Species: A Pilot Study and Clinical Perspectives. <i>Materials</i> , 2020, 13, 1731.	1.3	28
53	Fear of the Relapse: Effect of Composite Type on Adhesion Efficacy of Upper and Lower Orthodontic Fixed Retainers: In Vitro Investigation and Randomized Clinical Trial. <i>Polymers</i> , 2020, 12, 963.	2.0	26
54	Orthodontic debonding and tooth sensitivity of anterior and posterior teeth. <i>Angle Orthodontist</i> , 2020, 90, 766-773.	1.1	14

#	ARTICLE	IF	CITATIONS
55	Historical and bibliometric notes on the use of fluoride in caries prevention. <i>European Journal of Paediatric Dentistry</i> , 2020, 21, 148-152.	0.4	16
56	Angelo Chiavaro (1870-1944), the first "American style" Italian dentist. <i>Journal of the History of Dentistry</i> , 2020, 68, 163-168.	0.1	0
57	Digital Workflow for Indirect Bonding with 2D Lingual Brackets: A Case Report and Procedure Description. <i>Case Reports in Dentistry</i> , 2019, 2019, 1-6.	0.2	7
58	Vickers Micro-Hardness of New Restorative CAD/CAM Dental Materials: Evaluation and Comparison after Exposure to Acidic Drink. <i>Materials</i> , 2019, 12, 1246.	1.3	66
59	Flexural Properties and Elastic Modulus of Different Esthetic Restorative Materials: Evaluation after Exposure to Acidic Drink. <i>BioMed Research International</i> , 2019, 2019, 1-8.	0.9	50
60	Effect of Long-Term Brushing on Deflection, Maximum Load, and Wear of Stainless Steel Wires and Conventional and Spot Bonded Fiber-Reinforced Composites. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6043.	1.8	17
61	Magnetic Resonance Imaging and Its Effects on Metallic Brackets and Wires: Does It Alter the Temperature and Bonding Efficacy of Orthodontic Devices?. <i>Materials</i> , 2019, 12, 3971.	1.3	9
62	Influence of Dental Composite Viscosity in Attachment Reproduction: An Experimental in Vitro Study. <i>Materials</i> , 2019, 12, 4001.	1.3	18
63	Deglutizione atipica, anomalie occlusali e alterazioni posturali: esiste una correlazione?. <i>Dental Cadmos</i> , 2019, 87, 8.	0.0	0
64	Beniamino De Vecchis (1886-1972) Italian Dentist and Historian. <i>Journal of the History of Dentistry</i> , 2019, 67, 112-115.	0.1	0
65	Buccolingual Inclination Control of Upper Central Incisors of Aligners: A Comparison with Conventional and Self-Ligating Brackets. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	20
66	Fiber-Reinforced Composites for Dental Applications. <i>BioMed Research International</i> , 2018, 2018, 1-2.	0.9	43
67	Travel beyond Clinical Uses of Fiber Reinforced Composites (FRCs) in Dentistry: A Review of Past Employments, Present Applications, and Future Perspectives. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	24
68	Computerized Casts for Orthodontic Purpose Using Powder-Free Intraoral Scanners: Accuracy, Execution Time, and Patient Feedback. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	71
69	Diode Laser-Assisted Surgical Therapy for Early Treatment of Oral Mucocele in a Newborn Patient: Case Report and Procedures Checklist. <i>Case Reports in Dentistry</i> , 2018, 2018, 1-6.	0.2	8
70	Failure load and stress analysis of orthodontic miniscrews with different transmucosal collar diameter. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 87, 132-137.	1.5	49
71	Reliability of Orthodontic Miniscrews: Bending and Maximum Load of Different Ti-6Al-4V Titanium and Stainless Steel Temporary Anchorage Devices (TADs). <i>Materials</i> , 2018, 11, 1138.	1.3	17
72	Geometric distortion of panoramic reconstruction in third molar tilting assessments: a comprehensive evaluation. <i>Dentomaxillofacial Radiology</i> , 2018, 47, 20170467.	1.3	8

#	ARTICLE	IF	CITATIONS
73	Shear bond strength of one-step self-etch adhesives to dentin: Evaluation of NaOCl pretreatment. <i>Journal of Clinical and Experimental Dentistry</i> , 2018, 10, 0-0.	0.5	5
74	Fibromatosi gengivale ereditaria: caso clinico. <i>Dental Cadmos</i> , 2018, 86, 816.	0.0	0
75	Sella turcica bridging and dental anomalies: is there an association?. <i>International Journal of Paediatric Dentistry</i> , 2017, 27, 568-573.	1.0	42
76	Influence of dentin pretreatment on bond strength of universal adhesives. <i>Acta Biomaterialia Odontologica Scandinavica</i> , 2017, 3, 30-35.	4.0	18
77	Orthodontic retainers. , 2017, , 187-202.		7
78	Spot-Bonding and Full-Bonding Techniques for Fiber Reinforced Composite (FRC) and Metallic Retainers. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2096.	1.8	10
79	Color Stability of New Esthetic Restorative Materials: A Spectrophotometric Analysis. <i>Journal of Functional Biomaterials</i> , 2017, 8, 26.	1.8	25
80	Orthodontic Metallic Lingual Brackets: The Dark Side of the Moon of Bond Failures?. <i>Journal of Functional Biomaterials</i> , 2017, 8, 27.	1.8	6
81	Dental Hygiene and Orthodontics: Effect of Ultrasonic Instrumentation on Bonding Efficacy of Different Lingual Orthodontic Brackets. <i>BioMed Research International</i> , 2017, 2017, 1-6.	0.9	8
82	Bending Properties of Fiber-Reinforced Composites Retainers Bonded with Spot-Composite Coverage. <i>BioMed Research International</i> , 2017, 2017, 1-6.	0.9	15
83	Orthodontics: Bracket Materials, Adhesives Systems, and Their Bond Strength. <i>BioMed Research International</i> , 2016, 2016, 1-3.	0.9	51
84	Comparison of Shear Bond Strength of Universal Adhesives on Etched and Nonetched Enamel. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2016, 14, 78-83.	0.7	31
85	Influence of different luting protocols on shear bond strength of computer aided design/computer aided manufacturing resin nanoceramic material to dentin. <i>Dental Research Journal</i> , 2016, 13, 91.	0.2	18
86	Effect of glycine pretreatment on the shear bond strength of a CAD/CAM resin nano ceramic material to dentin. <i>Journal of Clinical and Experimental Dentistry</i> , 2016, 8, 0-0.	0.5	6
87	Effects of Nanofillers on Mechanical Properties of Fiber-Reinforced Composites Polymerized with Light-Curing and Additional Postcuring. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2015, 13, 296-299.	0.7	24
88	Epidemiological survey of different clinical techniques of orthodontic bracket debonding and enamel polishing. <i>Journal of Orthodontic Science</i> , 2015, 4, 123.	0.2	16
89	Shear bond strength of one-step self-etch adhesives: pH influence. <i>Dental Research Journal</i> , 2015, 12, 209-14.	0.2	5
90	Decalcifying efficacy of different irrigating solutions: effect of cetrimide addition. <i>Brazilian Oral Research</i> , 2014, 28, 1-6.	0.6	12

#	ARTICLE	IF	CITATIONS
91	Clinical evaluation of bond failures and survival between mandibular canine-to-canine retainers made of flexible spiral wire and fiber-reinforced composite. <i>Journal of Clinical and Experimental Dentistry</i> , 2014, 6, e145-9.	0.5	26
92	A 15-month evaluation of bond failures of orthodontic brackets bonded with direct versus indirect bonding technique: a clinical trial. <i>Progress in Orthodontics</i> , 2014, 15, 70.	1.3	35
93	Shear bond strength of one-step self-etch adhesives to enamel: effect of acid pretreatment. <i>Dental Traumatology</i> , 2014, 30, 43-48.	0.8	26
94	Flexural strengths of conventional and nanofilled fiber-reinforced composites: a three-point bending test. <i>Dental Traumatology</i> , 2014, 30, 32-35.	0.8	22
95	Effects of NiTi Rotary and Reciprocating Instruments on Debris and Smear Layer Scores: An SEM Evaluation. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2014, 12, 256-262.	0.7	12
96	Effect of water contamination on the shear bond strength of self-ligating brackets. <i>Oral Science International</i> , 2013, 10, 49-52.	0.3	1
97	Shear Bond Strength of Orthodontic Brackets and Disinclusion Buttons: Effect of Water and Saliva Contamination. <i>BioMed Research International</i> , 2013, 2013, 1-6.	0.9	8
98	The Influence of No-Primer Adhesives and Anchor Pylons Bracket Bases on Shear Bond Strength of Orthodontic Brackets. <i>BioMed Research International</i> , 2013, 2013, 1-6.	0.9	29
99	Microleakage in Class II composite restorations with margins below the CEJ: In vitro evaluation of different restorative techniques. <i>Medicina Oral, Patología Oral Y Cirugía Bucal</i> , 2013, 18, e793-e798.	0.7	43
100	Disinclusion of unerupted teeth by mean of self-ligating brackets: Effect of blood contamination on shear bond strength. <i>Medicina Oral, Patología Oral Y Cirugía Bucal</i> , 2013, 18, e162-e167.	0.7	21
101	Opening and closure forces of sliding mechanisms of different self-ligating brackets. <i>Journal of Applied Oral Science</i> , 2013, 21, 231-234.	0.7	6
102	Reconditioning of self-ligating brackets. <i>Angle Orthodontist</i> , 2012, 82, 158-164.	1.1	18
103	In vitro Antibacterial Activity of Different Self-Etch Adhesives. <i>International Journal of Artificial Organs</i> , 2012, 35, 847-853.	0.7	12
104	Decalcifying Effect of Different Ethylenediaminetetraacetic Acid Irrigating Solutions and Tetraclean on Root Canal Dentin. <i>Journal of Endodontics</i> , 2012, 38, 1239-1243.	1.4	17
105	Influence of lingual bracket position on microbial and periodontal parameters in vivo. <i>Journal of Applied Oral Science</i> , 2012, 20, 357-361.	0.7	40
106	<i>In vitro</i> antibacterial activity of different endodontic irrigants. <i>Dental Traumatology</i> , 2012, 28, 205-209.	0.8	13
107	Surface roughness of flowable resin composites eroded by acidic and alcoholic drinks. <i>Journal of Conservative Dentistry</i> , 2012, 15, 137.	0.3	50
108	Surface discoloration of composite resins: Effects of staining and bleaching. <i>Dental Research Journal</i> , 2012, 9, 567.	0.2	28

#	ARTICLE	IF	CITATIONS
109	Effect of blood contamination on shear bond strength of orthodontic brackets and disinclusion buttons. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2011, 49, 404-408.	0.4	17
110	Efficacy of Esthetic Retainers: Clinical Comparison between Multistranded Wires and Direct-Bond Glass Fiber-Reinforced Composite Splints. <i>International Journal of Dentistry</i> , 2011, 2011, 1-5.	0.5	39
111	<i>In vitro</i> Evaluation of Antimicrobial Efficacy of Endodontic Irrigants. <i>International Journal of Artificial Organs</i> , 2011, 34, 914-919.	0.7	12
112	Shear bond strength of fibre-reinforced composite nets using two different adhesive systems. <i>European Journal of Orthodontics</i> , 2011, 33, 66-70.	1.1	16
113	Shear bond strength of self-ligating brackets. <i>European Journal of Orthodontics</i> , 2011, 33, 71-74.	1.1	21
114	Shear bond strength of deciduous and permanent bovine enamel. <i>Journal of Adhesive Dentistry</i> , 2011, 13, 227-30.	0.3	12
115	Nickel release from new conventional stainless steel, recycled, and nickel-free orthodontic brackets: An <i>in vitro</i> study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2010, 137, 809-815.	0.8	43
116	<i>In vitro</i> bond strength evaluation of four orthodontic cements. <i>Journal of Adhesive Dentistry</i> , 2010, 12, 131-5.	0.3	5
117	Chromium Release from New Stainless Steel, Recycled and Nickel-free Orthodontic Brackets. <i>Angle Orthodontist</i> , 2009, 79, 361-367.	1.1	46
118	Adhesion of <i>Streptococcus Mutans</i> to Different Restorative Materials. <i>International Journal of Artificial Organs</i> , 2009, 32, 671-677.	0.7	48
119	Force levels of fiber-reinforced composites and orthodontic stainless steel wires: A 3-point bending test. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2008, 133, 410-413.	0.8	40
120	Flexural strengths of fiber-reinforced composites polymerized with conventional light-curing and additional postcuring. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2007, 132, 524-527.	0.8	45
121	Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 273-276.	0.8	24
122	The effect of bleaching on shear bond strength of brackets bonded with a resin-modified glass ionomer. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 130, 83-87.	0.8	44
123	Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 129, 541-546.	0.8	17
124	Effect of various adhesive systems on the shear bond strength of fiber-reinforced composite. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2006, 130, 224-227.	0.8	27
125	Effect of fluoride application on shear bond strength of brackets bonded with a resin-modified glass-ionomer. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005, 127, 580-583.	0.8	35
126	Effect of different light sources and guides on shear bond strength of brackets bonded with 2 adhesive systems. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2005, 128, 99-102.	0.8	9

#	ARTICLE	IF	CITATIONS
127	Effect of light-tip distance on the shear bond strengths of composite resin. Angle Orthodontist, 2005, 75, 386-91.	1.1	27
128	A 12 month clinical study of bond failures of recycled versus new stainless steel orthodontic brackets. European Journal of Orthodontics, 2004, 26, 449-454.	1.1	26
129	Plasma arc versus halogen light curing of orthodontic brackets: a 12-month clinical study of bond failures. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 125, 342-347.	0.8	38
130	Plasma arc versus halogen light-curing of adhesive-precoated orthodontic brackets: A 12-month clinical study of bond failures. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 126, 194-199.	0.8	30
131	Effects of blood contamination on the shear bond strengths of conventional and hydrophilic primers. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 126, 207-212.	0.8	37
132	Effect of blood contamination on shear bond strength of brackets bonded with conventional and self-etching primers. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 125, 357-360.	0.8	37
133	Effect of blood contamination on shear bond strength of brackets bonded with a self-etching primer combined with a resin-modified glass ionomer. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 126, 703-708.	0.8	24
134	Effect of water and saliva contamination on shear bond strength of brackets bonded with conventional, hydrophilic, and self-etching primers. American Journal of Orthodontics and Dentofacial Orthopedics, 2003, 123, 633-640.	0.8	129
135	Evaluation of friction of conventional and metal-insert ceramic brackets in various bracket-archwire combinations. American Journal of Orthodontics and Dentofacial Orthopedics, 2003, 124, 403-409.	0.8	79
136	Evaluation of friction of stainless steel and esthetic self-ligating brackets in various bracket-archwire combinations. American Journal of Orthodontics and Dentofacial Orthopedics, 2003, 124, 395-402.	0.8	164
137	Use of a self-etching primer in combination with a resin-modified glass ionomer: effect of water and saliva contamination on shear bond strength. American Journal of Orthodontics and Dentofacial Orthopedics, 2003, 124, 420-426.	0.8	38