

Lian Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3718001/lian-zhang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

3,721
citations

35
h-index

50
g-index

168
ext. papers

4,448
ext. citations

6.7
avg, IF

5.83
L-index

#	Paper	IF	Citations
166	Elucidating the synergistic interaction and reaction pathway between the individual lignocellulosic components during flash pyrolysis. <i>Chemical Engineering Journal</i> , 2022 , 432, 134372	14.7	1
165	Non-Destructive characterisation of coke deposit on FCC catalyst and its transient evolution upon Air-Firing and Oxy-Fuel regeneration. <i>Chemical Engineering Journal</i> , 2022 , 430, 132998	14.7	1
164	Quantitative determination of nickel speciation for the presence of free oxide in commercial fluid catalytic cracking catalysts. <i>Fuel Processing Technology</i> , 2022 , 230, 107207	7.2	
163	Waste to worth: A high-temperature water-gas shift magnetite catalyst with encapsulated core-shell structure from coal fly ash. <i>Fuel Processing Technology</i> , 2022 , 232, 107265	7.2	0
162	Influence of MgO content on bio-ash slagging propensity and flowability under mild reducing environment. <i>Fuel</i> , 2022 , 322, 124207	7.1	0
161	Influence of Coke Heterogeneity and the Interaction between Different Coke Species on the Emission of Toxic HCN and NO _x from FCC Spent Catalyst Regeneration. <i>Journal of Hazardous Materials</i> , 2022 , 129187	12.8	0
160	Synthesis of (111) facet-engineered MgO nanosheet from coal fly ash and its superior catalytic performance for high-temperature water gas shift reaction. <i>Applied Catalysis A: General</i> , 2021 , 618, 118132	5.1	4
159	A critical review of ash slagging mechanisms and viscosity measurement for low-rank coal and bio-slags. <i>Frontiers in Energy</i> , 2021 , 15, 46-67	2.6	7
158	Selective deoxygenation of biomass volatiles into light oxygenates catalysed by S-doped, nanosized zinc-rich scrap tyre char with in-situ formed multiple acidic sites. <i>Applied Catalysis B: Environmental</i> , 2021 , 282, 119603	21.8	7
157	Oxygen vacant Co ₃ O ₄ in situ embedded on carbon spheres: cooperatively tuning electron transfer for boosted peroxy monosulfate activation. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 16489-16499	13	6
156	The slagging propensity of Zn-rich scrap tyre ash in reducing environments consisting of CO and CO ₂ and its promotion of the slagging of Si-rich coal ash. <i>Proceedings of the Combustion Institute</i> , 2021 , 38, 3939-3947	5.9	2
155	Synchrotron X-ray absorption spectroscopy study of the evolution of chlorine during the pyro-hydrolysis of calcium and magnesium chloride waste. <i>Waste Management</i> , 2021 , 120, 608-615	8.6	
154	Waste tyre char-catalysed in-situ deoxygenation of volatile vapours and production of hydrogen-rich syngas during the pyrolysis of lignite. <i>Fuel Processing Technology</i> , 2021 , 218, 106872	7.2	2
153	Process modeling and techno-economic analysis of a solar thermal aided low-rank coal drying-pyrolysis process. <i>Fuel Processing Technology</i> , 2021 , 220, 106896	7.2	3
152	Photo-switchable imprinted adsorbent towards a selective phenol recovery from wastewater. <i>Chemical Engineering Journal</i> , 2021 , 421, 129549	14.7	2
151	Robust Hilly Polyamide Membrane for Fast Desalination. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 1070-1073	4.7	3
150	Noble-metal single-atoms in thermocatalysis, electrocatalysis, and photocatalysis. <i>Energy and Environmental Science</i> , 2021 , 14, 2954-3009	35.4	64

149	RuCo alloy bimodal nanoparticles embedded in N-doped carbon: a superior pH-universal electrocatalyst outperforms benchmark Pt for the hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 12810-12820	13	31
148	Synthesis of in-situ Al-defected iron oxide nanoflakes from coal ash: A detailed study on the structure, evolution mechanism and application to water remediation. <i>Journal of Hazardous Materials</i> , 2020 , 395, 122696	12.8	8
147	A detailed speciation of iron on FCC catalysts based on an integrated use of advanced characterisation methods and thermodynamic equilibrium simulation. <i>Applied Catalysis A: General</i> , 2020 , 599, 117597	5.1	2
146	Characteristics of iron and sulphur in high-ash lignite (Pakistani lignite) and their influence on long-term T23 tube corrosion under super-critical coal-fired boiler conditions. <i>Fuel</i> , 2020 , 264, 116855	7.1	14
145	Critical Review on the Chemical Reaction Pathways Underpinning the Primary Decomposition Behavior of Chlorine-Bearing Compounds under Simulated Municipal Solid Waste Incineration Conditions. <i>Energy & Fuels</i> , 2020 , 34, 1-15	4.1	10
144	Can CO and Steam React in the Absence of Electrolysis at High Temperatures?. <i>ChemSusChem</i> , 2020 , 13, 6660-6667	8.3	0
143	Accelerated alkaline activation of peroxydisulfate by reduced rubidium tungstate nanorods for enhanced degradation of bisphenol A. <i>Environmental Science: Nano</i> , 2020 , 7, 3547-3556	7.1	6
142	A sunlight-responsive metal-organic framework system for sustainable water desalination. <i>Nature Sustainability</i> , 2020 , 3, 1052-1058	22.1	53
141	Influence of biomass blends on the particle temperature and burnout characteristics during oxy-fuel co-combustion of coal. <i>Journal of the Energy Institute</i> , 2020 , 93, 1-14	5.7	16
140	Secondary reactions of volatiles upon the influences of particle temperature discrepancy and gas environment during the pyrolysis of scrap tyre chips. <i>Fuel</i> , 2020 , 259, 116291	7.1	9
139	Kinetic Study of Long-Term T23 Tube Corrosion upon Low-Rank Coal Ash Deposition under Oxy-Fuel Combustion Conditions. <i>Energy & Fuels</i> , 2019 , 33, 10209-10217	4.1	1
138	Xinjiang lignite ash slagging and flow under the weak reducing environment at high temperatures □ Slag viscosity and its variation with ash type and addition of clay. <i>Fuel</i> , 2019 , 245, 438-446	7.1	8
137	Spatially isolating salt crystallisation from water evaporation for continuous solar steam generation and salt harvesting. <i>Energy and Environmental Science</i> , 2019 , 12, 1840-1847	35.4	198
136	Selective Removal of Sodium from Low-Rank Xinjiang Coal upon Multistage Countercurrent Water Washing: Experimental Investigation and Kinetics Modeling. <i>Energy & Fuels</i> , 2019 , 33, 2142-2152	4.1	1
135	Enhancement of desalination performance of thin-film nanocomposite membrane by cellulose nanofibers. <i>Journal of Membrane Science</i> , 2019 , 592, 117363	9.6	50
134	Kinetics underpinning the C-CO ₂ gasification of waste tyre char and its interaction with coal char upon co-gasification. <i>Fuel</i> , 2019 , 256, 115991	7.1	20
133	Occurrence of Calcium and Magnesium in the Ash from Zhundong Coal Combustion: Emphasis on Their Close Juxtaposition. <i>Energy & Fuels</i> , 2019 , 33, 2556-2564	4.1	8
132	Catalytic performance of scrap tyre char for the upgrading of eucalyptus pyrolysis derived bio-oil via cracking and deoxygenation. <i>Journal of Analytical and Applied Pyrolysis</i> , 2019 , 139, 167-176	6	23

131	Pyrohydrolysis of CaCl ₂ Waste for the Recovery of HCl Acid upon the Synergistic Effects from MgCl ₂ and Silica. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3349-3355	8.3	4
130	Biodiesel production using calcium-based catalyst from venus shell: Modeling of startup production in an industrial reactor. <i>Environmental Progress and Sustainable Energy</i> , 2019 , 38, e13053	2.5	7
129	Energy Evaluation and Techno-economic Analysis of Low-Rank Coal (Victorian Brown Coal) Utilization for the Production of Multi-products in a Drying Pyrolysis Process. <i>Energy & Fuels</i> , 2018 , 32, 3211-3224	4.1	17
128	Selective removal of sodium and calcium from low-rank coal [Process integration, simulation and techno-economic evaluation. <i>Fuel Processing Technology</i> , 2018 , 172, 13-28	7.2	11
127	Characteristics of high temperature co-gasification and ash slagging for Victorian brown coal char and bituminous coal blends. <i>Fuel</i> , 2018 , 215, 799-812	7.1	17
126	Artificial neural networks with response surface methodology for optimization of selective CO ₂ hydrogenation using K-promoted iron catalyst in a microchannel reactor. <i>Journal of CO₂ Utilization</i> , 2018 , 24, 10-21	7.6	40
125	Scrap tyre pyrolysis: Modified chemical percolation devolatilization (M-CPD) to describe the influence of pyrolysis conditions on product yields. <i>Waste Management</i> , 2018 , 76, 516-527	8.6	15
124	Hybrid adsorbent prepared from renewable lignin and waste egg shell for SO ₂ removal: Characterization and process optimization. <i>Ecological Engineering</i> , 2018 , 115, 139-148	3.9	15
123	Performance Study of stirred tank slurry reactor and fixed-bed reactor using bimetallic CoNi mesoporous silica catalyst for fischerTropsch synthesis. <i>Environmental Progress and Sustainable Energy</i> , 2018 , 37, 553-561	2.5	13
122	Xinjiang lignite ash slagging and flowability under the weak reducing environment at 1300 °C [A new method to quantify slag flow velocity and its correlation with slag properties. <i>Fuel Processing Technology</i> , 2018 , 171, 173-182	7.2	17
121	Xinjiang lignite ash slagging and flow under the weak reducing environment at 1300 °C [Release of sodium out of slag and its modelling from the mass transfer perspective. <i>Fuel Processing Technology</i> , 2018 , 170, 32-43	7.2	18
120	Pyrolysis of a lignite briquette [Experimental investigation and 1-dimensional modelling approach. <i>Fuel</i> , 2018 , 212, 533-545	7.1	11
119	Coal Waste to Two-Dimensional Materials: Fabrication of Fe ₂ O ₃ Nanosheets and MgO Nanosheets from Brown Coal Fly Ash. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 15982-15987	8.3	10
118	Spatial distribution of Cr-bearing species on the corroded tube surface characterised by synchrotron X-ray fluorescence (SXRF) mapping and micro-XANES: exposure of tubes in oxy-firing flue gas. <i>Journal of Materials Science</i> , 2018 , 53, 11791-11812	4.3	
117	Establishing a novel and yet simple methodology based on the use of modified inclined plane (M-IP) for high-temperature slag viscosity measurement. <i>Fuel</i> , 2018 , 233, 299-308	7.1	7
116	Integration of pyrolysis and entrained-bed gasification for the production of chemicals from Victorian brown coal [Process simulation and exergy analysis. <i>Fuel Processing Technology</i> , 2017 , 155, 21-31	7.2	35
115	Ignitability and combustibility of Yallourn pyrolysis char under simulated blast furnace conditions. <i>Fuel Processing Technology</i> , 2017 , 156, 113-123	7.2	13
114	Preparation of high performance H ₂ S removal biochar by direct fluidized bed carbonization using potato peel waste. <i>Chemical Engineering Research and Design</i> , 2017 , 107, 281-288	5.5	26

113	Characteristics of high temperature C-CO ₂ gasification reactivity of Victorian brown coal char and its blends with high ash fusion temperature bituminous coal. <i>Fuel</i> , 2017 , 202, 352-365	7.1	27
112	High-temperature tube corrosion upon the interaction with Victorian brown coal fly ash under the oxy-fuel combustion condition. <i>Proceedings of the Combustion Institute</i> , 2017 , 36, 3941-3948	5.9	11
111	Chemical kinetic modeling and parameter sensitivity analysis for the carbonation of Ca ²⁺ and Mg ²⁺ under ambient conditions. <i>Hydrometallurgy</i> , 2017 , 167, 141-152	4	5
110	Fischer-Tropsch synthesis in a microchannel reactor using mesoporous silica supported bimetallic Co-Ni catalyst: Process optimization and kinetic modeling. <i>Chemical Engineering and Processing: Process Intensification</i> , 2017 , 119, 44-61	3.7	33
109	Preparation of hybrid porous carbon using black liquor lignin impregnated with steelmaking slag and its performance in SO ₂ removal. <i>Environmental Progress and Sustainable Energy</i> , 2017 , 36, 1417-1427	7.5	6
108	Fischer-Tropsch synthesis using iron-based catalyst in a microchannel reactor: Hybrid lump kinetic with ANNs/RSM. <i>Chemical Engineering and Processing: Process Intensification</i> , 2017 , 122, 181-189	3.7	13
107	Spatial distribution of chromium on the corroded tube surface characterised by synchrotron X-ray fluorescence (SXRF) mapping and EXAFS: Co-existence of Ca-rich ash deposits and oxy-firing flue gas. <i>Fuel Processing Technology</i> , 2017 , 167, 31-42	7.2	1
106	Effect of CO conversion upon product distribution using bimetallic Co-Ni mesoporous silica catalyst for Fischer-Tropsch synthesis: a comparative study of fixed-bed reactor and slurry continuous stirred tank reactor. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2017 , 12, 518-526	1.3	1
105	Fischer-Tropsch synthesis using iron based catalyst in a microchannel reactor: Performance evaluation and kinetic modeling. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 29222-29235	6.7	32
104	Influence of gaseous SO ₂ and sulphate-bearing ash deposits on the high-temperature corrosion of heat exchanger tube during oxy-fuel combustion. <i>Fuel Processing Technology</i> , 2017 , 167, 193-204	7.2	15
103	Effect of silica additive on the high-temperature fireside tube corrosion during the air-firing and oxy-firing of lignite (Xinjiang coal) □ Characteristics of bulk and cross-sectional surfaces for the tubes. <i>Fuel</i> , 2017 , 187, 68-83	7.1	14
102	Preparation of steam activated carbon from black liquor by flue gas precipitation and its performance in hydrogen sulfide removal: Experimental and simulation works. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016 , 59, 395-404	5.3	33
101	Experimental Study on Ash Melting Behavior of Xinjiang High-Alkali Coal Blended with Low-Alkali Coal During Coal Combustion 2016 , 53-58		1
100	CO ₂ mineralization using basic oxygen furnace slag: process optimization by response surface methodology. <i>Environmental Earth Sciences</i> , 2016 , 75, 1	2.9	6
99	Analysis of Sensitivity and Optimization Potential for Oxy-Fuel Plant System 2016 , 335-339		
98	Ash deposition and slagging behavior of Chinese Xinjiang high-alkali coal in 3 MWth pilot-scale combustion test. <i>Fuel</i> , 2016 , 181, 1191-1202	7.1	76
97	Study on the species of heavy metals in MSW incineration fly ash and their leaching behavior. <i>Fuel Processing Technology</i> , 2016 , 152, 108-115	7.2	89
96	Mineral carbonation of Victorian brown coal fly ash using regenerative ammonium chloride □ Process simulation and techno-economic analysis. <i>Applied Energy</i> , 2016 , 175, 54-68	10.7	25

95	Influence of steam on ignition of Victorian brown coal particle stream in oxy-fuel combustion: In-situ diagnosis and transient ignition modelling. <i>Fuel</i> , 2016 , 181, 1203-1213	7.1	25
94	NH ₄ Cl selective leaching of basic oxygen furnace slag: Optimization study using response surface methodology. <i>Environmental Progress and Sustainable Energy</i> , 2016 , 35, 1387-1394	2.5	9
93	Reductive Leaching of Iron and Magnesium out of Magnesioferrite from Victorian Brown Coal Fly Ash. <i>Energy & Fuels</i> , 2016 ,	4.1	3
92	An enhanced approach for biochar preparation using fluidized bed and its application for H ₂ S removal. <i>Chemical Engineering and Processing: Process Intensification</i> , 2016 , 104, 1-12	3.7	52
91	Ignitability and Combustibility of Yallourn Pyrolysis Char Blended with Pulverized Coal Injection Coal under Simulated Blast Furnace Conditions. <i>Energy & Fuels</i> , 2016 , 30, 1858-1868	4.1	13
90	Optimization of the preparation of activated carbon from steam activated cornstraw black liquor for phenol removal. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2016 , 11, 594-602	1.3	5
89	Hydrochar preparation from black liquor by CO ₂ assisted hydrothermal treatment: Optimization of its performance for Pb ²⁺ removal. <i>Korean Journal of Chemical Engineering</i> , 2016 , 33, 2703-2710	2.8	8
88	Behavior of Fe ^{2+/3+} Cation and Its Interference with the Precipitation of Mg ²⁺ Cation upon Mineral Carbonation of Yallourn Fly Ash Leachate under Ambient Conditions. <i>Energy & Fuels</i> , 2016 , 30, 3269-3280	4.1	4
87	An updated acid dew point temperature estimation method for air-firing and oxy-fuel combustion processes. <i>Fuel Processing Technology</i> , 2016 , 154, 204-209	7.2	8
86	Ash deposition behaviours upon the combustion of low-rank coal blends in a 3 MW th pilot-scale pulverised coal-fired furnace. <i>Fuel Processing Technology</i> , 2016 , 152, 176-182	7.2	20
85	Chromium Reaction Mechanisms for Speciation using Synchrotron in-Situ High-Temperature X-ray Diffraction. <i>Environmental Science & Technology</i> , 2015 , 49, 8246-53	10.3	8
84	Techno-economic analysis of gasification routes for ammonia production from Victorian brown coal. <i>Chemical Engineering Research and Design</i> , 2015 , 102, 57-68	5.5	20
83	Sensitivity analysis of oxy-fuel power plant system. <i>Energy Conversion and Management</i> , 2015 , 98, 138-150	10.6	21
82	Chemical and morphological changes of weathered Victorian brown coal fly ash and its leaching characteristic upon the leaching in ammonia chloride and hydrochloric acid. <i>Hydrometallurgy</i> , 2015 , 157, 22-32	4	16
81	Influence of inherent moisture on the ignition and combustion of wet Victorian brown coal in air-firing and oxy-fuel modes: Part 1: The volatile ignition and flame propagation. <i>Fuel Processing Technology</i> , 2015 , 138, 670-679	7.2	30
80	Clarifying the influence of moisture on the ignition and combustion of wet Victorian brown coal in air-firing and oxy-fuel modes: Part 2: Contribution of gasification reaction to char oxidation rate. <i>Fuel Processing Technology</i> , 2015 , 138, 680-686	7.2	9
79	Inhibition of lignite ash slagging and fouling upon the use of a silica-based additive in an industrial pulverised coal-fired boiler. Part 1. Changes on the properties of ash deposits along the furnace. <i>Fuel</i> , 2015 , 139, 720-732	7.1	80
78	Inhibition of lignite ash slagging and fouling upon the use of a silica-based additive in an industrial pulverised coal-fired boiler: Part 3 [Partitioning of trace elements. <i>Fuel</i> , 2015 , 139, 746-756	7.1	13

77	Inhibition of lignite ash slagging and fouling upon the use of a silica-based additive in an industrial pulverised coal-fired boiler: Part 2. Speciation of iron in ash deposits and separation of magnetite and ferrite. <i>Fuel</i> , 2015 , 139, 733-745	7.1	28
76	Condensation Behavior of Heavy Metal Vapors upon Flue Gas Cooling in Oxy-fuel versus Air Combustion. <i>Journal of Chemical Engineering of Japan</i> , 2015 , 48, 450-457	0.8	
75	Investigating the Effect of the Mg ²⁺ /Ca ²⁺ Molar Ratio on the Carbonate Speciation during the Mild Mineral Carbonation Process at Atmospheric Pressure. <i>Energy & Fuels</i> , 2015 , 29, 7483-7496	4.1	23
74	Speciation transformation of arsenic during municipal solid waste incineration. <i>Proceedings of the Combustion Institute</i> , 2015 , 35, 2883-2890	5.9	59
73	The chemical role of CO ₂ in pyrite thermal decomposition. <i>Proceedings of the Combustion Institute</i> , 2015 , 35, 3637-3644	5.9	44
72	Numerical Modeling and Experimental Investigation on the Use of Brown Coal and Its Beneficiated Semicoke for Coal Blending Combustion in a 600 MWe Utility Furnace. <i>Energy & Fuels</i> , 2015 , 29, 1196-1209 ²⁸	4.1	28
71	Pilot-scale experimental and CFD modeling investigations of oxy-fuel combustion of Victorian brown coal. <i>Fuel</i> , 2015 , 144, 111-120	7.1	31
70	Preparation of carbon sphere from lactose by hydrothermal reaction and its performance in gas separation. <i>Environmental Progress and Sustainable Energy</i> , 2014 , 33, 581-587	2.5	12
69	Emission of Organically Bound Elements during the Pyrolysis and Char Oxidation of Lignites in Air and Oxyfuel Combustion Mode. <i>Energy & Fuels</i> , 2014 , 28, 4167-4176	4.1	8
68	Influence of External Clay and Inherent Minerals on Lignite Optical Ignition and Volatile Flame Propagation in Air-Firing and Oxy-Firing. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 2594-2604 ³⁹	3.9	7
67	Mechanisms Underpinning the Mobilization of Iron and Magnesium Cations from Victorian Brown Coal Fly Ash. <i>Energy & Fuels</i> , 2014 , 28, 4051-4061	4.1	13
66	Indirect Carbonation of Victorian Brown Coal Fly Ash for CO ₂ Sequestration: Multiple-Cycle Leaching-Carbonation and Magnesium Leaching Kinetic Modeling. <i>Energy & Fuels</i> , 2014 , 28, 6481-6493 ⁴¹	4.1	36
65	Behavior of Heavy Metals during Fluidized Bed Combustion of Poultry Litter. <i>Energy & Fuels</i> , 2014 , 28, 5158-5166	4.1	11
64	Acid hydrolysis of corn stover using hydrochloric acid: Kinetic modeling and statistical optimization. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2014 , 20, 531-539	0.7	29
63	Computational Fluid Dynamics Modeling on the Air-Firing and Oxy-fuel Combustion of Dried Victorian Brown Coal. <i>Energy & Fuels</i> , 2013 , 27, 4258-4269	4.1	49
62	Characteristics of Ash Deposits in a Pulverized Lignite Coal-Fired Boiler and the Mass Flow of Major Ash-Forming Inorganic Elements. <i>Energy & Fuels</i> , 2013 , 27, 6198-6211	4.1	56
61	Effect of inorganic particulates on the condensation behavior of lead and zinc vapors upon flue gas cooling. <i>Proceedings of the Combustion Institute</i> , 2013 , 34, 2821-2829	5.9	21
60	Elucidating the mechanism of Cr(VI) formation upon the interaction with metal oxides during coal oxy-fuel combustion. <i>Journal of Hazardous Materials</i> , 2013 , 261, 260-8	12.8	37

59	Arsenic emissions and speciation in the oxy-fuel fly ash collected from lab-scale drop-tube furnace. <i>Proceedings of the Combustion Institute</i> , 2013 , 34, 2877-2884	5.9	25
58	Effect of magnesium additives on PM2.5 reduction during pulverized coal combustion. <i>Fuel Processing Technology</i> , 2013 , 105, 188-194	7.2	20
57	Effect of HCl, SO ₂ and H ₂ O on the condensation of heavy metal vapors in flue gas cooling section. <i>Fuel Processing Technology</i> , 2013 , 105, 181-187	7.2	27
56	Effect of coal blending on the leaching characteristics of arsenic in fly ash from fluidized bed coal combustion. <i>Fuel Processing Technology</i> , 2013 , 106, 769-775	7.2	26
55	Ash Agglomeration and Deposition during Combustion of Poultry Litter in a Bubbling Fluidized-Bed Combustor. <i>Energy & Fuels</i> , 2013 , 27, 4684-4694	4.1	24
54	Sequestration of carbon dioxide by indirect mineralization using Victorian brown coal fly ash. <i>Journal of Hazardous Materials</i> , 2012 , 209-210, 458-66	12.8	51
53	Microwave digestion for the quantification of inorganic elements in coal and coal ash using ICP-OES. <i>Talanta</i> , 2012 , 101, 346-52	6.2	47
52	Use of synchrotron XANES and Cr-doped coal to further confirm the vaporization of organically bound Cr and the formation of chromium(VI) during coal oxy-fuel combustion. <i>Environmental Science & Technology</i> , 2012 , 46, 3567-73	10.3	37
51	Hydrogen Production from a Victorian Brown Coal with in Situ CO ₂ Capture in a 1 kWth Dual Fluidized-Bed Gasification Reactor. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 13046-13053	3.9	4
50	Generation of Ultra-Clean Coal from Victorian Brown Coal: Effect of Hydrothermal Treatment and Particle Size on Coal Demineralization and the Extraction Kinetic of Individual Metals. <i>Energy & Fuels</i> , 2012 , 26, 5028-5035	4.1	18
49	XANES Investigation on Sulfur Evolution during Victorian Brown Coal Char Gasification in Oxy-Fuel Combustion Mode. <i>Energy & Fuels</i> , 2012 , 26, 4775-4782	4.1	7
48	Generation of ultra-clean fuel from Victorian brown coal Synchrotron XANES study on the evolution of sulphur in Victorian brown coal upon hydrothermal upgrading treatment and thermal pyrolysis. <i>Fuel</i> , 2012 , 99, 217-225	7.1	21
47	A study on the calcination and sulphation behaviour of limestone during oxy-fuel combustion. <i>Fuel</i> , 2012 , 102, 386-395	7.1	27
46	Synchrotron-based XANES speciation of chromium in the oxy-fuel fly ash collected from lab-scale drop-tube furnace. <i>Environmental Science & Technology</i> , 2011 , 45, 6640-6	10.3	36
45	Generation of ultra-clean coal from Victorian brown coal Sequential and single leaching at room temperature to elucidate the elution of individual inorganic elements. <i>Fuel Processing Technology</i> , 2011 , 92, 2127-2137	7.2	33
44	A Critical Review of Coal Demineralization and Its Implication on Understanding the Speciation of Organically Bound Metals and Submicrometer Mineral Grains in Coal. <i>Energy & Fuels</i> , 2011 , 25, 1-16	4.1	72
43	Influence of woody biomass (cedar chip) addition on the emissions of PM10 from pulverised coal combustion. <i>Fuel</i> , 2011 , 90, 77-86	7.1	40
42	Experimental investigation of the combustion of bituminous coal in air and O ₂ /CO ₂ mixtures: 2. Variation of the transformation behaviour of mineral matter with bulk gas composition. <i>Fuel</i> , 2011 , 90, 1361-1369	7.1	18

41	Ash partitioning during the oxyfuel combustion of lignite and its dependence on the recirculation of flue gas impurities (H ₂ O, HCl and SO ₂). <i>Fuel</i> , 2011 , 90, 2207-2216	7.1	28
40	Evolution of organically bound metals during coal combustion in air and O ₂ /CO ₂ mixtures: A case study of Victorian brown coal. <i>Proceedings of the Combustion Institute</i> , 2011 , 33, 2795-2802	5.9	13
39	Effects of HCl, SO ₂ and H ₂ O in flue gas on the condensation behavior of Pb and Cd vapors in the cooling section of municipal solid waste incineration. <i>Proceedings of the Combustion Institute</i> , 2011 , 33, 2787-2793	5.9	40
38	In-situ observation of the combustion of air-dried and wet Victorian brown coal. <i>Proceedings of the Combustion Institute</i> , 2011 , 33, 1739-1746	5.9	40
37	HCN and NH ₃ formation during coal/char gasification in the presence of NO. <i>Environmental Science & Technology</i> , 2010 , 44, 3719-23	10.3	21
36	High-Speed Camera Observation of Coal Combustion in Air and O ₂ /CO ₂ Mixtures and Measurement of Burning Coal Particle Velocity. <i>Energy & Fuels</i> , 2010 , 24, 29-37	4.1	44
35	Experimental Investigation of the Combustion of Bituminous Coal in Air and O ₂ /CO ₂ Mixtures: 1. Particle Imaging of the Combustion of Coal and Char. <i>Energy & Fuels</i> , 2010 , 24, 4803-4811	4.1	19
34	In situ diagnostics of Victorian brown coal combustion in O ₂ /N ₂ and O ₂ /CO ₂ mixtures in drop-tube furnace. <i>Fuel</i> , 2010 , 89, 2703-2712	7.1	95
33	An investigation of the causes of the difference in coal particle ignition temperature between combustion in air and in O ₂ /CO ₂ . <i>Fuel</i> , 2010 , 89, 3381-3387	7.1	80
32	Characterization of combustion-derived individual fine particulates by computer-controlled scanning electron microscopy. <i>AIChE Journal</i> , 2009 , 55, 3005-3016	3.6	9
31	Effects of coal blending on the reduction of PM ₁₀ during high-temperature combustion 2. A coalescence-fragmentation model. <i>Fuel</i> , 2009 , 88, 150-157	7.1	24
30	Mineral interactions and their impacts on the reduction of PM ₁₀ emissions during co-combustion of coal with sewage sludge. <i>Proceedings of the Combustion Institute</i> , 2009 , 32, 2701-2708	5.9	16
29	Partitioning of Boron during the Generation of Ultraclean Fuel (HyperCoal) by Solvent Extraction of Coal. <i>Energy & Fuels</i> , 2008 , 22, 1183-1190	4.1	24
28	Sequential Leaching of Coal to Investigate the Elution of Inorganic Elements Into Coal Extract (HyperCoal). <i>Energy & Fuels</i> , 2008 , 22, 2474-2481	4.1	11
27	Elution of Ti during solvent extraction of coal and the transformation of eluted Ti upon combustion. <i>AIChE Journal</i> , 2008 , 54, 1646-1655	3.6	3
26	Properties of water-soluble and insoluble particulate matter emitted from dewatered sewage sludge incineration in a pilot-scale ash melting furnace. <i>Fuel</i> , 2008 , 87, 964-973	7.1	8
25	Coordination structures of organically bound paramagnetic metals in coal and their transformation upon solvent extraction. <i>Fuel</i> , 2008 , 87, 2628-2640	7.1	15
24	Effects of coal blending on the reduction of PM ₁₀ during high-temperature combustion 1. Mineral transformations. <i>Fuel</i> , 2008 , 87, 2997-3005	7.1	50

23	Interactions among Inherent Minerals during Coal Combustion and Their Impacts on the Emission of PM10. 2. Emission of Submicrometer-Sized Particles. <i>Energy & Fuels</i> , 2007 , 21, 766-777	4.1	18
22	Formation of Submicron Particulates (PM1) from the Oxygen-Enriched Combustion of Dried Sewage Sludge and Their Properties. <i>Energy & Fuels</i> , 2007 , 21, 88-98	4.1	8
21	Interactions among Inherent Minerals during Coal Combustion and Their Impacts on the Emission of PM10. 1. Emission of Micrometer-Sized Particles. <i>Energy & Fuels</i> , 2007 , 21, 756-765	4.1	28
20	Transformation of phosphorus during combustion of coal and sewage sludge and its contributions to PM10. <i>Proceedings of the Combustion Institute</i> , 2007 , 31, 2847-2854	5.9	30
19	Investigation of a direct melting dehydrated sewage sludge pilot plant. <i>International Journal of Environment and Pollution</i> , 2007 , 31, 371	0.7	
18	Computer-Controlled Scanning Electron Microscopy (CCSEM) Investigation on the Heterogeneous Nature of Mineral Matter in Six Typical Chinese Coals <i>Energy & Fuels</i> , 2007 , 21, 468-476	4.1	35
17	Characteristics of slag, fly ash and deposited particles during melting of dewatered sewage sludge in a pilot plant. <i>Journal of Environmental Management</i> , 2006 , 79, 163-72	7.9	12
16	Occurrence of Inorganic Elements in Condensed Volatile Matter Emitted from Coal Pyrolysis and Their Contributions to the Formation of Ultrafine Particulates during Coal Combustion. <i>Energy & Fuels</i> , 2006 , 20, 1482-1489	4.1	38
15	Emission of suspended PM10 from laboratory-scale coal combustion and its correlation with coal mineral properties. <i>Fuel</i> , 2006 , 85, 194-203	7.1	60
14	Formation of submicron particulate matter (PM1) during coal combustion and influence of reaction temperature. <i>Fuel</i> , 2006 , 85, 1446-1457	7.1	80
13	Simulation Model for Combustion of Dehydration Sludge in an Ash-Melting Furnace Using Oxygen Enrichment. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2006 , 85, 762-768	0.5	
12	Analysis of Coal Ash Build up on Ceramic Filters in a Hot Gas Filtration System. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2005 , 84, 359-365	0.5	1
11	Sintering Behavior of Coal Ash Build up on Ceramic Filters in a Hot Gas Filtration System. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2005 , 84, 767-772	0.5	
10	Partitioning of sulfur and calcium during pyrolysis and combustion of high sulfur coals impregnated with calcium acetate as the desulfurization sorbent. <i>Fuel</i> , 2004 , 83, 1039-1053	7.1	15
9	Transformation of mineral and emission of particulate matters during co-combustion of coal with sewage sludge. <i>Fuel</i> , 2004 , 83, 751-764	7.1	56
8	Combustion and DeSOx behavior of high-sulfur coals added with calcium acetate produced from biomass pyrolygneous acid. <i>Fuel</i> , 2004 , 83, 2123-2131	7.1	8
7	Influence of coal particle size on particulate matter emission and its chemical species produced during coal combustion. <i>Fuel Processing Technology</i> , 2004 , 85, 1065-1088	7.2	86
6	Combustibility of dried sewage sludge and its mineral transformation at different oxygen content in drop tube furnace. <i>Fuel Processing Technology</i> , 2004 , 85, 983-1011	7.2	20

5	Fate of Alkali Elements during Pyrolysis and Combustion of Chinese Coals.. <i>Journal of Chemical Engineering of Japan</i> , 2003 , 36, 759-768	0.8	6
4	In situ desulfurization during combustion of high-sulfur coals added with sulfur capture sorbents. <i>Fuel</i> , 2003 , 82, 255-266	7.1	25
3	CCSEM analysis of ash from combustion of coal added with limestone. <i>Fuel</i> , 2002 , 81, 1499-1508	7.1	47
2	Biosorption of heavy metals: a case study using potato peel waste ⁸³ , 159-167		5
1	High-Efficiency Electrosynthesis of Hydrogen Peroxide from Oxygen Reduction Enabled by a Tungsten Single Atom Catalyst with Unique Terdentate N 1 O 2 Coordination. <i>Advanced Functional Materials</i> ,2110224	15.6	10