

Roberta Sartori

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3718980/roberta-sartori-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18
papers

1,134
citations

12
h-index

22
g-index

22
ext. papers

1,537
ext. citations

9.1
avg, IF

4.61
L-index

#	Paper	IF	Citations
18	Iron supplementation is sufficient to rescue skeletal muscle mass and function in cancer cachexia.. <i>EMBO Reports</i> , 2022 , e53746	6.5	2
17	Activation of Akt-mTORC1 signalling reverts cancer-dependent muscle wasting. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	3
16	The Prognostic Value of Low Muscle Mass in Pancreatic Cancer Patients: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
15	Mechanisms of muscle atrophy and hypertrophy: implications in health and disease. <i>Nature Communications</i> , 2021 , 12, 330	17.4	84
14	Perturbed BMP signaling and denervation promote muscle wasting in cancer cachexia. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	11
13	Exercise-dependent increases in protein synthesis are accompanied by chromatin modifications and increased MRTF-SRF signalling. <i>Acta Physiologica</i> , 2020 , 230, e13496	5.6	7
12	Epigenetic targeting of bromodomain protein BRD4 counteracts cancer cachexia and prolongs survival. <i>Nature Communications</i> , 2017 , 8, 1707	17.4	54
11	Mechano-signalling pathways in an experimental intensive critical illness myopathy model. <i>Journal of Physiology</i> , 2016 , 594, 4371-88	3.9	27
10	Enhanced exercise and regenerative capacity in a mouse model that violates size constraints of oxidative muscle fibres. <i>ELife</i> , 2016 , 5,	8.9	39
9	S6K1 Is Required for Increasing Skeletal Muscle Force during Hypertrophy. <i>Cell Reports</i> , 2016 , 17, 501-513	10.6	61
8	BMPs and the muscle-bone connection. <i>Bone</i> , 2015 , 80, 37-42	4.7	25
7	Bone and morphogenetic protein signalling and muscle mass. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2015 , 18, 215-20	3.8	14
6	Symmorphosis through dietary regulation: a combinatorial role for proteolysis, autophagy and protein synthesis in normalising muscle metabolism and function of hypertrophic mice after acute starvation. <i>PLoS ONE</i> , 2015 , 10, e0120524	3.7	8
5	Propeptide-mediated inhibition of myostatin increases muscle mass through inhibiting proteolytic pathways in aged mice. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 1049-59	6.4	16
4	TGF β and BMP signaling in skeletal muscle: potential significance for muscle-related disease. <i>Trends in Endocrinology and Metabolism</i> , 2014 , 25, 464-71	8.8	111
3	BMP signaling controls muscle mass. <i>Nature Genetics</i> , 2013 , 45, 1309-18	36.3	280
2	Exercise training attenuates the hypermuscular phenotype and restores skeletal muscle function in the myostatin null mouse. <i>Experimental Physiology</i> , 2012 , 97, 125-40	2.4	63

- 1 Smad2 and 3 transcription factors control muscle mass in adulthood. *American Journal of Physiology - Cell Physiology*, **2009**, 296, C1248-57 5-4 324