

Tiago M Alves

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3719652/tiago-m-alves-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

2,709
citations

29
h-index

45
g-index

132
ext. papers

3,156
ext. citations

3.6
avg, IF

5.93
L-index

#	Paper	IF	Citations
126	Submarine slide blocks and associated soft-sediment deformation in deep-water basins: A review. <i>Marine and Petroleum Geology</i> , 2015 , 67, 262-285	4.7	106
125	Jurassic tectono-sedimentary evolution of the Northern Lusitanian Basin (offshore Portugal). <i>Marine and Petroleum Geology</i> , 2002 , 19, 727-754	4.7	94
124	Prolonged post-rift magmatism on highly extended crust of divergent continental margins (Baiyun Sag, South China Sea). <i>Earth and Planetary Science Letters</i> , 2016 , 445, 79-91	5.3	90
123	MesozoicdashCenozoic evolution of North Atlantic continental-slope basins: The Peniche basin, western Iberian margin. <i>AAPG Bulletin</i> , 2006 , 90, 31-60	2.5	86
122	Modelling of oil spills in confined maritime basins: The case for early response in the Eastern Mediterranean Sea. <i>Environmental Pollution</i> , 2015 , 206, 390-9	9.3	81
121	The breakup sequence and associated lithospheric breakup surface: Their significance in the context of rifted continental margins (West Iberia and Newfoundland margins, North Atlantic). <i>Earth and Planetary Science Letters</i> , 2012 , 355-356, 311-326	5.3	81
120	Pitfalls and limitations in seismic attribute interpretation of tectonic features. <i>Interpretation</i> , 2015 , 3, SB5-SB15	1.4	77
119	Diachronous evolution of Late JurassicdashCretaceous continental rifting in the northeast Atlantic (west Iberian margin). <i>Tectonics</i> , 2009 , 28, n/a-n/a	4.3	74
118	A three-step model to assess shoreline and offshore susceptibility to oil spills: the South Aegean (Crete) as an analogue for confined marine basins. <i>Marine Pollution Bulletin</i> , 2014 , 86, 443-457	6.7	72
117	Cenozoic tectono-sedimentary evolution of the western Iberian margin. <i>Marine Geology</i> , 2003 , 195, 75-108	4.8	67
116	The depositional evolution of diapir- and fault-bounded rift basins: examples from the Lusitanian Basin of West Iberia. <i>Sedimentary Geology</i> , 2003 , 162, 273-303	2.8	66
115	MTD distribution on a passivecontinental margin: The Espírito Santo Basin (SE Brazil) during the Palaeogene. <i>Marine and Petroleum Geology</i> , 2010 , 27, 1311-1324	4.7	64
114	Geomorphologic features related to gravitational collapse: Submarine landsliding to lateral spreading on a Late MioceneQuaternary slope (SE Crete, eastern Mediterranean). <i>Geomorphology</i> , 2010 , 123, 13-33	4.3	57
113	3D Seismic examples of differential compaction in mass-transport deposits and their effect on post-failure strata. <i>Marine Geology</i> , 2010 , 271, 212-224	3.3	53
112	Free gas accumulations in basal shear zones of mass-transport deposits (Pearl River Mouth Basin, South China Sea): An important geohazard on continental slope basins. <i>Marine and Petroleum Geology</i> , 2017 , 81, 17-32	4.7	51
111	Pleistocene to Recent scleractinian deep-water corals and coral facies in the Eastern Mediterranean. <i>Facies</i> , 2011 , 57, 579-603	1.8	51
110	Multidisciplinary oil spill modeling to protect coastal communities and the environment of the Eastern Mediterranean Sea. <i>Scientific Reports</i> , 2016 , 6, 36882	4.9	51

109	A 3-dimensional seismic method to assess the provenance of Mass-Transport Deposits (MTDs) on salt-rich continental slopes (Esp�ito Santo Basin, SE Brazil). <i>Marine and Petroleum Geology</i> , 2013 , 44, 223-239	4.7	49
108	Assessing the internal character, reservoir potential, and seal competence of mass-transport deposits using seismic texture: A geophysical and petrophysical approach. <i>AAPG Bulletin</i> , 2014 , 98, 793-824	4.5	43
107	Volume balance of a submarine landslide in the Esp�ito Santo Basin, offshore Brazil: Quantifying seafloor erosion, sediment accumulation and depletion. <i>Earth and Planetary Science Letters</i> , 2009 , 288, 572-580	5.3	42
106	Faulting of salt-withdrawal basins during early halokinesis: Effects on the Paleogene Rio Doce Canyon system (Esp�ito Santo Basin, Brazil). <i>AAPG Bulletin</i> , 2009 , 93, 617-652	2.5	41
105	A phase of transient subsidence, sediment bypass and deposition of regressive-transgressive cycles during the breakup of Iberia and Newfoundland. <i>Earth and Planetary Science Letters</i> , 2018 , 484, 168-183	5.3	37
104	Post-Jurassic tectono-sedimentary evolution of the Northern Lusitanian Basin (Western Iberian margin). <i>Basin Research</i> , 2003 , 15, 227-249	3.2	37
103	Tectono-stratigraphic signature of multiphased rifting on divergent margins (deep-offshore southwest Iberia, North Atlantic). <i>Tectonics</i> , 2012 , 31, n/a-n/a	4.3	36
102	Recurrent slope failure and submarine channel incision as key factors controlling reservoir potential in the South China Sea (Qiongdongnan Basin, South Hainan Island). <i>Marine and Petroleum Geology</i> , 2015 , 64, 17-30	4.7	35
101	Ramps and flats of mass-transport deposits (MTDs) as markers of seafloor strain on the flanks of rising diapirs (Esp�ito Santo Basin, SE Brazil). <i>Marine Geology</i> , 2013 , 340, 82-97	3.3	30
100	An incomplete correlation between pre-salt topography, top reservoir erosion, and salt deformation in deep-water Santos Basin (SE Brazil). <i>Marine and Petroleum Geology</i> , 2017 , 79, 300-320	4.7	30
99	Scale-relationships and geometry of normal faults reactivated during gravitational gliding of Albian rafts (Esp�ito Santo Basin, SE Brazil). <i>Earth and Planetary Science Letters</i> , 2012 , 331-332, 80-96	5.3	30
98	Depositional architecture and structural evolution of a region immediately inboard of the locus of continental breakup (Liwan Sub-basin, South China Sea). <i>Bulletin of the Geological Society of America</i> , 2019 , 131, 1059-1074	3.9	29
97	Three-dimensional (3-D) seismic imaging of conduits and radial faults associated with hydrothermal vent complexes (V�ing Basin, Offshore Norway). <i>Marine Geology</i> , 2018 , 399, 115-134	3.3	29
96	Distribution and characterization of failed (mega)blocks along salt ridges, southeast Brazil: Implications for vertical fluid flow on continental margins. <i>Journal of Geophysical Research</i> , 2011 , 116,		29
95	Constraining the origin and evolution of confined turbidite systems: southern Cretan margin, Eastern Mediterranean Sea (34�30B6�N). <i>Geo-Marine Letters</i> , 2007 , 27, 41-61	1.9	29
94	Volume rendering of enigmatic high-amplitude anomalies in southeast Brazil: A workflow to distinguish lithologic features from fluid accumulations. <i>Interpretation</i> , 2015 , 3, A1-A14	1.4	28
93	Margin segmentation prior to continental break-up: A seismic-stratigraphic record of multiphased rifting in the North Atlantic (Southwest Iberia). <i>Tectonophysics</i> , 2011 , 505, 17-34	3.1	28
92	Three-dimensional fault meshes and multi-layer shear in mass-transport blocks: Implications for fluid flow on continental margins. <i>Tectonophysics</i> , 2015 , 647-648, 21-32	3.1	27

91	Erosional features as indicators of thrust fault activity (Nankai Trough, Japan). <i>Marine Geology</i> , 2014 , 356, 5-18	3.3	26
90	The effect of mass-transport deposits on the younger slope morphology, offshore Brazil. <i>Marine and Petroleum Geology</i> , 2010 , 27, 2027-2036	4.7	26
89	Bi-modal deformation styles in confined mass-transport deposits: Examples from a salt minibasin in SE Brazil. <i>Marine Geology</i> , 2016 , 379, 176-193	3.3	25
88	A submarine channel confluence classification for topographically confined slopes. <i>Marine and Petroleum Geology</i> , 2012 , 35, 176-189	4.7	25
87	Spatial and dimensional relationships of submarine slope architectural elements: A seismic-scale analysis from the Espírito Santo Basin (SE Brazil). <i>Marine and Petroleum Geology</i> , 2015 , 64, 43-57	4.7	24
86	Mass-transport deposits controlling fault propagation, reactivation and structural decoupling on continental margins (Espírito Santo Basin, SE Brazil). <i>Tectonophysics</i> , 2014 , 628, 158-171	3.1	24
85	A giant, submarine creep zone as a precursor of large-scale slope instability offshore the Dongsha Islands (South China Sea). <i>Earth and Planetary Science Letters</i> , 2016 , 451, 272-284	5.3	24
84	Crestal fault geometries reveal late halokinesis and collapse of the Samson Dome, Northern Norway: Implications for petroleum systems in the Barents Sea. <i>Tectonophysics</i> , 2016 , 690, 76-96	3.1	23
83	A tectono-stratigraphic review of continental breakup on intraplate continental margins and its impact on resultant hydrocarbon systems. <i>Marine and Petroleum Geology</i> , 2020 , 117, 104341	4.7	22
82	Resource potential of gas reservoirs in South Pakistan and adjacent Indian subcontinent revealed by post-stack inversion techniques. <i>Journal of Natural Gas Science and Engineering</i> , 2018 , 49, 41-55	4.6	22
81	Contourite drifts on early passive margins as an indicator of established lithospheric breakup. <i>Earth and Planetary Science Letters</i> , 2014 , 401, 116-131	5.3	22
80	Hindcast, GIS and susceptibility modelling to assist oil spill clean-up and mitigation on the southern coast of Cyprus (Eastern Mediterranean). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2016 , 133, 159-175	2.3	20
79	Submarine sediment routing over a blocky mass-transport deposit in the Espírito Santo Basin, SE Brazil. <i>Basin Research</i> , 2018 , 30, 816-834	3.2	20
78	Fluid flow through carbonate platforms as evidence for deep-seated reservoirs in Northwest Australia. <i>Marine Geology</i> , 2016 , 380, 17-43	3.3	20
77	Post-rift compression on the SW Iberian margin (eastern North Atlantic): a case for prolonged inversion in the ocean-continent transition zone. <i>Journal of the Geological Society</i> , 2011 , 168, 1249-1263	2.7	20
76	Quantitative seismic geomorphology of a submarine channel system in SE Brazil (Espírito Santo Basin): Scale comparison with other submarine channel systems. <i>Marine and Petroleum Geology</i> , 2016 , 78, 455-473	4.7	20
75	Impacts of data sampling on the interpretation of normal fault propagation and segment linkage. <i>Tectonophysics</i> , 2019 , 762, 79-96	3.1	19
74	Alternating crustal architecture in West Iberia: a review of its significance in the context of NE Atlantic rifting. <i>Journal of the Geological Society</i> , 2017 , 174, 522-540	2.7	18

73	Morphology, age and sediment dynamics of the upper headwall of the Sahara Slide Complex, Northwest Africa: Evidence for a large Late Holocene failure. <i>Marine Geology</i> , 2017 , 393, 109-123	3.3	18
72	True Volumes of Slope Failure Estimated From a Quaternary Mass-Transport Deposit in the Northern South China Sea. <i>Geophysical Research Letters</i> , 2018 , 45, 2642-2651	4.9	18
71	Footwall degradation styles and associated sedimentary facies distribution in SE Crete: Insights into tilt-block extensional basins on continental margins. <i>Sedimentary Geology</i> , 2018 , 367, 1-19	2.8	18
70	Geometric and depositional responses of carbonate build-ups to Miocene sea level and regional tectonics offshore northwest Australia. <i>Marine and Petroleum Geology</i> , 2018 , 94, 144-165	4.7	18
69	The Role of Mass Wasting In the Progressive Development Of Submarine Channels (Esp̃ito Santo Basin, Se Brazil). <i>Journal of Sedimentary Research</i> , 2017 , 87, 500-516	2.1	17
68	Along-strike segmentation of the South China Sea margin imposed by inherited pre-rift basement structures. <i>Earth and Planetary Science Letters</i> , 2020 , 530, 115862	5.3	17
67	Crustal deformation and submarine canyon incision in a Meso-Cenozoic first-order transfer zone (SW Iberia, North Atlantic Ocean). <i>Tectonophysics</i> , 2013 , 601, 148-162	3.1	16
66	The role of gravitational collapse in controlling the evolution of crestral fault systems (Esp̃ito Santo Basin, SE Brazil). <i>Journal of Structural Geology</i> , 2016 , 92, 79-98	3	16
65	Petrophysics of fine-grained mass-transport deposits: A critical review. <i>Journal of Asian Earth Sciences</i> , 2020 , 192, 104291	2.8	14
64	An integrated geological and GIS-based method to assess caprock risk in mature basins proposed for carbon capture and storage. <i>International Journal of Greenhouse Gas Control</i> , 2019 , 80, 103-122	4.2	14
63	Fluid flow during early compartmentalisation of rafts: A North Sea analogue for divergent continental margins. <i>Tectonophysics</i> , 2014 , 634, 91-96	3.1	13
62	Recurrent slope failure enhancing source rock burial depth and seal unit competence in the Pearl River Mouth Basin, offshore South China Sea. <i>Tectonophysics</i> , 2015 , 643, 1-7	3.1	13
61	A 3-D morphometric analysis of erosional features in a contourite drift from offshore SE Brazil. <i>Geophysical Journal International</i> , 2010 , 183, 1151-1164	2.6	13
60	Rift Structure and Sediment Infill of Hyperextended Continental Crust: Insights From 3D Seismic and Well Data (Xisha Trough, South China Sea). <i>Journal of Geophysical Research: Solid Earth</i> , 2020 , 125, e2019JB018610	3.6	12
59	Internal deformation of a muddy gravity flow and its interaction with the seafloor (site C0018 of IODP Expedition 333, Nankai Trough, SE Japan). <i>Landslides</i> , 2017 , 14, 849-860	6.6	12
58	Oil spill forecasting (prediction). <i>Journal of Marine Research</i> , 2017 , 75, 923-953	1.5	11
57	Reservoir leakage along concentric faults in the Southern North Sea: Implications for the deployment of CCS and EOR techniques. <i>Tectonophysics</i> , 2016 , 690, 97-116	3.1	11
56	Effects of sand-shale anisotropy on amplitude variation with angle (AVA) modelling: The Sawan gas field (Pakistan) as a key case-study for South Asia's sedimentary basins. <i>Journal of Asian Earth Sciences</i> , 2017 , 147, 516-531	2.8	10

55	Structural controls on shallow fluid flow and associated pockmark fields in the East Breaks area, northern Gulf of Mexico. <i>Marine and Petroleum Geology</i> , 2020 , 112, 104074	4.7	10
54	Pinnacle features at the base of isolated carbonate buildups marking point sources of fluid offshore Northwest Australia. <i>Bulletin of the Geological Society of America</i> , 2018 , 130, 1596-1614	3.9	10
53	The role of gravitational collapse in controlling the evolution of crestal fault systems (Esp�ito Santo Basin, SE Brazil) [Reply]. <i>Journal of Structural Geology</i> , 2017 , 98, 12-14	3	9
52	Reassessing two contrasting Late Miocene-Holocene stratigraphic frameworks for the Pearl River Mouth Basin, northern South China Sea. <i>Marine and Petroleum Geology</i> , 2019 , 102, 899-913	4.7	9
51	Strike-Slip Tectonics in the SW Barents Sea During North Atlantic Rifting (Swaen Graben, Northern Norway). <i>Tectonics</i> , 2017 , 36, 2422-2446	4.3	8
50	Deep-water continental margins: geological and economic frontiers. <i>Basin Research</i> , 2014 , 26, 3-9	3.2	8
49	Post-rift magmatism on the northern South China Sea margin. <i>Bulletin of the Geological Society of America</i> , 2020 , 132, 2382-2396	3.9	7
48	Strain decoupling reveals variable seismogenic risk in SE Japan (Nankai Trough). <i>Geochemistry, Geophysics, Geosystems</i> , 2015 , 16, 2025-2037	3.6	7
47	Differential compaction over Late Miocene submarine channels in SE Brazil: Implications for trap formation. <i>Bulletin of the Geological Society of America</i> , 2018 , 130, 208-221	3.9	7
46	Multi-scale fracture network characterisation on carbonate platforms. <i>Journal of Structural Geology</i> , 2020 , 140, 104160	3	7
45	Scientific, societal and pedagogical approaches to tackle the impact of climate change on marine pollution. <i>Scientific Reports</i> , 2021 , 11, 2927	4.9	7
44	Different origins of seafloor undulations in a submarine canyon system, northern South China Sea, based on their seismic character and relative location. <i>Marine Geology</i> , 2019 , 413, 99-111	3.3	6
43	Geomorphological evidence of carbonate build-up demise on equatorial margins: A case study from offshore northwest Australia. <i>Marine and Petroleum Geology</i> , 2019 , 104, 125-149	4.7	6
42	Polygonal mounds in the Barents Sea reveal sustained organic productivity towards the PII boundary. <i>Terra Nova</i> , 2016 , 28, 50-59	3	6
41	Numerical Modeling of Oil Pollution in the Eastern Mediterranean Sea. <i>Handbook of Environmental Chemistry</i> , 2017 , 215-254	0.8	6
40	Distribution and growth styles of isolated carbonate platforms as a function of fault propagation. <i>Marine and Petroleum Geology</i> , 2019 , 107, 484-507	4.7	5
39	Corridors of crestal and radial faults linking salt diapirs in the Esp�ito Santo Basin, SE Brazil. <i>Tectonophysics</i> , 2018 , 728-729, 55-74	3.1	5
38	Tectono-sedimentary evolution and petroleum systems of the Munda�subbasin: A new deep-water exploration frontier in equatorial Brazil. <i>AAPG Bulletin</i> , 2020 , 104, 795-824	2.5	5

37	A three-dimensional (3D) structural model for an oil-producing basin of the Brazilian equatorial margin. <i>Marine and Petroleum Geology</i> , 2020 , 122, 104599	4.7	5
36	Structural and depositional controls on Plio-Pleistocene submarine channel geometry (Taranaki Basin, New Zealand). <i>Basin Research</i> , 2019 , 31, 136-154	3.2	5
35	The role of sediment gravity flows on the morphological development of a large submarine canyon (Taiwan Canyon), north-east South China Sea. <i>Sedimentology</i> , 2021 , 68, 1091-1108	3.3	5
34	Reutilisation of hydrothermal vent complexes for focused fluid flow on continental margins (Modgunn Arch, Norwegian Sea). <i>Basin Research</i> , 2021 , 33, 1111-1134	3.2	5
33	The accuracy of AVA approximations in isotropic media assessed via synthetic numerical experiments: Implications for the determination of porosity. <i>Journal of Petroleum Science and Engineering</i> , 2018 , 170, 563-575	4.4	5
32	Structural styles of Albian rafts in the Espírito Santo Basin (SE Brazil): Evidence for late raft compartmentalisation on a passive continental margin. <i>Marine and Petroleum Geology</i> , 2017 , 79, 201-224	4.7	4
31	A new approach to assess ancient marine slope instability using a bivariate statistical method. <i>Marine Geology</i> , 2018 , 401, 129-144	3.3	4
30	Rifting of the Southwest and West Iberia Continental Margins. <i>Regional Geology Reviews</i> , 2019 , 251-283	2.5	4
29	Distribution of gas hydrates on continental margins by means of a mathematical envelope: A method applied to the interpretation of 3D Seismic Data. <i>Geochemistry, Geophysics, Geosystems</i> , 2014 , 15, 52-68	3.6	4
28	The Baiyun Slide Complex, South China Sea: A modern example of slope instability controlling submarine-channel incision on continental slopes. <i>Marine and Petroleum Geology</i> , 2020 , 114, 104231	4.7	4
27	Impact of tectonic rafts on gravitational instability on fault reactivation and geometry. <i>Journal of Structural Geology</i> , 2020 , 130, 103916	3	4
26	Significance of Upper Triassic to Lower Jurassic salt in the identification of palaeo-seaways in the North Atlantic. <i>Marine and Petroleum Geology</i> , 2021 , 123, 104705	4.7	4
25	Shallow fault systems of thrust anticlines responding to changes in accretionary prism lithology (Nankai, SE Japan). <i>Tectonophysics</i> , 2021 , 812, 228888	3.1	4
24	Submarine canyon systems focusing sub-surface fluid in the Canterbury Basin, South Island, New Zealand. <i>Scientific Reports</i> , 2021 , 11, 16990	4.9	4
23	The Agadir Slide offshore NW Africa: Morphology, emplacement dynamics, and potential contribution to the Moroccan Turbidite System. <i>Earth and Planetary Science Letters</i> , 2018 , 498, 436-449	5.3	3
22	Seismic-Scale Rafted and Remnant Blocks over Salt Ridges in the Espírito Santo Basin, Brazil	6.29-6.38	3
21	Widespread hydrothermal vents and associated volcanism record prolonged Cenozoic magmatism in the South China Sea. <i>Bulletin of the Geological Society of America</i> ,	3.9	3
20	Mass-Transport Deposits as Markers of Local Tectonism in Extensional Basins. <i>Geophysical Monograph Series</i> , 2019 , 71-90	1.1	3

19	Effect of channel tributaries on the evolution of submarine channel confluences (Esp̃ito Santo Basin, SE Brazil). <i>Bulletin of the Geological Society of America</i> , 2020 , 132, 263-272	3.9	3
18	Forced folding in the Kora Volcanic Complex, New Zealand: A case study with relevance to the production of hydrocarbons and geothermal energy. <i>Geothermics</i> , 2021 , 89, 101965	4.3	3
17	Strike-slip deformation reflects complex partitioning of strain in the Nankai Accretionary Prism (SE Japan). <i>Tectonophysics</i> , 2018 , 723, 81-94	3.1	2
16	Salt-induced crestal faults control the formation of Quaternary tunnel valleys in the southern North Sea. <i>Boreas</i> , 2020 , 49, 799-812	2.4	2
15	Style and Morphometry of Mass-Transport Deposits Across the Esp̃ito Santo Basin (Offshore SE Brazil). <i>Geophysical Monograph Series</i> , 2019 , 227-246	1.1	2
14	Geometric and kinematic analysis of normal faults bordering continental shelves: A 3D seismic case study from the northwest South China Sea. <i>Marine and Petroleum Geology</i> , 2021 , 133, 105263	4.7	2
13	Bayesian inversion of synthetic AVO data to assess fluid and shale content in sand-shale media. <i>Journal of Earth System Science</i> , 2017 , 126, 1	1.8	1
12	Triassic evaporites and the structural architecture of the External Hellenides and Albanides (SE Europe): controls on the petroleum and geogeneity systems of Greece and Albania. <i>International Journal of Earth Sciences</i> , 2022 , 111, 789	2.2	1
11	Depositional and geomorphic patterns of mixed calciclastic-siliciclastic systems on a deep-water Equatorial Margin. <i>Basin Research</i> , 2021 , 33, 3321	3.2	1
10	Unpredictable geometry and depositional stacking patterns of mass-transport complexes in salt minibasins. <i>Marine and Petroleum Geology</i> , 2020 , 120, 104522	4.7	0
9	Morphology and evolution of submarine canyons on the northwest South China Sea margin. <i>Marine Geology</i> , 2021 , 106695	3.3	0
8	Structural inheritance and its control on overpressure preservation in mature sedimentary basins (Dongying depression, Bohai Bay Basin, China). <i>Marine and Petroleum Geology</i> , 2022 , 137, 105504	4.7	0
7	Effect of tectonic inversion on supra-salt fault geometry and reactivation histories in the Southern North Sea. <i>Marine and Petroleum Geology</i> , 2021 , 105401	4.7	0
6	Application of model based post-stack inversion in the characterization of reservoir sands containing porous, tight and mixed facies: A case study from the Central Indus Basin, Pakistan. <i>Journal of Earth System Science</i> , 2021 , 130, 1	1.8	0
5	Integrated geophysical analysis of the Sembar Formation, Central Indus Basin, as an unconventional resource. <i>Journal of Natural Gas Science and Engineering</i> , 2022 , 101, 104507	4.6	0
4	Analysis of a basement fault zone with geothermal potential in the Southern North Sea. <i>Geothermics</i> , 2022 , 102, 102398	4.3	0
3	Incision of Submarine Channels Over Pockmark Trains in the South China Sea. <i>Geophysical Research Letters</i> , 2021 , 48,	4.9	0
2	Geometry and Classification of Submarine Canyon Confluences. <i>Springer Geology</i> , 2014 , 797-801	0.8	

- 1 Megablocks and the Stratigraphic Record of Continental Margins: How Large an Event Do They Materialise?. *Springer Geology*, **2014**, 775-780 o.8