

Leonard R Stephens

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3722516/publications.pdf>

Version: 2024-02-01

118
papers

15,280
citations

30070

54
h-index

21540

114
g-index

118
all docs

118
docs citations

118
times ranked

16099
citing authors

#	ARTICLE	IF	CITATIONS
1	Dual Role of Phosphatidylinositol-3,4,5-trisphosphate in the Activation of Protein Kinase B. <i>Science</i> , 1997, 277, 567-570.	12.6	1,131
2	Structural Determinants of Phosphoinositide 3-Kinase Inhibition by Wortmannin, LY294002, Quercetin, Myricetin, and Staurosporine. <i>Molecular Cell</i> , 2000, 6, 909-919.	9.7	1,102
3	Protein Kinase B Kinases That Mediate Phosphatidylinositol 3,4,5-Trisphosphate-Dependent Activation of Protein Kinase B. <i>Science</i> , 1998, 279, 710-714.	12.6	992
4	PI3K signalling: the path to discovery and understanding. <i>Nature Reviews Molecular Cell Biology</i> , 2012, 13, 195-203.	37.0	799
5	Crystal Structure and Functional Analysis of Ras Binding to Its Effector Phosphoinositide 3-Kinase $\hat{\gamma}$. <i>Cell</i> , 2000, 103, 931-944.	28.9	574
6	Phosphoinositide 3-Kinase $\hat{\gamma}$ Gene Mutation Predisposes to Respiratory Infection and Airway Damage. <i>Science</i> , 2013, 342, 866-871.	12.6	541
7	PDGF stimulates an increase in GTP $\hat{\gamma}$ Rac via activation of phosphoinositide 3-kinase. <i>Current Biology</i> , 1995, 5, 393-403.	3.9	531
8	P-Rex1, a PtdIns(3,4,5)P ₃ - and G $\hat{\gamma}$ 2 $\hat{\gamma}$ 3-Regulated Guanine-Nucleotide Exchange Factor for Rac. <i>Cell</i> , 2002, 108, 809-821.	28.9	487
9	Structural insights into phosphoinositide 3-kinase catalysis and signalling. <i>Nature</i> , 1999, 402, 313-320.	27.8	453
10	Activation of phosphoinositide 3-kinase is required for PDGF-stimulated membrane ruffling. <i>Current Biology</i> , 1994, 4, 385-393.	3.9	447
11	PtdIns(3)P regulates the neutrophil oxidase complex by binding to the PX domain of p40phox. <i>Nature Cell Biology</i> , 2001, 3, 679-682.	10.3	389
12	PI3K signalling in inflammation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015, 1851, 882-897.	2.4	380
13	Translocation of PDK-1 to the plasma membrane is important in allowing PDK-1 to activate protein kinase B. <i>Current Biology</i> , 1998, 8, 684-691.	3.9	334
14	Phosphoinositide 3-kinase-dependent activation of Rac. <i>FEBS Letters</i> , 2003, 546, 93-97.	2.8	279
15	Sequential activation of class IB and class IA PI3K is important for the primed respiratory burst of human but not murine neutrophils. <i>Blood</i> , 2005, 106, 1432-1440.	1.4	274
16	The Crystal Structure of the PX Domain from p40phox Bound to Phosphatidylinositol 3-Phosphate. <i>Molecular Cell</i> , 2001, 8, 829-839.	9.7	263
17	Quantification of PtdInsP ₃ molecular species in cells and tissues by mass spectrometry. <i>Nature Methods</i> , 2011, 8, 267-272.	19.0	246
18	Roles of PI3Ks in leukocyte chemotaxis and phagocytosis. <i>Current Opinion in Cell Biology</i> , 2002, 14, 203-213.	5.4	239

#	ARTICLE	IF	CITATIONS
19	PI(3)K β has an important context-dependent role in neutrophil chemokinesis. <i>Nature Cell Biology</i> , 2007, 9, 86-91.	10.3	233
20	SCFAs Induce Mouse Neutrophil Chemotaxis through the GPR43 Receptor. <i>PLoS ONE</i> , 2011, 6, e21205.	2.5	226
21	The cytotoxic T cell proteome and its shaping by the kinase mTOR. <i>Nature Immunology</i> , 2016, 17, 104-112.	14.5	192
22	G β 1s and the Ras binding domain of p110 β are both important regulators of PI3K β signalling in neutrophils. <i>Nature Cell Biology</i> , 2006, 8, 1303-1309.	10.3	167
23	Neutrophils from p40phox Δ/Δ mice exhibit severe defects in NADPH oxidase regulation and oxidant-dependent bacterial killing. <i>Journal of Experimental Medicine</i> , 2006, 203, 1927-1937.	8.5	162
24	P-Rex1 Regulates Neutrophil Function. <i>Current Biology</i> , 2005, 15, 1867-1873.	3.9	161
25	Structure of Lipid Kinase p110 β /p85 β Elucidates an Unusual SH2-Domain-Mediated Inhibitory Mechanism. <i>Molecular Cell</i> , 2011, 41, 567-578.	9.7	161
26	p84, a New G β 1-Activated Regulatory Subunit of the Type IB Phosphoinositide 3-Kinase p110 β . <i>Current Biology</i> , 2005, 15, 566-570.	3.9	157
27	Moving towards a Better Understanding of Chemotaxis. <i>Current Biology</i> , 2008, 18, R485-R494.	3.9	154
28	The PX domain: a new phosphoinositide-binding module. <i>Journal of Cell Science</i> , 2002, 115, 1099-1105.	2.0	152
29	PTEN Regulates PI(3,4)P ₂ Signaling Downstream of Class I PI3K. <i>Molecular Cell</i> , 2017, 68, 566-580.e10.	9.7	149
30	The PX domain: a new phosphoinositide-binding module. <i>Journal of Cell Science</i> , 2002, 115, 1099-105.	2.0	136
31	PI3K β Plays a Critical Role in Neutrophil Activation by Immune Complexes. <i>Science Signaling</i> , 2011, 4, ra23.	3.6	130
32	ARAP3 Is a PI3K- and Rap-Regulated GAP for RhoA. <i>Current Biology</i> , 2004, 14, 1380-1384.	3.9	119
33	PtdIns3P binding to the PX domain of p40phox is a physiological signal in NADPH oxidase activation. <i>EMBO Journal</i> , 2006, 25, 4468-4478.	7.8	116
34	Activation of Phosphoinositide 3-Kinase β by Ras. <i>Current Biology</i> , 2002, 12, 1068-1075.	3.9	110
35	Colorectal carcinomas in mice lacking the catalytic subunit of PI(3)K β . <i>Nature</i> , 2000, 406, 897-902.	27.8	102
36	Regulation of P-Rex1 by Phosphatidylinositol (3,4,5)-Trisphosphate and G β 1 β Subunits. <i>Journal of Biological Chemistry</i> , 2005, 280, 4166-4173.	3.4	102

#	ARTICLE	IF	CITATIONS
37	Phosphoinositide 3-kinases as drug targets in cancer. <i>Current Opinion in Pharmacology</i> , 2005, 5, 357-365.	3.5	100
38	Emerging evidence of signalling roles for PI(3,4)P ₂ in Class I and II PI3K-regulated pathways. <i>Biochemical Society Transactions</i> , 2016, 44, 307-314.	3.4	96
39	P-Rex2, a new guanine-nucleotide exchange factor for Rac. <i>FEBS Letters</i> , 2004, 572, 172-176.	2.8	94
40	Compensation between CSF1R+ macrophages and Foxp3+ Treg cells drives resistance to tumor immunotherapy. <i>JCI Insight</i> , 2018, 3, .	5.0	90
41	PI3K Signaling in Neutrophils. <i>Current Topics in Microbiology and Immunology</i> , 2010, 346, 183-202.	1.1	84
42	Protein Kinase B and Rac Are Activated in Parallel within a Phosphatidylinositide 3OH-kinase-controlled Signaling Pathway. <i>Journal of Biological Chemistry</i> , 1998, 273, 11248-11256.	3.4	83
43	Two distinct functions for PI3-kinases in macropinocytosis. <i>Journal of Cell Science</i> , 2013, 126, 4296-307.	2.0	83
44	CD18-dependent activation of the neutrophil NADPH oxidase during phagocytosis of Escherichia coli or Staphylococcus aureus is regulated by class III but not class I or II PI3Ks. <i>Blood</i> , 2008, 112, 5202-5211.	1.4	81
45	A new approach to measuring phosphoinositides in cells by mass spectrometry. <i>Advances in Biological Regulation</i> , 2014, 54, 131-141.	2.3	70
46	PI3K $\hat{3}$ Is a Key Regulator of Inflammatory Responses and Cardiovascular Homeostasis. <i>Science</i> , 2007, 318, 64-66.	12.6	68
47	Phosphoproteomic Analyses of Interleukin 2 Signaling Reveal Integrated JAK Kinase-Dependent and -Independent Networks in CD8 + T Cells. <i>Immunity</i> , 2016, 45, 685-700.	14.3	68
48	Inactivation of the Class II PI3K-C2 $\hat{2}$ Potentiates Insulin Signaling and Sensitivity. <i>Cell Reports</i> , 2015, 13, 1881-1894.	6.4	66
49	Lysophosphatidylinositol-Acyltransferase-1 (LPIAT1) Is Required to Maintain Physiological Levels of PtdIns and PtdInsP2 in the Mouse. <i>PLoS ONE</i> , 2013, 8, e58425.	2.5	65
50	Class IA Phosphoinositide 3-Kinase $\hat{2}$ and $\hat{1}$ Regulate Neutrophil Oxidase Activation in Response to <i>Aspergillus fumigatus</i> Hyphae. <i>Journal of Immunology</i> , 2011, 186, 2978-2989.	0.8	64
51	Regulation of PTEN inhibition by the pleckstrin homology domain of P-REX2 during insulin signaling and glucose homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 155-160.	7.1	61
52	Regulation of Phosphatidylinositol 3-Kinase Activity and Phosphatidylinositol 3,4,5-Trisphosphate Accumulation by Neutrophil Priming Agents. <i>Journal of Immunology</i> , 2002, 169, 3336-3344.	0.8	59
53	GPCR activation of Ras and PI3K $\hat{3}$ in neutrophils depends on PLC $\hat{2}$ $\hat{1}$ $\hat{2}$ $\hat{3}$ and the RasGEF RasGRP4. <i>EMBO Journal</i> , 2012, 31, 3118-3129.	7.8	58
54	Synthesis and biological evaluation of phosphatidylinositol phosphate affinity probes. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 66-76.	2.8	56

#	ARTICLE	IF	CITATIONS
55	ARAP3 is essential for formation of lamellipodia after growth factor stimulation. <i>Journal of Cell Science</i> , 2006, 119, 425-432.	2.0	55
56	PtdIns3P and Rac direct the assembly of the NADPH oxidase on a novel, pre-phagosomal compartment during FcR-mediated phagocytosis in primary mouse neutrophils. <i>Blood</i> , 2010, 116, 4978-4989.	1.4	55
57	The GTPase-activating protein ARAP3 regulates chemotaxis and adhesion-dependent processes in neutrophils. <i>Blood</i> , 2011, 118, 1087-1098.	1.4	54
58	<i>Dictyostelium</i> uses ether-linked inositol phospholipids for intracellular signalling. <i>EMBO Journal</i> , 2014, 33, 2188-2200.	7.8	53
59	Coincident signals from GPCRs and receptor tyrosine kinases are uniquely transduced by PI3K β in myeloid cells. <i>Science Signaling</i> , 2016, 9, ra82.	3.6	53
60	P-Rex1 directly activates RhoG to regulate GPCR-driven Rac signalling and actin polarity in neutrophils. <i>Journal of Cell Science</i> , 2014, 127, 2589-600.	2.0	50
61	PI3K Class IB Pathway in Neutrophils. <i>Science's STKE: Signal Transduction Knowledge Environment</i> , 2007, 2007, cm3.	3.9	49
62	The role of phosphoinositides and phosphorylation in regulation of NADPH oxidase. <i>Advances in Enzyme Regulation</i> , 2004, 44, 279-298.	2.6	47
63	Phosphoinositol diphosphates: non-enzymic formation in vitro and occurrence in vivo in the cellular slime mold <i>Dictyostelium</i> . <i>Carbohydrate Research</i> , 1992, 234, 247-262.	2.3	46
64	cAMP Signaling of Adenylate Cyclase Toxin Blocks the Oxidative Burst of Neutrophils through Epac-Mediated Inhibition of Phospholipase C Activity. <i>Journal of Immunology</i> , 2017, 198, 1285-1296.	0.8	46
65	Functional Redundancy of Class I Phosphoinositide 3-Kinase (PI3K) Isoforms in Signaling Growth Factor-Mediated Human Neutrophil Survival. <i>PLoS ONE</i> , 2012, 7, e45933.	2.5	45
66	General synthesis of 3-phosphorylated myo-inositol phospholipids and derivatives. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 923-936.	0.9	43
67	PL5 β Is a Phosphatidylinositol (3,4,5)-Trisphosphate Sensor That Can Bind the Cytoskeletal Adaptor, β -Filamin. <i>Journal of Biological Chemistry</i> , 2003, 278, 1328-1335.	3.4	43
68	The regulatory subunits of PI3K β control distinct neutrophil responses. <i>Science Signaling</i> , 2015, 8, ra8.	3.6	42
69	How is the acyl chain composition of phosphoinositides created and does it matter?. <i>Biochemical Society Transactions</i> , 2019, 47, 1291-1305.	3.4	42
70	Priming of human neutrophil superoxide generation by tumour necrosis factor- α is signalled by enhanced phosphatidylinositol 3,4,5-trisphosphate but not inositol 1,4,5-trisphosphate accumulation. <i>FEBS Letters</i> , 1998, 439, 147-151.	2.8	41
71	Phosphorylation of threonine 154 in p40phox is an important physiological signal for activation of the neutrophil NADPH oxidase. <i>Blood</i> , 2010, 116, 6027-6036.	1.4	40
72	Quantitation of class IA PI3Ks in mice reveals p110-free-p85s and isoform-selective subunit associations and recruitment to receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 12176-12181.	7.1	40

#	ARTICLE	IF	CITATIONS
73	RhoG Regulates the Neutrophil NADPH Oxidase. <i>Journal of Immunology</i> , 2006, 176, 5314-5320.	0.8	37
74	PI3K Class IB Pathway. <i>Science's STKE: Signal Transduction Knowledge Environment</i> , 2007, 2007, cm2.	3.9	36
75	Synergistic activation of JNK/SAPK by interleukin-1 and platelet-derived growth factor is independent of Rac and Cdc42. <i>Biochemical Journal</i> , 1999, 338, 387-392.	3.7	35
76	In-depth PtdIns(3,4,5)P3 signalosome analysis identifies DAPP1 as a negative regulator of GPVI-driven platelet function. <i>Blood Advances</i> , 2017, 1, 918-932.	5.2	34
77	Quantitative Measurement of Phosphatidylinositol 3,4,5-trisphosphate. <i>Methods in Enzymology</i> , 2007, 434, 117-130.	1.0	33
78	Src Family Kinases Mediate Receptor-stimulated, Phosphoinositide 3-Kinase-dependent, Tyrosine Phosphorylation of Dual Adaptor for Phosphotyrosine and 3-Phosphoinositides-1 in Endothelial and B Cell Lines. <i>Journal of Biological Chemistry</i> , 2001, 276, 42767-42773.	3.4	32
79	Class (I) Phosphoinositide 3-Kinases in the Tumor Microenvironment. <i>Cancers</i> , 2017, 9, 24.	3.7	31
80	The role of PI3Ks in the regulation of the neutrophil NADPH oxidase. <i>Biochemical Society Symposia</i> , 2007, 74, 59.	2.7	30
81	Mechanism of the regulation of type IB phosphoinositide 3OH-kinase by G-protein $\beta\gamma$ subunits. <i>Biochemical Journal</i> , 2002, 362, 725-731.	3.7	29
82	The Phosphoinositide 3-Kinase Isoform PI3K β Regulates Osteoclast-Mediated Bone Resorption in Humans and Mice. <i>Arthritis and Rheumatology</i> , 2014, 66, 2210-2221.	5.6	29
83	Genome organization and chromatin analysis identify transcriptional downregulation of insulin-like growth factor signaling as a hallmark of aging in developing B cells. <i>Genome Biology</i> , 2018, 19, 126.	8.8	29
84	The metabolism and functions of inositol pentakisphosphate and inositol hexakisphosphate. <i>Biochemical Society Transactions</i> , 1989, 17, 3-5.	3.4	28
85	Use of the GRP1 PH domain as a tool to measure the relative levels of PtdIns(3,4,5)P3 through a protein-lipid overlay approach. <i>Journal of Lipid Research</i> , 2007, 48, 726-732.	4.2	27
86	The hexosamine biosynthesis pathway and O β -glucosylation maintain insulin-stimulated PI3K/PKB phosphorylation and tumour cell growth after short-term glucose deprivation. <i>FEBS Journal</i> , 2014, 281, 3591-3608.	4.7	26
87	Profiling of phosphoinositide molecular species in human and mouse platelets identifies new species increasing following stimulation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 1121-1131.	2.4	26
88	Receptor association and tyrosine phosphorylation of S6 kinases. <i>FEBS Journal</i> , 2006, 273, 2023-2036.	4.7	25
89	The role of PI3Ks in the regulation of the neutrophil NADPH oxidase. <i>Biochemical Society Symposia</i> , 2007, 74, 59-67.	2.7	25
90	BMX Acts Downstream of PI3K to Promote Colorectal Cancer Cell Survival and Pathway Inhibition Sensitizes to the BH3 Mimetic ABT-737. <i>Neoplasia</i> , 2014, 16, 147-W16.	5.3	22

#	ARTICLE	IF	CITATIONS
91	The Inositol-3-Phosphate Synthase Biosynthetic Enzyme Has Distinct Catalytic and Metabolic Roles. <i>Molecular and Cellular Biology</i> , 2016, 36, 1464-1479.	2.3	22
92	In B cells, phosphatidylinositol 5-phosphate 4-kinase synthesizes PI(4,5)P2 to impact mTORC2 and Akt signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10571-10576.	7.1	21
93	An inositol 1,4,5-trisphosphate-6-kinase activity in pea roots. <i>Planta</i> , 1992, 187, 542-5.	3.2	20
94	Synthesis and biological evaluation of a PtdIns(3,4,5)P3 affinity matrix. <i>Chemical Communications</i> , 2001, , 645-646.	4.1	20
95	Perturbations of PIP3 signalling trigger a global remodelling of mRNA landscape and reveal a transcriptional feedback loop. <i>Nucleic Acids Research</i> , 2015, 43, gkv1015.	14.5	20
96	Investigating the effect of arachidonate supplementation on the phosphoinositide content of MCF10a breast epithelial cells. <i>Advances in Biological Regulation</i> , 2016, 62, 18-24.	2.3	20
97	Mechanism of the regulation of type IB phosphoinositide 3OH-kinase by G-protein $\beta\gamma$ subunits. <i>Biochemical Journal</i> , 2002, 362, 725.	3.7	19
98	3D time series analysis of cell shape using Laplacian approaches. <i>BMC Bioinformatics</i> , 2013, 14, 296.	2.6	19
99	Phosphoinositide 3-OH Kinase Regulates Integrin-Dependent Processes in Neutrophils by Signaling through Its Effector ARAP3. <i>Journal of Immunology</i> , 2013, 190, 381-391.	0.8	19
100	$\beta\gamma$ is a direct regulator of endogenous p101/p110 β and p84/p110 β PI3K complexes in mouse neutrophils. <i>Science Signaling</i> , 2020, 13, .	3.6	19
101	Activation of the neutrophil NADPH oxidase by <i>Aspergillus fumigatus</i> . <i>Annals of the New York Academy of Sciences</i> , 2012, 1273, 68-73.	3.8	18
102	Kinase-independent synthesis of 3-phosphorylated phosphoinositides by a phosphotransferase. <i>Nature Cell Biology</i> , 2022, 24, 708-722.	10.3	18
103	Frontline Science: TNF- α and GM-CSF1 priming augments the role of SOS1/2 in driving activation of Ras, PI3K- β , and neutrophil proinflammatory responses. <i>Journal of Leukocyte Biology</i> , 2019, 106, 815-822.	3.3	17
104	Acyl chain selection couples the consumption and synthesis of phosphoinositides. <i>EMBO Journal</i> , 2022, 41, .	7.8	13
105	Synergistic activation of JNK/SAPK by interleukin-1 and platelet-derived growth factor is independent of Rac and Cdc42. <i>Biochemical Journal</i> , 1999, 338, 387.	3.7	12
106	Structural determinants of LL5 β subcellular localisation and association with filamin C. <i>Cellular Signalling</i> , 2007, 19, 817-824.	3.6	12
107	Signalling via class IA PI3Ks. <i>Advances in Enzyme Regulation</i> , 2011, 51, 27-36.	2.6	12
108	Signaling via Class IA Phosphoinositide 3-Kinases (PI3K) in Human, Breast-Derived Cell Lines. <i>PLoS ONE</i> , 2013, 8, e75045.	2.5	12

#	ARTICLE	IF	CITATIONS
109	Localizing the lipid products of PI3K $\hat{\text{I}}^3$ in neutrophils. <i>Advances in Biological Regulation</i> , 2016, 60, 36-45.	2.3	11
110	Insulin and ATP stimulate actin polymerization in U937 cells by a wortmannin-sensitive mechanism. <i>FEBS Letters</i> , 1996, 392, 66-70.	2.8	10
111	Synthesis of dipalmitoyl phosphatidylinositol 3,4-bis(phosphate) and 3,4,5-tris(phosphate) and their enantiomers. <i>Chemical Communications</i> , 1997, , 1635-1636.	4.1	10
112	Purification of ARAP3 and Characterization of GAP Activities. <i>Methods in Enzymology</i> , 2006, 406, 91-103.	1.0	8
113	More Paths to PI3K $\hat{\text{I}}^3$. <i>PLoS Biology</i> , 2013, 11, e1001594.	5.6	4
114	168 Structural analysis of a novel isoform of phosphoinositide 3OH-kinase. <i>Biochemical Society Transactions</i> , 1997, 25, S604-S604.	3.4	3
115	Fast random walker for neutrophil cell segmentation in 3D. , 2012, , .		3
116	Local Shape Representation in 3D: from Weighted Spherical Harmonics to Spherical Wavelet. , 2012, , .		3
117	Modulation of Monomeric G Proteins by Phosphoinositides. , 2010, , 1131-1139.		1
118	Modulation of Monomeric G Proteins by Phosphoinositides. , 2003, , 203-207.		0