

# Xiong, Cheng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3722542/publications.pdf>

Version: 2024-02-01

22  
papers

1,471  
citations

430754

18  
h-index

677027

22  
g-index

22  
all docs

22  
docs citations

22  
times ranked

1511  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | A composite solid electrolyte with an asymmetric ceramic framework for dendrite-free all-solid-state Li metal batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 9665-9674.   | 5.2  | 30        |
| 2  | 2D Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXenes: Visible Black but Infrared White Materials. <i>Advanced Materials</i> , 2021, 33, e2103054.   | 11.1 | 72        |
| 3  | Honeycomb-like hierarchical porous silicon composites with dual protection for ultrastable Li-ion battery anodes. <i>SmartMat</i> , 2021, 2, 579-590.  | 6.4  | 21        |
| 4  | Highly catalytic hollow Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene spheres decorated graphite felt electrode for vanadium redox flow batteries. <i>Energy Storage Materials</i> , 2020, 25, 885-892.                                  | 9.5  | 87        |
| 5  | A safe and efficient lithiated silicon-sulfur battery enabled by a bi-functional composite interlayer. <i>Energy Storage Materials</i> , 2020, 25, 217-223.  | 9.5  | 19        |
| 6  | A high power density and long cycle life vanadium redox flow battery. <i>Energy Storage Materials</i> , 2020, 24, 529-540.   | 9.5  | 214       |
| 7  | Enhanced cycle life of vanadium redox flow battery via a capacity and energy efficiency recovery method. <i>Journal of Power Sources</i> , 2020, 478, 228725.  | 4.0  | 33        |
| 8  | Achieving multiplexed functionality in a hierarchical MXene-based sulfur host for high-rate, high-loading lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2020, 33, 147-157.   | 9.5  | 64        |
| 9  | On-Site Fluorination for Enhancing Utilization of Lithium in a Lithium-Sulfur Full Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 53860-53868.   | 4.0  | 12        |
| 10 | Bifunctional effect of laser-induced nucleation-preferable microchannels and <i>in situ</i> formed LiF SEI in MXenes for stable lithium-metal batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14114-14125.                       | 5.2  | 33        |
| 11 | An <i>in situ</i> encapsulation approach for polysulfide retention in lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 6902-6907.  | 5.2  | 9         |
| 12 | Artificial Bifunctional Protective layer Composed of Carbon Nitride Nanosheets for High Performance Lithium-Sulfur Batteries. <i>Journal of Energy Storage</i> , 2019, 26, 101006.   | 3.9  | 19        |
| 13 | Mathematical modeling of the charging process of Li-S batteries by incorporating the size-dependent Li <sub>2</sub> S dissolution. <i>Electrochimica Acta</i> , 2019, 296, 954-963.  | 2.6  | 20        |
| 14 | Mn <sub>3</sub> O <sub>4</sub> Nanoparticle-Decorated Carbon Cloths with Superior Catalytic Activity for the V <sup>II</sup> /V <sup>III</sup> Redox Reaction in Vanadium Redox Flow Batteries. <i>Energy Technology</i> , 2018, 6, 1228-1236. | 1.8  | 20        |
| 15 | A Li <sub>2</sub> S-Based Sacrificial Layer for Stable Operation of Lithium-Sulfur Batteries. <i>Energy Technology</i> , 2018, 6, 2210-2219.   | 1.8  | 4         |
| 16 | Remedies of capacity fading in room-temperature sodium-sulfur batteries. <i>Journal of Power Sources</i> , 2018, 396, 304-313.   | 4.0  | 45        |
| 17 | Highly catalytic and stabilized titanium nitride nanowire array-decorated graphite felt electrodes for all vanadium redox flow batteries. <i>Journal of Power Sources</i> , 2017, 341, 318-326.  | 4.0  | 134       |
| 18 | Highly active, bi-functional and metal-free B <sub>4</sub> C-nanoparticle-modified graphite felt electrodes for vanadium redox flow batteries. <i>Journal of Power Sources</i> , 2017, 365, 34-42.   | 4.0  | 75        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Boron phosphide monolayer as a potential anode material for alkali metal-based batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 672-679. | 5.2 | 217       |
| 20 | A high-performance carbon nanoparticle-decorated graphite felt electrode for vanadium redox flow batteries. <i>Applied Energy</i> , 2016, 176, 74-79. | 5.1 | 145       |
| 21 | Copper nanoparticle-deposited graphite felt electrodes for all vanadium redox flow batteries. <i>Applied Energy</i> , 2016, 180, 386-391.             | 5.1 | 166       |
| 22 | A high-performance ethanol-hydrogen peroxide fuel cell. <i>RSC Advances</i> , 2014, 4, 65031-65034.   | 1.7 | 32        |