

Song Vogue Ahn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3722675/publications.pdf>

Version: 2024-02-01

53
papers

1,377
citations

377584

21
h-index

406436

35
g-index

59
all docs

59
docs citations

59
times ranked

2629
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of the Korean Standardized Antimicrobial Administration Ratio as a Tool for Benchmarking Antimicrobial Use in Each Hospital. <i>Journal of Korean Medical Science</i> , 2022, 37, .	1.1	10
2	Association between the change of total cholesterol during adolescence and depressive symptoms in early adulthood. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 261-269.	2.8	6
3	Estimation and change of edentulism among the Korean population: Korea National Health and Nutrition Examination Survey 2007-2018. <i>Epidemiology and Health</i> , 2021, 43, e2021020.	0.8	6
4	The cancer risk according to three subtypes of ANCA-associated vasculitis: A propensity score-matched analysis of a nationwide study. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 692-699.	1.6	13
5	Development of Antibiotic Classification for Measuring Antibiotic Usage in Korean Hospitals Using a Modified Delphi Method. <i>Journal of Korean Medical Science</i> , 2020, 35, e241.	1.1	2
6	Epidemiological Characterization of a Directed and Weighted Disease Network Using Data From a Cohort of One Million Patients: Network Analysis. <i>Journal of Medical Internet Research</i> , 2020, 22, e15196.	2.1	2
7	Age-differential association between serum uric acid and incident hypertension. <i>Hypertension Research</i> , 2019, 42, 428-437.	1.5	27
8	Sex difference in the effect of the fasting serum glucose level on the risk of coronary heart disease. <i>Journal of Cardiology</i> , 2018, 71, 149-154.	0.8	10
9	Relative contribution of obesity and menopause to the association between serum adiponectin and incident metabolic syndrome. <i>Menopause</i> , 2018, 25, 154-159.	0.8	5
10	Aminotransferase levels, body mass index, and the risk of diabetes: a prospective cohort study. <i>Annals of Epidemiology</i> , 2018, 28, 675-680.e6.	0.9	10
11	A prospective study of the association between total sleep duration and incident hypertension. <i>Journal of Clinical Hypertension</i> , 2017, 19, 550-557.	1.0	25
12	Free triiodothyronine/free thyroxine ratio rather than thyrotropin is more associated with metabolic parameters in healthy euthyroid adult subjects. <i>Clinical Endocrinology</i> , 2017, 87, 87-96.	1.2	45
13	Association between Nitrogen Stable Isotope Ratios in Human Hair and Serum Levels of Leptin. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 243, 133-139.	0.5	2
14	Combined Effect of Initial and Longitudinal Increases in $\hat{\gamma}$ -Glutamyltransferase on Incident Metabolic Syndrome: ARIRANG Study. <i>Yonsei Medical Journal</i> , 2017, 58, 763.	0.9	7
15	Impact of Serum Leptin to Adiponectin Ratio on Regression of Metabolic Syndrome in High-Risk Individuals: The ARIRANG Study. <i>Yonsei Medical Journal</i> , 2017, 58, 339.	0.9	19
16	Current status of and strategies for hepatitis C control in South Korea. <i>Clinical and Molecular Hepatology</i> , 2017, 23, 212-218.	4.5	19
17	Association between Resting Heart Rate and Inflammatory Markers (White Blood Cell Count and) Tj ETQq1 1 0.784314 rgBT /Overload 38, 8.	0.4	12
18	C-reactive Protein Concentration Is Associated With a Higher Risk of Mortality in a Rural Korean Population. <i>Journal of Preventive Medicine and Public Health</i> , 2016, 49, 275-287.	0.7	4

#	ARTICLE	IF	CITATIONS
19	Association between Urine Albumin-to-Creatinine Ratio within the Normal Range and Incident Hypertension in Men and Women. <i>Yonsei Medical Journal</i> , 2016, 57, 1454.	0.9	9
20	Obesity as a Risk Factor for Prostatic Enlargement: A Retrospective Cohort Study in Korea. <i>International Neurourology Journal</i> , 2016, 20, 321-328.	0.5	19
21	Underweight and mortality. <i>Public Health Nutrition</i> , 2016, 19, 1751-1756.	1.1	17
22	Incremental Predictive Value of Serum AST-to-ALT Ratio for Incident Metabolic Syndrome: The ARIRANG Study. <i>PLoS ONE</i> , 2016, 11, e0161304.	1.1	27
23	Addition of N-terminal Pro-B-type Natriuretic Peptide Levels to Electrocardiography Criteria for Detection of Left Ventricular Hypertrophy: The ARIRANG Study. <i>Journal of Korean Medical Science</i> , 2015, 30, 407.	1.1	1
24	Prospective study of serum uric acid levels and incident metabolic syndrome in a Korean rural cohort. <i>Atherosclerosis</i> , 2015, 241, 271-277.	0.4	53
25	Risk of major cardiovascular events among incident dialysis patients: A Korean national population-based study. <i>International Journal of Cardiology</i> , 2015, 198, 95-101.	0.8	39
26	A prospective study of total sleep duration and incident metabolic syndrome: the ARIRANG study. <i>Sleep Medicine</i> , 2015, 16, 1511-1515.	0.8	57
27	The association between carbon and nitrogen stable isotope ratios of human hair and metabolic syndrome. <i>Clinica Chimica Acta</i> , 2015, 450, 72-77.	0.5	6
28	A prospective study of serum adiponectin and regression of metabolic syndrome: The ARIRANG study. <i>Biochemical and Biophysical Research Communications</i> , 2015, 466, 201-205.	1.0	9
29	A Prospective Study of Fatty Liver Index and Incident Hypertension: The KoGES-ARIRANG Study. <i>PLoS ONE</i> , 2015, 10, e0143560.	1.1	57
30	A 24-Year Follow-Up Study of Blood Pressure Tracking from Childhood to Adulthood in Korea: The Kangwha Study. <i>Yonsei Medical Journal</i> , 2014, 55, 360.	0.9	18
31	A population-based approach indicates an overall higher patient mortality with peritoneal dialysis compared to hemodialysis in Korea. <i>Kidney International</i> , 2014, 86, 991-1000.	2.6	74
32	Relative contribution of obesity and serum adiponectin to the development of hypertension. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 51-56.	1.1	23
33	Survival Advantage of Icodextrin Peritoneal Dialysis Solution in a Time-Dependent Model. <i>American Journal of Kidney Diseases</i> , 2013, 61, 351-352.	2.1	6
34	Prospective Study of Serum Adiponectin and Incident Metabolic Syndrome. <i>Diabetes Care</i> , 2013, 36, 1547-1553.	4.3	85
35	A Prospective Study of Epicardial Adipose Tissue and Incident Metabolic Syndrome: The ARIRANG Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 1762.	1.1	8
36	Association between Depressive Symptoms and Bone Stiffness Index in Young Adults: The Kangwha Study. <i>PLoS ONE</i> , 2013, 8, e69929.	1.1	3

#	ARTICLE	IF	CITATIONS
37	Adiponectin Provides Additional Information to Conventional Cardiovascular Risk Factors for Assessing the Risk of Atherosclerosis in Both Genders. <i>PLoS ONE</i> , 2013, 8, e75535.	1.1	18
38	Effects of icodextrin on patient survival and technique success in patients undergoing peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2044-2050.	0.4	51
39	Clinical outcomes, when matched at presentation, do not vary between adult-onset Henoch-Schönlein purpura nephritis and IgA nephropathy. <i>Kidney International</i> , 2012, 82, 1304-1312.	2.6	46
40	Association between depression and bone mineral density in community-dwelling older men and women in Korea. <i>Maturitas</i> , 2012, 71, 142-146.	1.0	18
41	Prevalence of Dyslipidemia among Korean Adults: Korea National Health and Nutrition Survey 1998-2005. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 43.	1.8	65
42	Topographical anatomy of the suprascapular nerve and vessels at the suprascapular notch. <i>Clinical Anatomy</i> , 2012, 25, 359-365.	1.5	42
43	Gender differences in the association between smoking and dyslipidemia: 2005 Korean National Health and Nutrition Examination Survey. <i>Clinica Chimica Acta</i> , 2011, 412, 1600-1605.	0.5	29
44	The ratio of serum leptin to adiponectin provides adjunctive information to the risk of metabolic syndrome beyond the homeostasis model assessment insulin resistance: The Korean Genomic Rural Cohort Study. <i>Clinica Chimica Acta</i> , 2011, 412, 2199-2205.	0.5	33
45	Familial concordance of metabolic syndrome in Korean population—Korean National Health and Nutrition Examination Survey 2005. <i>Diabetes Research and Clinical Practice</i> , 2011, 93, 430-436.	1.1	14
46	Six-Year Survival and Causes of Death among Stroke Patients in Korea. <i>Neuroepidemiology</i> , 2009, 32, 94-100.	1.1	35
47	Mortality and Technique Failure in Peritoneal Dialysis Patients Using Advanced Peritoneal Dialysis Solutions. <i>American Journal of Kidney Diseases</i> , 2009, 54, 711-720.	2.1	59
48	Reduced residual renal function is a risk of peritonitis in continuous ambulatory peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2653-2658.	0.4	85
49	Improving Outcome of Capd: Twenty-Five Years' Experience in a Single Korean Center. <i>Peritoneal Dialysis International</i> , 2007, 27, 432-440.	1.1	76
50	Applicability of American and European Spirometry Repeatability Criteria to Korean Adults. <i>Tuberculosis and Respiratory Diseases</i> , 2007, 63, 405.	0.7	1
51	Impact of Multiple Cardiovascular Risk Factors on the Carotid Intima-media Thickness in Young Adults: The Kangwha Study. <i>Journal of Preventive Medicine and Public Health</i> , 2007, 40, 411.	0.7	6
52	Improving outcome of CAPD: twenty-five years' experience in a single Korean center. <i>Peritoneal Dialysis International</i> , 2007, 27, 432-40.	1.1	43
53	Dipstick urine protein, as a predictor of cardiovascular mortality in Korean men: Korea Medical Insurance Corporation study. <i>Journal of Preventive Medicine and Public Health</i> , 2006, 39, 427-32.	0.7	5