

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3724094/jian-yu-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

1,459
citations

20
h-index

38
g-index

67
ext. papers

1,783
ext. citations

4.7
avg, IF

4.46
L-index

#	Paper	IF	Citations
60	Salinomycin inhibits Wnt signaling and selectively induces apoptosis in chronic lymphocytic leukemia cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 13253-7	11.5	293
59	MicroRNA-155 influences B-cell receptor signaling and associates with aggressive disease in chronic lymphocytic leukemia. <i>Blood</i> , 2014 , 124, 546-54	2.2	127
58	Wnt5a induces ROR1/ROR2 heterooligomerization to enhance leukemia chemotaxis and proliferation. <i>Journal of Clinical Investigation</i> , 2016 , 126, 585-98	15.9	118
57	Enhanced Multiple Anchoring and Catalytic Conversion of Polysulfides by Amorphous MoS Nanoboxes for High-Performance Li-S Batteries. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 13071-13078	16.4	93
56	Nanoparticle Targeting of Neutrophils for Improved Cancer Immunotherapy. <i>Advanced Healthcare Materials</i> , 2016 , 5, 1088-93	10.1	78
55	High-level ROR1 associates with accelerated disease progression in chronic lymphocytic leukemia. <i>Blood</i> , 2016 , 128, 2931-2940	2.2	75
54	Phase I Trial: Cirmtuzumab Inhibits ROR1 Signaling and Stemness Signatures in Patients with Chronic Lymphocytic Leukemia. <i>Cell Stem Cell</i> , 2018 , 22, 951-959.e3	18	75
53	Inhibition of chemotherapy resistant breast cancer stem cells by a ROR1 specific antibody. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 1370-1377	11.5	63
52	Cirmtuzumab inhibits Wnt5a-induced Rac1 activation in chronic lymphocytic leukemia treated with ibrutinib. <i>Leukemia</i> , 2017 , 31, 1333-1339	10.7	57
51	Composition-adjustable Ag-Au substitutional alloy microcages enabling tunable plasmon resonance for ultrasensitive SERS. <i>Chemical Science</i> , 2018 , 9, 4009-4015	9.4	53
50	Identification of the gene transcription and apoptosis mediated by TGF-beta-Smad2/3-Smad4 signaling. <i>Journal of Cellular Physiology</i> , 2008 , 215, 422-33	7	46
49	Complementary analysis of microRNA and mRNA expression during phorbol 12-myristate 13-acetate (TPA)-induced differentiation of HL-60 cells. <i>Biotechnology Letters</i> , 2008 , 30, 2045-52	3	41
48	Wnt5a induces ROR1 to complex with HS1 to enhance migration of chronic lymphocytic leukemia cells. <i>Leukemia</i> , 2017 , 31, 2615-2622	10.7	37
47	Identification of activity-dependent gene expression profiles reveals specific subsets of genes induced by different routes of Ca(2+) entry in cultured rat cortical neurons. <i>Journal of Cellular Physiology</i> , 2007 , 212, 126-36	7	31
46	Wnt5a induces ROR1 to associate with 14-3-3 β for enhanced chemotaxis and proliferation of chronic lymphocytic leukemia cells. <i>Leukemia</i> , 2017 , 31, 2608-2614	10.7	28
45	Wnt5a induces ROR1 to recruit DOCK2 to activate Rac1/2 in chronic lymphocytic leukemia. <i>Blood</i> , 2018 , 132, 170-178	2.2	28
44	Microarray and biochemical analysis of bufalin-induced apoptosis of HL-60 Cells. <i>Biotechnology Letters</i> , 2009 , 31, 487-94	3	26

43	Structure-activity studies of antitumor agent irofulven (hydroxymethylacylfulvene) and analogues. <i>Journal of Organic Chemistry</i> , 2001 , 66, 6158-63	4.2	24
42	Non-intrusive reduced-order modeling for fluid problems: A brief review. <i>Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering</i> , 2019 , 233, 5896-5912	0.9	24
41	Cirmtuzumab blocks Wnt5a/ROR1 stimulation of NF- κ B to repress autocrine STAT3 activation in chronic lymphocytic leukemia. <i>Blood</i> , 2019 , 134, 1084-1094	2.2	22
40	Wnt5a causes ROR1 to complex and activate cortactin to enhance migration of chronic lymphocytic leukemia cells. <i>Leukemia</i> , 2019 , 33, 653-661	10.7	19
39	Clinical features and phylogenetic analysis of severe hand-foot-and-mouth disease caused by Coxsackievirus A6. <i>Infection, Genetics and Evolution</i> , 2020 , 77, 104054	4.5	14
38	Cirmtuzumab inhibits ibrutinib-resistant, Wnt5a-induced Rac1 activation and proliferation in mantle cell lymphoma. <i>Oncotarget</i> , 2018 , 9, 24731-24736	3.3	12
37	Morphological and structural engineering in amorphous Cu ₂ MoS ₄ nanocages for remarkable electrocatalytic hydrogen evolution. <i>Science China Materials</i> , 2019 , 62, 1275-1284	7.1	10
36	Amorphous Mn O Nanocages with High-Efficiency Charge Transfer for Enhancing Electro-Optic Properties of Liquid Crystals. <i>Small</i> , 2019 , 15, e1805475	11	6
35	On the use of the discontinuous Galerkin method for numerical simulation of two-dimensional compressible turbulence with shocks. <i>Science China: Physics, Mechanics and Astronomy</i> , 2014 , 57, 1758-1770	2.6	6
34	Destabilization of ROR1 enhances activity of Ibrutinib against chronic lymphocytic leukemia in vivo. <i>Pharmacological Research</i> , 2020 , 151, 104512	10.2	6
33	Enhanced Multiple Anchoring and Catalytic Conversion of Polysulfides by Amorphous MoS ₃ Nanoboxes for High-Performance Li-S Batteries. <i>Angewandte Chemie</i> , 2020 , 132, 13171-13178	3.6	4
32	A new high-accuracy scheme for compressible turbulent flows. <i>International Journal of Computational Fluid Dynamics</i> , 2017 , 31, 362-378	1.2	4
31	Implicit high-order discontinuous Galerkin method with HWENO type limiters for steady viscous flow simulations. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2013 , 29, 526-533	2	3
30	Practical aspects of p-multigrid discontinuous Galerkin solver for steady and unsteady RANS simulations. <i>International Journal for Numerical Methods in Fluids</i> , 2015 , 78, 670-690	1.9	3
29	Hermite WENO-based limiters for high order discontinuous Galerkin method on unstructured grids. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2012 , 28, 241-252	2	3
28	Antibody-Based Immunotherapeutic Strategies for the Treatment of Hematological Malignancies. <i>BioMed Research International</i> , 2020 , 2020, 4956946	3	3
27	Designing Several Types of Oscillation-Less and High-Resolution Hybrid Schemes on Block-Structured Grids. <i>Communications in Computational Physics</i> , 2017 , 21, 1376-1407	2.4	2
26	High-order discontinuous Galerkin solver on hybrid anisotropic meshes for laminar and turbulent simulations. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2014 , 35, 799-812	3.2	2

25	Abstract 950: Selective cytotoxicity of A6 peptide against ZAP-70 expressing CLL B-cells 2014 ,		2
24	Wnt5a Induces ROR1 to Complex with HS1, Which Undergoes Tyrosine Phosphorylation and Contributes to Planar-Cell-Polarity Migration in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2016 , 128, 301-301 ^{2,2}		2
23	Durable and Specific Inhibition of ROR1 Signaling Associates with Prolonged Progression Free Survival in Patients with Chronic Lymphocytic Leukemia Treated with Cirtuzumab. <i>Blood</i> , 2017 , 130, 829-829	2.2	2
22	Application of Chimeric Antigen Receptor T Cells in the Treatment of Hematological Malignancies. <i>BioMed Research International</i> , 2020 , 2020, 4241864	3	2
21	Suitability of artificial viscosity discontinuous Galerkin method for compressible turbulence. <i>Science China Technological Sciences</i> , 2017 , 60, 1032-1049	3.5	1
20	High accuracy schemes for compressible turbulence simulations 2017 ,		1
19	Assessment of shock capturing schemes for discontinuous Galerkin method. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2014 , 35, 1361-1374	3.2	1
18	Agelastatin A (AgA), a Marine Sponge Derived Alkaloid, Inhibits Wnt/Beta-Catenin Signaling and Selectively Induces Apoptosis in Chronic Lymphocytic Leukemia Independently of p53. <i>Blood</i> , 2011 , 118, 1786-1786	2.2	1
17	Human ROR1 Activates AKT and Accelerates Leukemia Cell Proliferation. <i>Blood</i> , 2012 , 120, 3872-3872	2.2	1
16	Preclinical Development Of ROR1 Peptide Based Vaccine With Activity Against Chronic Lymphocytic Leukemia In ROR1 Transgenic Mice. <i>Blood</i> , 2013 , 122, 4174-4174	2.2	1
15	High-Level Expression of ROR1 Associates with Early Disease Progression in Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2015 , 126, 1713-1713	2.2	1
14	Cirtuzumab Targets ROR1 to Inhibit Ibrutinib-Resistant, Wnt5a-Induced Rac1 Activation in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2016 , 128, 2034-2034	2.2	1
13	Immunotherapeutic Targeting of ROR1-Dependent, Non-Canonical Wnt5a-Signaling By Cirtuzumab: A First-in-Human Phase I Trial for Patients with Intractable Chronic Lymphocytic Leukemia. <i>Blood</i> , 2016 , 128, 3224-3224	2.2	1
12	Wnt5a Induces Association of ROR1 with 14-3-3 σ to Enhance Chemotaxis and Proliferation in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2016 , 128, 349-349	2.2	1
11	Electroporation of CRISPR-Cas9 into Malignant B Cells for Loss-of-Function Studies of Target Gene Via Knockout. <i>Methods in Molecular Biology</i> , 2020 , 2050, 85-90	1.4	1
10	Expression of a recombinant FLT3 ligand and its emtansine conjugate as a therapeutic candidate against acute myeloid leukemia cells with FLT3 expression. <i>Microbial Cell Factories</i> , 2021 , 20, 67	6.4	1
9	A colloidal gold-based immunochromatographic strip for rapid detection of SARS-CoV-2 antibodies after vaccination. <i>Medicine in Novel Technology and Devices</i> , 2021 , 11, 100084	2.1	1
8	Wnt5a Induces Association of ROR1 with Ca ²⁺ /Calmodulin-Dependent Protein Kinase II and ROR1-Dependent Calcium Influx in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2018 , 132, 1846-1846	2.2	0

7	Distinct BTK inhibitors differentially induce apoptosis but similarly suppress chemotaxis and lipid accumulation in mantle cell lymphoma. <i>BMC Cancer</i> , 2021 , 21, 732	4.8	o
6	Revisit of dilation-based shock capturing for discontinuous Galerkin methods. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2018 , 39, 379-394	3.2	o
5	FLT3 Ligand-DM1 Conjugate Selectively Targets Acute Myeloid Leukemia Cells with FLT3 Expression. <i>Blood</i> , 2020 , 136, 30-31	2.2	
4	Cirmtuzumab Blocks Production of Proinflammatory Factors By Inhibiting Wnt5a/ROR1 Induced Activation of NF-Kappa B in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2018 , 132, 4415-4415	2.2	
3	Structural Features of ROR1 Required for Complexing with ROR2 and Enhancing Chemokine-Induced Migration and Leukemia-Cell Proliferation, Which Can be Blocked By the Anti-ROR1 Mab Cirmtuzumab (UC-961). <i>Blood</i> , 2015 , 126, 1741-1741	2.2	
2	Targeting of Chronic Lymphocytic Leukemia B Cells with a Novel Monoclonal Antibody to ROR1. <i>Blood</i> , 2011 , 118, 984-984	2.2	
1	Targeting Of Chronic Lymphocytic Leukemia B Cells With a Humanized Monoclonal Antibody Specific For ROR1. <i>Blood</i> , 2013 , 122, 2873-2873	2.2	