
Graham N Thomas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3725363/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in collaboration with the European Association for Cardio-Thoracic Surgery (EACTS). European Heart Journal, 2021, 42, 373-498.	2.2	5,583
2	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
3	Interleukin-6 receptor pathways in coronary heart disease: a collaborative meta-analysis of 82 studies. Lancet, The, 2012, 379, 1205-1213.	13.7	668
4	Triglyceride-mediated pathways and coronary disease: collaborative analysis of 101 studies. Lancet, The, 2010, 375, 1634-1639.	13.7	606
5	Metabolically Healthy Obese and Incident Cardiovascular Disease Events Among 3.5ÂMillion Men and Women. Journal of the American College of Cardiology, 2017, 70, 1429-1437.	2.8	383
6	Mobile Photoplethysmographic Technology to Detect Atrial Fibrillation. Journal of the American College of Cardiology, 2019, 74, 2365-2375.	2.8	294
7	Genetic determinants of common epilepsies: a meta-analysis of genome-wide association studies. Lancet Neurology, The, 2014, 13, 893-903.	10.2	264
8	Passive smoking exposure and risk of COPD among adults in China: the Guangzhou Biobank Cohort Study. Lancet, The, 2007, 370, 751-757.	13.7	248
9	Reliability and Validity of the IPAQ-Chinese. Medicine and Science in Sports and Exercise, 2008, 40, 303-307.	0.4	226
10	Mobile Health Technology to Improve Care for Patients With Atrial Fibrillation. Journal of the American College of Cardiology, 2020, 75, 1523-1534.	2.8	209
11	Increased risk of ischemic heart disease, hypertension, and type 2 diabetes in women with previous gestational diabetes mellitus, a target group in general practice for preventive interventions: A population-based cohort study. PLoS Medicine, 2018, 15, e1002488.	8.4	199
12	Effectiveness of polypill for primary and secondary prevention of cardiovascular diseases (PolyIran): a pragmatic, cluster-randomised trial. Lancet, The, 2019, 394, 672-683.	13.7	197
13	Cohort Profile: The Guangzhou Biobank Cohort Study, a Guangzhou–Hong Kong–Birmingham collaboration. International Journal of Epidemiology, 2006, 35, 844-852.	1.9	194
14	Association between the reproductive health of young women and cardiovascular disease in later life: umbrella review. BMJ, The, 2020, 371, m3502.	6.0	189
15	Associations between specific technologies and adolescent sleep quantity, sleep quality, and parasomnias. Sleep Medicine, 2014, 15, 240-247.	1.6	188
16	Factor analysis of the metabolic syndrome: obesity vs insulin resistance as the central abnormality. International Journal of Obesity, 2001, 25, 1782-1788.	3.4	171
17	Effectiveness of Lifestyle Interventions on Obstructive Sleep Apnea (OSA): Systematic Review and Meta-Analysis. Sleep, 2013, 36, 1553-1562.	1.1	156
18	Satellite-Based Estimates of Long-Term Exposure to Fine Particles and Association with Mortality in Fiderly Hong Kong Residents, Environmental Health Perspectives, 2015, 123, 1167-1172.	6.0	148

#	Article	lF	CITATIONS
19	Cancer Mortality Risks from Long-term Exposure to Ambient Fine Particle. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 839-845.	2.5	147
20	Age of Menarche and the Metabolic Syndrome in China. Epidemiology, 2007, 18, 740-746.	2.7	145
21	The US National Cholesterol Education Programme Adult Treatment Panel III (NCEP ATP III) prevalence of the metabolic syndrome in a Chinese population. Diabetes Research and Clinical Practice, 2005, 67, 251-257.	2.8	142
22	Short or Long Sleep Duration Is Associated with Memory Impairment in Older Chinese: the Guangzhou Biobank Cohort Study. Sleep, 2011, 34, 575-580.	1.1	142
23	The Isfahan cohort study: Rationale, methods and main findings. Journal of Human Hypertension, 2011, 25, 545-553.	2.2	120
24	The double burden of malnutrition among adolescents: analysis of data from the Global School-Based Student Health and Health Behavior in School-Aged Children surveys in 57 low- and middle-income countries. American Journal of Clinical Nutrition, 2018, 108, 414-424.	4.7	120
25	Antihypertensive effects of tannins isolated from traditional Chinese herbs as non-specific inhibitors of angiontensin converting enzyme. Life Sciences, 2003, 73, 1543-1555.	4.3	119
26	Short-term association between sulfur dioxide and daily mortality: The Public Health and Air Pollution in Asia (PAPA) study. Environmental Research, 2010, 110, 258-264.	7.5	117
27	A pilot double-blind randomised placebo-controlled trial of the effects of fixed-dose combination therapy (â€~polypill') on cardiovascular risk factors. International Journal of Clinical Practice, 2010, 64, 1220-1227.	1.7	113
28	The Effects of Air Pollution on Mortality in Socially Deprived Urban Areas in Hong Kong, China. Environmental Health Perspectives, 2008, 116, 1189-1194.	6.0	112
29	Incidence of cardiovascular diseases in an Iranian population: the Isfahan Cohort Study. Archives of Iranian Medicine, 2013, 16, 138-44.	0.6	111
30	Deleterious Impact of "High Normal―Glucose Levels and Other Metabolic Syndrome Components on Arterial Endothelial Function and Intima-Media Thickness in Apparently Healthy Chinese Subjects: The CATHAY Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 739-743.	2.4	103
31	Urinary epinephrine and norepinephrine interrelations with obesity, insulin, and the metabolic syndrome in Hong Kong Chinese. Metabolism: Clinical and Experimental, 2001, 50, 135-143.	3.4	102
32	Health-related physical fitness and weight status in Hong Kong adolescents. BMC Public Health, 2010, 10, 88.	2.9	101
33	Development of Diabetes in Chinese With the Metabolic Syndrome: A 6-year prospective study. Diabetes Care, 2007, 30, 1430-1436.	8.6	99
34	Renin-Angiotensin System Gene Polymorphisms, Blood Pressure,Dyslipidemia, and Diabetes in Hong Kong Chinese. Diabetes Care, 2001, 24, 356-361.	8.6	96
35	Vitamin D Levels Predict All-Cause and Cardiovascular Disease Mortality in Subjects With the Metabolic Syndrome. Diabetes Care, 2012, 35, 1158-1164.	8.6	94
36	Genome-wide association study in a Chinese population identifies a susceptibility locus for type 2 diabetes at 7q32 near PAX4. Diabetologia, 2013, 56, 1291-1305.	6.3	94

#	Article	IF	CITATIONS
37	Effects of Tai Chi and resistance training on cardiovascular risk factors in elderly Chinese subjects: a 12-month longitudinal, randomized, controlled intervention study. Clinical Endocrinology, 2005, 63, 663-669.	2.4	93
38	Impact of Obesity and Body Fat Distribution on Cardiovascular Risk Factors in Hong Kong Chinese. Obesity, 2004, 12, 1805-1813.	4.0	90
39	Weight management and current options in pharmacotherapy: Orlistat and sibutramine. Clinical Therapeutics, 2003, 25, 58-80.	2.5	88
40	Napping Is Associated with Increased Risk of Type 2 Diabetes: The Guangzhou Biobank Cohort Study. Sleep, 2010, 33, 402-407.	1.1	88
41	Generalized Anxiety Disorder Is Associated with Metabolic Syndrome in the Vietnam Experience Study. Biological Psychiatry, 2009, 66, 91-93.	1.3	87
42	Airflow obstruction and metabolic syndrome: the Guangzhou Biobank Cohort Study. European Respiratory Journal, 2010, 35, 317-323.	6.7	86
43	Egg consumption and the risk of cardiovascular disease and all-cause mortality: Guangzhou Biobank Cohort Study and meta-analyses. European Journal of Nutrition, 2019, 58, 785-796.	3.9	86
44	Modification by Influenza on Health Effects of Air Pollution in Hong Kong. Environmental Health Perspectives, 2009, 117, 248-253.	6.0	84
45	Comprehensive smoke-free legislation and displacement of smoking into the homes of young children in Hong Kong. Tobacco Control, 2010, 19, 129-133.	3.2	84
46	Self-Reported Long Total Sleep Duration Is Associated With Metabolic Syndrome. Diabetes Care, 2011, 34, 2317-2319.	8.6	83
47	APOA5 -1131T>C polymorphism is associated with triglyceride levels in Chinese men. Clinical Genetics, 2003, 63, 377-379.	2.0	82
48	Metabolic syndrome increases all-cause and vascular mortality: the Hong Kong Cardiovascular Risk Factor Study. Clinical Endocrinology, 2007, 66, 666-671.	2.4	78
49	Exploring the complex pathways among specific types of technology, self-reported sleep duration and body mass index in UK adolescents. International Journal of Obesity, 2013, 37, 1254-1260.	3.4	78
50	Lower limb amputation in England: prevalence, regional variation and relationship with revascularisation, deprivation and risk factors. A retrospective review of hospital data. Journal of the Royal Society of Medicine, 2014, 107, 483-489.	2.0	77
51	Which leukocyte subsets predict cardiovascular mortality? From the LUdwigshafen RIsk and Cardiovascular Health (LURIC) Study. Atherosclerosis, 2012, 224, 161-169.	0.8	76
52	Thyroid replacement therapy, thyroid stimulating hormone concentrations, and long term health outcomes in patients with hypothyroidism: longitudinal study. BMJ: British Medical Journal, 2019, 366, l4892.	2.3	76
53	The Trp64Arg polymorphism of the β3-adrenergic receptor gene and obesity in Chinese subjects with components of the metabolic syndrome. International Journal of Obesity, 2000, 24, 545-551.	3.4	73
54	Long-term improvement in homocysteine levels and arterial endothelial function after 1-year folic acid supplementation. American Journal of Medicine, 2002, 112, 535-539.	1.5	73

#	Article	IF	CITATIONS
55	Lessons from the Severe Acute Respiratory Syndrome Outbreak in Hong Kong. Emerging Infectious Diseases, 2003, 9, 1042-1045.	4.3	73
56	Modulation of Blood Pressure and Obesity With the Dopamine D2 Receptor Gene Taq I Polymorphism. Hypertension, 2000, 36, 177-182.	2.7	67
57	Parity and the metabolic syndrome in older Chinese women: the Guangzhou Biobank Cohort Study. Clinical Endocrinology, 2006, 65, 460-469.	2.4	65
58	All-Cause Mortality in Patients With Diabetes Under Treatment With Dapagliflozin: A Population-Based, Open-Cohort Study in The Health Improvement Network Database. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1719-1725.	3.6	65
59	Risk of Incident Obstructive Sleep Apnea Among Patients With Type 2 Diabetes. Diabetes Care, 2019, 42, 954-963.	8.6	63
60	Two-stage genome-wide association study identifies variants in CAMSAP1L1 as susceptibility loci for epilepsy in Chinese. Human Molecular Genetics, 2012, 21, 1184-1189.	2.9	62
61	Mortality associated with passive smoking in Hong Kong. BMJ: British Medical Journal, 2005, 330, 287-288.	2.3	61
62	Innate and adaptive cellular immunity in flavivirus-naÃ ⁻ ve human recipients of a live-attenuated dengue serotype 3 vaccine produced in Vero cells (VDV3). Vaccine, 2006, 24, 4914-4926.	3.8	61
63	Components of the metabolic syndrome predictive of its development: a 6â€year longitudinal study in Hong Kong Chinese. Clinical Endocrinology, 2008, 68, 730-737.	2.4	61
64	Tumor necrosis factor alpha gene G-308A polymorphism in the metabolic syndrome. Metabolism: Clinical and Experimental, 2000, 49, 1021-1024.	3.4	60
65	The prevalence of major lower limb amputation in the diabetic and non-diabetic population of England 2003–2013. Diabetes and Vascular Disease Research, 2016, 13, 348-353.	2.0	60
66	Protective effects of trilinolein extracted from panax notoginseng against cardiovascular disease. Acta Pharmacologica Sinica, 2002, 23, 1157-62.	6.1	60
67	The complexity of obesity in <scp>UK</scp> adolescents: relationships with quantity and type of technology, sleep duration and quality, academic performance and aspiration. Pediatric Obesity, 2013, 8, 358-366.	2.8	58
68	Early policy actions and emergency response to the COVID-19 pandemic in Mongolia: experiences and challenges. The Lancet Global Health, 2020, 8, e1234-e1241.	6.3	57
69	Mobile Health (mHealth) technology for improved screening, patient involvement and optimising integrated care in atrial fibrillation: The mAFA (mAFâ€App) II randomised trial. International Journal of Clinical Practice, 2019, 73, e13352.	1.7	56
70	Effect of obstructive sleep apnoea on diabetic retinopathy and maculopathy: a systematic review and metaâ€analysis. Diabetic Medicine, 2016, 33, 158-168.	2.3	55
71	Smoking and sleep disorders in Chinese adolescents. Sleep Medicine, 2010, 11, 268-273.	1.6	54
72	Smoking, smoking cessation and inflammatory markers in older Chinese men: The Guangzhou Biobank Cohort Study. Atherosclerosis, 2009, 203, 304-310.	0.8	53

#	Article	IF	CITATIONS
73	The Complex Associations Among Sleep Quality, Anxiety-Depression, and Quality of Life in Patients with Extreme Obesity. Sleep, 2013, 36, 1859-1865.	1.1	53
74	Sleep Duration and Memory in the Elderly Chinese: Longitudinal Analysis of the Guangzhou Biobank Cohort Study. Sleep, 2014, 37, 1737-1744.	1.1	53
75	Identification of IGF1, SLC4A4, WWOX, and SFMBT1 as Hypertension Susceptibility Genes in Han Chinese with a Genome-Wide Gene-Based Association Study. PLoS ONE, 2012, 7, e32907.	2.5	51
76	Effects of vitamins C and E on oxidative stress markers and endothelial function in patients with systemic lupus erythematosus: a double blind, placebo controlled pilot study. Journal of Rheumatology, 2005, 32, 275-82.	2.0	51
77	Associations between Hemodialysis Facility Practices to Manage Fluid Volume and Intradialytic Hypotension and Patient Outcomes. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 385-393.	4.5	50
78	Increased leisure-time physical activity associated with lower onset of diabetes in 44 828 adults with impaired fasting glucose: a population-based prospective cohort study. British Journal of Sports Medicine, 2019, 53, 895-900.	6.7	49
79	The prevalence of metabolic syndrome and cardiovascular risk factors in adults in southern China. BMC Public Health, 2012, 12, 64.	2.9	48
80	The Association between Adiposity, Mental Well-Being, and Quality of Life in Extreme Obesity. PLoS ONE, 2014, 9, e92859.	2.5	48
81	Obesity and cardiovascular risk factors in Hong Kong Chinese. Obesity Reviews, 2002, 3, 173-182.	6.5	47
82	The Association between Obstructive Sleep Apnea on Diabetic Kidney Disease: A Systematic Review and Meta-Analysis. Sleep, 2016, 39, 301-308.	1.1	47
83	Relationships between the TaqI polymorphism of the dopamine D2 receptor and blood pressure in hyperglycaemic and normoglycaemic Chinese subjects. Clinical Endocrinology, 2001, 55, 605-611.	2.4	46
84	Paraoxonase 1 gene Q192R polymorphism affects stroke and myocardial infarction risk. Clinical Biochemistry, 2006, 39, 191-195.	1.9	46
85	White blood cell count and the metabolic syndrome in older Chinese: The Guangzhou Biobank Cohort Study. Atherosclerosis, 2008, 201, 418-424.	0.8	46
86	Association Between Raised Blood Pressure and Dysglycemia in Hong Kong Chinese. Diabetes Care, 2008, 31, 1889-1891.	8.6	46
87	Obstetric factors and different causes of special educational need: retrospective cohort study of 407Å503 schoolchildren. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 297-308.	2.3	46
88	Improving the Prescription of Oral Anticoagulants in Atrial Fibrillation: A Systematic Review. Thrombosis and Haemostasis, 2019, 119, 294-307.	3.4	46
89	Physical Activity and Blood Pressure in Primary School Children. Hypertension, 2013, 61, 70-75.	2.7	45
90	Evidence of a synergistic association between heart rate, inflammation, and cardiovascular mortality in patients undergoing coronary angiography. European Heart Journal, 2013, 34, 932-941.	2.2	45

#	Article	IF	CITATIONS
91	Obstructive Sleep Apnea, a Risk Factor for Cardiovascular and Microvascular Disease in Patients With Type 2 Diabetes: Findings From a Population-Based Cohort Study. Diabetes Care, 2020, 43, 1868-1877.	8.6	45
92	Habitual physical activity, renal function and chronic kidney disease: a cohort study of nearly 200 000 adults. British Journal of Sports Medicine, 2020, 54, 1225-1230.	6.7	45
93	Rimonabant for the Treatment of Obesity. Recent Patents on Cardiovascular Drug Discovery, 2008, 3, 187-193.	1.5	44
94	Study of the Effects of Total Flavonoids of Astragalus on Atherosclerosis Formation and Potential Mechanisms. Oxidative Medicine and Cellular Longevity, 2012, 2012, 1-10.	4.0	44
95	Type 1 diabetes mellitus and risk of incident epilepsy: a population-based, open-cohort study. Diabetologia, 2017, 60, 258-261.	6.3	44
96	Health Promotion in Older Chinese. Medicine and Science in Sports and Exercise, 2012, 44, 1157-1166.	0.4	43
97	Neuroticism, cognitive ability, and the metabolic syndrome: The Vietnam Experience Study. Journal of Psychosomatic Research, 2010, 69, 193-201.	2.6	42
98	Serum testosterone, sex hormoneâ€binding globulin and sexâ€specific risk of incident type 2 diabetes in a retrospective primary care cohort. Clinical Endocrinology, 2019, 90, 145-154.	2.4	42
99	Obesity, independent of insulin resistance, is a major determinant of blood pressure in normoglycemic Hong Kong Chinese. Metabolism: Clinical and Experimental, 2000, 49, 1523-1528.	3.4	41
100	Neighbourhood food environment and dietary intakes in adolescents: Sex and perceived family affluence as moderators. Pediatric Obesity, 2010, 5, 420-427.	3.2	41
101	Associations of polymorphisms in the apolipoprotein A1/C3/A4/A5 gene cluster with familial combined hyperlipidaemia in Hong Kong Chinese. Atherosclerosis, 2010, 208, 427-432.	0.8	40
102	Middle Cerebral Artery Stenosis in Type II Diabetic Chinese Patients Is Associated with Conventional Risk Factors but Not with Polymorphisms of the Renin-Angiotensin System Genes. Cerebrovascular Diseases, 2003, 16, 217-223.	1.7	39
103	Height, Its Components, and Cardiovascular Risk Among Older Chinese: A Cross-Sectional Analysis of the Guangzhou Biobank Cohort Study. American Journal of Public Health, 2007, 97, 1834-1841.	2.7	39
104	Overall obesity is leveling-off while abdominal obesity continues to rise in a Chinese population experiencing rapid economic development: analysis of serial cross-sectional health survey data 2002–2010. International Journal of Obesity, 2015, 39, 288-294.	3.4	39
105	Nonsteroidal Antiinflammatory Drugs and Susceptibility to COVIDâ€19. Arthritis and Rheumatology, 2021, 73, 731-739.	5.6	39
106	Spousal Concordance of Metabolic Syndrome in 3141 Korean Couples: A Nationwide Survey. Annals of Epidemiology, 2006, 16, 292-298.	1.9	38
107	Snoring and Vascular Risk Factors and Disease in a Low-Risk Chinese Population: The Guangzhou Biobank Cohort Study. Sleep, 2006, 29, 896-900.	1.1	37
108	Uric acid levels, even in the normal range, are associated with increased cardiovascular risk: The Guangzhou Biobank Cohort Study. International Journal of Cardiology, 2013, 168, 2238-2241.	1.7	37

#	Article	IF	CITATIONS
109	Physical Activity, Adiposity, and Diabetes Risk in Middle-Aged and Older Chinese Population: The Guangzhou Biobank Cohort Study. Diabetes Care, 2010, 33, 2342-2348.	8.6	36
110	A Systematic Review of Lifestyle Modification and Glucose Intolerance in the Prevention of Type 2 Diabetes. Current Diabetes Reviews, 2010, 6, 378-387.	1.3	35
111	Impact of impaired fasting glucose and impaired glucose tolerance on arterial stiffness in an older Chinese population: the Guangzhou Biobank Cohort Study–CVD. Metabolism: Clinical and Experimental, 2010, 59, 367-372.	3.4	35
112	RENIN-ANGIOTENSIN-ALDOSTERONE SYSTEM GENE POLYMORPHISMS AND HYPERTENSION IN HONG KONG CHINESE. Clinical and Experimental Hypertension, 2000, 22, 87-97.	1.3	34
113	An affected pedigree member analysis of linkage between the dopamine D2 receptor gene Taql polymorphism and obesity and hypertension. International Journal of Cardiology, 2005, 102, 111-116.	1.7	34
114	Breastfeeding practice, oral contraceptive use and risk of rheumatoid arthritis among Chinese women: the Guangzhou Biobank Cohort Study. Rheumatology, 2014, 53, 860-866.	1.9	34
115	Sodiumâ€glucose coâ€transporterâ€2 inhibitors and susceptibility to <scp>COVID</scp> â€19: A populationâ€based retrospective cohort study. Diabetes, Obesity and Metabolism, 2021, 23, 263-269.	4.4	34
116	Peripheral vascular disease in Type 2 diabetic Chinese patients: associations with metabolic indices, concomitant vascular disease and genetic factors. Diabetic Medicine, 2003, 20, 988-995.	2.3	33
117	Interleukinâ€6 Receptor Gene Polymorphism Modulates Interleukinâ€6 Levels and the Metabolic Syndrome: GBCSâ€CVD. Obesity, 2010, 18, 1969-1974.	3.0	33
118	Smoking cessation and carotid atherosclerosis: the Guangzhou Biobank Cohort StudyCVD. Journal of Epidemiology and Community Health, 2010, 64, 1004-1009.	3.7	33
119	Clinically meaningful and lasting HbA1c improvement rarely occurs after 5Âyears of type 1 diabetes: an argument for early, targeted and aggressive intervention following diagnosis. Diabetologia, 2018, 61, 1064-1070.	6.3	33
120	Initiation of dapagliflozin and treatmentâ€emergent fractures. Diabetes, Obesity and Metabolism, 2018, 20, 1070-1074.	4.4	33
121	The Effects of Dietary Intervention on HIV Dyslipidaemia: A Systematic Review and Meta-Analysis. PLoS ONE, 2012, 7, e38121.	2.5	33
122	The lipoprotein lipase gene HindIII polymorphism is associated with lipid levels in early-onset type 2 diabetic patients. Metabolism: Clinical and Experimental, 2003, 52, 338-343.	3.4	32
123	The Role of Angiotensin II Type 1 Receptor Antagonists in Elderly Patients with Hypertension. Drugs and Aging, 2006, 23, 131-155.	2.7	32
124	Linkage of angiotensinogen gene polymorphisms with hypertension in a sibling study of Hong Kong Chinese. Journal of Hypertension, 2010, 28, 1203-1209.	0.5	32
125	Family structure, parent-child conversation time and substance use among Chinese adolescents. BMC Public Health, 2010, 10, 503.	2.9	31
126	Sleep quality and cognitive impairment in older Chinese: Guangzhou Biobank Cohort Study. Age and Ageing, 2020, 49, 119-124.	1.6	31

#	Article	IF	CITATIONS
127	Associations of apolipoprotein E exon 4 and lipoprotein lipase S447X polymorphisms with acute ischemic stroke and myocardial infarction. Clinical Chemistry and Laboratory Medicine, 2006, 44, 274-81.	2.3	30
128	Is leg length a biomarker of childhood conditions in older Chinese women? The Guangzhou Biobank Cohort Study. Journal of Epidemiology and Community Health, 2008, 62, 160-166.	3.7	30
129	An overview of the Guangzhou Biobank Cohort Study–Cardiovascular Disease Subcohort (GBCS-CVD): a platform for multidisciplinary collaboration. Journal of Human Hypertension, 2010, 24, 139-150.	2.2	30
130	Dose-Response Relation Between Physical Activity and Cognitive Function: Guangzhou Biobank Cohort Study. Annals of Epidemiology, 2011, 21, 857-863.	1.9	30
131	Association of a genetic variant in the apolipoprotein A5 gene with the metabolic syndrome in Chinese. Clinical Endocrinology, 2011, 74, 206-213.	2.4	30
132	Association of Vitamin D Levels with Type 2 Diabetes in Older Working Adults. International Journal of Medical Sciences, 2015, 12, 362-368.	2.5	30
133	Air quality assessment in three East African cities using calibrated low-cost sensors with a focus on road-based hotspots. Environmental Research Communications, 2021, 3, 075007.	2.3	30
134	The Impact of Hypoxemia on Nephropathy in Extremely Obese Patients with Type 2 Diabetes Mellitus. Journal of Clinical Sleep Medicine, 2014, 10, 773-778.	2.6	30
135	Association of the metabolic syndrome with vascular disease in an older Chinese population: Guangzhou Biobank Cohort Study. Journal of Endocrinological Investigation, 2006, 29, 989-996.	3.3	29
136	Impact of Severe Acute Respiratory Syndrome (SARS) on Travel and Population Mobility: Implications for Travel Medicine Practitioners. Journal of Travel Medicine, 2004, 11, 107-111.	3.0	29
137	Increasing Severity of Cardiovascular Risk Factors With Increasing Middle Cerebral Artery Stenotic Involvement in Type 2 Diabetic Chinese Patients With Asymptomatic Cerebrovascular Disease. Diabetes Care, 2004, 27, 1121-1126.	8.6	28
138	Smoking, smoking cessation and aortic arch calcification in older Chinese: The Guangzhou Biobank Cohort Study. Atherosclerosis, 2009, 202, 529-534.	0.8	27
139	A single nucleotide polymorphism in APOA5 determines triglyceride levels in Hong Kong and Guangzhou Chinese. European Journal of Human Genetics, 2010, 18, 1255-1260.	2.8	27
140	Impact of metabolic syndrome on ischemic heart disease – A prospective cohort study in an Iranian adult population: Isfahan cohort study. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 434-441.	2.6	27
141	Diabetes and Pre-Diabetes as Determined by Glycated Haemoglobin A1c and Glucose Levels in a Developing Southern Chinese Population. PLoS ONE, 2012, 7, e37260.	2.5	27
142	The Effect of Biliopancreatic Diversion Surgery on Renal Function—a Retrospective Study. Obesity Surgery, 2013, 23, 634-637.	2.1	27
143	Association of adiposity with pulmonary function in older Chinese: Guangzhou Biobank Cohort Study. Respiratory Medicine, 2017, 132, 102-108.	2.9	27
144	Hypoglycaemia is associated with increased risk of fractures in patients with type 2 diabetes mellitus: a cohort study. European Journal of Endocrinology, 2019, 180, 51-58.	3.7	27

#	Article	IF	CITATIONS
145	The Effects of Implementing a Mobile Health–Technology Supported Pathway on Atrial Fibrillation–Related Adverse Events Among Patients With Multimorbidity. JAMA Network Open, 2021, 4, e2140071.	5.9	27
146	An insulin receptor gene polymorphism is associated with diastolic blood pressure in Chinese subjects with components of the metabolic syndrome. American Journal of Hypertension, 2000, 13, 745-752.	2.0	26
147	Is sleep duration associated with obesity—Where do U stand?. Sleep Medicine Reviews, 2008, 12, 299-302.	8.5	26
148	Relationship of Plasma Interleukin-6 and Its Genetic Variants With Hypertension in Hong Kong Chinese. American Journal of Hypertension, 2011, 24, 1331-1337.	2.0	26
149	Past dust and GAS/FUME exposure and COPD in Chinese: The Guangzhou Biobank Cohort Study. Respiratory Medicine, 2012, 106, 1421-1428.	2.9	26
150	Polypill for the prevention of cardiovascular disease (PolyIran): study design and rationale for a pragmatic cluster randomized controlled trial. European Journal of Preventive Cardiology, 2015, 22, 1609-1617.	1.8	26
151	All-cause mortality in patients with diabetes under glucagon-like peptide-1 agonists: A population-based, open cohort study. Diabetes and Metabolism, 2017, 43, 211-216.	2.9	26
152	The impact of air pollutants on ambulance dispatches: A systematic review and meta-analysis of acute effects. Environmental Pollution, 2019, 254, 112769.	7.5	26
153	Endothelial function in patients with atrial fibrillation. Annals of Medicine, 2020, 52, 1-11.	3.8	26
154	A Genome-Wide Linkage and Association Scan Reveals Novel Loci for Hypertension and Blood Pressure Traits. PLoS ONE, 2012, 7, e31489.	2.5	26
155	Patients with systemic lupus erythematosus show increased platelet activation and endothelial dysfunction induced by acute hyperhomocysteinemia. Journal of Rheumatology, 2003, 30, 1479-84.	2.0	26
156	Air pollutants and health outcomes: Assessment of confounding by influenza. Atmospheric Environment, 2010, 44, 1437-1442.	4.1	25
157	Correlation of Large Artery Intracranial Occlusive Disease With Carotid Intima-Media Thickness and Presence of Carotid Plaque. Stroke, 2013, 44, 68-72.	2.0	25
158	Brachialâ€ankle pulse wave velocity and cardiovascular risk factors in the nonâ€diabetic and newly diagnosed diabetic Chinese: Guangzhou Biobank Cohort Study VD. Diabetes/Metabolism Research and Reviews, 2010, 26, 133-139.	4.0	24
159	Mendelian randomization estimates of alanine aminotransferase with cardiovascular disease: Guangzhou Biobank Cohort study. Human Molecular Genetics, 2017, 26, ddw396.	2.9	24
160	White blood cell count and all-cause and cause-specific mortality in the Guangzhou biobank cohort study. BMC Public Health, 2018, 18, 1232.	2.9	24
161	Incidence of Cardiometabolic Diseases in People With and Without Human Immunodeficiency Virus in the United Kingdom: A Population-Based Matched Cohort Study. Journal of Infectious Diseases, 2022, 225, 1348-1356.	4.0	24
162	The risk of mental illness in people living with HIV in the UK: a propensity score-matched cohort study. Lancet HIV,the, 2022, 9, e172-e181.	4.7	24

#	Article	IF	CITATIONS
163	Albuminuria is a marker of increasing intracranial and extracranial vascular involvement in Type 2 diabetic Chinese patients. Diabetologia, 2004, 47, 1528-1534.	6.3	23
164	c-Reactive protein and the metabolic syndrome in older Chinese: Guangzhou Biobank Cohort Study. Atherosclerosis, 2007, 194, 483-489.	0.8	23
165	Fish Consumption and Mortality in Hong Kong Chinese—the LIMOR Study. Annals of Epidemiology, 2011, 21, 164-169.	1.9	23
166	Arterial stiffness and left-ventricular diastolic dysfunction: Guangzhou Biobank Cohort Study-CVD. Journal of Human Hypertension, 2011, 25, 152-158.	2.2	23
167	A Review of Dietary Influences on Cardiovascular Health: Part 2: Dietary Patterns. Cardiovascular & Hematological Disorders Drug Targets, 2014, 14, 50-63.	0.7	23
168	Association of Metformin with Susceptibility to COVID-19 in People with Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 1255-1268.	3.6	23
169	Vitamin D Receptor Gene Polymorphisms and Bone Mineral Density in Elderly Chinese Men and Women in Hong Kong. Osteoporosis International, 1999, 10, 226-230.	3.1	22
170	Methylenetetrahydrofolate reductase gene A222V polymorphism and risk of ischemic stroke. Clinical Chemistry and Laboratory Medicine, 2004, 42, 1370-6.	2.3	22
171	Atrial fibrillation in low- and middle-income countries: a narrative review. European Heart Journal Supplements, 2020, 22, O61-O77.	0.1	22
172	A Sibling-Pair Analysis of Fasting Lipids and Anthropometric Measurements and Their Relationship to Hypertension. Clinical and Experimental Hypertension, 1999, 21, 1161-1176.	1.3	21
173	Coronary Artery Disease and Coronary Risk Factors: The South Asian Paradox. Journal of Nutritional and Environmental Medicine, 2001, 11, 43-51.	0.1	21
174	Influence of Resting Heart Rate on Mortality in Patients Undergoing Coronary Angiography (from the) Tj ETQqO 110, 515-520.	0 0 rgBT /0 1.6	Overlock 10 T [.] 21
175	Association Between Metabolic Syndrome and Carotid Atherosclerosis: A Community-Based Study in Hong Kong. Metabolic Syndrome and Related Disorders, 2013, 11, 109-114.	1.3	21
176	Ethnic differences in lower limb revascularisation and amputation rates. Implications for the aetiopathology of atherosclerosis?. Atherosclerosis, 2014, 233, 503-507.	0.8	21
177	Investigating the Association between Wood and Charcoal Domestic Cooking, Respiratory Symptoms and Acute Respiratory Infections among Children Aged Under 5 Years in Uganda: A Cross-Sectional Analysis of the 2016 Demographic and Health Survey. International Journal of Environmental Research and Public Health. 2020, 17, 3974.	2.6	21
178	Obesity Without Metabolic Abnormality and Incident CKD: A Population-Based British Cohort Study. American Journal of Kidney Diseases, 2022, 79, 24-35.e1.	1.9	21
179	Is Height Associated With Cardiovascular Risk in Chinese Adults?. Epidemiology, 2007, 18, 274-278.	2.7	20
180	Smoking without exception adversely affects vascular structure and function in apparently healthy Chinese: Implications in global atherosclerosis prevention. International Journal of Cardiology, 2008, 128, 172-177.	1.7	20

#	Article	IF	CITATIONS
181	Middle Cerebral Artery Stenosis Increased the Risk of Vascular Disease Mortality among Type 2 Diabetic Patients. Cerebrovascular Diseases, 2008, 25, 261-267.	1.7	20
182	Age-dependent and -independent associations between depression, anxiety, DHEAS, and cortisol: From the MIPH Industrial Cohort Studies (MICS). Psychoneuroendocrinology, 2012, 37, 929-936.	2.7	20
183	Anthropometric indices predicting incident type 2 diabetes in an Iranian population: The Isfahan Cohort Study. Diabetes and Metabolism, 2013, 39, 424-431.	2.9	20
184	Cognitive Function Declines Significantly during Haemodialysis in a Majority of Patients: A Call for Further Research. Blood Purification, 2018, 45, 347-355.	1.8	20
185	A Review of Dietary Influences on Cardiovascular Health: Part 1: the role of Dietary Nutrients. Cardiovascular & Hematological Disorders Drug Targets, 2014, 13, 208-230.	0.7	20
186	Prevention of coronary artery disease: the south Asian paradox. Lancet, The, 2003, 361, 79.	13.7	19
187	Association of two apolipoprotein A-I gene MspI polymorphisms with lipid and blood pressure levels. International Journal of Cardiology, 2005, 102, 309-314.	1.7	19
188	Awareness of Obesity and Diabetes: A Survey of a Subset of British Male Drivers. American Journal of Men's Health, 2011, 5, 30-37.	1.6	19
189	Association of 25â€hydroxyvitamin D with type 2 diabetes among patients undergoing coronary angiography: crossâ€sectional findings from the <scp>LU</scp> dwigshafen <scp>R</scp> isk and <scp>C</scp> ardiovascular <scp>H</scp> ealth (<scp>LURIC</scp>) <scp>S</scp> tudy. Clinical Endocrinology, 2013, 79, 192-198.	2.4	19
190	Description and preliminary results from a structured specialist behavioural weight management group intervention: Specialist Lifestyle Management (SLiM) programme. BMJ Open, 2015, 5, e007217-e007217.	1.9	19
191	Exome-chip association analysis reveals an Asian-specific missense variant in PAX4 associated with type 2 diabetes in Chinese individuals. Diabetologia, 2017, 60, 107-115.	6.3	19
192	Impact of sex-specific body composition on cardiovascular risk factors: the Hong Kong Cardiovascular Risk Factor Study. Metabolism: Clinical and Experimental, 2006, 55, 563-569.	3.4	18
193	Association of vascular risk factors with increasing glycemia even in normoglycemic subjects in an older Chinese population: the Guangzhou Biobank Cohort Study. Metabolism: Clinical and Experimental, 2006, 55, 1035-1041.	3.4	18
194	Identification of factors differentially associated with isolated impaired fasting glucose and isolated post-load impaired glucose tolerance: the Hong Kong Cardiovascular Risk Factor Study. European Journal of Endocrinology, 2006, 155, 623-632.	3.7	18
195	Appropriate Cut-off Values of Waist Circumference to Predict Cardiovascular Outcomes: 7-year Follow-up in an Iranian Population. Internal Medicine, 2012, 51, 139-146.	0.7	18
196	Sex Differences in Epidemiology and Risk Factors of Acute Coronary Syndrome in Chinese Patients with Type 2 Diabetes: A Long-Term Prospective Cohort Study. PLoS ONE, 2015, 10, e0122031.	2.5	18
197	Impact of obesity and metabolic health status in the development of non-alcoholic fatty liver disease (NAFLD): A United Kingdom population-based cohort study using the health improvement network (THIN). BMC Endocrine Disorders, 2020, 20, 96.	2.2	18
198	Effectiveness of interventions to reduce household air pollution from solid biomass fuels and improve maternal and child health outcomes in low- and middle-income countries: a systematic review protocol. Systematic Reviews, 2021, 10, 33.	5.3	18

#	Article	IF	CITATIONS
199	Growth Environment and Sex Differences in Lipids, Body Shape and Diabetes Risk. PLoS ONE, 2007, 2, e1070.	2.5	18
200	Interethnic differences in coronary heart disease mortality in 25 populations: association with the angiotensin-converting enzyme DD genotype frequency. European Journal of Cardiovascular Prevention and Rehabilitation, 1998, 5, 303-307.	1.5	17
201	The Metabolic syndrome is associated with subclinical atherosclerosis independent of insulin resistance: the Guangzhou Biobank Cohort Study VD. Clinical Endocrinology, 2010, 73, 181-188.	2.4	17
202	A polymorphism in transforming growth factor-β1 is associated with carotid plaques and increased carotid intima–media thickness in older Chinese men: The Guangzhou Biobank Cohort Study-Cardiovascular Disease Subcohort. Atherosclerosis, 2011, 214, 391-396.	0.8	17
203	Independent and combined associations of abdominal obesity and seated resting heart rate with type 2 diabetes among older Chinese: the Guangzhou Biobank Cohort Study. Diabetes/Metabolism Research and Reviews, 2011, 27, 298-306.	4.0	17
204	Influence of heart rate at rest for predicting the metabolic syndrome in older Chinese adults. Acta Diabetologica, 2013, 50, 325-331.	2.5	17
205	Adiposity and incident diabetes within 4 years of followâ€up: the Guangzhou Biobank Cohort Study. Diabetic Medicine, 2017, 34, 1400-1406.	2.3	17
206	Non-linear associations of 25-hydroxyvitamin D concentrations with risk of cardiovascular disease and all-cause mortality: Results from The Health Improvement Network (THIN) database. Journal of Steroid Biochemistry and Molecular Biology, 2019, 195, 105480.	2.5	17
207	Heart rate variability in patients with atrial fibrillation and hypertension. European Journal of Clinical Investigation, 2021, 51, e13361.	3.4	17
208	Association of two apolipoprotein Aâ€I gene <i>Msp</i> I polymorphisms with high density lipoprotein (HDL)â€cholesterol levels and indices of obesity in selected healthy Chinese subjects and in patients with earlyâ€onset typeÂ2 diabetes. Clinical Endocrinology, 2003, 59, 442-449.	2.4	16
209	Association of Erectile Dysfunction With Cardiovascular Risk Factors and Increasing Existing Vascular Disease in Male Chinese Type 2 Diabetic Patients. Diabetes Care, 2005, 28, 2051-2053.	8.6	16
210	Hypoxemia and Glycemic Control in Type 2 Diabetes Mellitus With Extreme Obesity. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E1650-E1654.	3.6	16
211	STROBE-Long-Term Exposure to Ambient Fine Particulate Air Pollution and Hospitalization Due to Peptic Ulcers. Medicine (United States), 2016, 95, e3543.	1.0	16
212	Mendelian Randomization Focused Analysis of Vitamin D on the Secondary Prevention of Ischemic Stroke, 2021, 52, 3926-3937.	2.0	16
213	Lymphocyte sub-population cell counts are associated with the metabolic syndrome and its components in the Vietnam Experience Study. Atherosclerosis, 2010, 213, 294-298.	0.8	15
214	Alcohol consumption and electrocardiographic left ventricular hypertrophy and mediation by elevated blood pressure in older Chinese men: The Guangzhou Biobank Cohort Study. Alcohol, 2013, 47, 473-480.	1.7	15
215	Influence of Alzheimer's disease genes on cognitive decline: the Guangzhou Biobank Cohort Study. Neurobiology of Aging, 2014, 35, 2422.e3-2422.e8.	3.1	15
216	The association of pulmonary function with carotid atherosclerosis in older Chinese: Guangzhou Biobank Cohort Study-CVD Subcohort. Atherosclerosis, 2015, 243, 469-476.	0.8	15

#	Article	IF	CITATIONS
217	Randomized, controlled, parallel-group comparison of ambulatory and clinic blood pressure responses to amlodipine or enalapril during and after treatment in adult chinese patients with hypertension. Clinical Therapeutics, 2004, 26, 1292-1304.	2.5	14
218	Diet synergies and mortality—a population-based case–control study of 32 462 Hong Kong Chinese older adults. International Journal of Epidemiology, 2006, 35, 418-426.	1.9	14
219	Familial concordance of metabolic syndrome in Korean population—Korean National Health and Nutrition Examination Survey 2005. Diabetes Research and Clinical Practice, 2011, 93, 430-436.	2.8	14
220	A Survey of Chinese Herbal Medicine Intake Amongst Preoperative Patients in Hong Kong. Anaesthesia and Intensive Care, 2005, 33, 506-513.	0.7	13
221	Alcohol sensitivity, alcohol use and hypertension in an older Chinese population: the Guangzhou Biobank Cohort Study. Hypertension Research, 2009, 32, 741-747.	2.7	13
222	White blood cell subsets are associated with carotid intima-media thickness and pulse wave velocity in an older Chinese population: the Guangzhou Biobank Cohort Study. Journal of Human Hypertension, 2012, 26, 485-492.	2.2	13
223	Hyperglycaemia and Vitamin D: A Systematic Overview. Current Diabetes Reviews, 2012, 8, 18-31.	1.3	13
224	Body size dissatisfaction among young Chinese children in Hong Kong: a cross-sectional study. Public Health Nutrition, 2015, 18, 1067-1074.	2.2	13
225	Clinicians' views and experiences of prescribing oral anticoagulants for stroke prevention in atrial fibrillation: A qualitative meta-synthesis. PLoS ONE, 2020, 15, e0232484.	2.5	13
226	The impact of atrial fibrillation and long-term oral anticoagulant use on all-cause and cardiovascular mortality: A 12-year evaluation of the prospective Brazilian Study of Stroke Mortality and Morbidity. International Journal of Stroke, 2022, 17, 48-58.	5.9	13
227	The Metabolic Syndrome and Vascular Disease in Asia. Cardiovascular & Hematological Disorders Drug Targets, 2007, 7, 79-85.	0.7	13
228	The relation of chronic cardiovascular diseases and diabetes mellitus to perceived health, and the moderating effects of sex and age. Social Science and Medicine, 2007, 65, 1386-1396.	3.8	12
229	The use of waist-to-stature ratio to identify underweight and overweight in adolescents. Pediatric Obesity, 2010, 5, 390-395.	3.2	12
230	The metabolic syndrome adds utility to the prediction of mortality over its components: The Vietnam Experience Study. Atherosclerosis, 2010, 210, 256-261.	0.8	12
231	Exercise and diet in weight management: updating what works. British Journal of Sports Medicine, 2010, 44, 1197-1201.	6.7	12
232	Passive smoking and aortic arch calcification in older Chinese never smokers: The Guangzhou Biobank Cohort Study. International Journal of Cardiology, 2011, 148, 189-193.	1.7	12
233	Mental Health and Asthma in China: the Guangzhou Biobank Cohort Study. International Journal of Behavioral Medicine, 2013, 20, 259-264.	1.7	12
234	A Three-Stage Genome-Wide Association Study Combining Multilocus Test and Gene Expression Analysis for Young-Onset Hypertension in Taiwan Han Chinese. American Journal of Hypertension, 2014, 27, 819-827.	2.0	12

#	Article	IF	CITATIONS
235	Elevated HbA1c levels and the accumulation of differentiated T cells in CMV+ individuals. Diabetologia, 2015, 58, 2596-2605.	6.3	12
236	Effectiveness of interventions to reduce household air pollution from solid biomass fuels and improve maternal and child health outcomes in low―and middleâ€income countries: A systematic review and metaâ€analysis. Indoor Air, 2022, 32, .	4.3	12
237	Renin-Angiotensin System Gene Polymorphisms and Retinopathy in Chinese Patients With Type 2 Diabetes. Diabetes Care, 2003, 26, 1643-1644.	8.6	11
238	High density lipoproteinâ€cholesterol levels increase with age in American women but not in Hong Kong Chinese women. Clinical Endocrinology, 2009, 70, 561-568.	2.4	11
239	Plasminogen activator inhibitor-1 and HbA1c defined prediabetes: the Guangzhou Biobank Cohort Study-CVD. Clinical Endocrinology, 2011, 74, 528-531.	2.4	11
240	Alcohol consumption and aortic arch calcification in an older Chinese sample: The Guangzhou Biobank Cohort Study. International Journal of Cardiology, 2013, 164, 349-354.	1.7	11
241	Long-Term Risk of Cardiovascular Disease among Type 2 Diabetic Patients with Asymptomatic Intracranial Atherosclerosis: A Prospective Cohort Study. PLoS ONE, 2014, 9, e106623.	2.5	11
242	Systematic review and meta-analysis of hydrocarbon exposure and the risk of Parkinson's disease. Parkinsonism and Related Disorders, 2015, 21, 243-248.	2.2	11
243	Guidelines for Healthy Weight. New England Journal of Medicine, 1999, 341, 2097-2098.	27.0	10
244	The potential impact of sleep duration on lipid biomarkers of cardiovascular disease. Clinical Lipidology, 2012, 7, 443-453.	0.4	10
245	Glycaemia is associated with cognitive impairment in older adults: the Guangzhou Biobank Cohort Study. Age and Ageing, 2015, 44, 65-71.	1.6	10
246	High relative risk of all-cause mortality attributed to smoking in China: Guangzhou Biobank Cohort Study. PLoS ONE, 2018, 13, e0196610.	2.5	10
247	Timing of Cow's Milk or Cow's Milk Formula Introduction to the Infant Diet and Atopic Risk in Children: a Systematic Review and Meta-analysis. Clinical Reviews in Allergy and Immunology, 2020, 59, 46-60.	6.5	10
248	Long term miscarriage-related hypertension and diabetes mellitus. Evidence from a United Kingdom population-based cohort study. PLoS ONE, 2022, 17, e0261769.	2.5	10
249	A new horizon in primary prevention of cardiovascular disease, can we prevent heart attack by "heart polypill"?. Archives of Iranian Medicine, 2008, 11, 306-13.	0.6	10
250	Identification of the intron 14 splicing defect of the cholesteryl ester transfer protein gene in Hong Kong Chinese. Clinical Genetics, 2001, 59, 287-289.	2.0	9
251	Association of Smoking with Increasing Vascular Involvement in Type 2 Diabetic Chinese Patients. Experimental and Clinical Endocrinology and Diabetes, 2006, 114, 301-305.	1.2	9
252	Implications of increased weight and waist circumference on vascular risk in an older Chinese population: The Guangzhou Biobank Cohort Study. Atherosclerosis, 2008, 196, 682-688.	0.8	9

#	Article	IF	CITATIONS
253	The influence of multiple indices of socioeconomic disadvantage across the adult life course on the metabolic syndrome: the Vietnam Experience Study. Metabolism: Clinical and Experimental, 2010, 59, 1164-1171.	3.4	9
254	Atherosclerotic Vascular Disease Rather than Metabolic Syndrome Predicts Ischemic Stroke in Diabetic Patients. Cerebrovascular Diseases, 2010, 30, 374-379.	1.7	9
255	Obesity, high-sensitive C-reactive protein and snoring in older Chinese: The Guangzhou Biobank Cohort Study. Respiratory Medicine, 2010, 104, 1750-1756.	2.9	9
256	Randomised controlled pilot study to assess the feasibility of a Mediterranean Portfolio dietary intervention for cardiovascular risk reduction in HIV dyslipidaemia: a study protocol. BMJ Open, 2016, 6, e010821.	1.9	9
257	Comparison of Respiratory Health Impacts Associated with Wood and Charcoal Biomass Fuels: A Population-Based Analysis of 475,000 Children from 30 Low- and Middle-Income Countries. International Journal of Environmental Research and Public Health, 2021, 18, 9305.	2.6	9
258	Diagnóstico de Fibrilação Atrial na Comunidade Utilizando Eletrocardiograma e Autorrelato: Análise Transversal do ELSA-Brasil. Arquivos Brasileiros De Cardiologia, 2021, 117, 426-434.	0.8	9
259	Using common genetic variants to find drugs for common epilepsies. Brain Communications, 2021, 3, fcab287.	3.3	9
260	The influence of gender and place of residence on cardiovascular diseases and their risk factors. The Isfahan cohort study. Journal of King Abdulaziz University, Islamic Economics, 2012, 33, 533-40.	1.1	9
261	Pharmacokinetic Profile of the Somatostatin Analogue Lanreotide in Individuals with Chronic Hepatic Insufficiency. Clinical Pharmacokinetics, 2006, 45, 1003-1011.	3.5	8
262	Age-related anthropometric remodelling resulting in increased and redistributed adiposity is associated with increases in the prevalence of cardiovascular risk factors in Chinese subjects. Diabetes/Metabolism Research and Reviews, 2006, 22, 72-78.	4.0	8
263	Aortic Arch Calcification and Vascular Disease: The Guangzhou Biobank Cohort Study. Cardiology, 2010, 117, 260-264.	1.4	8
264	Evaluation of 9 biomarkers for predicting 10-year cardiovascular risk in patients undergoing coronary angiography: Findings from the LUdwigshafen RIsk and Cardiovascular Health (LURIC) study. International Journal of Cardiology, 2013, 168, 2609-2615.	1.7	8
265	Relationship between pulmonary function and peripheral vascular function in older Chinese: Guangzhou biobank cohort study-CVD. BMC Pulmonary Medicine, 2018, 18, 74.	2.0	8
266	Circulating Folate Concentrations and Risk of Peripheral Neuropathy and Mortality: A Retrospective Cohort Study in the U.K. Nutrients, 2019, 11, 2443.	4.1	8
267	Adiposity change and mortality in middle-aged to older Chinese: an 8-year follow-up of the Guangzhou Biobank Cohort Study. BMJ Open, 2020, 10, e039239.	1.9	8
268	Biomass cooking carbon monoxide levels in commercial canteens in Kigali, Rwanda. Archives of Environmental and Occupational Health, 2021, 76, 75-85.	1.4	8
269	Adverse Lifestyle Leads to an Annual Excess of 2 Million Deaths in China. PLoS ONE, 2014, 9, e89650.	2.5	8
270	Increasing insulin resistance contributes to worsening glycaemic and lipid profiles in older Chinese subjects. Diabetes Research and Clinical Practice, 2004, 64, 123-128.	2.8	7

#	Article	IF	CITATIONS
271	The mediating role of inflammation in the association between cigarette smoking and intima-media thickness. Medicine (United States), 2020, 99, e19207.	1.0	7
272	Randomized parallel-group pilot trial (Best foods for your heart) comparing the effects of a Mediterranean Portfolio diet with a low saturated fat diet on HIV dyslipidemia. Clinical Nutrition, 2021, 40, 860-869.	5.0	7
273	Association of the D8S282 marker near the lipoprotein lipase gene locus with systolic blood pressure in healthy Chinese subjects. Journal of Hypertension, 2002, 20, 2199-2204.	0.5	6
274	The effects of candesartan and ramipril on adrenal catecholamine release in anaesthetized dogs. European Journal of Pharmacology, 2004, 489, 67-75.	3.5	6
275	Determinants of normoglycemia and contribution to cardiovascular risk factors in a Chinese population: The Hong Kong Cardiovascular Risk Factor Study. Journal of Endocrinological Investigation, 2006, 29, 528-535.	3.3	6
276	Prevention of Macrovascular Disease in Type 2 Diabetic Patients: Blockade of the Renin-Angiotensin-Aldosterone System. Current Diabetes Reviews, 2008, 4, 63-78.	1.3	6
277	COPD and Depressive Symptoms: Findings from the Guangzhou Biobank Cohort Study. Annals of Behavioral Medicine, 2012, 44, 408-415.	2.9	6
278	A single nucleotide polymorphism of interleukinâ€6 gene is related to plasma adrenomedullin levels. Clinical Endocrinology, 2013, 79, 504-509.	2.4	6
279	Changes in adiposity in an older <scp>C</scp> hinese population in rapid economic transition. Obesity, 2016, 24, 2217-2223.	3.0	6
280	Exposure to secondhand smoke and risk of peripheral arterial disease in southern Chinese non-smokers: The Guangzhou Biobank Cohort Study-Cardiovascular Disease Sub-cohort. Vascular, 2017, 25, 283-289.	0.9	6
281	All-cause and cause-specific mortality from restrictive and obstructive spirometric patterns in Chinese adults with and without dyspnea: Guangzhou Biobank Cohort Study. Respiratory Medicine, 2019, 151, 66-80.	2.9	6
282	Evaluation of the effect of Cooled HaEmodialysis on Cognitive function in patients suffering with end-stage KidnEy Disease (E-CHECKED): feasibility randomised control trial protocol. Trials, 2020, 21, 820.	1.6	6
283	Incident atrial fibrillation in patients with differentiated thyroid cancer: a meta-analysis. Endocrine-Related Cancer, 2021, 28, 325-335.	3.1	6
284	Higher total white blood cell and neutrophil counts are associated with an increased risk of fatal stroke occurrence: the Guangzhou biobank cohort study. BMC Neurology, 2021, 21, 470.	1.8	6
285	Mendelian randomization analysis of vitamin D in the secondary prevention of hypertensive-diabetic subjects: role of facilitating blood pressure control. Genes and Nutrition, 2022, 17, 1.	2.5	6
286	Association of Hand Grip Strength with Mild Cognitive Impairment in Middle-Aged and Older People in Guangzhou Biobank Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 6464.	2.6	6
287	Prevalence of obesity amongst Chinese populations revisited. Future Lipidology, 2008, 3, 139-152.	0.5	5
288	A genetic variant in the gene encoding fibrinogen beta chain predicted development of hypertension in Chinese men. Thrombosis and Haemostasis, 2010, 103, 728-735.	3.4	5

#	Article	IF	CITATIONS
289	Lipid disorders in Chinese populations. Clinical Lipidology, 2011, 6, 549-562.	0.4	5
290	Socioeconomic status and incident cardiovascular disease in a developing country: findings from the Isfahan cohort study (ICS). International Journal of Public Health, 2012, 57, 561-568.	2.3	5
291	Effects of Tea Consumption on Renal Function in a Metropolitan Chinese Population: The Guangzhou Biobank Cohort Study. , 2014, 24, 26-31.		5
292	Glycemic Measures and Risk of Mortality in Older Chinese: The Guangzhou Biobank Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e181-e190.	3.6	5
293	Shared genetic basis between genetic generalized epilepsy and background electroencephalographic oscillations. Epilepsia, 2021, 62, 1518-1527.	5.1	5
294	A Cross-Sectional Analysis of the Association between Domestic Cooking Energy Source Type and Respiratory Infections among Children Aged under Five Years: Evidence from Demographic and Household Surveys in 37 Low-Middle Income Countries. International Journal of Environmental Research and Public Health, 2021, 18, 8516.	2.6	5
295	Association of alcohol drinking with incident type 2 diabetes and preâ€diabetes: The Guangzhou Biobank Cohort Study. Diabetes/Metabolism Research and Reviews, 2022, 38, e3548.	4.0	5
296	Relationship Between Physical Activity, Fitness, and CHD Risk Factors in Middle-Age Chinese. Journal of Physical Activity and Health, 2005, 2, 307-323.	2.0	4
297	Usefulness of Physical Fitness and the Metabolic Syndrome to Predict Vascular Disease Risk in Older Chinese (from the Guangzhou Biobank Cohort Study-Cardiovascular Disease Subcohort [GBCS-CVD]). American Journal of Cardiology, 2011, 108, 845-850.	1.6	4
298	Obesity can no longer be solely attributed to energy disparity: sleep also fits the equation. Clinical Practice (London, England), 2014, 11, 247-249.	0.1	4
299	Glycated Hemoglobin, Albuminuria and Surrogate Markers of Macrovascular Disease in Adults Without Diabetes: The Guangzhou Biobank Cohort Study, Cardiovascular Disease Subcohort. Canadian Journal of Diabetes, 2018, 42, 245-250.e1.	0.8	4
300	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. European Heart Journal, 2019, 40, 3005-3007.	2.2	4
301	A greater burden of atrial fibrillation is associated with worse endothelial dysfunction in hypertension. Journal of Human Hypertension, 2021, 35, 667-677.	2.2	4
302	Trends in the pharmacological management of atrial fibrillation in UK general practice 2008–2018. Heart, 2022, 108, 517-522.	2.9	4
303	Overview of Dietary Influences on Atherosclerotic Vascular Disease:Epidemiology and Prevention. Cardiovascular & Hematological Disorders Drug Targets, 2007, 7, 87-97.	0.7	4
304	Prospective randomised trial examining the impact of an educational intervention versus usual care on anticoagulation therapy control based on an SAMe-TT ₂ R ₂ score-guided strategy in anticoagulant-naÃ ⁻ ve Thai patients with atrial fibrillation (TREATS-AF): a study protocol. BMJ Open, 2021, 11, e051987.	1.9	4
305	A systematic review and metaâ€analysis of interventions to preserve insulinâ€secreting beta cell function in people newly diagnosed with type 1 diabetes: results from intervention studies aimed at improving glucose control. Diabetic Medicine, 2021, , e14730.	2.3	4
306	Decreased renal function is associated with incident dementia: An IMRDâ€THIN retrospective cohort study in the UK. Alzheimer's and Dementia, 2022, , .	0.8	4

#	Article	IF	CITATIONS
307	Cooking outdoors or with cleaner fuels does not increase malarial risk in children under 5Âyears: a cross-sectional study of 17 sub-Saharan African countries. Malaria Journal, 2022, 21, 133.	2.3	4
308	Does Smoking Affect Hospital Use Before Death?. Medical Care, 2008, 46, 614-619.	2.4	3
309	An update on the management of nephropathy in type 2 diabetes. Journal of the Chinese Medical Association, 2003, 66, 627-36.	1.4	3
310	Association of household cooking location behaviour with acute respiratory infections among children aged under five years; a cross sectional analysis of 30 Sub-Saharan African Demographic and Health Surveys. Atmospheric Environment, 2022, 276, 119055.	4.1	3
311	Machine learning techniques to improve the field performance of low-cost air quality sensors. Atmospheric Measurement Techniques, 2022, 15, 3261-3278.	3.1	3
312	Public Health and Air Pollution in Asia (PAPA): A Mmulticity Study for Short-Term Effects of Pollution on Mortality. Epidemiology, 2006, 17, S20-S21.	2.7	2
313	Ramadan is not associated with increased infection risk in Pakistani and Bangladeshi populations: Findings from controlled interrupted time series analysis of UK primary care data. PLoS ONE, 2022, 17, e0262530.	2.5	2
314	Relationship between obesity and cardiovascular risk factors in elderly Chinese subjects. Chinese Medical Journal, 2002, 115, 897-9.	2.3	2
315	Low-Carbohydrate Diets and Mortality in Older Asian People: A 15-Year Follow-Up from a Prospective Cohort Study. Nutrients, 2022, 14, 1406.	4.1	2
316	Association between Wood and Other Biomass Fuels and Risk of Low Birthweight in Uganda: A Cross-Sectional Analysis of 2016 Uganda Demographic and Health Survey Data. International Journal of Environmental Research and Public Health, 2022, 19, 4377.	2.6	2
317	Diabetic Foot Risk Classification at the Time of Type 2 Diabetes Diagnosis and Subsequent Risk of Mortality: A Population-Based Cohort Study. Frontiers in Endocrinology, 0, 13, .	3.5	2
318	Non-invasive measurement of cardiac output: Evaluation of new infrared absorption spectrometer. Respiratory Physiology and Neurobiology, 2006, 153, 191-201.	1.6	1
319	Weight loss intervention through lifestyle modification or pharmacotherapy for obstructive sleep apnoea in adults. The Cochrane Library, 0, , .	2.8	1
320	Discriminatory performance of adiponectin and leptin in the identification of impaired glucose tolerance: The Guangzhou Biobank Cohort Study - Cardiovascular Disease Subcohort. PLoS ONE, 2018, 13, e0206964.	2.5	1
321	Development and validation of a prediction model for airflow obstruction in older Chinese: Guangzhou Biobank Cohort Study. Respiratory Medicine, 2020, 173, 106158.	2.9	1
322	Mental health needs of adolescents with HIV in Africa $\hat{a} \in$ '' Authors' reply. Lancet HIV,the, 2022, 9, e376-e377.	4.7	1
323	We-P11:151 Leptin does not modulate the relationship between blood pressure and obesity in Chinese siblings with a family history of hypertension. Atherosclerosis Supplements, 2006, 7, 379.	1.2	Ο
324	P1-118 Childhood growth and adulthood cognition in a rapidly developing Southern Chinese population: the Guangzhou Cohort Biobank Project Study. Early Human Development, 2007, 83, S116.	1.8	0

#	Article	IF	CITATIONS
325	Longitudinal studies are required. Journal of the Royal Society of Medicine, 2015, 108, 210-210.	2.0	0
326	LIFELONG BURDEN OF VITAMIN D DEFICIENCY INCREASES CLINICAL CARDIAC EVENTS AND DEATH UNRAVELED BY AN EXOME CHIP-DERIVED MULTI-LOCI GENETIC RISK SCORE: A MENDELIAN-RANDOMIZED STUDY. Journal of the American College of Cardiology, 2017, 69, 1657.	2.8	0
327	Reply. Journal of the American College of Cardiology, 2018, 71, 816-817.	2.8	0
328	wEight chanGes, caRdio-mEtabolic risks and morTality in patients with hyperthyroidism (EGRET): a protocol for a CPRD–HES linked cohort study. BMJ Open, 2021, 11, e055219.	1.9	0
329	PHYSICAL ACTIVITY, FITNESS AND CARDIOVASCULAR RISK FACTORS IN MIDDLE-AGE CHINESE WOMEN. Medicine and Science in Sports and Exercise, 2002, 34, S122.	0.4	0
330	701 Blood folate levels and subclinical atherosclerosis in Chinese inside and outside China: a report from CATHAY study. European Heart Journal, 2003, 24, 121.	2.2	0
331	P1173 Associations between urinary kallikrein, renin-angiotensin-aldosterone system components, electrolyte homeostasis and hypertension in Hong Kong Chinese. European Heart Journal, 2003, 24, 218.	2.2	0
332	CARDIOVASCULAR DISEASE RISK FACTORS IN MIDDLE-AGED HONG KONG CHINESE AND IT??S ASSOCIATION WITH PHYSICAL FITNESS. Medicine and Science in Sports and Exercise, 2003, 35, S71.	0.4	0
333	Comment on Lachin et al. The Beneficial Effects of Earlier Versus Later Implementation of Intensive Therapy in Type 1 Diabetes. Diabetes Care 2021;44:2225–2230. Diabetes Care, 2022, 45, e70-e71.	8.6	0