

Simon R Finfer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3729328/publications.pdf>

Version: 2024-02-01

172
papers

34,061
citations

18436

62
h-index

5101

166
g-index

182
all docs

182
docs citations

182
times ranked

21952
citing authors

#	ARTICLE	IF	CITATIONS
1	Intensive versus Conventional Glucose Control in Critically Ill Patients. <i>New England Journal of Medicine</i> , 2009, 360, 1283-1297.	13.9	6,065
2	Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. <i>Lancet, The</i> , 2020, 395, 200-211.	6.3	3,119
3	A Comparison of Albumin and Saline for Fluid Resuscitation in the Intensive Care Unit. <i>New England Journal of Medicine</i> , 2004, 350, 2247-2256.	13.9	2,670
4	Introduction of the medical emergency team (MET) system: a cluster-randomised controlled trial. <i>Lancet, The</i> , 2005, 365, 2091-2097.	6.3	1,763
5	Hydroxyethyl Starch or Saline for Fluid Resuscitation in Intensive Care. <i>New England Journal of Medicine</i> , 2012, 367, 1901-1911.	13.9	1,460
6	Intensity of Continuous Renal-Replacement Therapy in Critically Ill Patients. <i>New England Journal of Medicine</i> , 2009, 361, 1627-1638.	13.9	1,288
7	Drotrecogin Alfa (Activated) in Adults with Septic Shock. <i>New England Journal of Medicine</i> , 2012, 366, 2055-2064.	13.9	1,112
8	Intensive insulin therapy and mortality among critically ill patients: a meta-analysis including NICE-SUGAR study data. <i>Cmaj</i> , 2009, 180, 821-827.	0.9	927
9	Critical Care Services and 2009 H1N1 Influenza in Australia and New Zealand. <i>New England Journal of Medicine</i> , 2009, 361, 1925-1934.	13.9	920
10	Hypoglycemia and Risk of Death in Critically Ill Patients. <i>New England Journal of Medicine</i> , 2012, 367, 1108-1118.	13.9	827
11	Recognizing Sepsis as a Global Health Priority – A WHO Resolution. <i>New England Journal of Medicine</i> , 2017, 377, 414-417.	13.9	799
12	An observational study fluid balance and patient outcomes in the randomized evaluation of normal vs. augmented level of replacement therapy trial*. <i>Critical Care Medicine</i> , 2012, 40, 1753-1760.	0.4	776
13	Saline or Albumin for Fluid Resuscitation in Patients with Traumatic Brain Injury. <i>New England Journal of Medicine</i> , 2007, 357, 874-884.	13.9	759
14	Respiratory rate: the neglected vital sign. <i>Medical Journal of Australia</i> , 2008, 188, 657-659.	0.8	707
15	Adjunctive Glucocorticoid Therapy in Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2018, 378, 797-808.	13.9	661
16	Sedation and Delirium in the Intensive Care Unit. <i>New England Journal of Medicine</i> , 2014, 370, 444-454.	13.9	482
17	Early Parenteral Nutrition in Critically Ill Patients With Short-term Relative Contraindications to Early Enteral Nutrition. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 2130.	3.8	447
18	Prevalence and Outcomes of Infection Among Patients in Intensive Care Units in 2017. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 1478.	3.8	419

#	ARTICLE	IF	CITATIONS
19	Withdrawal of Mechanical Ventilation in Anticipation of Death in the Intensive Care Unit. <i>New England Journal of Medicine</i> , 2003, 349, 1123-1132.	13.9	400
20	Adult-population incidence of severe sepsis in Australian and New Zealand intensive care units. <i>Intensive Care Medicine</i> , 2004, 30, 589-596.	3.9	392
21	Effect of Evidence-Based Feeding Guidelines on Mortality of Critically Ill Adults. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 2731.	3.8	360
22	Resuscitation fluid use in critically ill adults: an international cross sectional study in 391 intensive care units. <i>Critical Care</i> , 2010, 14, R185.	2.5	337
23	Impact of albumin compared to saline on organ function and mortality of patients with severe sepsis. <i>Intensive Care Medicine</i> , 2011, 37, 86-96.	3.9	325
24	The role of albumin as a resuscitation fluid for patients with sepsis: A systematic review and meta-analysis*. <i>Critical Care Medicine</i> , 2011, 39, 386-391.	0.4	294
25	Clinician predictions of intensive care unit mortality*. <i>Critical Care Medicine</i> , 2004, 32, 1149-1154.	0.4	257
26	The relationship between early emergency team calls and serious adverse events*. <i>Critical Care Medicine</i> , 2009, 37, 148-153.	0.4	228
27	The objective medical emergency team activation criteria: A case-control study. <i>Resuscitation</i> , 2007, 73, 62-72.	1.3	226
28	Long-Term Quality of Life Among Survivors of Severe Sepsis: Analyses of Two International Trials*. <i>Critical Care Medicine</i> , 2016, 44, 1461-1467.	0.4	205
29	Effect of baseline serum albumin concentration on outcome of resuscitation with albumin or saline in patients in intensive care units: analysis of data from the saline versus albumin fluid evaluation (SAFE) study. <i>BMJ: British Medical Journal</i> , 2006, 333, 1044.	2.4	177
30	Early peak temperature and mortality in critically ill patients with or without infection. <i>Intensive Care Medicine</i> , 2012, 38, 437-444.	3.9	173
31	A multicenter, randomized controlled trial comparing early nasojejunal with nasogastric nutrition in critical illness*. <i>Critical Care Medicine</i> , 2012, 40, 2342-2348.	0.4	153
32	Severe traumatic brain injury. <i>Resuscitation</i> , 2001, 48, 77-90.	1.3	152
33	Adjunctive Intermittent Pneumatic Compression for Venous Thromboprophylaxis. <i>New England Journal of Medicine</i> , 2019, 380, 1305-1315.	13.9	149
34	Fluid resuscitation with 6% hydroxyethyl starch (130/0.4 and 130/0.42) in acutely ill patients: systematic review of effects on mortality and treatment with renal replacement therapy. <i>Intensive Care Medicine</i> , 2013, 39, 558-568.	3.9	147
35	Low-dose corticosteroids for adult patients with septic shock: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2018, 44, 1003-1016.	3.9	141
36	Balanced Multielectrolyte Solution versus Saline in Critically Ill Adults. <i>New England Journal of Medicine</i> , 2022, 386, 815-826.	13.9	139

#	ARTICLE	IF	CITATIONS
37	Intravenous fluid therapy in critically ill adults. <i>Nature Reviews Nephrology</i> , 2018, 14, 541-557.	4.1	136
38	Albumin Resuscitation for Traumatic Brain Injury: Is Intracranial Hypertension the Cause of Increased Mortality?. <i>Journal of Neurotrauma</i> , 2013, 30, 512-518.	1.7	131
39	Efficacy and safety of stress ulcer prophylaxis in critically ill patients: a network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2018, 44, 1-11.	3.9	120
40	Intensive versus conventional glucose control in critically ill patients with traumatic brain injury: long-term follow-up of a subgroup of patients from the NICE-SUGAR study. <i>Intensive Care Medicine</i> , 2015, 41, 1037-1047.	3.9	118
41	The impact of introducing medical emergency team system on the documentations of vital signs. <i>Resuscitation</i> , 2009, 80, 35-43.	1.3	117
42	Long-Term Survival and Dialysis Dependency Following Acute Kidney Injury in Intensive Care: Extended Follow-up of a Randomized Controlled Trial. <i>PLoS Medicine</i> , 2014, 11, e1001601.	3.9	117
43	Australasian resuscitation of sepsis evaluation (ARISE): A multi-centre, prospective, inception cohort study. <i>Resuscitation</i> , 2009, 80, 811-818.	1.3	107
44	Early temperature and mortality in critically ill patients with acute neurological diseases: trauma and stroke differ from infection. <i>Intensive Care Medicine</i> , 2015, 41, 823-832.	3.9	106
45	Failure of Anticoagulant Thromboprophylaxis. <i>Critical Care Medicine</i> , 2015, 43, 401-410.	0.4	106
46	Sepsis and septic shock: current approaches to management. <i>Internal Medicine Journal</i> , 2019, 49, 160-170.	0.5	105
47	The Medical Emergency Team System and Not-for-Resuscitation Orders: Results from the MERIT Study. <i>Resuscitation</i> , 2008, 79, 391-397.	1.3	96
48	Understanding and Enhancing Sepsis Survivorship. Priorities for Research and Practice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019, 200, 972-981.	2.5	96
49	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0176292.	1.1	95
50	Design, conduct, analysis and reporting of a multi-national placebo-controlled trial of activated protein C for persistent septic shock. <i>Intensive Care Medicine</i> , 2008, 34, 1935-1947.	3.9	85
51	Fluid Resuscitation with 6% Hydroxyethyl Starch (130/0.4) in Acutely Ill Patients. <i>Anesthesia and Analgesia</i> , 2012, 114, 159-169.	1.1	85
52	Withholding Pantoprazole for Stress Ulcer Prophylaxis in Critically Ill Patients: A Pilot Randomized Clinical Trial and Meta-Analysis*. <i>Critical Care Medicine</i> , 2017, 45, 1121-1129.	0.4	78
53	Glycemic Control in the ICU. <i>Chest</i> , 2011, 140, 212-220.	0.4	75
54	Intensities of Renal Replacement Therapy in Acute Kidney Injury. <i>Clinical Journal of the American Society of Nephrology</i> : CJASN, 2010, 5, 956-963.	2.2	73

#	ARTICLE	IF	CITATIONS
55	Delayed neurological deterioration following resection of arteriovenous malformations of the brain. <i>Journal of Neurosurgery</i> , 1999, 90, 695-701.	0.9	71
56	Risk factors and impact of major bleeding in critically ill patients receiving heparin thromboprophylaxis. <i>Intensive Care Medicine</i> , 2013, 39, 2135-2143.	3.9	71
57	Prophylaxis of Thromboembolism in Critical Care (PROTECT) Trial: a pilot study. <i>Journal of Critical Care</i> , 2005, 20, 364-372.	1.0	70
58	Serious adverse events in academic critical care research. <i>Cmaj</i> , 2008, 178, 1181-1184.	0.9	70
59	Gender Parity in Critical Care Medicine. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 196, 425-429.	2.5	69
60	Continuous glucose control in the ICU: report of a 2013 round table meeting. <i>Critical Care</i> , 2014, 18, 226.	2.5	68
61	The SAFE study. <i>Nihon Yuketsu Gakkai Zasshi = Journal of the Japan Society of Blood Transfusion / Nihon Yuketsu Gakkai</i> , 2006, 52, 19-25.	0.2	68
62	Does severe non-infectious SIRS differ from severe sepsis?. <i>Intensive Care Medicine</i> , 2008, 34, 1654-1661.	3.9	66
63	Balanced Crystalloids versus Saline in Critically Ill Adults – A Systematic Review with Meta-Analysis. , 2022, 1, .		65
64	Appropriateness of red blood cell transfusion in Australasian intensive care practice. <i>Medical Journal of Australia</i> , 2002, 177, 548-551.	0.8	55
65	Corticosteroids in Septic Shock. <i>New England Journal of Medicine</i> , 2008, 358, 188-190.	13.9	54
66	Six subphenotypes in septic shock: Latent class analysis of the PROWESS Shock study. <i>Journal of Critical Care</i> , 2018, 47, 70-79.	1.0	54
67	Management of blood glucose in the critically ill in Australia and New Zealand: a practice survey and inception cohort study. <i>Intensive Care Medicine</i> , 2006, 32, 867-874.	3.9	53
68	Timing and interventions of emergency teams during the MERIT study. <i>Resuscitation</i> , 2010, 81, 25-30.	1.3	53
69	Tight Glycemic Control in Critically Ill Adults. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 963.	3.8	52
70	Pulmonary artery catheters. <i>BMJ: British Medical Journal</i> , 2006, 333, 930-931.	2.4	51
71	Hydroxyethyl starch solutions and patient harm. <i>Lancet, The</i> , 2018, 391, 736.	6.3	51
72	Cost-effectiveness of Dalteparin vs Unfractionated Heparin for the Prevention of Venous Thromboembolism in Critically Ill Patients. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 2135.	3.8	50

#	ARTICLE	IF	CITATIONS
73	The Global Epidemiology of Sepsis. Does It Matter That We Know So Little?. American Journal of Respiratory and Critical Care Medicine, 2016, 193, 228-230.	2.5	48
74	The Surviving Sepsis Campaign: Robust evaluation and high-quality primary research is still needed*. Critical Care Medicine, 2010, 38, 683-684.	0.4	47
75	Women in Intensive Care study: a preliminary assessment of international data on female representation in the ICU physician workforce, leadership and academic positions. Critical Care, 2018, 22, 211.	2.5	47
76	Triggers for emergency team activation: A multicenter assessment. Journal of Critical Care, 2010, 25, 359.e1-359.e7.	1.0	46
77	Clinical research ethics for critically ill patients: A pandemic proposal. Critical Care Medicine, 2010, 38, e138-e142.	0.4	44
78	Calorie intake and patient outcomes in severe acute kidney injury: findings from The Randomized Evaluation of Normal vs. Augmented Level of Replacement Therapy (RENAL) study trial. Critical Care, 2014, 18, R45.	2.5	44
79	Lactate ≥ 2 mmol/L plus qSOFA improves utility over qSOFA alone in emergency department patients presenting with suspected sepsis. EMA - Emergency Medicine Australasia, 2017, 29, 626-634.	0.5	44
80	Bench-to-bedside review: The evaluation of complex interventions in critical care. Critical Care, 2008, 12, 210.	2.5	42
81	Health-related outcomes of critically ill patients with and without sepsis. Intensive Care Medicine, 2018, 44, 1249-1257.	3.9	41
82	Causes of death after fluid bolus resuscitation: new insights from FEAST. BMC Medicine, 2013, 11, 67.	2.3	39
83	Sepsis incidence and mortality are underestimated in Australian intensive care unit administrative data. Medical Journal of Australia, 2018, 209, 255-260.	0.8	39
84	A Systematic Review of Outcome Measures Employed in Aneurysmal Subarachnoid Hemorrhage (aSAH) Clinical Research. Neurocritical Care, 2019, 30, 534-541.	1.2	39
85	Critical Care – An All-Encompassing Specialty. New England Journal of Medicine, 2013, 369, 669-670.	13.9	36
86	World Sepsis Day: a global agenda to target a leading cause of morbidity and mortality. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2020, 319, L518-L522.	1.3	34
87	Renal replacement therapy intensity for acute kidney injury and recovery to dialysis independence: a systematic review and individual patient data meta-analysis. Nephrology Dialysis Transplantation, 2018, 33, 1017-1024.	0.4	32
88	Delayed hemorrhage following resection of an arteriovenous malformation in the brain. Journal of Neurosurgery, 2003, 99, 967-971.	0.9	31
89	Counting Sepsis, an Imprecise but Improving Science. JAMA - Journal of the American Medical Association, 2017, 318, 1228.	3.8	31
90	Early acid-base and blood pressure effects of continuous renal replacement therapy intensity in patients with metabolic acidosis. Intensive Care Medicine, 2013, 39, 429-436.	3.9	28

#	ARTICLE	IF	CITATIONS
91	The detrimental clinical impact of severe angiographic vasospasm may be diminished by maximal medical therapy and intensive endovascular treatment. <i>Journal of NeuroInterventional Surgery</i> , 2015, 7, 881-887.	2.0	28
92	Sepsis 3 from the perspective of clinicians and quality improvement initiatives. <i>Journal of Critical Care</i> , 2017, 40, 315-317.	1.0	28
93	Hydroxyethyl starch versus saline for resuscitation of patients in intensive care: long-term outcomes and cost-effectiveness analysis of a cohort from CHEST. <i>Lancet Respiratory Medicine</i> , 2016, 4, 818-825.	5.2	27
94	Health-related quality of life in survivors of acute kidney injury: The PROLONGED OUTCOMES STUDY of the Randomized Evaluation of Normal versus Augmented Level Replacement Therapy (RENAL) Trial. <i>Nephrology</i> , 2015, 20, 492-498.	0.7	26
95	Daily Protein Intake and Patient Outcomes in Severe Acute Kidney Injury: Findings of the Randomized Evaluation of Normal versus Augmented Level of Replacement Therapy (RENAL) Trial. <i>Blood Purification</i> , 2014, 37, 325-334.	0.9	25
96	Hydroxyethyl starch: putting patient safety first. <i>Intensive Care Medicine</i> , 2014, 40, 256-259.	3.9	25
97	Why publish statistical analysis plans?. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2009, 11, 5-6.	0.0	25
98	Review article: Sepsis in the emergency department – Part 1: Definitions and outcomes. <i>EMA - Emergency Medicine Australasia</i> , 2017, 29, 619-625.	0.5	24
99	Clinician discomfort with life support plans for mechanically ventilated patients. <i>Intensive Care Medicine</i> , 2004, 30, 1783-90.	3.9	23
100	Design and Challenges of the Randomized Evaluation of Normal versus Augmented Level Replacement Therapy (RENAL) Trial: High-Dose versus Standard-Dose Hemofiltration in Acute Renal Failure. <i>Blood Purification</i> , 2008, 26, 407-416.	0.9	23
101	Co-enrollment of critically ill patients into multiple studies: patterns, predictors and consequences. <i>Critical Care</i> , 2013, 17, R1.	2.5	23
102	Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. <i>Intensive Care Medicine</i> , 2020, 46, 1696-1706.	3.9	23
103	The NICE-SUGAR (Normoglycaemia in Intensive Care Evaluation and Survival Using Glucose Algorithm) Trial. <i>Australasian Academy of Critical Care Medicine</i> , 2009, 11, 46-57.	0.0	23
104	Hydroxyethyl Starch or Saline in Intensive Care. <i>New England Journal of Medicine</i> , 2013, 368, 774-775.	13.9	22
105	The Plasma-Lyte 148 v Saline (PLUS) study protocol: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 239-246.	0.0	21
106	Long-Term Outcomes of the ADRENAL Trial. <i>New England Journal of Medicine</i> , 2018, 378, 1744-1745.	13.9	20
107	Pro/con debate: Is intensive insulin therapy targeting tight blood glucose control of benefit in critically ill patients?. <i>Critical Care</i> , 2008, 12, 212.	2.5	19
108	The Surviving Sepsis Campaign: robust evaluation and high-quality primary research is still needed. <i>Intensive Care Medicine</i> , 2010, 36, 187-189.	3.9	18

#	ARTICLE	IF	CITATIONS
109	Use of an Intravascular Fluorescent Continuous Glucose Sensor in ICU Patients. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 762-770.	1.3	18
110	Reappraising the role of albumin for resuscitation. <i>Current Opinion in Critical Care</i> , 2013, 19, 315-320.	1.6	17
111	Thromboprophylaxis using combined intermittent pneumatic compression and pharmacologic prophylaxis versus pharmacologic prophylaxis alone in critically ill patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 390.	0.7	17
112	Statistical analysis plan of PROWESS SHOCK study. <i>Intensive Care Medicine</i> , 2010, 36, 1972-1973.	3.9	16
113	The PRECISE RCT: Evolution of an Early Septic Shock Fluid Resuscitation Trial. <i>Transfusion Medicine Reviews</i> , 2012, 26, 333-341.	0.9	16
114	Clinical controversies in the management of critically ill patients with severe sepsis. <i>Virulence</i> , 2014, 5, 200-205.	1.8	16
115	The ADRENAL study protocol: adjunctive corticosteroid treatment in critically ill patients with septic shock. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013, 15, 83-8.	0.0	16
116	Screening and Study Enrolment in the Randomized Evaluation of Normal vs. Augmented Level (RENAL) Replacement Therapy Trial. <i>Blood Purification</i> , 2009, 27, 199-205.	0.9	15
117	Sex and mortality in septic severe acute kidney injury. <i>Journal of Critical Care</i> , 2019, 49, 70-76.	1.0	15
118	Human Albumin Use in Adults in U.S. Academic Medical Centers. <i>Critical Care Medicine</i> , 2017, 45, e16-e22.	0.4	14
119	Fluid Resuscitation with 5% albumin versus Normal Saline in Early Septic Shock: A pilot randomized, controlled trial. <i>Journal of Critical Care</i> , 2012, 27, 317.e1-317.e6.	1.0	13
120	Statistical analysis plan for the Pneumatic CompREssion for PreVENTing Venous Thromboembolism (PREVENT) trial: a study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 182.	0.7	13
121	Sex differences in response to adjunctive corticosteroid treatment for patients with septic shock. <i>Intensive Care Medicine</i> , 2021, 47, 246-248.	3.9	13
122	Baseline hospital performance and the impact of medical emergency teams: Modelling vs. conventional subgroup analysis. <i>Trials</i> , 2009, 10, 117.	0.7	12
123	Glycaemic control in Australia and New Zealand before and after the NICE-SUGAR trial: a translational study. <i>Critical Care</i> , 2013, 17, R215.	2.5	12
124	Higher versus Lower Continuous Renal Replacement Therapy Intensity in Critically ill Patients with Liver Dysfunction. <i>Blood Purification</i> , 2018, 45, 36-43.	0.9	12
125	The WHO resolution on sepsis: what action is needed in Australia?. <i>Medical Journal of Australia</i> , 2019, 211, 395.	0.8	12
126	Hydrocortisone Compared with Placebo in Patients with Septic Shock Satisfying the Sepsis-3 Diagnostic Criteria and APROCCHSS Study Inclusion Criteria. <i>Anesthesiology</i> , 2019, 131, 1292-1300.	1.3	12

#	ARTICLE	IF	CITATIONS
127	The relationship between adrenocortical candidate gene expression and clinical response to hydrocortisone in patients with septic shock. <i>Intensive Care Medicine</i> , 2021, 47, 974-983.	3.9	12
128	Sex differences in sepsis hospitalisations and outcomes in older women and men: A prospective cohort study. <i>Journal of Infection</i> , 2022, 84, 770-776.	1.7	12
129	Unblinding plan of PROWESS-SHOCK trial. <i>Intensive Care Medicine</i> , 2011, 37, 1384-1385.	3.9	10
130	Economic evaluation of the prophylaxis for thromboembolism in critical care trial (E-PROTECT): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 502.	0.7	10
131	Opinions and practices of blood glucose control in critically ill patients with pre-existing type 2 diabetes in Australian and New Zealand intensive care units. <i>Australian Critical Care</i> , 2019, 32, 361-365.	0.6	10
132	A protocol for a phase 3 multicentre randomised controlled trial of continuous versus intermittent β -lactam antibiotic infusion in critically ill patients with sepsis: BLING III. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2019, 21, 63-68.	0.0	10
133	Epidemiology of RBC Transfusions in Patients With Severe Acute Kidney Injury. <i>Critical Care Medicine</i> , 2016, 44, 892-900.	0.4	9
134	Glucocorticoids with or without Fludrocortisone in Septic Shock. <i>New England Journal of Medicine</i> , 2018, 379, 893-896.	13.9	9
135	Septic Shock: A Genomewide Association Study and Polygenic Risk Score Analysis. <i>Twin Research and Human Genetics</i> , 2020, 23, 204-213.	0.3	9
136	Does asymmetry in patient recruitment in large critical care trials follow the Pareto principle?. <i>Trials</i> , 2020, 21, 378.	0.7	9
137	An international comparison of the cost of fluid resuscitation therapies. <i>Australian Critical Care</i> , 2021, 34, 23-32.	0.6	9
138	The relationship between hypophosphataemia and outcomes during low-intensity and high-intensity continuous renal replacement therapy. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2014, 16, 34-41.	0.0	9
139	Re-evaluating the Inhibition of Stress Erosions (REVISE): a protocol for pilot randomized controlled trial. <i>Annals of Saudi Medicine</i> , 2016, 36, 427-433.	0.5	7
140	Plasma Cortisol, Aldosterone, and Ascorbic Acid Concentrations in Patients with Septic Shock Do Not Predict Treatment Effect of Hydrocortisone on Mortality. A Nested Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 700-707.	2.5	7
141	Decompressive Craniectomy Practice following Traumatic Brain Injury in Comparison with Randomized Trials: Harmonized, Multi-Center Cohort Studies in Europe, the United Kingdom, and Australia. <i>Journal of Neurotrauma</i> , 2022, 39, 860-869.	1.7	6
142	Albumin supplementation and organ function. <i>Critical Care Medicine</i> , 2007, 35, 987-988.	0.4	5
143	Hypoglycemia in critically ill adults - association yes, causation not proven. <i>Critical Care</i> , 2011, 15, 1012.	2.5	5
144	Clinical Research. <i>Critical Care Medicine</i> , 2021, Publish Ahead of Print, 1866-1882.	0.4	5

#	ARTICLE	IF	CITATIONS
145	Incidence and outcomes of sepsis in Aboriginal and Torres Strait Islander and non-Indigenous residents of New South Wales: population-based cohort study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 337-345.	0.0	5
146	Continuous intra-arterial blood glucose monitoring using quenched fluorescence sensing: a product development study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2014, 16, 54-61.	0.0	5
147	Protocol summary and statistical analysis plan for the intensive care unit randomised trial comparing two approaches to oxygen therapy (ICU-ROX). <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018, 20, 22-32.	0.0	5
148	The SAFE Study: a landmark trial of the safety of albumin in intensive care. <i>Medical Journal of Australia</i> , 2004, 181, 237-238.	0.8	4
149	Do trials that report a neutral or negative treatment effect improve the care of critically ill patients? Yes. <i>Intensive Care Medicine</i> , 2018, 44, 1985-1988.	3.9	4
150	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2020, 10, e040931.	0.8	3
151	Long-term costs and cost-effectiveness of adjunctive corticosteroids for patients with septic shock in New Zealand. <i>Australian Critical Care</i> , 2022, 35, 241-250.	0.6	3
152	Fluid resuscitation in the critically ill: what is the next challenge?. <i>Revista Brasileira De Terapia Intensiva</i> , 2015, 27, 309-11.	0.1	3
153	Intensive care unit randomised trial comparing two approaches to oxygen therapy (ICU-ROX): results of the pilot phase. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 344-354.	0.0	3
154	Auditing trauma outcomes: Australia needs a national approach. <i>Medical Journal of Australia</i> , 1999, 170, 405-406.	0.8	2
155	Patient-centered outcomes and trials of hydroxyethyl starch. <i>Critical Care</i> , 2013, 17, 452.	2.5	2
156	Why is a fluid bolus administered and has there been a change in practice? Results from SAFE, SAFE TRIPS and fluid TRIPS datasets. <i>Intensive Care Medicine</i> , 2020, 46, 1284-1285.	3.9	2
157	Protocol summary and statistical analysis plan for the Selective Decontamination of the Digestive Tract in Intensive Care Unit Patients (SuDDICU) crossover, cluster randomised controlled trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 183-193.	0.0	2
158	Fluid and electrolyte therapy. , 2009, , 963-974.		2
159	Statistical analysis plan for the Adjunctive Corticosteroid Treatment in Critically Ill Patients with Septic Shock (ADRENAL) trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 183-191.	0.0	2
160	Estimate of the Number of Patients Eligible for Treatment with Drotrecogin Alfa (Activated) Based on Differing International Indications: Post-hoc Analysis of an Inception Cohort Study in Australia and New Zealand. <i>Anaesthesia and Intensive Care</i> , 2006, 34, 184-190.	0.2	1
161	Open letter to the Executive Director of the European Medicines Agency concerning the licensing of hydroxyethyl starch solutions for fluid resuscitation. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 365-370.	0.7	1
162	Management of Australian Patients with Severe Traumatic Brain Injury: Are Potentially Harmful Treatments Still Used?. <i>Journal of Neurotrauma</i> , 2020, 37, 2686-2693.	1.7	1

#	ARTICLE	IF	CITATIONS
163	The Plasma-Lyte 148 versus Saline (PLUS) statistical analysis plan: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 24-31.	0.0	1
164	Fluid and electrolyte therapy. , 2014, , 949-959.e2.		1
165	Renewed rationale for sex- and gender-disaggregated research: A COVID-19 commentary review. <i>Women's Health</i> , 2022, 18, 174550652210767.	0.7	1
166	Investigator-initiated research in intensive care: Achievement through collaboration. <i>Resuscitation</i> , 2008, 78, 245-247.	1.3	0
167	The PROWESS SHOCK trial: reply to Paramesh et al.. <i>Intensive Care Medicine</i> , 2009, 35, 385-385.	3.9	0
168	Statistical analysis plan for the BLING III study: a phase 3 multicentre randomised controlled trial of continuous versus intermittent β -lactam antibiotic infusion in critically ill patients with sepsis. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 273-284.	0.0	0
169	Current Management of the Anemia of Prematurity. <i>Nihon Yuketsu Gakkai Zasshi = Journal of the Japan Society of Blood Transfusion / Nihon Yuketsu Gakkai</i> , 2005, 51, 138.	0.2	0
170	Crystalloids and Colloids. , 2009, , 571-575.		0
171	Clinical trials in critical care. , 2014, , 75-84.e2.		0
172	A Novel Risk Prediction Model for Severe Acute Kidney Injury in Intensive Care Unit Patients Receiving Fluid Resuscitation. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 840611.	1.1	0