Simon R Finfer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3729328/simon-r-finfer-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24,793 157 153 54 h-index g-index citations papers 182 6.56 29,917 13.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
153	Balanced Multielectrolyte Solution versus Saline in Critically Ill Adults <i>New England Journal of Medicine</i> , 2022 ,	59.2	18
152	Renewed rationale for sex- and gender-disaggregated research: A COVID-19 commentary review <i>Womenis Health</i> , 2022 , 18, 17455065221076738	3	0
151	Balanced Crystalloids versus Saline in Critically Ill Adults 🖪 Systematic Review with Meta-Analysis 2022 , 1,		6
150	A Novel Risk Prediction Model for Severe Acute Kidney Injury in Intensive Care Unit Patients Receiving Fluid Resuscitation <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 840611	5.4	
149	The relationship between adrenocortical candidate gene expression and clinical response to hydrocortisone in patients with septic shock. <i>Intensive Care Medicine</i> , 2021 , 47, 974-983	14.5	2
148	An international comparison of the cost of fluid resuscitation therapies. <i>Australian Critical Care</i> , 2021 , 34, 23-32	2.9	3
147	Clinical Research: From Case Reports to International Multicenter Clinical Trials. <i>Critical Care Medicine</i> , 2021 , 49, 1866-1882	1.4	3
146	SexEdifferences in response to adjunctive corticosteroid treatment for patients with septic shock. <i>Intensive Care Medicine</i> , 2021 , 47, 246-248	14.5	6
145	Does asymmetry in patient recruitment in large critical care trials follow the Pareto principle?. <i>Trials</i> , 2020 , 21, 378	2.8	5
144	Plasma Cortisol, Aldosterone, and Ascorbic Acid Concentrations in Patients with Septic Shock Do Not Predict Treatment Effect of Hydrocortisone on Mortality. A Nested Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 700-707	10.2	4
143	Prevalence and Outcomes of Infection Among Patients in Intensive Care Units in 2017. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1478-1487	27.4	136
142	Global, regional, and national sepsis incidence and mortality, 1990-2017: analysis for the Global Burden of Disease Study. <i>Lancet, The</i> , 2020 , 395, 200-211	40	1081
141	Why is a fluid bolus administered and has there been a change in practice? Results from SAFE, SAFE TRIPS and fluid TRIPS datasets. <i>Intensive Care Medicine</i> , 2020 , 46, 1284-1285	14.5	2
140	Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. <i>Intensive Care Medicine</i> , 2020 , 46, 1696-1706	14.5	7
139	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2020 , 10, e040931	3	O
138	Septic Shock: A Genomewide Association Study and Polygenic Risk Score Analysis. <i>Twin Research and Human Genetics</i> , 2020 , 23, 204-213	2.2	1
137	Management of Australian Patients with Severe Traumatic Brain Injury: Are Potentially Harmful Treatments Still Used?. <i>Journal of Neurotrauma</i> , 2020 , 37, 2686-2693	5.4	O

136	Understanding and Enhancing Sepsis Survivorship. Priorities for Research and Practice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 972-981	10.2	47
135	Sepsis and septic shock: current approaches to management. <i>Internal Medicine Journal</i> , 2019 , 49, 160-1	7@ .6	46
134	A Systematic Review of Outcome Measures Employed in Aneurysmal Subarachnoid Hemorrhage (aSAH) Clinical Research. <i>Neurocritical Care</i> , 2019 , 30, 534-541	3.3	25
133	The WHO resolution on sepsis: what action is needed in Australia?. <i>Medical Journal of Australia</i> , 2019 , 211, 395-397.e1	4	7
132	Adjunctive Intermittent Pneumatic Compression for Venous Thromboprophylaxis. <i>New England Journal of Medicine</i> , 2019 , 380, 1305-1315	59.2	87
131	Hydrocortisone Compared with Placebo in Patients with Septic Shock Satisfying the Sepsis-3 Diagnostic Criteria and APROCCHSS Study Inclusion Criteria: A Post Hoc Analysis of the ADRENAL Trial. <i>Anesthesiology</i> , 2019 , 131, 1292-1300	4.3	6
130	Opinions and practices of blood glucose control in critically ill patients with pre-existing type 2 diabetes in Australian and New Zealand intensive care units. <i>Australian Critical Care</i> , 2019 , 32, 361-365	2.9	5
129	Sex and mortality in septic severe acute kidney injury. <i>Journal of Critical Care</i> , 2019 , 49, 70-76	4	8
128	A protocol for a phase 3 multicentre randomised controlled trial of continuous versus intermittent Elactam antibiotic infusion in critically ill patients with sepsis: BLING III. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2019 , 21, 63-68	2.8	9
127	Long-Term Outcomes of the ADRENAL Trial. New England Journal of Medicine, 2018, 378, 1744-1745	59.2	18
126	Hydroxyethyl starch solutions and patient harm. <i>Lancet, The</i> , 2018 , 391, 736	40	34
125	Adjunctive Glucocorticoid Therapy in Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2018 , 378, 797-808	59.2	433
124	Statistical analysis plan for the Pneumatic CompREssion for PreVENting Venous Thromboembolism (PREVENT) trial: a study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 182	2.8	6
123	Intravenous fluid therapy in critically ill adults. <i>Nature Reviews Nephrology</i> , 2018 , 14, 541-557	14.9	63
122	Efficacy and safety of stress ulcer prophylaxis in critically ill patients: a network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2018 , 44, 1-11	14.5	83
121	Six subphenotypes in septic shock: Latent class analysis of the PROWESS Shock study. <i>Journal of Critical Care</i> , 2018 , 47, 70-79	4	27
120	Renal replacement therapy intensity for acute kidney injury and recovery to dialysis independence: a systematic review and individual patient data meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1017-1024	4.3	19
119	Higher versus Lower Continuous Renal Replacement Therapy Intensity in Critically ill Patients with Liver Dysfunction. <i>Blood Purification</i> , 2018 , 45, 36-43	3.1	11

118	Sepsis incidence and mortality are underestimated in Australian intensive care unit administrative data. <i>Medical Journal of Australia</i> , 2018 , 209, 255-260	4	18
117	Women in Intensive Care study: a preliminary assessment of international data on female representation in the ICU physician workforce, leadership and academic positions. <i>Critical Care</i> , 2018 , 22, 211	10.8	20
116	Glucocorticoids with or without Fludrocortisone in Septic Shock. <i>New England Journal of Medicine</i> , 2018 , 379, 895	59.2	2
115	Low-dose corticosteroids for adult patients with septic shock: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2018 , 44, 1003-1016	14.5	95
114	Health-related outcomes of critically ill patients with and without sepsis. <i>Intensive Care Medicine</i> , 2018 , 44, 1249-1257	14.5	18
113	Protocol summary and statistical analysis plan for the intensive care unit randomised trial comparing two approaches to oxygen therapy (ICU-ROX). <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018 , 20, 22-32	2.8	3
112	Gender Parity in Critical Care Medicine. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 425-429	10.2	37
111	Withholding Pantoprazole for Stress Ulcer Prophylaxis in Critically Ill Patients: A Pilot Randomized Clinical Trial and Meta-Analysis. <i>Critical Care Medicine</i> , 2017 , 45, 1121-1129	1.4	54
110	Human Albumin Use in Adults in U.S. Academic Medical Centers. <i>Critical Care Medicine</i> , 2017 , 45, e16-e22	21.4	10
109	Lactate I mmol/L plus qSOFA improves utility over qSOFA alone in emergency department patients presenting with suspected sepsis. <i>EMA - Emergency Medicine Australasia</i> , 2017 , 29, 626-634	1.5	27
108	Review article: Sepsis in the emergency department - Part 1: Definitions and outcomes. <i>EMA - Emergency Medicine Australasia</i> , 2017 , 29, 619-625	1.5	16
107	Recognizing Sepsis as a Global Health Priority - A WHO Resolution. <i>New England Journal of Medicine</i> , 2017 , 377, 414-417	59.2	443
106	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. <i>PLoS ONE</i> , 2017 , 12, e0176292	3.7	59
105	Statistical analysis plan for the Adjunctive Corticosteroid Treatment in Critically Ill Patients with Septic Shock (ADRENAL) trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 183-191	2.8	1
104	The Plasma-Lyte 148 v Saline (PLUS) study protocol: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 239-246	2.8	16
103	Intensive care unit randomised trial comparing two approaches to oxygen therapy (ICU-ROX): results of the pilot phase. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 344-354	2.8	3
102	Epidemiology of RBC Transfusions in Patients With Severe Acute Kidney Injury: Analysis From the Randomized Evaluation of Normal Versus Augmented Level Study. <i>Critical Care Medicine</i> , 2016 , 44, 892-	900	7
101	Re-evaluating the Inhibition of Stress Erosions (REVISE): a protocol for pilot randomized controlled trial. <i>Annals of Saudi Medicine</i> , 2016 , 36, 427-433	1.6	7

(2014-2016)

100	Thromboprophylaxis using combined intermittent pneumatic compression and pharmacologic prophylaxis versus pharmacologic prophylaxis alone in critically ill patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 390	2.8	10
99	Long-Term Quality of Life Among Survivors of Severe Sepsis: Analyses of Two International Trials. <i>Critical Care Medicine</i> , 2016 , 44, 1461-7	1.4	142
98	Hydroxyethyl starch versus saline for resuscitation of patients in intensive care: long-term outcomes and cost-effectiveness analysis of a cohort from CHEST. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, 818-825	35.1	18
97	Early temperature and mortality in critically ill patients with acute neurological diseases: trauma and stroke differ from infection. <i>Intensive Care Medicine</i> , 2015 , 41, 823-32	14.5	69
96	Intensive versus conventional glucose control in critically ill patients with traumatic brain injury: long-term follow-up of a subgroup of patients from the NICE-SUGAR study. <i>Intensive Care Medicine</i> , 2015 , 41, 1037-47	14.5	81
95	Health-related quality of life in survivors of acute kidney injury: The Prolonged Outcomes Study of the Randomized Evaluation of Normal versus Augmented Level Replacement Therapy study outcomes. <i>Nephrology</i> , 2015 , 20, 492-8	2.2	23
94	Failure of anticoagulant thromboprophylaxis: risk factors in medical-surgical critically ill patients*. <i>Critical Care Medicine</i> , 2015 , 43, 401-10	1.4	84
93	Use of an Intravascular Fluorescent Continuous Glucose Sensor in ICU Patients. <i>Journal of Diabetes Science and Technology</i> , 2015 , 9, 762-70	4.1	14
92	The detrimental clinical impact of severe angiographic vasospasm may be diminished by maximal medical therapy and intensive endovascular treatment. <i>Journal of NeuroInterventional Surgery</i> , 2015 , 7, 881-7	7.8	25
91	Fluid resuscitation in the critically ill: what is the next challenge?. <i>Revista Brasileira De Terapia Intensiva</i> , 2015 , 27, 309-11	1.2	1
90	Hydroxyethyl starch: putting patient safety first. Intensive Care Medicine, 2014, 40, 256-9	14.5	17
89	Sedation and delirium in the intensive care unit. New England Journal of Medicine, 2014, 370, 444-54	59.2	340
88	Continuous glucose control in the ICU: report of a 2013 round table meeting. <i>Critical Care</i> , 2014 , 18, 226	510.8	58
87	Calorie intake and patient outcomes in severe acute kidney injury: findings from The Randomized Evaluation of Normal vs. Augmented Level of Replacement Therapy (RENAL) study trial. <i>Critical Care</i> , 2014 , 18, R45	10.8	31
86	Economic evaluation of the prophylaxis for thromboembolism in critical care trial (E-PROTECT): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 502	2.8	7
85	Daily protein intake and patient outcomes in severe acute kidney injury: findings of the randomized evaluation of normal versus augmented level of replacement therapy (RENAL) trial. <i>Blood Purification</i> , 2014 , 37, 325-34	3.1	18
84	Long-term survival and dialysis dependency following acute kidney injury in intensive care: extended follow-up of a randomized controlled trial. <i>PLoS Medicine</i> , 2014 , 11, e1001601	11.6	88
83	Open Letter to the Executive Director of the European Medicines Agency concerning the licensing of hydroxyethyl starch solutions for fluid resuscitation. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 365-70	1.9	1

82	Cost-effectiveness of dalteparin vs unfractionated heparin for the prevention of venous thromboembolism in critically ill patients. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 2135-45	27.4	34
81	Clinical controversies in the management of critically ill patients with severe sepsis: resuscitation fluids and glucose control. <i>Virulence</i> , 2014 , 5, 200-5	4.7	13
80	Fluid and electrolyte therapy 2014 , 949-959.e2		
79	Clinical trials in critical care 2014 , 75-84.e2		
78	The relationship between hypophosphataemia and outcomes during low-intensity and high-intensity continuous renal replacement therapy. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2014 , 16, 34-41	2.8	9
77	Continuous intra-arterial blood glucose monitoring using quenched fluorescence sensing: a product development study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2014 , 16, 54-61	2.8	5
76	Early acid-base and blood pressure effects of continuous renal replacement therapy intensity in patients with metabolic acidosis. <i>Intensive Care Medicine</i> , 2013 , 39, 429-36	14.5	26
75	Causes of death after fluid bolus resuscitation: new insights from FEAST. <i>BMC Medicine</i> , 2013 , 11, 67	11.4	28
74	Risk factors and impact of major bleeding in critically ill patients receiving heparin thromboprophylaxis. <i>Intensive Care Medicine</i> , 2013 , 39, 2135-43	14.5	48
73	Fluid resuscitation with 6 % hydroxyethyl starch (130/0.4 and 130/0.42) in acutely ill patients: systematic review of effects on mortality and treatment with renal replacement therapy. <i>Intensive Care Medicine</i> , 2013 , 39, 558-68	14.5	115
72	Albumin resuscitation for traumatic brain injury: is intracranial hypertension the cause of increased mortality?. <i>Journal of Neurotrauma</i> , 2013 , 30, 512-8	5.4	105
71	Hydroxyethyl starch or saline in intensive care. New England Journal of Medicine, 2013, 368, 775	59.2	15
70	Early parenteral nutrition in critically ill patients with short-term relative contraindications to early enteral nutrition: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 2130-8	27.4	362
69	Co-enrollment of critically ill patients into multiple studies: patterns, predictors and consequences. <i>Critical Care</i> , 2013 , 17, R1	10.8	16
68	Reappraising the role of albumin for resuscitation. Current Opinion in Critical Care, 2013, 19, 315-20	3.5	13
67	Patient-centered outcomes and trials of hydroxyethyl starch. <i>Critical Care</i> , 2013 , 17, 452	10.8	2
66	Glycaemic control in Australia and New Zealand before and after the NICE-SUGAR trial: a translational study. <i>Critical Care</i> , 2013 , 17, R215	10.8	10
65	The ADRENAL study protocol: adjunctive corticosteroid treatment in critically ill patients with septic shock. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013 , 15, 83-8	2.8	15

(2010-2012)

64	Fluid Resuscitation with 5% albumin versus Normal Saline in Early Septic Shock: a pilot randomized, controlled trial. <i>Journal of Critical Care</i> , 2012 , 27, 317.e1-6	4	10
63	Early peak temperature and mortality in critically ill patients with or without infection. <i>Intensive Care Medicine</i> , 2012 , 38, 437	14.5	117
62	Hydroxyethyl starch or saline for fluid resuscitation in intensive care. <i>New England Journal of Medicine</i> , 2012 , 367, 1901-11	59.2	1127
61	Drotrecogin alfa (activated) in adults with septic shock. <i>New England Journal of Medicine</i> , 2012 , 366, 20	5 <u>564</u>	891
60	Hypoglycemia and risk of death in critically ill patients. New England Journal of Medicine, 2012, 367, 110	08 5 9&	643
59	The PRECISE RCT: evolution of an early septic shock fluid resuscitation trial. <i>Transfusion Medicine Reviews</i> , 2012 , 26, 333-41	7.4	14
58	A multicenter, randomized controlled trial comparing early nasojejunal with nasogastric nutrition in critical illness. <i>Critical Care Medicine</i> , 2012 , 40, 2342-8	1.4	130
57	Fluid resuscitation with 6% hydroxyethyl starch (130/0.4) in acutely ill patients: an updated systematic review and meta-analysis. <i>Anesthesia and Analgesia</i> , 2012 , 114, 159-69	3.9	76
56	An observational study fluid balance and patient outcomes in the Randomized Evaluation of Normal vs. Augmented Level of Replacement Therapy trial. <i>Critical Care Medicine</i> , 2012 , 40, 1753-60	1.4	698
55	The role of albumin as a resuscitation fluid for patients with sepsis: a systematic review and meta-analysis. <i>Critical Care Medicine</i> , 2011 , 39, 386-91	1.4	241
54	Impact of albumin compared to saline on organ function and mortality of patients with severe sepsis. <i>Intensive Care Medicine</i> , 2011 , 37, 86-96	14.5	251
53	Unblinding plan of PROWESS-SHOCK trial. <i>Intensive Care Medicine</i> , 2011 , 37, 1384-5	14.5	9
52	Glycemic control in the ICU. <i>Chest</i> , 2011 , 140, 212-220	5.3	64
51	Intensities of renal replacement therapy in acute kidney injury: a systematic review and meta-analysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 956-63	6.9	60
50	Resuscitation fluid use in critically ill adults: an international cross-sectional study in 391 intensive care units. <i>Critical Care</i> , 2010 , 14, R185	10.8	257
49	The Surviving Sepsis Campaign: robust evaluation and high-quality primary research is still needed. <i>Critical Care Medicine</i> , 2010 , 38, 683-4	1.4	40
48	Clinical research ethics for critically ill patients: a pandemic proposal. <i>Critical Care Medicine</i> , 2010 , 38, e138-42	1.4	34
47	Statistical analysis plan of PROWESS SHOCK study. <i>Intensive Care Medicine</i> , 2010 , 36, 1972-3	14.5	14

46	Triggers for emergency team activation: a multicenter assessment. <i>Journal of Critical Care</i> , 2010 , 25, 359.e1-7	4	34
45	Timing and interventions of emergency teams during the MERIT study. <i>Resuscitation</i> , 2010 , 81, 25-30	4	43
44	Screening and study enrolment in the Randomized Evaluation of Normal vs. Augmented Level (RENAL) Replacement Therapy Trial. <i>Blood Purification</i> , 2009 , 27, 199-205	3.1	13
43	Critical care services and 2009 H1N1 influenza in Australia and New Zealand. <i>New England Journal of Medicine</i> , 2009 , 361, 1925-34	59.2	738
42	Intensive versus conventional glucose control in critically ill patients. <i>New England Journal of Medicine</i> , 2009 , 360, 1283-97	59.2	5107
41	Intensity of continuous renal-replacement therapy in critically ill patients. <i>New England Journal of Medicine</i> , 2009 , 361, 1627-38	59.2	996
40	The PROWESS SHOCK trial: reply to Paramesh et al Intensive Care Medicine, 2009, 35, 385-385	14.5	
39	Baseline hospital performance and the impact of medical emergency teams: modelling vs. conventional subgroup analysis. <i>Trials</i> , 2009 , 10, 117	2.8	7
38	The impact of introducing medical emergency team system on the documentations of vital signs. <i>Resuscitation</i> , 2009 , 80, 35-43	4	92
37	Australasian resuscitation of sepsis evaluation (ARISE): A multi-centre, prospective, inception cohort study. <i>Resuscitation</i> , 2009 , 80, 811-8	4	81
36	Intensive insulin therapy and mortality among critically ill patients: a meta-analysis including NICE-SUGAR study data. <i>Cmaj</i> , 2009 , 180, 821-7	3.5	749
35	The relationship between early emergency team calls and serious adverse events. <i>Critical Care Medicine</i> , 2009 , 37, 148-53	1.4	189
34	Fluid and electrolyte therapy 2009 , 963-974		2
33	Crystalloids and Colloids 2009 , 571-575		
32	The NICE-SUGAR (Normoglycaemia in Intensive Care Evaluation and Survival Using Glucose Algorithm Regulation) Study: statistical analysis plan. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2009 , 11, 46-57	2.8	20
31	Pro/con debate: Is intensive insulin therapy targeting tight blood glucose control of benefit in critically ill patients?. <i>Critical Care</i> , 2008 , 12, 212	10.8	16
30	Bench-to-bedside review: the evaluation of complex interventions in critical care. <i>Critical Care</i> , 2008 , 12, 210	10.8	34
29	Tight glycemic control in critically ill adults. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 963-5	27.4	46

28	Serious adverse events in academic critical care research. <i>Cmaj</i> , 2008 , 178, 1181-4	3.5	40
27	Corticosteroids in septic shock. <i>New England Journal of Medicine</i> , 2008 , 358, 188-90	59.2	50
26	Effect of evidence-based feeding guidelines on mortality of critically ill adults: a cluster randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2731-41	27.4	287
25	Design and challenges of the Randomized Evaluation of Normal versus Augmented Level Replacement Therapy (RENAL) Trial: high-dose versus standard-dose hemofiltration in acute renal failure. <i>Blood Purification</i> , 2008 , 26, 407-16	3.1	19
24	Respiratory rate: the neglected vital sign. <i>Medical Journal of Australia</i> , 2008 , 188, 657-9	4	514
23	Does severe non-infectious SIRS differ from severe sepsis? Results from a multi-centre Australian and New Zealand intensive care unit study. <i>Intensive Care Medicine</i> , 2008 , 34, 1654-61	14.5	54
22	Design, conduct, analysis and reporting of a multi-national placebo-controlled trial of activated protein C for persistent septic shock. <i>Intensive Care Medicine</i> , 2008 , 34, 1935-47	14.5	72
21	The Medical Emergency Team System and not-for-resuscitation orders: results from the MERIT study. <i>Resuscitation</i> , 2008 , 79, 391-7	4	83
20	The objective medical emergency team activation criteria: a case-control study. <i>Resuscitation</i> , 2007 , 73, 62-72	4	191
19	Saline or albumin for fluid resuscitation in patients with traumatic brain injury. <i>New England Journal of Medicine</i> , 2007 , 357, 874-84	59.2	593
18	Albumin supplementation and organ function. Critical Care Medicine, 2007, 35, 987-8	1.4	4
17	Effect of baseline serum albumin concentration on outcome of resuscitation with albumin or saline in patients in intensive care units: analysis of data from the saline versus albumin fluid evaluation (SAFE) study. <i>BMJ, The</i> , 2006 , 333, 1044	5.9	126
16	Estimate of the number of patients eligible for treatment with drotrecogin alfa (activated) based on differing international indications: post-hoc analysis of an inception cohort study in Australia and New Zealand. <i>Anaesthesia and Intensive Care</i> , 2006 , 34, 184-90	1.1	1
15	Management of blood glucose in the critically ill in Australia and New Zealand: a practice survey and inception cohort study. <i>Intensive Care Medicine</i> , 2006 , 32, 867-74	14.5	47
14	The SAFE study. <i>Nihon Yuketsu Gakkai Zasshi = Journal of the Japan Society of Blood Transfusion / Nihon Yuketsu Gakkai</i> , 2006 , 52, 19-25		
13	Introduction of the medical emergency team (MET) system: a cluster-randomised controlled trial. <i>Lancet, The</i> , 2005 , 365, 2091-7	40	1509
12	Prophylaxis of Thromboembolism in Critical Care (PROTECT) Trial: a pilot study. <i>Journal of Critical Care</i> , 2005 , 20, 364-72	4	60
11	Current Management of the Anemia of Prematurity. <i>Nihon Yuketsu Gakkai Zasshi = Journal of the Japan Society of Blood Transfusion / Nihon Yuketsu Gakkai</i> , 2005 , 51, 138		

10	A comparison of albumin and saline for fluid resuscitation in the intensive care unit. <i>New England Journal of Medicine</i> , 2004 , 350, 2247-56	59.2	2053
9	Adult-population incidence of severe sepsis in Australian and New Zealand intensive care units. <i>Intensive Care Medicine</i> , 2004 , 30, 589-96	14.5	296
8	Clinician discomfort with life support plans for mechanically ventilated patients. <i>Intensive Care Medicine</i> , 2004 , 30, 1783-90	14.5	20
7	Clinician predictions of intensive care unit mortality. <i>Critical Care Medicine</i> , 2004 , 32, 1149-54	1.4	204
6	Delayed hemorrhage following resection of an arteriovenous malformation in the brain. <i>Journal of Neurosurgery</i> , 2003 , 99, 967-71	3.2	26
5	Withdrawal of mechanical ventilation in anticipation of death in the intensive care unit. <i>New England Journal of Medicine</i> , 2003 , 349, 1123-32	59.2	332
4	Appropriateness of red blood cell transfusion in Australasian intensive care practice. <i>Medical Journal of Australia</i> , 2002 , 177, 548-51	4	48
3	Severe traumatic brain injury. <i>Resuscitation</i> , 2001 , 48, 77-90	4	121
2	Delayed neurological deterioration following resection of arteriovenous malformations of the brain. <i>Journal of Neurosurgery</i> , 1999 , 90, 695-701	3.2	59
1	Balanced crystalloids compared to normal saline for fluid therapy in critically ill adult patients: Systematic review and meta-analysis protocol		1