

# Maurizio Eugenio Landolina

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3731677/publications.pdf>

Version: 2024-02-01

129  
papers

10,261  
citations

126858

33  
h-index

32815

100  
g-index

136  
all docs

136  
docs citations

136  
times ranked

7341  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | The Effect of Cardiac Resynchronization on Morbidity and Mortality in Heart Failure. <i>New England Journal of Medicine</i> , 2005, 352, 1539-1549.   | 13.9 | 5,656     |
| 2  | Long-Term Outcome and Risk Stratification in Dilated Cardiomyopathies. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1250-1260.  | 1.2  | 335       |
| 3  | Remote Monitoring Reduces Healthcare Use and Improves Quality of Care in Heart Failure Patients With Implantable Defibrillators. <i>Circulation</i> , 2012, 125, 2985-2992.   | 1.6  | 302       |
| 4  | Long term vagal stimulation in patients with advanced heart failure First experience in man. <i>European Journal of Heart Failure</i> , 2008, 10, 884-891.  | 2.9  | 262       |
| 5  | Who Are the Long-QT Syndrome Patients Who Receive an Implantable Cardioverter-Defibrillator and What Happens to Them?. <i>Circulation</i> , 2010, 122, 1272-1282.   | 1.6  | 261       |
| 6  | A simplified biventricular defibrillator with fixed long detection intervals reduces implantable cardioverter defibrillator (ICD) interventions and heart failure hospitalizations in patients with non-ischaemic cardiomyopathy implanted for primary prevention: the RELEVANT [Role of long detection window programming in patients with Left Ventricular dysfunction, Non-ischemic etiology in primary prevention treated with a biventricular ICD] study. <i>European Heart Journal</i> , 2009, 30, 2758-2767. | 1.0  | 149       |
| 7  | Cardiac Resynchronization Therapy in Patients With Atrial Fibrillation. <i>JACC: Heart Failure</i> , 2013, 1, 500-507.  | 1.9  | 147       |
| 8  | Image integration increases efficacy of paroxysmal atrial fibrillation catheter ablation: results from the CartoMerge™ Italian Registry. <i>Europace</i> , 2009, 11, 1004-1010.   | 0.7  | 123       |
| 9  | A randomized controlled trial of atrioventricular junction ablation and cardiac resynchronization therapy in patients with permanent atrial fibrillation and narrow QRS. <i>European Heart Journal</i> , 2018, 39, 3999-4008.   | 1.0  | 123       |
| 10 | Remote Monitoring of CRT+ICD: The Multicenter Italian CareLink Evaluation – Ease of Use, Acceptance, and Organizational Implications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 1259-1264.  | 0.5  | 120       |
| 11 | Monitoring Intrathoracic Impedance with an Implantable Defibrillator Reduces Hospitalizations in Patients with Heart Failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, 363-370.  | 0.5  | 119       |
| 12 | Device-Detected Atrial Tachyarrhythmias Predict Adverse Outcome in Real-World Patients With Implantable Biventricular Defibrillators. <i>Journal of the American College of Cardiology</i> , 2011, 57, 167-172.   | 1.2  | 116       |
| 13 | AV junction ablation and cardiac resynchronization for patients with permanent atrial fibrillation and narrow QRS: the APAF-CRT mortality trial. <i>European Heart Journal</i> , 2021, 42, 4731-4739.   | 1.0  | 111       |
| 14 | Antiarrhythmic Effect of Reverse Ventricular Remodeling Induced by Cardiac Resynchronization Therapy. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1442-1449.   | 1.2  | 96        |
| 15 | Detection of new atrial fibrillation in patients with cardiac implanted electronic devices and factors associated with transition to higher device-detected atrial fibrillation burden. <i>Heart Rhythm</i> , 2018, 15, 376-383.  | 0.3  | 86        |
| 16 | Baroreflex sensitivity, but not heart rate variability, is reduced in patients with life-threatening ventricular arrhythmias long after myocardial infarction. <i>American Heart Journal</i> , 1995, 130, 473-480.  | 1.2  | 83        |
| 17 | Long-Term Complications Related to Biventricular Defibrillator Implantation. <i>Circulation</i> , 2011, 123, 2526-2535.   | 1.6  | 80        |
| 18 | Frequency, Patient Characteristics, Treatment Strategies, and Resource Usage of Atrial Fibrillation (from the Italian Survey of Atrial Fibrillation Management [ISAF] Study). <i>American Journal of Cardiology</i> , 2013, 111, 705-711.   | 0.7  | 74        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Pulmonary vein isolation cryoablation for patients with persistent and long-standing persistent atrial fibrillation: Clinical outcomes from the real-world multicenter observational project. <i>Heart Rhythm</i> , 2018, 15, 363-368.  | 0.3 | 69        |
| 20 | Impact of COVID-19 pandemic on the clinical activities related to arrhythmias and electrophysiology in Italy: results of a survey promoted by AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Internal and Emergency Medicine</i> , 2020, 15, 1445-1456.   | 1.0 | 66        |
| 21 | Remote monitoring of patients with biventricular defibrillators through the CareLink system improves clinical management of arrhythmias and heart failure episodes. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009, 24, 53-61.   | 0.6 | 62        |
| 22 | Cost-Utility Analysis of the EVOLVO Study on Remote Monitoring for Heart Failure Patients With Implantable Defibrillators: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e106.   | 2.1 | 62        |
| 23 | Relevance of Echocardiographic Evaluation of Right Ventricular Function in Patients Undergoing Cardiac Resynchronization Therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, 1040-1049.  | 0.5 | 61        |
| 24 | Impaired Baroreflex Sensitivity Is Correlated With Hemodynamic Deterioration of Sustained Ventricular Tachycardia. <i>Journal of the American College of Cardiology</i> , 1997, 29, 568-575.  | 1.2 | 59        |
| 25 | Implantable CRT device diagnostics identify patients with increased risk for heart failure hospitalization. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2008, 23, 235-242.   | 0.6 | 55        |
| 26 | Incidence and clinical relevance of uncontrolled ventricular rate during atrial fibrillation in heart failure patients treated with cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2011, 13, 868-876.  | 2.9 | 53        |
| 27 | Failure of implantable cardioverter-defibrillator leads: A matter of lead size?. <i>Heart Rhythm</i> , 2013, 10, 184-190.   | 0.3 | 48        |
| 28 | Validation of a simple risk stratification tool for patients implanted with Cardiac Resynchronization Therapy: the VALID-CRT risk score. <i>European Journal of Heart Failure</i> , 2015, 17, 717-724.  | 2.9 | 41        |
| 29 | Comparison of the Effects of Cardiac Resynchronization Therapy in Patients With Class II Versus Class III and IV Heart Failure (from the InSync/InSync ICD Italian Registry) – Conflicts of interest: Sergio Valsecchi and Alessandra Denaro are employees of Medtronic Italia, Rome, Italy. A list of centers and investigators participating in the InSync/InSync ICD Italian Registry is provided in the Appendix. <i>American Journal of Cardiology</i> , 2007, 100, 1007-1012. | 0.7 | 39        |
| 30 | Rhythm-Symptom Correlation in Patients on Continuous Monitoring After Catheter Ablation of Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 154-160.   | 0.8 | 39        |
| 31 | Atrioventricular junction ablation in patients with atrial fibrillation treated with cardiac resynchronization therapy: positive impact on ventricular arrhythmias, implantable cardioverter-defibrillator therapies and hospitalizations. <i>European Journal of Heart Failure</i> , 2018, 20, 1472-1481.  | 2.9 | 39        |
| 32 | Is a Dual-Sensor Pacemaker Appropriate in Patients with Sino-Atrial Disease? Results from the DUSISLOG Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 34-40.  | 0.5 | 37        |
| 33 | Longevity of implantable cardioverter-defibrillators for cardiac resynchronization therapy in current clinical practice: an analysis according to influencing factors, device generation, and manufacturer. <i>Europace</i> , 2015, 17, 1251-1258.  | 0.7 | 37        |
| 34 | Efficacy of cardiac resynchronization therapy in very old patients: the Insync/Insync ICD Italian Registry. <i>Europace</i> , 2007, 9, 732-738.   | 0.7 | 36        |
| 35 | Heart rate variability monitored by the implanted device predicts response to CRT and long-term clinical outcome in patients with advanced heart failure. <i>European Journal of Heart Failure</i> , 2008, 10, 1073-1079.   | 2.9 | 33        |
| 36 | Improving Thromboprophylaxis Using Atrial Fibrillation Diagnostic Capabilities in Implantable Cardioverter-Defibrillators. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, 182-188.  | 0.9 | 33        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Follow-up of CRT-ICD: Implications for the Use of Remote Follow-up Systems. Data from the InSync ICD Italian Registry. PACE - Pacing and Clinical Electrophysiology, 2008, 31, 38-46.  | 0.5 | 32        |
| 38 | Identification of Genetic Markers for Treatment Success in Heart Failure Patients. Circulation: Cardiovascular Genetics, 2014, 7, 760-770.   | 5.1 | 32        |
| 39 | A comprehensive electrocardiographic, molecular, and echocardiographic study of Brugada syndrome: Validation of the 2013 diagnostic criteria. Heart Rhythm, 2014, 11, 1176-1183.   | 0.3 | 32        |
| 40 | Implantation technique and optimal subcutaneous defibrillator chest position: a PRAETORIAN score-based study. Europace, 2020, 22, 1822-1829.   | 0.7 | 31        |
| 41 | Comparison of the Usefulness of Cardiac Resynchronization Therapy in Three Age-Groups (<65, 65-74) Tj ETQq1 1 0.784314 rgBT / Overlock 1510-1516.  | 0.7 | 30        |
| 42 | Prognostic implications of mitral regurgitation in patients after cardiac resynchronization therapy. European Journal of Heart Failure, 2016, 18, 1060-1068.   | 2.9 | 30        |
| 43 | Validation of Seattle Heart Failure Model for mortality risk prediction in patients treated with cardiac resynchronization therapy. European Journal of Heart Failure, 2013, 15, 211-220.  | 2.9 | 29        |
| 44 | Electrical storm in patients with biventricular implantable cardioverter defibrillator: Incidence, predictors, and prognostic implications. American Heart Journal, 2008, 156, 847-854.  | 1.2 | 28        |
| 45 | Tumor Necrosis Factor- $\alpha$ Predicts Response to Cardiac Resynchronization Therapy in Patients With Chronic Heart Failure. Circulation Journal, 2014, 78, 2232-2239.   | 0.7 | 28        |
| 46 | Subcutaneous implantable cardioverter defibrillator implantation: An analysis of Italian clinical practice and its evolution. International Journal of Cardiology, 2018, 272, 162-167.   | 0.8 | 28        |
| 47 | Intrahospital organizational model of remote monitoring data sharing, for a global management of patients with cardiac implantable electronic devices: a document of the Italian Association of Arrhythmology and Cardiac Pacing. Journal of Cardiovascular Medicine, 2020, 21, 171-181. | 0.6 | 28        |
| 48 | Persistent Atrial Fibrillation Worsens Heart Rate Variability, Activity and Heart Rate, as Shown by a Continuous Monitoring by Implantable Biventricular Pacemakers in Heart Failure Patients. Journal of Cardiovascular Electrophysiology, 2008, 19, 693-701.                           | 0.8 | 27        |
| 49 | Pulmonary Vein Isolation with the Cryoballoon Technique: Feasibility, Procedural Outcomes, and Adoption in the Real World. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 46-56.  | 0.5 | 27        |
| 50 | Battery longevity of implantable cardioverter-defibrillators and cardiac resynchronization therapy defibrillators: technical, clinical and economic aspects. An expert review paper from EHRA. Europace, 2018, 20, 1882-1897.  | 0.7 | 27        |
| 51 | Positive trend in survival to hospital discharge after out-of-hospital cardiac arrest. Journal of Cardiovascular Medicine, 2014, 15, 609-615.  | 0.6 | 25        |
| 52 | Body surface potential maps in old inferior myocardial infarction. Assessment of diagnostic criteria. Journal of Electrocardiology, 1986, 19, 225-234.   | 0.4 | 24        |
| 53 | Delayed ICD Lead Cardiac Perforation: Comparison of Small versus Standard-diameter Leads Implanted in a Single Center. PACE - Pacing and Clinical Electrophysiology, 2011, 34, 475-483.  | 0.5 | 24        |
| 54 | Physical Activity Measured by Implanted Devices Predicts Atrial Arrhythmias and Patient Outcome: Results of IMPLANTED (Italian Multicentre Observational Registry on Patients With Implantable) Tj ETQq0 0 0 rgBT / Overlock 24 Tf 50 5  | 0.7 | 24        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Predictive value of programmed ventricular stimulation in patients with ischaemic cardiomyopathy: implications for the selection of candidates for an implantable defibrillator. <i>Europace</i> , 2007, 9, 1151-1157.  | 0.7 | 22        |
| 56 | Clinically oriented device programming in bradycardia patients: part 1 (sinus node disease). Proposals from AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Cardiovascular Medicine</i> , 2018, 19, 161-169.  | 0.6 | 22        |
| 57 | Center experience does not influence long-term outcome and peri-procedural complications after cryoballoon ablation of paroxysmal atrial fibrillation: Data on 860 patients from the real-world multicenter observational project. <i>International Journal of Cardiology</i> , 2018, 272, 130-136. | 0.8 | 22        |
| 58 | Effectiveness of cardiac resynchronization therapy in heart failure patients with valvular heart disease: comparison with patients affected by ischaemic heart disease or dilated cardiomyopathy. The InSync/InSync ICD Italian Registry. <i>European Heart Journal</i> , 2009, 30, 2275-2283.      | 1.0 | 21        |
| 59 | Effect of PR interval and pacing mode on persistent atrial fibrillation incidence in dual chamber pacemaker patients: a sub-study of the international randomized MINERVA trial. <i>Europace</i> , 2019, 21, 636-644.   | 0.7 | 20        |
| 60 | Predictive role of early recurrence of atrial fibrillation after cryoballoon ablation. <i>Europace</i> , 2020, 22, 1798-1804.   | 0.7 | 20        |
| 61 | Change in the use of remote monitoring of cardiac implantable electronic devices in Italian clinical practice over a 5-year period: results of two surveys promoted by the AIAC (Italian Association of) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 T</i>                                   | 0.7 | 18        |
| 62 | Reproducibility of acute pulmonary vein isolation guided by the ablation index. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 874-881.  | 0.5 | 19        |
| 63 | Clustering of Ventricular Tachyarrhythmias in Heart Failure Patients Implanted with a Biventricular Cardioverter Defibrillator. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 1299-1306.   | 0.8 | 18        |
| 64 | Determinants of All-Cause Mortality in Different Age Groups in Patients With Severe Systolic Left Ventricular Dysfunction Receiving an Implantable Cardioverter Defibrillator (from the Italian) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 T</i>  | 0.7 | 18        |
| 65 | Impact of Mitral Regurgitation on the Outcome of Patients Treated with CRT: Data from the InSync ICD Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 146-154.   | 0.5 | 17        |
| 66 | Clinically oriented device programming in bradycardia patients: part 2 (atrioventricular blocks and) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 T</i>  | 0.6 | 17        |
| 67 | Reproducibility of pulmonary vein isolation guided by the ablation index: 1-year outcome of the AIR registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1694-1701.   | 0.8 | 17        |
| 68 | Intrathoracic and Ventricular Impedances are Associated with Changes in Ventricular Volume in Patients Receiving Defibrillators for CRT. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010, 33, 64-73.   | 0.5 | 16        |
| 69 | Actions elicited during scheduled and unscheduled in-hospital follow-up of cardiac devices: results of the ATHENS multicentre registry. <i>Europace</i> , 2011, 13, 1766-1773.  | 0.7 | 16        |
| 70 | Risk stratification of ischaemic patients with implantable cardioverter defibrillators by C-reactive protein and a multi-markers strategy: results of the CAMI-GUIDE study. <i>European Heart Journal</i> , 2012, 33, 1344-1350.  | 1.0 | 16        |
| 71 | Long-term reverse remodeling by cardiac resynchronization therapy with MultiPoint Pacing: A feasibility study of noninvasive hemodynamics-guided device programming. <i>Heart Rhythm</i> , 2018, 15, 1766-1774.   | 0.3 | 15        |
| 72 | Ventricular rate monitoring as a tool to predict and prevent atrial fibrillation-related inappropriate shocks in heart failure patients treated with cardiac resynchronisation therapy defibrillators. <i>Heart</i> , 2014, 100, 848-854.   | 1.2 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Adaptive Cardiac Resynchronization Therapy Reduces Atrial Fibrillation Incidence in Heart Failure Patients With Prolonged AV Conduction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e007260.  | 2.1 | 14        |
| 74 | Is the time between first diagnosis of paroxysmal atrial fibrillation and cryoballoon ablation a predictor of efficacy?. <i>Journal of Cardiovascular Medicine</i> , 2018, 19, 446-452.   | 0.6 | 13        |
| 75 | Favorable Trend of Implantable Cardioverter-Defibrillator Service Life in a Large Single-Nation Population: Insights From 10-Year Analysis of the Italian Implantable Cardioverter-Defibrillator Registry. <i>Journal of the American Heart Association</i> , 2019, 8, e012759. | 1.6 | 13        |
| 76 | Serratus anterior plane block in subcutaneous implantable cardioverter defibrillator implantation: A case-control analysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 144-149.   | 0.8 | 13        |
| 77 | Design of the evolution of management strategies of heart failure patients with implantable defibrillators (EVOLVO) study to assess the ability of remote monitoring to treat and triage patients more effectively. <i>Trials</i> , 2009, 10, 42.                               | 0.7 | 12        |
| 78 | Five Years of Catheter Ablation Procedures in South-Western Europe: Meta-Analysis of National Registries. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, 506-515.  | 0.5 | 12        |
| 79 | Atrial antitachycardia pacing and atrial remodeling: A substudy of the international, randomized MINERVA trial. <i>Heart Rhythm</i> , 2017, 14, 1476-1484.  | 0.3 | 12        |
| 80 | Clinical and organizational management of cardiac implantable electronic device replacements. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 531-541.  | 0.6 | 12        |
| 81 | Characteristics of ventricular tachyarrhythmias occurring in ischemic versus nonischemic patients implanted with a biventricular cardioverter-defibrillator for primary or secondary prevention of sudden death. <i>American Heart Journal</i> , 2006, 152, 527.e1-527.e11.     | 1.2 | 11        |
| 82 | Efficacy of cryoballoon ablation in patients with paroxysmal atrial fibrillation without time to pulmonary vein isolation assessment. <i>International Journal of Cardiology</i> , 2018, 272, 118-122.  | 0.8 | 11        |
| 83 | Pharmacological therapy following catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 9-15.   | 0.6 | 10        |
| 84 | Genetic Variants of the Renin-Angiotensin-Aldosterone System and Reverse Remodeling After Cardiac Resynchronization Therapy. <i>Journal of Cardiac Failure</i> , 2012, 18, 762-768.   | 0.7 | 10        |
| 85 | A comparison of acute procedural outcomes within four generations of cryoballoon catheters utilized in the real-world multicenter experience of 1STOP. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 80-88.  | 0.8 | 10        |
| 86 | Is 40 Joules Enough to Successfully Defibrillate With Subcutaneous Implantable Cardioverter-Defibrillators?. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 767-776.  | 1.3 | 10        |
| 87 | Women with nonischemic cardiomyopathy have a favorable prognosis and a better left ventricular remodeling than men after cardiac resynchronization therapy. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 291-298.  | 0.6 | 9         |
| 88 | The economic impact of battery longevity in implantable cardioverter-defibrillators for cardiac resynchronization therapy: the hospital and healthcare system perspectives. <i>Europace</i> , 2017, 19, 1349-1356.  | 0.7 | 9         |
| 89 | Donor-to-Recipient Decremental Conduction of Atrial Fibrillation Following Orthotopic Heart Transplantation:.. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 1043-1047.  | 0.8 | 8         |
| 90 | Automatic adjustment of stimulation output in resynchronization therapy: impact and effectiveness in clinical practice. <i>Europace</i> , 2011, 13, 1311-1318.  | 0.7 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Can we predict new AF occurrence in single-chamber ICD patients? Insights from an observational investigation. <i>International Journal of Cardiology</i> , 2017, 230, 275-280.  | 0.8 | 8         |
| 92  | Prognostic role of post-infarction C-reactive protein in patients undergoing implantation of cardioverter-defibrillators: design of the C-reactive protein Assessment after Myocardial Infarction to GUide Implantation of DEfibrillator (CAMI GUIDE) study. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 293-299. | 0.6 | 7         |
| 93  | Left Ventricular Pacing Lead Positioning in the Target Vein of the Coronary Sinus: Description of a Challenging Case. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 503-505.   | 0.5 | 7         |
| 94  | Anatomical Mapping for Atrial Fibrillation Ablation: A Head-to-Head Comparison of Ultrasound-Assisted Reconstruction versus Fast Anatomical Mapping. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 187-195.  | 0.5 | 7         |
| 95  | Submammary device implantation. Good long-term performance and better patients' satisfaction. A single-center experience. <i>International Journal of Cardiology</i> , 2016, 221, 820-826.   | 0.8 | 7         |
| 96  | Cryoballoon ablation of atrial fibrillation is effectively feasible without previous imaging of pulmonary vein anatomy: insights from the 1STOP project. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 55, 267-275.   | 0.6 | 7         |
| 97  | Treatment of atrial fibrillation with a dual defibrillator in heart failure patients (TRADE HF): protocol for a randomized clinical trial. <i>Trials</i> , 2011, 12, 44.   | 0.7 | 6         |
| 98  | Ventricular antitachycardia pacing therapy in patients with heart failure implanted with a cardiac resynchronization therapy defibrillator device: Efficacy, safety, and impact on mortality. <i>Heart Rhythm</i> , 2016, 13, 472-480.   | 0.3 | 6         |
| 99  | Use of implantable cardioverter defibrillator and cardiac resynchronization therapy. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 675-683.  | 0.6 | 5         |
| 100 | The increased risk of stroke/transient ischemic attack in women with a cardiac implantable electronic device is not associated with a higher atrial fibrillation burden. <i>Europace</i> , 2017, 19, 1767-1775.  | 0.7 | 5         |
| 101 | Cumulative analysis on 4802 patients confirming that women benefit more than men from cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2015, 182, 454-456.  | 0.8 | 4         |
| 102 | Multipoint Pacing versus conventional ICD in Patients with a Narrow QRS complex (MPP Narrow QRS) <i>Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50</i>   | 0.7 | 4         |
| 103 | Reduction of inappropriate anti-tachycardia pacing therapies and shocks by a novel suite of detection algorithms in heart failure patients with cardiac resynchronization therapy defibrillators: a historical comparison of a prospective database. <i>Europace</i> , 2016, 18, 1391-1398.                                | 0.7 | 4         |
| 104 | Lead choice in cardiac implantable electronic devices: an Italian survey promoted by AIAC (Italian) <i>Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50</i>  | 1.4 | 4         |
| 105 | Projected longevities of cardiac implantable defibrillators: a retrospective analysis over the period 2007-2017 and the impact of technological factors in determining longevity. <i>Europace</i> , 2020, 22, 149-155.   | 0.7 | 4         |
| 106 | Atrial Fibrillation: Rhythm or Rate Control?. <i>Cardiology</i> , 2003, 3, 164-170.  | 0.3 | 2         |
| 107 | Intermittent rate-dependent retrograde conduction over a concealed atrioventricular accessory pathway: what is the mechanism?. <i>Europace</i> , 2008, 11, 260-262.  | 0.7 | 2         |
| 108 | Post-partum cardiogenic shock in a patient with permanent junctional re-entry tachycardia. <i>International Journal of Cardiology</i> , 2011, 151, e68-e70.  | 0.8 | 2         |

| #   | ARTICLE   | IF       | CITATIONS |
|-----|---|----------|-----------|
| 109 | Stroke prophylaxis in high-risk patients with atrial fibrillation: Rhythm vs. rate control strategy. <i>European Journal of Internal Medicine</i> , 2013, 24, 314-317.  | 1.0      | 2         |
| 110 | The Practice of Deep Sedation in Electrophysiology and Cardiac Pacing Laboratories: Results of an Italian Survey Promoted by the AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Clinical Medicine</i> , 2021, 10, 5035.          | 1.0      | 2         |
| 111 | Chronic Kidney Disease with Mild and Mild to Moderate Reduction in Renal Function and Long-Term Recurrences of Atrial Fibrillation after Pulmonary Vein Cryoballoon Ablation. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 126.          | 0.8      | 2         |
| 112 | Effect of nitroglycerin on ST potentials in the post-acute phase of myocardial infarction. <i>Journal of Electrocardiology</i> , 1981, 14, 351-356.   | 0.4      | 1         |
| 113 | CV4 Evaluation of Telemonitoring for Heart Failure Patients With Implantable Defibrillators: The Evolve (Evolution of Management Strategies of Heart Failure Patients With Implantable) Trial. <i>Journal of Intensive Care Medicine</i> , 2021, 36, 1075-1082. | 0.784314 | 10        |
| 114 | 1A.08. <i>Journal of Hypertension</i> , 2015, 33, e3.   | 0.3      | 1         |
| 115 | Electrical treatment of atrial arrhythmias in heart failure patients implanted with a dual defibrillator CRT device. Results from the TRADE-HF study. <i>International Journal of Cardiology</i> , 2017, 236, 181-186.  | 0.8      | 1         |
| 116 | Washout of long-term treatment with flecainide and propafenone in patients with complex ventricular arrhythmias and cardiac disease. <i>American Heart Journal</i> , 1992, 124, 374-380.  | 1.2      | 0         |
| 117 | 237: Clinical Usefulness of an Implantable Thoracic Impedance Monitoring and Alert System. <i>Journal of Heart and Lung Transplantation</i> , 2008, 27, S146.   | 0.3      | 0         |
| 118 | Loss of biventricular pacing, inappropriate ICD shocks and uncontrolled ventricular rate associated to atrial fibrillation in patients with cardiac resynchronization therapy defibrillators. <i>European Heart Journal</i> , 2013, 34, P3196-P3196.            | 1.0      | 0         |
| 119 | Letter by Ferrari et al Regarding Article, "Long-Term Arrhythmia-Free Survival in Patients With Severe Left Ventricular Dysfunction and No Inducible Ventricular Tachycardia After Myocardial Infarction". <i>Circulation</i> , 2014, 130, e178.                | 1.6      | 0         |
| 120 | The Economic Impact of The use of Implantable Cardioverter Defibrillator In Primary Prevention. <i>Value in Health</i> , 2015, 18, A337.  | 0.1      | 0         |
| 121 | The elephant in the room. <i>Journal of Cardiovascular Medicine</i> , 2018, 19, 609-610.  | 0.6      | 0         |
| 122 | 764 Usefulness of an automatic patient alarm based on changes in intrathoracic impedance in patients with advanced heart failure. <i>European Journal of Heart Failure</i> , Supplement, 2007, 6, 173-174.  | 0.2      | 0         |
| 123 | 759 Long-term effects of CRT in patients with narrow QRS: the InSync/InSync ICD Italian Registry. <i>European Journal of Heart Failure</i> , Supplement, 2007, 6, 171-172.  | 0.2      | 0         |
| 124 | 758 Reverse remodeling after cardiac resynchronization therapy affects the burden of ventricular arrhythmias: the InSync ICD Italian Registry. <i>European Journal of Heart Failure</i> , Supplement, 2007, 6, 171-171.   | 0.2      | 0         |
| 125 | 10 Clinical utility of an implantable thoracic impedance monitoring and alert system: beyond hospitalization. <i>European Journal of Heart Failure</i> , Supplement, 2007, 6, 2-2.  | 0.2      | 0         |
| 126 | Electrical storms in patients with biventricular ICD may suggest cardiac resynchronization therapy inefficacy. <i>European Journal of Heart Failure</i> , Supplement, 2008, 7, 178-178.   | 0.2      | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Role of the Autonomic Nervous System in Sustained Ventricular Tachycardia after Myocardial Infarction. <i>Developments in Cardiovascular Medicine</i> , 1998, , 49-55.                               | 0.1 | 0         |
| 128 | Sinus Cycle Shortening During Ventricular Tachycardia Predicts Better Than Ventricular Function Major Events in the Follow-up. <i>Journal of the American College of Cardiology</i> , 1998, 31, 90A. | 1.2 | 0         |
| 129 | Estimate and reporting of longevity for cardiac implantable electronic devices: a proposal for standardized criteria. <i>Expert Review of Medical Devices</i> , 2021, 18, 1203-1208.                 | 1.4 | 0         |