

Maurizio Eugenio Landolina

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/3731677/maurizio-eugenio-landolina-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

8,115
citations

30
h-index

89
g-index

136
ext. papers

9,408
ext. citations

4.8
avg, IF

5.17
L-index

#	Paper	IF	Citations
120	The effect of cardiac resynchronization on morbidity and mortality in heart failure. <i>New England Journal of Medicine</i> , 2005 , 352, 1539-49	59.2	4667
119	Long-term outcome and risk stratification in dilated cardiomyopathies. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1250-60	15.1	278
118	Remote monitoring reduces healthcare use and improves quality of care in heart failure patients with implantable defibrillators: the evolution of management strategies of heart failure patients with implantable defibrillators (EVOLVO) study. <i>Circulation</i> , 2012 , 125, 2985-92	16.7	229
117	Long term vagal stimulation in patients with advanced heart failure: first experience in man. <i>European Journal of Heart Failure</i> , 2008 , 10, 884-91	12.3	215
116	Who are the long-QT syndrome patients who receive an implantable cardioverter-defibrillator and what happens to them?: data from the European Long-QT Syndrome Implantable Cardioverter-Defibrillator (LQTS ICD) Registry. <i>Circulation</i> , 2010 , 122, 1272-82	16.7	209
115	A simplified biventricular defibrillator with fixed long detection intervals reduces implantable cardioverter defibrillator (ICD) interventions and heart failure hospitalizations in patients with non-ischaemic cardiomyopathy implanted for primary prevention: the RELEVANT [Role of long	9.5	121
114	Cardiac resynchronization therapy in patients with atrial fibrillation: the CERTIFY study (Cardiac Resynchronization Therapy in Atrial Fibrillation Patients Multinational Registry). <i>JACC: Heart Failure</i> , 2013 , 1, 500-7	7.9	115
113	Monitoring intrathoracic impedance with an implantable defibrillator reduces hospitalizations in patients with heart failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 363-70	1.6	106
112	Image integration increases efficacy of paroxysmal atrial fibrillation catheter ablation: results from the CartoMerge Italian Registry. <i>Europace</i> , 2009 , 11, 1004-10	3.9	101
111	Remote monitoring of CRT-ICD: the multicenter Italian CareLink evaluation—ease of use, acceptance, and organizational implications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 1259-64	1.6	98
110	Device-detected atrial tachyarrhythmias predict adverse outcome in real-world patients with implantable biventricular defibrillators. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 167-72	15.1	97
109	Antiarrhythmic effect of reverse ventricular remodeling induced by cardiac resynchronization therapy: the InSync ICD (Implantable Cardioverter-Defibrillator) Italian Registry. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1442-9	15.1	81
108	Baroreflex sensitivity, but not heart rate variability, is reduced in patients with life-threatening ventricular arrhythmias long after myocardial infarction. <i>American Heart Journal</i> , 1995 , 130, 473-80	4.9	79
107	A randomized controlled trial of atrioventricular junction ablation and cardiac resynchronization therapy in patients with permanent atrial fibrillation and narrow QRS. <i>European Heart Journal</i> , 2018 , 39, 3999-4008	9.5	67
106	Frequency, patient characteristics, treatment strategies, and resource usage of atrial fibrillation (from the Italian Survey of Atrial Fibrillation Management [ISAF] study). <i>American Journal of Cardiology</i> , 2013 , 111, 705-11	3	60
105	Long-term complications related to biventricular defibrillator implantation: rate of surgical revisions and impact on survival: insights from the Italian Clinical Service Database. <i>Circulation</i> , 2011 , 123, 2526-35	16.7	57
104	Detection of new atrial fibrillation in patients with cardiac implanted electronic devices and factors associated with transition to higher device-detected atrial fibrillation burden. <i>Heart Rhythm</i> , 2018 , 15, 376-383	6.7	55

103	Remote monitoring of patients with biventricular defibrillators through the CareLink system improves clinical management of arrhythmias and heart failure episodes. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009 , 24, 53-61	2.4	52
102	Impaired baroreflex sensitivity is correlated with hemodynamic deterioration of sustained ventricular tachycardia. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 568-75	15.1	52
101	Relevance of echocardiographic evaluation of right ventricular function in patients undergoing cardiac resynchronization therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 1040-9	1.6	51
100	Implantable CRT device diagnostics identify patients with increased risk for heart failure hospitalization. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2008 , 23, 235-42	2.4	50
99	Pulmonary vein isolation cryoablation for patients with persistent and long-standing persistent atrial fibrillation: Clinical outcomes from the real-world multicenter observational project. <i>Heart Rhythm</i> , 2018 , 15, 363-368	6.7	43
98	Cost-utility analysis of the EVOLVO study on remote monitoring for heart failure patients with implantable defibrillators: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e106	7.6	43
97	Incidence and clinical relevance of uncontrolled ventricular rate during atrial fibrillation in heart failure patients treated with cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2011 , 13, 868-76	12.3	38
96	Failure of implantable cardioverter-defibrillator leads: a matter of lead size?. <i>Heart Rhythm</i> , 2013 , 10, 184-90	6.7	37
95	Is a dual-sensor pacemaker appropriate in patients with sino-atrial disease? Results from the DUSISLOG study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006 , 29, 34-40	1.6	34
94	Longevity of implantable cardioverter-defibrillators for cardiac resynchronization therapy in current clinical practice: an analysis according to influencing factors, device generation, and manufacturer. <i>Europace</i> , 2015 , 17, 1251-8	3.9	33
93	Comparison of the effects of cardiac resynchronization therapy in patients with class II versus class III and IV heart failure (from the InSync/InSync ICD Italian Registry). <i>American Journal of Cardiology</i> , 2007 , 100, 1007-12	3	31
92	Efficacy of cardiac resynchronization therapy in very old patients: the Insync/Insync ICD Italian Registry. <i>Europace</i> , 2007 , 9, 732-8	3.9	31
91	Validation of a simple risk stratification tool for patients implanted with Cardiac Resynchronization Therapy: the VALID-CRT risk score. <i>European Journal of Heart Failure</i> , 2015 , 17, 717-24	12.3	30
90	Impact of COVID-19 pandemic on the clinical activities related to arrhythmias and electrophysiology in Italy: results of a survey promoted by AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Internal and Emergency Medicine</i> , 2020 , 15, 1445-1456	3.7	29
89	Improving thromboprophylaxis using atrial fibrillation diagnostic capabilities in implantable cardioverter-defibrillators: the multicentre Italian ANGELS of AF Project. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012 , 5, 182-8	5.8	28
88	Heart rate variability monitored by the implanted device predicts response to CRT and long-term clinical outcome in patients with advanced heart failure. <i>European Journal of Heart Failure</i> , 2008 , 10, 1073-9	12.3	28
87	Comparison of the usefulness of cardiac resynchronization therapy in three age-groups (. <i>American Journal of Cardiology</i> , 2011 , 107, 1510-6	3	27
86	A comprehensive electrocardiographic, molecular, and echocardiographic study of Brugada syndrome: validation of the 2013 diagnostic criteria. <i>Heart Rhythm</i> , 2014 , 11, 1176-83	6.7	25

85	Follow-up of CRT-ICD: implications for the use of remote follow-up systems. Data from the InSync ICD Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 38-46	1.6	25
84	Persistent atrial fibrillation worsens heart rate variability, activity and heart rate, as shown by a continuous monitoring by implantable biventricular pacemakers in heart failure patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 693-701	2.7	25
83	Rhythm-symptom correlation in patients on continuous monitoring after catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 154-60	2.7	24
82	Validation of Seattle Heart Failure Model for mortality risk prediction in patients treated with cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2013 , 15, 211-20	12.3	24
81	Electrical storm in patients with biventricular implantable cardioverter defibrillator: incidence, predictors, and prognostic implications. <i>American Heart Journal</i> , 2008 , 156, 847-54	4.9	24
80	Body surface potential maps in old inferior myocardial infarction. Assessment of diagnostic criteria. <i>Journal of Electrocardiology</i> , 1986 , 19, 225-34	1.4	24
79	Delayed ICD lead cardiac perforation: comparison of small versus standard-diameter leads implanted in a single center. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, 475-83	1.6	21
78	AV junction ablation and cardiac resynchronization for patients with permanent atrial fibrillation and narrow QRS: the APAF-CRT mortality trial. <i>European Heart Journal</i> , 2021 , 42, 4731-4739	9.5	21
77	Tumor necrosis factor- β predicts response to cardiac resynchronization therapy in patients with chronic heart failure. <i>Circulation Journal</i> , 2014 , 78, 2232-9	2.9	20
76	Atrioventricular junction ablation in patients with atrial fibrillation treated with cardiac resynchronization therapy: positive impact on ventricular arrhythmias, implantable cardioverter-defibrillator therapies and hospitalizations. <i>European Journal of Heart Failure</i> , 2018 , 20, 1473-1481	12.3	19
75	Pulmonary Vein Isolation with the Cryoballoon Technique: Feasibility, Procedural Outcomes, and Adoption in the Real World: Data from One Shot Technologies TO Pulmonary Vein Isolation (1STOP) Project. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 46-56	1.6	19
74	Effectiveness of cardiac resynchronization therapy in heart failure patients with valvular heart disease: comparison with patients affected by ischaemic heart disease or dilated cardiomyopathy. The InSync/InSync ICD Italian Registry. <i>European Heart Journal</i> , 2009 , 30, 2275-83	9.5	19
73	Physical Activity Measured by Implanted Devices Predicts Atrial Arrhythmias and Patient Outcome: Results of IMPLANTED (Italian Multicentre Observational Registry on Patients With Implantable Devices Remotely Monitored). <i>Journal of the American Heart Association</i> , 2018 , 7,	6	18
72	Prognostic implications of mitral regurgitation in patients after cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2016 , 18, 1060-8	12.3	18
71	Predictive value of programmed ventricular stimulation in patients with ischaemic cardiomyopathy: implications for the selection of candidates for an implantable defibrillator. <i>Europace</i> , 2007 , 9, 1151-7	3.9	18
70	Clinically oriented device programming in bradycardia patients: part 1 (sinus node disease). Proposals from AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 161-169	1.9	17
69	Positive trend in survival to hospital discharge after out-of-hospital cardiac arrest: a quantitative review of the literature. <i>Journal of Cardiovascular Medicine</i> , 2014 , 15, 609-15	1.9	17
68	Clustering of ventricular tachyarrhythmias in heart failure patients implanted with a biventricular cardioverter defibrillator. <i>Journal of Cardiovascular Electrophysiology</i> , 2006 , 17, 1299-306	2.7	17

67	Subcutaneous implantable cardioverter defibrillator implantation: An analysis of Italian clinical practice and its evolution. <i>International Journal of Cardiology</i> , 2018 , 272, 162-167	3.2	16
66	Identification of genetic markers for treatment success in heart failure patients: insight from cardiac resynchronization therapy. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 760-70		16
65	Center experience does not influence long-term outcome and peri-procedural complications after cryoballoon ablation of paroxysmal atrial fibrillation: Data on 860 patients from the real-world multicenter observational project. <i>International Journal of Cardiology</i> , 2018 , 272, 130-136	3.2	15
64	Intrathoracic and ventricular impedances are associated with changes in ventricular volume in patients receiving defibrillators for CRT. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 64-73	1.6	15
63	Actions elicited during scheduled and unscheduled in-hospital follow-up of cardiac devices: results of the ATHENS multicentre registry. <i>Europace</i> , 2011 , 13, 1766-73	3.9	15
62	Battery longevity of implantable cardioverter-defibrillators and cardiac resynchronization therapy defibrillators: technical, clinical and economic aspects. An expert review paper from EHRA. <i>Europace</i> , 2018 , 20, 1882-1897	3.9	15
61	Intrahospital organizational model of remote monitoring data sharing, for a global management of patients with cardiac implantable electronic devices: a document of the Italian Association of Arrhythmology and Cardiac Pacing. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 171-181	1.9	14
60	Determinants of all-cause mortality in different age groups in patients with severe systolic left ventricular dysfunction receiving an implantable cardioverter defibrillator (from the Italian ClinicalService Multicenter Observational Project). <i>American Journal of Cardiology</i> , 2014 , 113, 1691-6	3	13
59	Impact of mitral regurgitation on the outcome of patients treated with CRT-D: data from the InSync ICD Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 146-54	1.6	13
58	Clinically oriented device programming in bradycardia patients: part 2 (atrioventricular blocks and neurally mediated syncope). Proposals from AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 170-180	1.9	12
57	Effect of PR interval and pacing mode on persistent atrial fibrillation incidence in dual chamber pacemaker patients: a sub-study of the international randomized MINERVA trial. <i>Europace</i> , 2019 , 21, 636-644	3.9	12
56	Long-term reverse remodeling by cardiac resynchronization therapy with MultiPoint Pacing: A feasibility study of noninvasive hemodynamics-guided device programming. <i>Heart Rhythm</i> , 2018 , 15, 1766-1774	6.7	12
55	Reproducibility of acute pulmonary vein isolation guided by the ablation index. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 874-881	1.6	11
54	Risk stratification of ischaemic patients with implantable cardioverter defibrillators by C-reactive protein and a multi-markers strategy: results of the CAMI-GUIDE study. <i>European Heart Journal</i> , 2012 , 33, 1344-50	9.5	11
53	Change in the use of remote monitoring of cardiac implantable electronic devices in Italian clinical practice over a 5-year period: results of two surveys promoted by the AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 305-314	1.9	11
52	Design of the evolution of management strategies of heart failure patients with implantable defibrillators (EVOLVO) study to assess the ability of remote monitoring to treat and triage patients more effectively. <i>Trials</i> , 2009 , 10, 42	2.8	10
51	Five years of catheter ablation procedures in South-Western Europe: meta-analysis of National Registries. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 506-15	1.6	10
50	The economic impact of battery longevity in implantable cardioverter-defibrillators for cardiac resynchronization therapy: the hospital and healthcare system perspectives. <i>Europace</i> , 2017 , 19, 1349-1356	3.9	9

49	Efficacy of cryoballoon ablation in patients with paroxysmal atrial fibrillation without time to pulmonary vein isolation assessment. <i>International Journal of Cardiology</i> , 2018 , 272, 118-122	3.2	9
48	Genetic variants of the renin-angiotensin-aldosterone system and reverse remodeling after cardiac resynchronization therapy. <i>Journal of Cardiac Failure</i> , 2012 , 18, 762-8	3.3	9
47	Characteristics of ventricular tachyarrhythmias occurring in ischemic versus nonischemic patients implanted with a biventricular cardioverter-defibrillator for primary or secondary prevention of sudden death. <i>American Heart Journal</i> , 2006 , 152, 527.e1-11	4.9	9
46	Atrial antitachycardia pacing and atrial remodeling: A substudy of the international, randomized MINERVA trial. <i>Heart Rhythm</i> , 2017 , 14, 1476-1484	6.7	8
45	Donor-to-recipient decremental conduction of atrial fibrillation following orthotopic heart transplantation: insights into the mechanism of atrioatrial conduction. <i>Journal of Cardiovascular Electrophysiology</i> , 2000 , 11, 1043-7	2.7	8
44	Predictive role of early recurrence of atrial fibrillation after cryoballoon ablation. <i>Europace</i> , 2020 , 22, 1798-1804	3.9	8
43	Women with nonischemic cardiomyopathy have a favorable prognosis and a better left ventricular remodeling than men after cardiac resynchronization therapy. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 291-8	1.9	8
42	Can we predict new AF occurrence in single-chamber ICD patients? Insights from an observational investigation. <i>International Journal of Cardiology</i> , 2017 , 230, 275-280	3.2	7
41	Favorable Trend of Implantable Cardioverter-Defibrillator Service Life in a Large Single-Nation Population: Insights From 10-Year Analysis of the Italian Implantable Cardioverter-Defibrillator Registry. <i>Journal of the American Heart Association</i> , 2019 , 8, e012759	6	7
40	Ventricular rate monitoring as a tool to predict and prevent atrial fibrillation-related inappropriate shocks in heart failure patients treated with cardiac resynchronisation therapy defibrillators. <i>Heart</i> , 2014 , 100, 848-54	5.1	7
39	Automatic adjustment of stimulation output in resynchronization therapy: impact and effectiveness in clinical practice. <i>Europace</i> , 2011 , 13, 1311-8	3.9	7
38	Pharmacological therapy following catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 9-15	1.9	7
37	Prognostic role of post-infarction C-reactive protein in patients undergoing implantation of cardioverter-defibrillators: design of the C-reactive protein Assessment after Myocardial Infarction to GUide Implantation of DEFibrillator (CAMI GUIDE) study. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 293-9	1.9	7
36	A comparison of acute procedural outcomes within four generations of cryoballoon catheters utilized in the real-world multicenter experience of 1STOP. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 80-88	2.7	7
35	Clinical and organizational management of cardiac implantable electronic device replacements: an Italian Survey promoted by AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 531-541	1.9	7
34	Adaptive Cardiac Resynchronization Therapy Reduces Atrial Fibrillation Incidence in Heart Failure Patients With Prolonged AV Conduction: The Adaptive CRT Randomized Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e007260	6.4	6
33	Reproducibility of pulmonary vein isolation guided by the ablation index: 1-year outcome of the AIR registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1694-1701	2.7	6
32	Serratus anterior plane block in subcutaneous implantable cardioverter defibrillator implantation: A case-control analysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 144-149	2.7	6

31	Implantation technique and optimal subcutaneous defibrillator chest position: a PRAETORIAN score-based study. <i>Europace</i> , 2020 , 22, 1822-1829	3.9	6
30	Cryoballoon ablation of atrial fibrillation is effectively feasible without previous imaging of pulmonary vein anatomy: insights from the 1STOP project. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019 , 55, 267-275	2.4	6
29	Is the time between first diagnosis of paroxysmal atrial fibrillation and cryoballoon ablation a predictor of efficacy?. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 446-452	1.9	6
28	Anatomical mapping for atrial fibrillation ablation: a head-to-head comparison of ultrasound-assisted reconstruction versus fast anatomical mapping. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 187-95	1.6	5
27	Treatment of atrial fibrillation with a dual defibrillator in heart failure patients (TRADE HF): protocol for a randomized clinical trial. <i>Trials</i> , 2011 , 12, 44	2.8	5
26	Left ventricular pacing lead positioning in the target vein of the coronary sinus: description of a challenging case. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 503-5	1.6	5
25	Submammary device implantation. Good long-term performance and better patients satisfaction. A single-center experience. <i>International Journal of Cardiology</i> , 2016 , 221, 820-6	3.2	5
24	The increased risk of stroke/transient ischemic attack in women with a cardiac implantable electronic device is not associated with a higher atrial fibrillation burden. <i>Europace</i> , 2017 , 19, 1767-1775 ³⁻⁹	3.9	4
23	Reduction of inappropriate anti-tachycardia pacing therapies and shocks by a novel suite of detection algorithms in heart failure patients with cardiac resynchronization therapy defibrillators: a historical comparison of a prospective database. <i>Europace</i> , 2016 , 18, 1391-8	3.9	4
22	Is 40 Joules Enough to Successfully Defibrillate With Subcutaneous Implantable Cardioverter-Defibrillators?. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 767-776	4.6	4
21	Multipoint Pacing versus conventional ICD in Patients with a Narrow QRS complex (MPP Narrow QRS trial): study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2016 , 17, 572	2.8	4
20	Cumulative analysis on 4802 patients confirming that women benefit more than men from cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2015 , 182, 454-6	3.2	3
19	Ventricular antitachycardia pacing therapy in patients with heart failure implanted with a cardiac resynchronization therapy defibrillator device: Efficacy, safety, and impact on mortality. <i>Heart Rhythm</i> , 2016 , 13, 472-80	6.7	3
18	Use of implantable cardioverter defibrillator and cardiac resynchronization therapy: an Italian survey study on 220 cardiology departments. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 675-83	1.9	3
17	Projected longevities of cardiac implantable defibrillators: a retrospective analysis over the period 2007-17 and the impact of technological factors in determining longevity. <i>Europace</i> , 2020 , 22, 149-155	3.9	3
16	Post-partum cardiogenic shock in a patient with permanent junctional re-entry tachycardia. <i>International Journal of Cardiology</i> , 2011 , 151, e68-70	3.2	2
15	Electrical treatment of atrial arrhythmias in heart failure patients implanted with a dual defibrillator CRT device. Results from the TRADE-HF study. <i>International Journal of Cardiology</i> , 2017 , 236, 181-186	3.2	1
14	Lead choice in cardiac implantable electronic devices: an Italian survey promoted by AIAC (Italian Association of Arrhythmias and Cardiac Pacing). <i>Expert Review of Medical Devices</i> , 2019 , 16, 821-828	3.5	1

13	Stroke prophylaxis in high-risk patients with atrial fibrillation: rhythm vs. rate control strategy. <i>European Journal of Internal Medicine</i> , 2013 , 24, 314-7	3.9	1
12	1A.08. <i>Journal of Hypertension</i> , 2015 , 33, e3	1.9	1
11	Atrial Fibrillation: Rhythm or Rate Control?. <i>Cardiology</i> , 2003 , 3, 164-170		1
10	The Practice of Deep Sedation in Electrophysiology and Cardiac Pacing Laboratories: Results of an Italian Survey Promoted by the AIAC (Italian Association of Arrhythmology and Cardiac Pacing). <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
9	Chronic Kidney Disease with Mild and Mild to Moderate Reduction in Renal Function and Long-Term Recurrences of Atrial Fibrillation after Pulmonary Vein Cryoballoon Ablation. <i>Journal of Cardiovascular Development and Disease</i> , 2022 , 9, 126	4.2	1
8	Intermittent rate-dependent retrograde conduction over a concealed atrioventricular accessory pathway: what is the mechanism?. <i>Europace</i> , 2009 , 11, 260-2	3.9	0
7	Effect of nitroglycerin on ST potentials in the post-acute phase of myocardial infarction. <i>Journal of Electrocardiology</i> , 1981 , 14, 351-6	1.4	0
6	Letter by Ferrari et al regarding article, "Long-term arrhythmia-free survival in patients with severe left ventricular dysfunction and no inducible ventricular tachycardia after myocardial infarction". <i>Circulation</i> , 2014 , 130, e178	16.7	
5	Loss of biventricular pacing, inappropriate ICD shocks and uncontrolled ventricular rate associated to atrial fibrillation in patients with cardiac resynchronization therapy defibrillators. <i>European Heart Journal</i> , 2013 , 34, P3196-P3196	9.5	
4	Washout of long-term treatment with flecainide and propafenone in patients with complex ventricular arrhythmias and cardiac disease. Antiarrhythmic Drug Evaluation Group. <i>American Heart Journal</i> , 1992 , 124, 374-80	4.9	
3	Estimate and reporting of longevity for cardiac implantable electronic devices: a proposal for standardized criteria. <i>Expert Review of Medical Devices</i> , 2021 , 1-6	3.5	
2	Role of the Autonomic Nervous System in Sustained Ventricular Tachycardia after Myocardial Infarction. <i>Developments in Cardiovascular Medicine</i> , 1998 , 49-55		
1	The elephant in the room: anomalous left coronary artery origin from pulmonary artery in an elderly asymptomatic woman. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 609-610	1.9	