
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3731990/publications.pdf Version: 2024-02-01



IU-YOUNG SHIN

#	Article	IF	CITATIONS
1	Prevalence and Predictors of Polypharmacy among Korean Elderly. PLoS ONE, 2014, 9, e98043.	1.1	115
2	Prescribing trends of attentionâ€deficit hyperactivity disorder (ADHD) medications in UK primary care, 1995–2015. British Journal of Clinical Pharmacology, 2016, 82, 858-868.	1.1	92
3	Antibiotic Use in Children – A Cross-National Analysis of 6 Countries. Journal of Pediatrics, 2017, 182, 239-244.e1.	0.9	90
4	Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): nationwide self controlled case series study. BMJ, The, 2016, 353, i2550.	3.0	89
5	Association of Serum Ferritin and the Development of Metabolic Syndrome in Middle-Aged Korean Men. Diabetes Care, 2012, 35, 2521-2526.	4.3	74
6	Risk of intracranial haemorrhage in antidepressant users with concurrent use of non-steroidal anti-inflammatory drugs: nationwide propensity score matched study. BMJ, The, 2015, 351, h3517.	3.0	69
7	The Asian Pharmacoepidemiology Network (AsPEN): promoting multiâ€national collaboration for pharmacoepidemiologic research in Asia. Pharmacoepidemiology and Drug Safety, 2013, 22, 700-704.	0.9	61
8	Differential Cardiovascular Outcomes after Dipeptidyl Peptidase-4 Inhibitor, Sulfonylurea, and Pioglitazone Therapy, All in Combination with Metformin, for Type 2 Diabetes: A Population-Based Cohort Study. PLoS ONE, 2015, 10, e0124287.	1.1	53
9	Brief Report. Epidemiology, 2015, 26, 815-820.	1.2	51
10	Multiâ€country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. Pharmacoepidemiology and Drug Safety, 2013, 22, 915-924.	0.9	45
11	Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: nationwide cohort study. British Journal of Psychiatry, 2021, 218, 344-351.	1.7	45
12	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. Pharmacoepidemiology and Drug Safety, 2015, 24, 858-864.	0.9	44
13	Risk of ischemic stroke with the use of risperidone, quetiapine and olanzapine in elderly patients: a population-based, case-crossover study. Journal of Psychopharmacology, 2013, 27, 638-644.	2.0	43
14	Proton pump inhibitors and risk of <i>Clostridium difficile</i> infection: a multi-country study using sequence symmetry analysis. Expert Opinion on Drug Safety, 2016, 15, 1589-1595.	1.0	36
15	Association Between DPP-4 Inhibitors and COVID-19–Related Outcomes Among Patients With Type 2 Diabetes. Diabetes Care, 2021, 44, e64-e66.	4.3	36
16	Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. Drug Safety, 2015, 38, 823-831.	1.4	34
17	Incidence of skeletal-related events in patients with breast or prostate cancer-induced bone metastasis or multiple myeloma: A 12-year longitudinal nationwide healthcare database study. Cancer Epidemiology, 2019, 61, 104-110.	0.8	34
18	The clinical availability of non alcoholic fatty liver disease as an early predictor of the metabolic syndrome in Korean men: 5-Year's prospective cohort study. Atherosclerosis, 2013, 227, 398-403.	0.4	33

#	Article	IF	CITATIONS
19	New initiatives for pharmacovigilance in South Korea: introducing the Korea Institute of Drug Safety and Risk Management (KIDS). Pharmacoepidemiology and Drug Safety, 2014, 23, 1115-1122.	0.9	31
20	Effect of Statins, Metformin, Angiotensin-Converting Enzyme Inhibitors, and Angiotensin II Receptor Blockers on Age-Related Macular Degeneration. Yonsei Medical Journal, 2019, 60, 679.	0.9	31
21	Association Between Nonsteroidal Antiinflammatory Drug Use and Adverse Clinical Outcomes Among Adults Hospitalized With Coronavirus 2019 in South Korea: A Nationwide Study. Clinical Infectious Diseases, 2021, 73, e4179-e4188.	2.9	30
22	Use of proton pump inhibitors and the risk of cholangitis: a nationwide cohort study. Alimentary Pharmacology and Therapeutics, 2019, 50, 760-768.	1.9	26
23	Overlapping Medication Associated with Healthcare Switching among Korean Elderly Diabetic Patients. Journal of Korean Medical Science, 2011, 26, 1461.	1.1	24
24	Health Care Utilization and Direct Costs in Mild, Moderate, and Severe Adult Asthma: A Descriptive Study Using the 2014 South Korean Health Insurance Database. Clinical Therapeutics, 2017, 39, 527-536.	1.1	24
25	Prevalence of Antibiotic Use for Pediatric Acute Upper Respiratory Tract Infections in Korea. Journal of Korean Medical Science, 2015, 30, 617.	1.1	23
26	The Uncertainty of the Association Between Proton Pump Inhibitor Use and the Risk of Dementia: Prescription Sequence Symmetry Analysis Using a Korean Healthcare Database Between 2002 and 2013. Drug Safety, 2018, 41, 615-624.	1.4	23
27	Gender differences in adverse event reports associated with antidiabetic drugs. Scientific Reports, 2020, 10, 17545.	1.6	22
28	Comparative safety for cardiovascular outcomes of DPP-4 inhibitors versus glimepiride in patients with type 2 diabetes. Medicine (United States), 2017, 96, e7213.	0.4	20
29	Zoledronic acid and skeletal-related events in patients with bone metastatic cancer or multiple myeloma. Journal of Bone and Mineral Metabolism, 2020, 38, 254-263.	1.3	20
30	Uncertain Association Between Benzodiazepine Use and the Risk of Dementia: A Cohort Study. Journal of the American Medical Directors Association, 2020, 21, 201-211.e2.	1.2	20
31	Risk of Ischemic Stroke Associated with the Use of Antipsychotic Drugs in Elderly Patients: A Retrospective Cohort Study in Korea. PLoS ONE, 2015, 10, e0119931.	1.1	19
32	Adherence and Associated Factors of Treatment Regimen in Drug-Susceptible Tuberculosis Patients. Frontiers in Pharmacology, 2021, 12, 625078.	1.6	19
33	The relationship between serum ferritin and metabolic syndrome in healthy Korean men. Diabetes/Metabolism Research and Reviews, 2011, 27, 597-603.	1.7	18
34	Risk of neuropsychiatric adverse events associated with the use of oseltamivir: a nationwide population-based case-crossover study. Journal of Antimicrobial Chemotherapy, 2019, 74, 453-461.	1.3	18
35	Global epidemiology of hip fractures: a study protocol using a common analytical platform among multiple countries. BMJ Open, 2021, 11, e047258.	0.8	18
36	Estimation of risk for diabetes according to the metabolically healthy status stratified by degree of obesity in Korean men. Endocrine, 2015, 50, 650-658.	1.1	17

#	Article	IF	CITATIONS
37	Acute renal failure following oral sodium phosphate bowel preparation: a nationwide case-crossover study. Endoscopy, 2014, 46, 465-470.	1.0	16
38	Trends in the use of antibiotics among Korean children. Korean Journal of Pediatrics, 2019, 62, 113-118.	1.9	16
39	Multi-Indication Carbamazepine and the Risk of Severe Cutaneous Adverse Drug Reactions in Korean Elderly Patients: A Korean Health Insurance Data-Based Study. PLoS ONE, 2013, 8, e83849.	1.1	15
40	Drug persistency of cholinesterase inhibitors for patients with dementia of Alzheimer type in Korea. Archives of Pharmacal Research, 2015, 38, 1255-1262.	2.7	15
41	Prescribing patterns for attention deficit hyperactivity disorder medications among children and adolescents in Korea, 2007-2011. Epidemiology and Health, 2016, 38, e2016045.	0.8	15
42	All-Cause Mortality Associated with Tramadol Use: A Case-Crossover Study. Drug Safety, 2019, 42, 785-796.	1.4	15
43	Association between human papillomavirus vaccination and serious adverse events in South Korean adolescent girls: nationwide cohort study. BMJ, The, 2021, 372, m4931.	3.0	15
44	Socioeconomic Disparities in Osteoporosis Prevalence: Different Results in the Overall Korean Adult Population and Single-person Households. Journal of Preventive Medicine and Public Health, 2015, 48, 84-93.	0.7	15
45	Survival outcomes of patients with nonsmall cell lung cancer concomitantly receiving proton pump inhibitors and immune checkpoint inhibitors. International Journal of Cancer, 2022, 150, 1291-1300.	2.3	15
46	Comparison of the Prescribing Pattern of Bisphosphonate and Raloxifene in Korean Women with Osteoporosis: From a National Health Insurance Claims Database. PLoS ONE, 2015, 10, e0127970.	1.1	14
47	Increased use in propofol and reported patterns of adverse events among anesthetics in Korea. Regulatory Toxicology and Pharmacology, 2015, 71, 478-483.	1.3	14
48	Persistence of biologic disease-modifying antirheumatic drugs in patients with rheumatoid arthritis: An analysis of the South Korean National Health Insurance Database. Seminars in Arthritis and Rheumatism, 2018, 47, 485-491.	1.6	14
49	Trends in polypharmacy over 12 years and changes in its social gradients in South Korea. PLoS ONE, 2018, 13, e0204018.	1.1	14
50	Application of Healthcare â€~Big Data' in CNS Drug Research: The Example of the Neurological and mental health Global Epidemiology Network (NeuroGEN). CNS Drugs, 2020, 34, 897-913.	2.7	14
51	Socioeconomic disparities in Korea by health insurance type during the COVID-19 pandemic: a nationwide study. Epidemiology and Health, 2021, 43, e2021007.	0.8	14
52	Utilization Patterns of Disease-Modifying Antirheumatic Drugs in Elderly Rheumatoid Arthritis Patients. Journal of Korean Medical Science, 2014, 29, 210.	1.1	13
53	Beyond uncertainty: Negative findings for the association between the use of proton pump inhibitors and risk of dementia. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 2135-2143.	1.4	13
54	Features of anticholinergic prescriptions and predictors of high use in the elderly: Populationâ€based study. Pharmacoepidemiology and Drug Safety, 2019, 28, 1591-1600.	0.9	13

#	Article	IF	CITATIONS
55	Incidence and risk factors of subsequent osteoporotic fracture: a nationwide cohort study in South Korea. Archives of Osteoporosis, 2020, 15, 180.	1.0	13
56	Signal detection of benzodiazepine use and risk of dementia: sequence symmetry analysis using South Korean national healthcare database. International Journal of Clinical Pharmacy, 2018, 40, 1568-1576.	1.0	12
57	Discrepancies in the Evidence and Recommendation Levels of Pregnancy Information in Prescription Drug Labeling in the United States, United Kingdom, Japan, and Korea. Journal of Women's Health, 2018, 27, 1086-1092.	1.5	12
58	10-Year Fracture Risk in Postmenopausal Women with Osteopenia and Osteoporosis in South Korea. Endocrinology and Metabolism, 2021, 36, 1178-1188.	1.3	12
59	Notable Differences in Drug Lag Between Korea and Japan of New Drugs Between 2009 and 2017. Therapeutic Innovation and Regulatory Science, 2020, 54, 418-423.	0.8	11
60	Cost-Effectiveness of Tiotropium in Elderly Patients with Severe Asthma Using Real-World Data. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 1939-1947.e7.	2.0	11
61	Increasing Trends in the Incidence and Prevalence of Epilepsy in Korea. Journal of Clinical Neurology		

#	Article	IF	CITATIONS
73	Statin potency and the risk of hospitalization for communityâ€acquired pneumonia. British Journal of Clinical Pharmacology, 2017, 83, 1319-1327.	1.1	9
74	Assessment of Consistency of Drug Interaction Information in Drug Labels Among the United States, the United Kingdom, China, Japan, and Korea. Clinical Pharmacology and Therapeutics, 2019, 105, 505-514.	2.3	9
75	Signal Detection for Cardiovascular Adverse Events of DPP-4 Inhibitors Using the Korea Adverse Event Reporting System Database, 2008–2016. Yonsei Medical Journal, 2019, 60, 200.	0.9	9
76	Differential completeness of spontaneous adverse event reports among hospitals/clinics, pharmacies, consumers, and pharmaceutical companies in South Korea. PLoS ONE, 2019, 14, e0212336.	1.1	9
77	Twelve-year trend in the use of zolpidem and physicians' non-compliance with recommended duration: a Korean national health insurance database study. European Journal of Clinical Pharmacology, 2019, 75, 109-117.	0.8	9
78	Topiramate-related adverse events. Medicine (United States), 2020, 99, e22669.	0.4	9
79	Prevalence and predictors of tricyclic antidepressant use among elderly Koreans in primary-care and specialty clinics. International Journal of Clinical Pharmacology and Therapeutics, 2018, 56, 224-230.	0.3	9
80	First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea. PLoS Medicine, 2022, 19, e1003945.	3.9	9
81	Dramatic decrease in fluoroquinolones in the pediatric population in Korea. Pharmacoepidemiology and Drug Safety, 2014, 23, 1320-1324.	0.9	8
82	Evaluation of low-dose aspirin for primary prevention of ischemic stroke among patients with diabetes: a retrospective cohort study. Diabetology and Metabolic Syndrome, 2015, 7, 8.	1.2	8
83	Use pattern and predictors of use of highly caffeinated energy drinks among South Korean adolescents: a study using the Health Belief Model. BMJ Open, 2017, 7, e017224.	0.8	8
84	Association Between Acetylcholinesterase Inhibitors and Osteoporotic Fractures in Older Persons With Alzheimer's Disease. Journal of the American Medical Directors Association, 2020, 21, 1128-1133.e1.	1.2	8
85	Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. European Child and Adolescent Psychiatry, 2020, , 1.	2.8	8
86	Association between opioid analgesic plus benzodiazepine use and death: A case-crossover study. Journal of Psychosomatic Research, 2020, 135, 110153.	1.2	8
87	Safety Surveillance of Pneumococcal Vaccine Using Three Algorithms: Disproportionality Methods, Empirical Bayes Geometric Mean, and Tree-Based Scan Statistic. Vaccines, 2020, 8, 242.	2.1	8
88	Machine Learning for Detection of Safety Signals From Spontaneous Reporting System Data: Example of Nivolumab and Docetaxel. Frontiers in Pharmacology, 2020, 11, 602365.	1.6	8
89	The role of the KIDS for enhancing drug safety and risk management in Korea. Journal of the Korean Medical Association, 2012, 55, 861.	0.1	7
90	Agreement of label information of cardiovascular drugs in pregnancy among Korea, the USA, the UK, and Japan. Regulatory Toxicology and Pharmacology, 2014, 68, 363-369.	1.3	7

#	Article	IF	CITATIONS
91	Trends in prescription of pregnancy-contraindicated drugs in Korea, 2007–2011. Regulatory Toxicology and Pharmacology, 2016, 75, 35-45.	1.3	7
92	Comparative safety of NSAIDs for gastrointestinal events in Asiaâ€Pacific populations: A multiâ€database, international cohort study. Pharmacoepidemiology and Drug Safety, 2018, 27, 1223-1230.	0.9	7
93	Comparison of signal detection of tumour necrosis factor-α inhibitors using the Korea Adverse Events Reporting System Database, 2005–2016. Clinical Rheumatology, 2020, 39, 347-355.	1.0	7
94	Economic burden of subsequent fracture in osteoporosis patients in South Korea. Journal of Medical Economics, 2020, 23, 1598-1605.	1.0	7
95	Risk of Major Adverse Cardiovascular Events Associated with Concomitant Use of Antidepressants and Non-steroidal Anti-inflammatory Drugs: A Retrospective Cohort Study. CNS Drugs, 2020, 34, 1063-1074.	2.7	7
96	Real-World Incidence of Suboptimal Response to Anti-Tumor Necrosis Factor Therapy for Ulcerative Colitis: A Nationwide Population-Based Study. Gut and Liver, 2021, 15, 867-877.	1.4	7
97	Updates on Vaccine Safety and Post-Licensure Surveillance for Adverse Events Following Immunization in South Korea, 2005–2017. Yonsei Medical Journal, 2020, 61, 623.	0.9	7

98 Trends in Prescribing of Antiseizure Medications in South Korea: Real-World Evidence for Treated

#	Article	IF	CITATIONS
109	Analytical approaches to minimizing immeasurable time bias in cohort studies. International Journal of Epidemiology, 2021, 50, 987-999.	0.9	6
110	Decrease in use of contraindicated drugs with automated alerts in children. Pediatrics International, 2017, 59, 720-726.	0.2	5
111	Differential Risk of Peptic Ulcer Among Users of Antidepressants Combined With Nonsteroidal Anti-inflammatory Drugs. Journal of Clinical Psychopharmacology, 2017, 37, 239-245.	0.7	5
112	Patient and provider characteristics related with prescribing of <scp>ADHD</scp> medication: Nationwide health insurance claims database study in Korea. Asia-Pacific Psychiatry, 2018, 10, e12289.	1.2	5
113	Protonâ€pump inhibitors and the risk of <i>Clostridium difficile</i> –associated diarrhea in highâ€risk antibiotics users: A populationâ€based caseâ€crossover study. Pharmacoepidemiology and Drug Safety, 2019, 28, 479-488.	0.9	5
114	Pattern of adverse events induced by aflibercept and ranibizumab. Medicine (United States), 2019, 98, e16785.	0.4	5
115	Real-world treatment persistence of non-tumor necrosis factor inhibitors versus tumor necrosis factor inhibitors among patients with rheumatoid arthritis in South Korea. Current Medical Research and Opinion, 2020, 36, 343-351.	0.9	5
116	Association between domperidone use and adverse cardiovascular events: A nested caseâ€control and caseâ€timeâ€control study. Pharmacoepidemiology and Drug Safety, 2020, 29, 1636-1649.	0.9	5
117	Risk of mortality associated with concomitant antidepressant and benzodiazepine therapy among patients with depression: a population-based cohort study. BMC Medicine, 2020, 18, 387.	2.3	5
118	Signals and trends of Guillain–Barré syndrome after the introduction of live-attenuated vaccines for influenza in the US and South Korean adverse event reporting systems. Vaccine, 2020, 38, 5464-5473.	1.7	5
119	Real-world data analysis of the clinical and economic burden and risk factors in patients with major depressive disorder with an inadequate response to initial antidepressants. Journal of Medical Economics, 2021, 24, 589-597.	1.0	5
120	Cardiovascular safety of evogliptin in patients with type 2 diabetes: A nationwide cohort study. Diabetes, Obesity and Metabolism, 2021, 23, 1232-1241.	2.2	5
121	The risk factors and incidence of major infectious diseases in patients with ankylosing spondylitis receiving tumor necrosis factor inhibitors. Modern Rheumatology, 2021, 31, 1192-1201.	0.9	5
122	Suitability of databases in the <scp>Asiaâ€₽acific</scp> for collaborative monitoring of vaccine safety. Pharmacoepidemiology and Drug Safety, 2021, 30, 843-857.	0.9	5
123	Real-world prescribing patterns of long-acting benzodiazepines for elderly Koreans in 2013. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 472-479.	0.3	5
124	Cardiovascular and metabolic risk of antipsychotics in children and young adults: a multinational self-controlled case series study. Epidemiology and Psychiatric Sciences, 2021, 30, e65.	1.8	5
125	Signal Detection Between Fluoroquinolone Use and the Risk of Rhegmatogenous Retinal Detachment: Sequence Symmetry Analysis Using Nationwide South Korean Healthcare Database Between 2004 and 2015. Clinical Drug Investigation, 2018, 38, 1179-1188.	1.1	4
126	The risk profile of rhegmatogenous retinal detachment before and after using a fluoroquinolone: a 12 year nationwide self-controlled case series study. Journal of Antimicrobial Chemotherapy, 2018, 73, 3442-3453.	1.3	4

#	Article	IF	CITATIONS
127	Consistency of listed indications and contraindications between the U.S., the U.K., Japan, and Korea on prescription drug labels. Regulatory Toxicology and Pharmacology, 2018, 98, 168-170.	1.3	4
128	Utilization of oral anticoagulants in Korean nonvalvular atrial fibrillation patients. International Journal of Clinical Pharmacy, 2019, 41, 1434-1441.	1.0	4
129	The association between antidepressant use and deaths from road traffic accidents: a case-crossover study. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 485-495.	1.6	4
130	Anticholinergic Use Among the Elderly With Alzheimer Disease in South Korea. Alzheimer Disease and Associated Disorders, 2020, 34, 238-243.	0.6	4
131	Prevalence and Its Correlation with Sustained Opioid Use in Korea: A Group-Based Trajectory Analysis. Journal of Psychoactive Drugs, 2021, 53, 224-229.	1.0	4
132	Real-world prescribing trends of valproate in women with epilepsy in Korea. Epilepsy and Behavior, 2021, 115, 107700.	0.9	4
133	Association between methylphenidate and risk of myocardial infarction: A multinational selfâ€controlled case series study. Pharmacoepidemiology and Drug Safety, 2021, 30, 1458-1467.	0.9	4
134	The risk of serious infection in rheumatoid arthritis patients receiving tocilizumab compared with tumor necrosis factor inhibitors in Korea. Seminars in Arthritis and Rheumatism, 2021, 51, 989-995.	1.6	4
135	Comparison of first- and second-generation antihistamine prescribing in elderly outpatients: A health insurance database study in 2013. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 781-790.	0.3	4
136	Association between use of antiemetics, antipsychotics, or antidepressants and the risk of Parkinson's disease. International Journal of Clinical Pharmacology and Therapeutics, 2019, 57, 73-81.	0.3	4
137	Hepatic events associated with sodium-glucose cotransporter-2 inhibitors in patients with type 2 diabetes: a nationwide cohort study. Gut, 2023, 72, 1020-1022.	6.1	4
138	Regulatory action and moderate decrease in methylphenidate use among ADHD diagnosed patients aged five and under in Korea. Regulatory Toxicology and Pharmacology, 2015, 72, 244-248.	1.3	3
139	Hypertension Risk with Abacavir Use among HIV-Infected Individuals: A Nationwide Cohort Study. Yonsei Medical Journal, 2018, 59, 1245.	0.9	3
140	Increased use of thirdâ€generation cephalosporin antibiotics in the outpatient setting in Korean children and adolescents. Pediatrics International, 2018, 60, 803-810.	0.2	3
141	Notable Differences in Drug Lag Between Korea and Japan of New Drugs Between 2009 and 2017. Therapeutic Innovation and Regulatory Science, 0, , 216847901983846.	0.8	3
142	A cohort study of antihypertensive use during pregnancy in South Korea, 2013–2017. Pregnancy Hypertension, 2020, 22, 167-174.	0.6	3
143	Anaphylaxis following vaccination among children in Asia: A largeâ€ŀinked database study. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1246-1249.	2.7	3
144	Dose Reduction of Tumor Necrosis Factor Inhibitor and its Effect on Medical Costs for Patients with Ankylosing Spondylitis. Rheumatology and Therapy, 2021, 8, 347-359.	1,1	3

#	Article	IF	CITATIONS
145	Trends and associated maternal characteristics of antidiabetic medication use among pregnant women in South Korea. Scientific Reports, 2021, 11, 4159.	1.6	3
146	Treatment pattern in postmenopausal women with osteoporosis: a population-based cohort study in South Korea. Journal of Bone and Mineral Metabolism, 2021, , 1.	1.3	3
147	Signal detection of drospirenone-containing oral contraceptives: a disproportionality analysis using the Korea Adverse Event Reporting System Database, 2008–2017. BMJ Open, 2021, 11, e045948.	0.8	3
148	Exploration of Proton Pump Inhibitors Use During Pregnancy and Preeclampsia. JAMA Network Open, 2021, 4, e2124339.	2.8	3
149	Gender differences in the adverse events associated with cardiovascular drugs in a spontaneous reporting system in South Korea. International Journal of Clinical Pharmacy, 2021, 43, 1036-1044.	1.0	3
150	Signal Detection of Adverse Events Following Pneumococcal Vaccines from the Korea Adverse Event Reporting System Database, 2005–2016. Yonsei Medical Journal, 2020, 61, 243.	0.9	3
151	Adherence is an optimal factor for maximizing the effective and safe use of oral anticoagulants in patients with atrial fibrillation. Scientific Reports, 2022, 12, 3413.	1.6	3
152	High Prevalence of Depression Diagnosis Among Medical Aid Beneficiaries: A Korean Health Insurance Database Study. Asia-Pacific Journal of Public Health, 2017, 29, 692-697.	0.4	2
153	Projection of future pharmacy service fees using the dispensing claims in hospital and clinic outpatient pharmacies: national health insurance database between 2006 and 2012. BMC Health Services Research, 2018, 18, 327.	0.9	2
154	Regulatory effect of decreasing therapeutic duplication of respiratory drugs using a prescription database between 2012 and 2015. Regulatory Toxicology and Pharmacology, 2019, 103, 218-228.	1.3	2
155	Exploring pharmacogenetic difference using adverse event database: an example of clopidogrel and cardiovascular events. Pharmacogenomics, 2020, 21, 1157-1168.	0.6	2
156	Benzodiazepine Use and Risk of Acute Angle-Closure Glaucoma: A Population-Based Case-Crossover Study. Drug Safety, 2020, 43, 539-547.	1.4	2
157	Price Reduction of Anticancer Drugs from 2007 to 2019 in South Korea: The Impact of Pharmaceutical Cost-Containment Policies. Applied Health Economics and Health Policy, 2021, 19, 439-450.	1.0	2
158	Association between oseltamivir use and neuropsychiatric adverse events in influenza patients: a nationwide population-based cohort study. Expert Opinion on Drug Safety, 2021, 20, 245-253.	1.0	2
159	Treatment Patterns of Osteoporosis and Factors Affecting the Prescribing of Bone-forming Agents: From a National Health Insurance Claims Database. Korean Journal of Clinical Pharmacy, 2021, 31, 27-34.	0.0	2
160	Survival, Prognosis, and Clinical Feature of Refractory Myasthenia Gravis: a 15-year Nationwide Cohort Study. Journal of Korean Medical Science, 2021, 36, e242.	1.1	2
161	The Multi-Institutional Health Screening Records Database of South Korea: Description and Evaluation of Its Characteristics. Yonsei Medical Journal, 2019, 60, 1216.	0.9	2
162	Relationship between the early initiation of insulin treatment and diabetic complications in patients newly diagnosed with type 2 diabetes mellitus in Korea: A nationwide cohort study. Journal of Diabetes Investigation, 2022, 13, 830-838.	1.1	2

#	Article	IF	CITATIONS
163	Trend of Antibiotic Use in Children with Acute Otitis Media in Korea. Journal of Korean Medical Science, 2021, 36, e317.	1.1	2
164	Comparative Treatment Persistence with Bone-Targeting Agents Among Asian Patients with Bone Metastases from Solid Tumors: A Multinational Retrospective Cohort Study. BioDrugs, 2022, 36, 381-392.	2.2	2
165	Statin Use in Patients With Hepatitis C-related Cirrhosis: True Benefit or Immortal Time Bias?. Gastroenterology, 2016, 151, 373.	0.6	1
166	Potential Overestimation of Aspirin's Beneficial Effect on Breast Cancer by Study Design Re: "Low-Dose Aspirin Reduces Breast Cancer Risk in Women with Diabetes: A Nationwide Retrospective Cohort Study in Taiwan.―by Yang et al. (J Womens Health 2017;26:1278–1284. DOI: 10.1089/jwh.2016.6040). Journal of Women's Health, 2018, 27, 844-844.	1.5	1
167	Risk of neuropsychiatric adverse events associated with the use of oseltamivir: a nationwide population-based case-crossover study—authors' response. Journal of Antimicrobial Chemotherapy, 2019, 74, 1764-1765.	1.3	1
168	Increased risk of death with codeine use in the elderly over 85 years old and patients with respiratory disease. Medicine (United States), 2020, 99, e22155.	0.4	1
169	Differential characteristics and treatment of psoriasis patients by economic status in South Korea. Medicine (United States), 2020, 99, e22410.	0.4	1
170	The economic impact of disease progression and death in hormone receptor positive (HR+), human epidermal growth factor receptor 2 negative (HER2-) advanced breast cancer patients: using Korean nationwide health insurance claims data. Current Medical Research and Opinion, 2020, 36, 1825-1833.	0.9	1
171	Comparative Cost-Effectiveness of Tofacitinib With Continuing Conventional Synthetic Disease-Modifying Anti-Rheumatic Drugs for Active Rheumatoid Arthritis in South Korea. Rheumatology and Therapy, 2021, 8, 395-409.	1.1	1
172	International and global issues – differences in health systems, patient populations, and medical practice. , 2021, , 257-272.		1
173	Immeasurable Time Bias in Self-controlled Designs: Case-crossover, Case-time-control, and Case-case-time-control Analyses. Journal of Epidemiology, 2023, 33, 82-90.	1.1	1
174	Pre-validation of a Calu-3 epithelium cytotoxicity assay for predicting acute inhalation toxicity of chemicals. Toxicology in Vitro, 2021, 75, 105136.	1.1	1
175	Investigation on Perceptions, Attitudes, and Contributing Factors to Spontaneous Adverse Drug Reaction Reporting among Community Pharmacists: Results from a Web-based Survey. Korean Journal of Clinical Pharmacy, 2019, 29, 125-132.	0.0	1
176	Prescribing trend of pioglitazone after safety warning release in Korea. American Journal of Managed Care, 2019, 25, e342-e348.	0.8	1
177	Physician and pharmacist satisfaction and clinical needs for the real-time medication surveillance program in South Korea. BMC Health Services Research, 2019, 19, 805.	0.9	0
178	FRI0374â€THE RISK OF INFECTION BY TUMOR NECROSIS FACTOR INHIBITORS AND ITS ASSOCIATED FACTORS PATIENTS WITH ANKYLOSING SPONDYLITIS: RESULT FROM KOREAN NATIONAL HEALTH INSURANCE DATA. , 2019, , .	IN	0
179	Authors' Response to Association between Acetylcholinesterase Inhibitors and Osteoporotic Fractures in Older Persons With Alzheimer's Disease. Journal of the American Medical Directors Association, 2020, 21, 707.	1.2	0
180	Post-approval Safety Monitoring of Quadrivalent and Bivalent Human Papillomavirus Vaccines Based on Real-world Data from the Korea Adverse Events Reporting System (KAERS). Clinical Drug Investigation, 2020, 40, 727-735.	1.1	0

#	Article	IF	CITATIONS
181	New methodological approaches were able to effectively reduce immeasurable time bias in case-only designs. Journal of Clinical Epidemiology, 2021, 131, 1-10.	2.4	0
182	A survey for Management of Drug Safety Evaluation System for Investigational Product. Korean Journal of Clinical Pharmacy, 2021, 31, 53-60.	0.0	0
183	Differential Demographic and Clinical Characteristics between MMR Vaccinated and Unvaccinated Children in South Korea: A Nationwide Study. Vaccines, 2021, 9, 653.	2.1	0
184	Arthralgia and Myalgia Associated with the Use of Bisphosphonate: An Active Monitoring Study. Korean Journal of Clinical Pharmacy, 2021, 31, 180-187.	0.0	0
185	Benzodiazepine prescribing in the elderly inÂGermany and Korea: A comparison of twoÂobservational studies. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 480-482.	0.3	0
186	Comparative Analysis of Ethical-the-counter Drugs and Over-the-counter Drugs for the Adverse Events from the Community Pharmacy. Korean Journal of Clinical Pharmacy, 2018, 28, 230-237.	0.0	0
187	Patterns of Ulcerative Colitis Treatments and Factors Affecting the Prescribing of Systemic Corticosteroid using Health Insurance Claims Database. Korean Journal of Clinical Pharmacy, 2020, 30, 102-112.	0.0	0
188	Temporal trends of pharmacologic treatments for tuberculosis and multidrug resistant tuberculosis following dissemination of treatment guidelines in South Korea. Journal of Microbiology, Immunology and Infection, 2021, , .	1.5	0
189	Association between tramadol use and seizures: A nationwide caseâ€caseâ€timeâ€control study. Pharmacoepidemiology and Drug Safety, 2022, , .	0.9	0
190	Pediatric codeine prescriptions in outpatient and inpatient settings in Korea. American Journal of Managed Care, 2019, 25, e224-e229.	0.8	0
191	Bone-targeting agents in major solid tumour metastases: a multinational cohort study. BMJ Supportive and Palliative Care, 2023, 13, e1064-e1073.	0.8	Ο