

Ju-Young Shin

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3731990/ju-young-shin-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

1,496
citations

19
h-index

31
g-index

194
ext. papers

1,963
ext. citations

3.9
avg, IF

5.17
L-index

#	Paper	IF	Citations
181	Prevalence and predictors of polypharmacy among Korean elderly. <i>PLoS ONE</i> , 2014 , 9, e98043	3.7	75
180	Prescribing trends of attention-deficit hyperactivity disorder (ADHD) medications in UK primary care, 1995-2015. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 858-68	3.8	66
179	Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): nationwide self controlled case series study. <i>BMJ, The</i> , 2016 , 353, i2550	5.9	65
178	Association of serum ferritin and the development of metabolic syndrome in middle-aged Korean men: a 5-year follow-up study. <i>Diabetes Care</i> , 2012 , 35, 2521-6	14.6	65
177	Antibiotic Use in Children - A Cross-National Analysis of 6 Countries. <i>Journal of Pediatrics</i> , 2017 , 182, 239-244.e1	3.6	58
176	Risk of intracranial haemorrhage in antidepressant users with concurrent use of non-steroidal anti-inflammatory drugs: nationwide propensity score matched study. <i>BMJ, The</i> , 2015 , 351, h3517	5.9	50
175	Differential cardiovascular outcomes after dipeptidyl peptidase-4 inhibitor, sulfonylurea, and pioglitazone therapy, all in combination with metformin, for type 2 diabetes: a population-based cohort study. <i>PLoS ONE</i> , 2015 , 10, e0124287	3.7	50
174	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
173	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
172	Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20	3.1	41
171	Risk of ischemic stroke with the use of risperidone, quetiapine and olanzapine in elderly patients: a population-based, case-crossover study. <i>Journal of Psychopharmacology</i> , 2013 , 27, 638-44	4.6	38
170	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 858-64	2.6	32
169	Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. <i>Drug Safety</i> , 2015 , 38, 823-31	5.1	28
168	The clinical availability of non alcoholic fatty liver disease as an early predictor of the metabolic syndrome in Korean men: 5-year prospective cohort study. <i>Atherosclerosis</i> , 2013 , 227, 398-403	3.1	28
167	Proton pump inhibitors and risk of Clostridium difficile infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1589-1595	4.1	26
166	New initiatives for pharmacovigilance in South Korea: introducing the Korea Institute of Drug Safety and Risk Management (KIDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1115-22	2.6	23
165	Health Care Utilization and Direct Costs in Mild, Moderate, and Severe Adult Asthma: A Descriptive Study Using the 2014 South Korean Health Insurance Database. <i>Clinical Therapeutics</i> , 2017 , 39, 527-536	3.5	21

164	Overlapping medication associated with healthcare switching among Korean elderly diabetic patients. <i>Journal of Korean Medical Science</i> , 2011 , 26, 1461-8	4.7	21
163	Association Between DPP-4 Inhibitors and COVID-19-Related Outcomes Among Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2021 , 44, e64-e66	14.6	19
162	Risk of ischemic stroke associated with the use of antipsychotic drugs in elderly patients: a retrospective cohort study in Korea. <i>PLoS ONE</i> , 2015 , 10, e0119931	3.7	17
161	The Uncertainty of the Association Between Proton Pump Inhibitor Use and the Risk of Dementia: Prescription Sequence Symmetry Analysis Using a Korean Healthcare Database Between 2002 and 2013. <i>Drug Safety</i> , 2018 , 41, 615-624	5.1	16
160	Comparative safety for cardiovascular outcomes of DPP-4 inhibitors versus glimepiride in patients with type 2 diabetes: A retrospective cohort study. <i>Medicine (United States)</i> , 2017 , 96, e7213	1.8	16
159	Prevalence of antibiotic use for pediatric acute upper respiratory tract infections in Korea. <i>Journal of Korean Medical Science</i> , 2015 , 30, 617-24	4.7	16
158	Association Between Nonsteroidal Antiinflammatory Drug Use and Adverse Clinical Outcomes Among Adults Hospitalized With Coronavirus 2019 in South Korea: A Nationwide Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e4179-e4188	11.6	16
157	Use of proton pump inhibitors and the risk of cholangitis: a nationwide cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 760-768	6.1	15
156	Effect of Statins, Metformin, Angiotensin-Converting Enzyme Inhibitors, and Angiotensin II Receptor Blockers on Age-Related Macular Degeneration. <i>Yonsei Medical Journal</i> , 2019 , 60, 679-686	3	15
155	Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: nationwide cohort study. <i>British Journal of Psychiatry</i> , 2021 , 1-8	5.4	15
154	Estimation of risk for diabetes according to the metabolically healthy status stratified by degree of obesity in Korean men. <i>Endocrine</i> , 2015 , 50, 650-8	4	14
153	Incidence of skeletal-related events in patients with breast or prostate cancer-induced bone metastasis or multiple myeloma: A 12-year longitudinal nationwide healthcare database study. <i>Cancer Epidemiology</i> , 2019 , 61, 104-110	2.8	13
152	The relationship between serum ferritin and metabolic syndrome in healthy Korean men. <i>Diabetes/Metabolism Research and Reviews</i> , 2011 , 27, 597-603	7.5	13
151	Zoledronic acid and skeletal-related events in patients with bone metastatic cancer or multiple myeloma. <i>Journal of Bone and Mineral Metabolism</i> , 2020 , 38, 254-263	2.9	13
150	Risk of neuropsychiatric adverse events associated with the use of oseltamivir: a nationwide population-based case-crossover study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 453-461	5.1	13
149	Drug persistency of cholinesterase inhibitors for patients with dementia of Alzheimer type in Korea. <i>Archives of Pharmacal Research</i> , 2015 , 38, 1255-62	6.1	12
148	Multi-indication carbamazepine and the risk of severe cutaneous adverse drug reactions in Korean elderly patients: a Korean health insurance data-based study. <i>PLoS ONE</i> , 2013 , 8, e83849	3.7	12
147	Acute renal failure following oral sodium phosphate bowel preparation: a nationwide case-crossover study. <i>Endoscopy</i> , 2014 , 46, 465-70	3.4	11

146	Increased use in propofol and reported patterns of adverse events among anesthetics in Korea. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 71, 478-83	3.4	10
145	Estimation of cost savings between 2011 and 2014 attributed to infliximab biosimilar in the South Korean healthcare market: real-world evidence using a nationwide database. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1227-1236	2.3	10
144	Persistence of biologic disease-modifying antirheumatic drugs in patients with rheumatoid arthritis: An analysis of the South Korean National Health Insurance Database. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 485-491	5.3	10
143	Signal detection of benzodiazepine use and risk of dementia: sequence symmetry analysis using South Korean national healthcare database. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 1568-1578	2.3	10
142	Utilization patterns of disease-modifying antirheumatic drugs in elderly rheumatoid arthritis patients. <i>Journal of Korean Medical Science</i> , 2014 , 29, 210-6	4.7	9
141	Socioeconomic disparities in osteoporosis prevalence: different results in the overall Korean adult population and single-person households. <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 84-93	3.7	9
140	Uncertain Association Between Benzodiazepine Use and the Risk of Dementia: A Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 201-211.e2	5.9	9
139	Features of anticholinergic prescriptions and predictors of high use in the elderly: Population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1591-1600	2.6	9
138	All-Cause Mortality Associated with Tramadol Use: A Case-Crossover Study. <i>Drug Safety</i> , 2019 , 42, 785-796	3.6	9
137	Statin potency and the risk of hospitalization for community-acquired pneumonia. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1319-1327	3.8	8
136	A comparison of risperidone and haloperidol for the risk of ischemic stroke in the elderly: a propensity score-matched cohort analysis. <i>Journal of Psychopharmacology</i> , 2015 , 29, 903-9	4.6	8
135	Comparison of the prescribing pattern of bisphosphonate and raloxifene in Korean women with osteoporosis: from a national health insurance claims database. <i>PLoS ONE</i> , 2015 , 10, e0127970	3.7	8
134	Dramatic decrease in fluoroquinolones in the pediatric population in Korea. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1320-4	2.6	8
133	Co-medication of statins with contraindicated drugs. <i>PLoS ONE</i> , 2015 , 10, e0125180	3.7	8
132	Trends in the use of antibiotics among Korean children. <i>Korean Journal of Pediatrics</i> , 2019 , 62, 113-118	2.4	8
131	Gender differences in adverse event reports associated with antidiabetic drugs. <i>Scientific Reports</i> , 2020 , 10, 17545	4.9	8
130	Prescribing patterns for attention deficit hyperactivity disorder medications among children and adolescents in Korea, 2007-2011. <i>Epidemiology and Health</i> , 2016 , 38, e2016045	5.6	8
129	Cost-Effectiveness of Tiotropium in Elderly Patients with Severe Asthma Using Real-World Data. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 1939-1947.e7	5.4	8

128	Socioeconomic disparities in Korea by health insurance type during the COVID-19 pandemic: a nationwide study. <i>Epidemiology and Health</i> , 2021 , 43, e2021007	5.6	8
127	Trends in polypharmacy over 12 years and changes in its social gradients in South Korea. <i>PLoS ONE</i> , 2018 , 13, e0204018	3.7	8
126	Signal Detection for Cardiovascular Adverse Events of DPP-4 Inhibitors Using the Korea Adverse Event Reporting System Database, 2008-2016. <i>Yonsei Medical Journal</i> , 2019 , 60, 200-207	3	7
125	Beyond uncertainty: Negative findings for the association between the use of proton pump inhibitors and risk of dementia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 2135-2143	4.3	7
124	Zolpidem Use and Suicide Death in South Korea: A Population-Based Case-Control Study. <i>Suicide and Life-Threatening Behavior</i> , 2019 , 49, 1653-1667	3.9	7
123	Prescribing patterns of the four most commonly used sedatives in endoscopic examination in Korea: propofol, midazolam, diazepam, and lorazepam. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 71, 565-70	3.4	7
122	Trends in prescription of pregnancy-contraindicated drugs in Korea, 2007-2011. <i>Regulatory Toxicology and Pharmacology</i> , 2016 , 75, 35-45	3.4	7
121	Discrepancies in the Evidence and Recommendation Levels of Pregnancy Information in Prescription Drug Labeling in the United States, United Kingdom, Japan, and Korea. <i>Journal of Womens Health</i> , 2018 , 27, 1086-1092	3	7
120	Clinical outcomes of COVID-19 following the use of angiotensin-converting enzyme inhibitors or angiotensin-receptor blockers among patients with hypertension in Korea: a nationwide study. <i>Epidemiology and Health</i> , 2021 , 43, e2021004	5.6	7
119	Prevalence and predictors of tricyclic antidepressant use among elderly Koreans in primary-care and specialty clinics. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018 , 56, 224-230	2	7
118	Use pattern and predictors of use of highly caffeinated energy drinks among South Korean adolescents: a study using the Health Belief Model. <i>BMJ Open</i> , 2017 , 7, e017224	3	6
117	Evaluation of low-dose aspirin for primary prevention of ischemic stroke among patients with diabetes: a retrospective cohort study. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7, 8	5.6	6
116	Comparison of Effectiveness Between Delamanid and Bedaquiline Among Patients with Multidrug-Resistant Tuberculosis: A Markov Model Simulation Study. <i>Clinical Drug Investigation</i> , 2016 , 36, 957-968	3.2	6
115	Assessment of Consistency of Drug Interaction Information in Drug Labels Among the United States, the United Kingdom, China, Japan, and Korea. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 105, 505-514	6.1	6
114	Agreement of label information of cardiovascular drugs in pregnancy among Korea, the USA, the UK, and Japan. <i>Regulatory Toxicology and Pharmacology</i> , 2014 , 68, 363-9	3.4	6
113	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1223-1230	2.6	6
112	Decrease in use of contraindicated drugs with automated alerts in children. <i>Pediatrics International</i> , 2017 , 59, 720-726	1.2	5
111	Concurrent use of benzodiazepines, antidepressants, and opioid analgesics with zolpidem and risk for suicide: a case-control and case-crossover study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1535-1544	4.5	5

110	Characteristics and trends of spontaneous reporting of therapeutic ineffectiveness in South Korea from 2000 to 2016. <i>PLoS ONE</i> , 2019 , 14, e0212905	3.7	5
109	Application of Healthcare Big Data in CNS Drug Research: The Example of the Neurological and mental health Global Epidemiology Network (NeuroGEN). <i>CNS Drugs</i> , 2020 , 34, 897-913	6.7	5
108	Differential Risk of Peptic Ulcer Among Users of Antidepressants Combined With Nonsteroidal Anti-inflammatory Drugs. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 239-245	1.7	5
107	The role of the KIDS for enhancing drug safety and risk management in Korea. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 861	0.5	5
106	Association Between Acetylcholinesterase Inhibitors and Osteoporotic Fractures in Older Persons With Alzheimer's Disease. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1128-1133.e1	5.9	5
105	Adherence and Associated Factors of Treatment Regimen in Drug-Susceptible Tuberculosis Patients. <i>Frontiers in Pharmacology</i> , 2021 , 12, 625078	5.6	5
104	Explosive Increase in Tramadol Use in Korea 2003-2013: Analysis of Patient Trends Based on the Korea National Health Insurance Database. <i>Journal of Psychoactive Drugs</i> , 2020 , 52, 153-161	3.6	5
103	Association between human papillomavirus vaccination and serious adverse events in South Korean adolescent girls: nationwide cohort study. <i>BMJ, The</i> , 2021 , 372, m4931	5.9	5
102	Differential completeness of spontaneous adverse event reports among hospitals/clinics, pharmacies, consumers, and pharmaceutical companies in South Korea. <i>PLoS ONE</i> , 2019 , 14, e0212336	3.7	4
101	Notable Differences in Drug Lag Between Korea and Japan of New Drugs Between 2009 and 2017. <i>Therapeutic Innovation and Regulatory Science</i> , 2020 , 54, 418-423	1.2	4
100	An empirical assessment of immeasurable time bias in the setting of nested case-control studies: Statins and all-cause mortality among patients with heart failure. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1318-1327	2.6	4
99	Signal detection of human papillomavirus vaccines using the Korea Adverse Events Reporting System database, between 2005 and 2016. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1365-1372 ²³		4
98	Burden of diabetic macular oedema in patients receiving anti-vascular endothelial growth factor therapy in South Korea: a healthcare resource use and cost analysis. <i>BMJ Open</i> , 2020 , 10, e042484	3	4
97	Benzodiazepine-Related Cognitive Impairment or Dementia: A Signal Detection Study Using a Case/Non-Case Approach. <i>Psychiatry Investigation</i> , 2020 , 17, 587-595	3.1	4
96	Trends in the prescribing of atypical antipsychotics in elderly patients with dementia in Korea?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017 , 55, 581-587	2	4
95	Real-world prescribing patterns of long-acting benzodiazepines for elderly Koreans in 2013?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017 , 55, 472-479	2	4
94	Comparison of signal detection of tumour necrosis factor-inhibitors using the Korea Adverse Events Reporting System Database, 2005-2016. <i>Clinical Rheumatology</i> , 2020 , 39, 347-355	3.9	4
93	Real-world treatment persistence of non-tumor necrosis factor inhibitors versus tumor necrosis factor inhibitors among patients with rheumatoid arthritis in South Korea. <i>Current Medical Research and Opinion</i> , 2020 , 36, 343-351	2.5	4

92	Global epidemiology of hip fractures: a study protocol using a common analytical platform among multiple countries. <i>BMJ Open</i> , 2021 , 11, e047258	3	4
91	The association between antidepressant use and deaths from road traffic accidents: a case-crossover study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 485-495	4.5	4
90	Twelve-year trend in the use of zolpidem and physicians' non-compliance with recommended duration: a Korean national health insurance database study. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 109-117	2.8	4
89	Cardiovascular risk in patients receiving ranibizumab for exudative age-related macular degeneration: a nationwide self-controlled case-series study. <i>British Journal of Ophthalmology</i> , 2021 , 105, 543-548	5.5	4
88	Patient and provider characteristics related with prescribing of ADHD medication: Nationwide health insurance claims database study in Korea. <i>Asia-Pacific Psychiatry</i> , 2018 , 10, e12289	3.2	4
87	Machine Learning for Detection of Safety Signals From Spontaneous Reporting System Data: Example of Nivolumab and Docetaxel. <i>Frontiers in Pharmacology</i> , 2020 , 11, 602365	5.6	4
86	Survival outcomes of patients with non-small cell lung cancer concomitantly receiving proton pump inhibitors and immune checkpoint inhibitors. <i>International Journal of Cancer</i> , 2021 ,	7.5	4
85	Regulatory action and moderate decrease in methylphenidate use among ADHD diagnosed patients aged five and under in Korea. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 72, 244-8	3.4	3
84	Bacillus Calmette-Guérin (BCG) vaccine safety surveillance in the Korea Adverse Event Reporting System using the tree-based scan statistic and conventional disproportionality-based algorithms. <i>Vaccine</i> , 2020 , 38, 3702-3710	4.1	3
83	Consistency of listed indications and contraindications between the U.S., the U.K., Japan, and Korea on prescription drug labels. <i>Regulatory Toxicology and Pharmacology</i> , 2018 , 98, 168-170	3.4	3
82	Updates on Vaccine Safety and Post-Licensure Surveillance for Adverse Events Following Immunization in South Korea, 2005-2017. <i>Yonsei Medical Journal</i> , 2020 , 61, 623-630	3	3
81	Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	3
80	Topiramate-related adverse events: Pattern and signals in the Korea Adverse Event Reporting System, 2010-2017. <i>Medicine (United States)</i> , 2020 , 99, e22669	1.8	3
79	Association between domperidone use and adverse cardiovascular events: A nested case-control and case-time-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1636-1649	2.6	3
78	Increasing Trends in the Incidence and Prevalence of Epilepsy in Korea. <i>Journal of Clinical Neurology (Korea)</i> , 2021 , 17, 393-399	1.7	3
77	Signal Detection Between Fluoroquinolone Use and the Risk of Rhegmatogenous Retinal Detachment: Sequence Symmetry Analysis Using Nationwide South Korean Healthcare Database Between 2004 and 2015. <i>Clinical Drug Investigation</i> , 2018 , 38, 1179-1188	3.2	3
76	Utilization of oral anticoagulants in Korean nonvalvular atrial fibrillation patients. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1434-1441	2.3	2
75	Association between opioid analgesic plus benzodiazepine use and death: A case-crossover study. <i>Journal of Psychosomatic Research</i> , 2020 , 135, 110153	4.1	2

74	Increased use of third-generation cephalosporin antibiotics in the outpatient setting in Korean children and adolescents. <i>Pediatrics International</i> , 2018 , 60, 803-810	1.2	2
73	High Prevalence of Depression Diagnosis Among Medical Aid Beneficiaries: A Korean Health Insurance Database Study. <i>Asia-Pacific Journal of Public Health</i> , 2017 , 29, 692-697	2	2
72	Comparison of first- and second-generation antihistamine prescribing in elderly outpatients: A health insurance database study in 2013. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017 , 55, 781-790	2	2
71	Association between use of antiemetics, antipsychotics, or antidepressants and the risk of Parkinson's disease?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019 , 57, 73-81	2	2
70	Discontinuation and re-initiation of antidepressants during pregnancy: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2022 , 298, 500-507	6.6	2
69	Incidence and risk factors of subsequent osteoporotic fracture: a nationwide cohort study in South Korea. <i>Archives of Osteoporosis</i> , 2020 , 15, 180	2.9	2
68	Risk of Major Adverse Cardiovascular Events Associated with Concomitant Use of Antidepressants and Non-steroidal Anti-inflammatory Drugs: A Retrospective Cohort Study. <i>CNS Drugs</i> , 2020 , 34, 1063-1074	6.7	2
67	Anticholinergic Use Among the Elderly With Alzheimer Disease in South Korea: A Population-based Study. <i>Alzheimer Disease and Associated Disorders</i> , 2020 , 34, 238-243	2.5	2
66	Suitability of databases in the Asia-Pacific for collaborative monitoring of vaccine safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 843-857	2.6	2
65	Pattern of adverse events induced by aflibercept and ranibizumab: A nationwide spontaneous adverse event reporting database, 2007-2016. <i>Medicine (United States)</i> , 2019 , 98, e16785	1.8	2
64	Current status of pharmacovigilance regulatory structures, processes, and outcomes in the Asia-Pacific region: Survey results from 15 countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 362-369	2.6	2
63	Anaphylaxis following vaccination among children in Asia: A large-linked database study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1246-1249	9.3	2
62	Real-world data analysis of the clinical and economic burden and risk factors in patients with major depressive disorder with an inadequate response to initial antidepressants. <i>Journal of Medical Economics</i> , 2021 , 24, 589-597	2.4	2
61	Trends and associated maternal characteristics of antidiabetic medication use among pregnant women in South Korea. <i>Scientific Reports</i> , 2021 , 11, 4159	4.9	2
60	Risk of neuropsychiatric adverse events associated with the use of oseltamivir: a nationwide population-based case-crossover study-authors' response. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 1764-1765	5.1	1
59	Proton-pump inhibitors and the risk of Clostridium difficile-associated diarrhea in high-risk antibiotics users: A population-based case-crossover study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 479-488	2.6	1
58	Risk of mortality associated with concomitant antidepressant and benzodiazepine therapy among patients with depression: a population-based cohort study. <i>BMC Medicine</i> , 2020 , 18, 387	11.4	1
57	Prevalence and Its Correlation with Sustained Opioid Use in Korea: A Group-Based Trajectory Analysis. <i>Journal of Psychoactive Drugs</i> , 2021 , 53, 224-229	3.6	1

56	Signals and trends of Guillain-Barré syndrome after the introduction of live-attenuated vaccines for influenza in the US and South Korean adverse event reporting systems. <i>Vaccine</i> , 2020 , 38, 5464-5473	4.1	1
55	Benzodiazepine Use and Risk of Acute Angle-Closure Glaucoma: A Population-Based Case-Crossover Study. <i>Drug Safety</i> , 2020 , 43, 539-547	5.1	1
54	Potential Overestimation of Aspirin's Beneficial Effect on Breast Cancer by Study Design. <i>Journal of Womens Health</i> , 2018 , 27, 844	3	1
53	Trend of Antibiotic Use in Children with Acute Otitis Media in Korea. <i>Journal of Korean Medical Science</i> , 2021 , 36, e317	4.7	1
52	Signal Detection of Adverse Events Following Pneumococcal Vaccines from the Korea Adverse Event Reporting System Database, 2005-2016. <i>Yonsei Medical Journal</i> , 2020 , 61, 243-250	3	1
51	The Multi-Institutional Health Screening Records Database of South Korea: Description and Evaluation of Its Characteristics. <i>Yonsei Medical Journal</i> , 2019 , 60, 1216-1222	3	1
50	Association between NSAIDs use and adverse clinical outcomes among adults hospitalised with COVID-19 in South Korea: A nationwide study		1
49	Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: a nationwide cohort study		1
48	Major Adverse Cardiovascular Events in Antidepressant Users Within Patients With Ischemic Heart Diseases: A Nationwide Cohort Study. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 475-481	1.7	1
47	Statin Use in Patients With Hepatitis C-related Cirrhosis: True Benefit or Immortal Time Bias?. <i>Gastroenterology</i> , 2016 , 151, 373	13.3	1
46	Regulatory effect of decreasing therapeutic duplication of respiratory drugs using a prescription database between 2012 and 2015. <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 103, 218-228	3.4	1
45	Price Reduction of Anticancer Drugs from 2007 to 2019 in South Korea: The Impact of Pharmaceutical Cost-Containment Policies. <i>Applied Health Economics and Health Policy</i> , 2021 , 19, 439-450	2.4	1
44	Association between oseltamivir use and neuropsychiatric adverse events in influenza patients: a nationwide population-based cohort study. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 245-253	4.1	1
43	Dose Reduction of Tumor Necrosis Factor Inhibitor and its Effect on Medical Costs for Patients with Ankylosing Spondylitis. <i>Rheumatology and Therapy</i> , 2021 , 8, 347-359	4.4	1
42	Real-world prescribing trends of valproate in women with epilepsy in Korea. <i>Epilepsy and Behavior</i> , 2021 , 115, 107700	3.2	1
41	Cardiovascular safety of evogliptin in patients with type 2 diabetes: A nationwide cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1232-1241	6.7	1
40	The risk factors and incidence of major infectious diseases in patients with ankylosing spondylitis receiving tumor necrosis factor inhibitors. <i>Modern Rheumatology</i> , 2021 , 31, 1192-1201	3.3	1
39	Treatment Patterns of Osteoporosis and Factors Affecting the Prescribing of Bone-forming Agents: From a National Health Insurance Claims Database. <i>Korean Journal of Clinical Pharmacy</i> , 2021 , 31, 27-34	0.2	1

38	Hypertension Risk with Abacavir Use among HIV-Infected Individuals: A Nationwide Cohort Study. <i>Yonsei Medical Journal</i> , 2018 , 59, 1245-1252	3	1
37	The risk profile of rhegmatogenous retinal detachment before and after using a fluoroquinolone: a 12 year nationwide self-controlled case series study. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 3442-3453	5.1	1
36	Treatment pattern in postmenopausal women with osteoporosis: a population-based cohort study in South Korea. <i>Journal of Bone and Mineral Metabolism</i> , 2021 , 1	2.9	1
35	The risk of serious infection in rheumatoid arthritis patients receiving tocilizumab compared with tumor necrosis factor inhibitors in Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 989-995	5.3	1
34	Gender differences in the adverse events associated with cardiovascular drugs in a spontaneous reporting system in South Korea. <i>International Journal of Clinical Pharmacy</i> , 2021 , 43, 1036-1044	2.3	1
33	Prescribing trend of pioglitazone after safety warning release in Korea. <i>American Journal of Managed Care</i> , 2019 , 25, e342-e348	2.1	1
32	First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea.. <i>PLoS Medicine</i> , 2022 , 19, e1003945	11.6	1
31	Cardiovascular and metabolic risk of antipsychotics in children and young adults: a multinational self-controlled case series study. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e65	5.1	0
30	Investigation on Perceptions, Attitudes, and Contributing Factors to Spontaneous Adverse Drug Reaction Reporting among Community Pharmacists: Results from a Web-based Survey. <i>Korean Journal of Clinical Pharmacy</i> , 2019 , 29, 125-132	0.2	0
29	Analytical approaches to minimizing immeasurable time bias in cohort studies. <i>International Journal of Epidemiology</i> , 2021 , 50, 987-999	7.8	0
28	Economic burden of subsequent fracture in osteoporosis patients in South Korea. <i>Journal of Medical Economics</i> , 2020 , 23, 1598-1605	2.4	0
27	A cohort study of antihypertensive use during pregnancy in South Korea, 2013-2017. <i>Pregnancy Hypertension</i> , 2020 , 22, 167-174	2.6	0
26	Differential characteristics and treatment of psoriasis patients by economic status in South Korea: An analysis of the National Health Insurance Database. <i>Medicine (United States)</i> , 2020 , 99, e22410	1.8	0
25	The economic impact of disease progression and death in hormone receptor positive (HR+), human epidermal growth factor receptor 2 negative (HER2-) advanced breast cancer patients: using Korean nationwide health insurance claims data. <i>Current Medical Research and Opinion</i> , 2020 , 36, 1825-1833	2.5	0
24	Antidepressant Use and the Risk of Major Adverse Cardiovascular Events in Patients Without Known Cardiovascular Disease: A Retrospective Cohort Study. <i>Frontiers in Pharmacology</i> , 2020 , 11, 594474	5.6	0
23	Real-World Incidence of Suboptimal Response to Anti-Tumor Necrosis Factor Therapy for Ulcerative Colitis: A Nationwide Population-Based Study. <i>Gut and Liver</i> , 2021 , 15, 867-877	4.8	0
22	Association between methylphenidate and risk of myocardial infarction: A multinational self-controlled case series study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1458-1467	2.6	0
21	Comparative Cost-Effectiveness of Tofacitinib With Continuing Conventional Synthetic Disease-Modifying Anti-Rheumatic Drugs for Active Rheumatoid Arthritis in South Korea. <i>Rheumatology and Therapy</i> , 2021 , 8, 395-409	4.4	0

20	Signal detection of drospirenone-containing oral contraceptives: a disproportionality analysis using the Korea Adverse Event Reporting System Database, 2008-2017. <i>BMJ Open</i> , 2021 , 11, e045948	3	○
19	Exploration of Proton Pump Inhibitors Use During Pregnancy and Preeclampsia. <i>JAMA Network Open</i> , 2021 , 4, e2124339	10.4	○
18	Trends in Prescribing of Antiseizure Medications in South Korea: Real-World Evidence for Treated Patients With Epilepsy.. <i>Journal of Clinical Neurology (Korea)</i> , 2022 , 18, 179-193	1.7	○
17	Adherence is an optimal factor for maximizing the effective and safe use of oral anticoagulants in patients with atrial fibrillation.. <i>Scientific Reports</i> , 2022 , 12, 3413	4.9	○
16	Notable Differences in Drug Lag Between Korea and Japan of New Drugs Between 2009 and 2017. <i>Therapeutic Innovation and Regulatory Science</i> , 2019 , 216847901983846	1.2	
15	Post-approval Safety Monitoring of Quadrivalent and Bivalent Human Papillomavirus Vaccines Based on Real-world Data from the Korea Adverse Events Reporting System (KAERS). <i>Clinical Drug Investigation</i> , 2020 , 40, 727-735	3.2	
14	Projection of future pharmacy service fees using the dispensing claims in hospital and clinic outpatient pharmacies: national health insurance database between 2006 and 2012. <i>BMC Health Services Research</i> , 2018 , 18, 327	2.9	
13	Physician and pharmacist satisfaction and clinical needs for the real-time medication surveillance program in South Korea. <i>BMC Health Services Research</i> , 2019 , 19, 805	2.9	
12	Comparative Analysis of Ethical-the-counter Drugs and Over-the-counter Drugs for the Adverse Events from the Community Pharmacy. <i>Korean Journal of Clinical Pharmacy</i> , 2018 , 28, 230-237	0.2	
11	Patterns of Ulcerative Colitis Treatments and Factors Affecting the Prescribing of Systemic Corticosteroid using Health Insurance Claims Database. <i>Korean Journal of Clinical Pharmacy</i> , 2020 , 30, 102-112	0.2	
10	Increased risk of death with codeine use in the elderly over 85 years old and patients with respiratory disease: A case-control study using retrospective insurance claims database. <i>Medicine (United States)</i> , 2020 , 99, e22155	1.8	
9	Authors' Response to Association between Acetylcholinesterase Inhibitors and Osteoporotic Fractures in Older Persons With Alzheimer's Disease. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 707	5.9	
8	Exploring pharmacogenetic difference using adverse event database: an example of clopidogrel and cardiovascular events. <i>Pharmacogenomics</i> , 2020 , 21, 1157-1168	2.6	
7	New methodological approaches were able to effectively reduce immeasurable time bias in case-only designs. <i>Journal of Clinical Epidemiology</i> , 2021 , 131, 1-10	5.7	
6	International and global issues Differences in health systems, patient populations, and medical practice 2021 , 257-272		
5	A survey for Management of Drug Safety Evaluation System for Investigational Product. <i>Korean Journal of Clinical Pharmacy</i> , 2021 , 31, 53-60	0.2	
4	Pre-validation of a Calu-3 epithelium cytotoxicity assay for predicting acute inhalation toxicity of chemicals. <i>Toxicology in Vitro</i> , 2021 , 75, 105136	3.6	
3	Arthralgia and Myalgia Associated with the Use of Bisphosphonate: An Active Monitoring Study. <i>Korean Journal of Clinical Pharmacy</i> , 2021 , 31, 180-187	0.2	

- 2 Survival, Prognosis, and Clinical Feature of Refractory Myasthenia Gravis: a 15-year Nationwide Cohort Study. *Journal of Korean Medical Science*, **2021**, 36, e242 4.7
- 1 Pediatric codeine prescriptions in outpatient and inpatient settings in Korea. *American Journal of Managed Care*, **2019**, 25, e224-e229 2.1