

Ju-Young Shin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3731990/ju-young-shin-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

1,496
citations

19
h-index

31
g-index

194
ext. papers

1,963
ext. citations

3.9
avg, IF

5.17
L-index

#	Paper	IF	Citations
181	Discontinuation and re-initiation of antidepressants during pregnancy: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2022 , 298, 500-507	6.6	2
180	Trends in Prescribing of Antiseizure Medications in South Korea: Real-World Evidence for Treated Patients With Epilepsy.. <i>Journal of Clinical Neurology (Korea)</i> , 2022 , 18, 179-193	1.7	0
179	Adherence is an optimal factor for maximizing the effective and safe use of oral anticoagulants in patients with atrial fibrillation.. <i>Scientific Reports</i> , 2022 , 12, 3413	4.9	0
178	First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea.. <i>PLoS Medicine</i> , 2022 , 19, e1003945	11.6	1
177	Prevalence and Its Correlation with Sustained Opioid Use in Korea: A Group-Based Trajectory Analysis. <i>Journal of Psychoactive Drugs</i> , 2021 , 53, 224-229	3.6	1
176	Trend of Antibiotic Use in Children with Acute Otitis Media in Korea. <i>Journal of Korean Medical Science</i> , 2021 , 36, e317	4.7	1
175	Clinical outcomes of COVID-19 following the use of angiotensin-converting enzyme inhibitors or angiotensin-receptor blockers among patients with hypertension in Korea: a nationwide study. <i>Epidemiology and Health</i> , 2021 , 43, e2021004	5.6	7
174	Cardiovascular and metabolic risk of antipsychotics in children and young adults: a multinational self-controlled case series study. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e65	5.1	0
173	Analytical approaches to minimizing immeasurable time bias in cohort studies. <i>International Journal of Epidemiology</i> , 2021 , 50, 987-999	7.8	0
172	Association Between Nonsteroidal Antiinflammatory Drug Use and Adverse Clinical Outcomes Among Adults Hospitalized With Coronavirus 2019 in South Korea: A Nationwide Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e4179-e4188	11.6	16
171	Suitability of databases in the Asia-Pacific for collaborative monitoring of vaccine safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 843-857	2.6	2
170	Adherence and Associated Factors of Treatment Regimen in Drug-Susceptible Tuberculosis Patients. <i>Frontiers in Pharmacology</i> , 2021 , 12, 625078	5.6	5
169	Real-World Incidence of Suboptimal Response to Anti-Tumor Necrosis Factor Therapy for Ulcerative Colitis: A Nationwide Population-Based Study. <i>Gut and Liver</i> , 2021 , 15, 867-877	4.8	0
168	Global epidemiology of hip fractures: a study protocol using a common analytical platform among multiple countries. <i>BMJ Open</i> , 2021 , 11, e047258	3	4
167	Association between methylphenidate and risk of myocardial infarction: A multinational self-controlled case series study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1458-1467	2.6	0
166	Cardiovascular risk in patients receiving ranibizumab for exudative age-related macular degeneration: a nationwide self-controlled case-series study. <i>British Journal of Ophthalmology</i> , 2021 , 105, 543-548	5.5	4
165	New methodological approaches were able to effectively reduce immeasurable time bias in case-only designs. <i>Journal of Clinical Epidemiology</i> , 2021 , 131, 1-10	5.7	

164	Price Reduction of Anticancer Drugs from 2007 to 2019 in South Korea: The Impact of Pharmaceutical Cost-Containment Policies. <i>Applied Health Economics and Health Policy</i> , 2021 , 19, 439-450	3.4	1
163	Cost-Effectiveness of Tiotropium in Elderly Patients with Severe Asthma Using Real-World Data. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 1939-1947.e7	5.4	8
162	Association between oseltamivir use and neuropsychiatric adverse events in influenza patients: a nationwide population-based cohort study. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 245-253	4.1	1
161	Anaphylaxis following vaccination among children in Asia: A large-linked database study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1246-1249	9.3	2
160	Comparative Cost-Effectiveness of Tofacitinib With Continuing Conventional Synthetic Disease-Modifying Anti-Rheumatic Drugs for Active Rheumatoid Arthritis in South Korea. <i>Rheumatology and Therapy</i> , 2021 , 8, 395-409	4.4	0
159	Association between human papillomavirus vaccination and serious adverse events in South Korean adolescent girls: nationwide cohort study. <i>BMJ, The</i> , 2021 , 372, m4931	5.9	5
158	Increasing Trends in the Incidence and Prevalence of Epilepsy in Korea. <i>Journal of Clinical Neurology (Korea)</i> , 2021 , 17, 393-399	1.7	3
157	Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: nationwide cohort study. <i>British Journal of Psychiatry</i> , 2021 , 1-8	5.4	15
156	International and global issues Differences in health systems, patient populations, and medical practice 2021 , 257-272		
155	Dose Reduction of Tumor Necrosis Factor Inhibitor and its Effect on Medical Costs for Patients with Ankylosing Spondylitis. <i>Rheumatology and Therapy</i> , 2021 , 8, 347-359	4.4	1
154	Socioeconomic disparities in Korea by health insurance type during the COVID-19 pandemic: a nationwide study. <i>Epidemiology and Health</i> , 2021 , 43, e2021007	5.6	8
153	Real-world data analysis of the clinical and economic burden and risk factors in patients with major depressive disorder with an inadequate response to initial antidepressants. <i>Journal of Medical Economics</i> , 2021 , 24, 589-597	2.4	2
152	Real-world prescribing trends of valproate in women with epilepsy in Korea. <i>Epilepsy and Behavior</i> , 2021 , 115, 107700	3.2	1
151	Cardiovascular safety of evogliptin in patients with type 2 diabetes: A nationwide cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1232-1241	6.7	1
150	Association Between DPP-4 Inhibitors and COVID-19-Related Outcomes Among Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2021 , 44, e64-e66	14.6	19
149	Trends and associated maternal characteristics of antidiabetic medication use among pregnant women in South Korea. <i>Scientific Reports</i> , 2021 , 11, 4159	4.9	2
148	The risk factors and incidence of major infectious diseases in patients with ankylosing spondylitis receiving tumor necrosis factor inhibitors. <i>Modern Rheumatology</i> , 2021 , 31, 1192-1201	3.3	1
147	A survey for Management of Drug Safety Evaluation System for Investigational Product. <i>Korean Journal of Clinical Pharmacy</i> , 2021 , 31, 53-60	0.2	

146	Treatment Patterns of Osteoporosis and Factors Affecting the Prescribing of Bone-forming Agents: From a National Health Insurance Claims Database. <i>Korean Journal of Clinical Pharmacy</i> , 2021 , 31, 27-34	0.2	1
145	Treatment pattern in postmenopausal women with osteoporosis: a population-based cohort study in South Korea. <i>Journal of Bone and Mineral Metabolism</i> , 2021 , 1	2.9	1
144	Signal detection of drospirenone-containing oral contraceptives: a disproportionality analysis using the Korea Adverse Event Reporting System Database, 2008-2017. <i>BMJ Open</i> , 2021 , 11, e045948	3	0
143	Pre-validation of a Calu-3 epithelium cytotoxicity assay for predicting acute inhalation toxicity of chemicals. <i>Toxicology in Vitro</i> , 2021 , 75, 105136	3.6	
142	Exploration of Proton Pump Inhibitors Use During Pregnancy and Preeclampsia. <i>JAMA Network Open</i> , 2021 , 4, e2124339	10.4	0
141	Arthralgia and Myalgia Associated with the Use of Bisphosphonate: An Active Monitoring Study. <i>Korean Journal of Clinical Pharmacy</i> , 2021 , 31, 180-187	0.2	
140	The risk of serious infection in rheumatoid arthritis patients receiving tocilizumab compared with tumor necrosis factor inhibitors in Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 989-995	5.3	1
139	Gender differences in the adverse events associated with cardiovascular drugs in a spontaneous reporting system in South Korea. <i>International Journal of Clinical Pharmacy</i> , 2021 , 43, 1036-1044	2.3	1
138	Survival, Prognosis, and Clinical Feature of Refractory Myasthenia Gravis: a 15-year Nationwide Cohort Study. <i>Journal of Korean Medical Science</i> , 2021 , 36, e242	4.7	
137	Survival outcomes of patients with non-small cell lung cancer concomitantly receiving proton pump inhibitors and immune checkpoint inhibitors. <i>International Journal of Cancer</i> , 2021 ,	7.5	4
136	Risk of mortality associated with concomitant antidepressant and benzodiazepine therapy among patients with depression: a population-based cohort study. <i>BMC Medicine</i> , 2020 , 18, 387	11.4	1
135	Post-approval Safety Monitoring of Quadrivalent and Bivalent Human Papillomavirus Vaccines Based on Real-world Data from the Korea Adverse Events Reporting System (KAERS). <i>Clinical Drug Investigation</i> , 2020 , 40, 727-735	3.2	
134	Application of Healthcare Big Data in CNS Drug Research: The Example of the Neurological and mental health Global Epidemiology Network (NeuroGEN). <i>CNS Drugs</i> , 2020 , 34, 897-913	6.7	5
133	Association between opioid analgesic plus benzodiazepine use and death: A case-crossover study. <i>Journal of Psychosomatic Research</i> , 2020 , 135, 110153	4.1	2
132	Signals and trends of Guillain-Barré syndrome after the introduction of live-attenuated vaccines for influenza in the US and South Korean adverse event reporting systems. <i>Vaccine</i> , 2020 , 38, 5464-5473	4.1	1
131	Notable Differences in Drug Lag Between Korea and Japan of New Drugs Between 2009 and 2017. <i>Therapeutic Innovation and Regulatory Science</i> , 2020 , 54, 418-423	1.2	4
130	Benzodiazepine Use and Risk of Acute Angle-Closure Glaucoma: A Population-Based Case-Crossover Study. <i>Drug Safety</i> , 2020 , 43, 539-547	5.1	1
129	Bacillus Calmette-Guérin (BCG) vaccine safety surveillance in the Korea Adverse Event Reporting System using the tree-based scan statistic and conventional disproportionality-based algorithms. <i>Vaccine</i> , 2020 , 38, 3702-3710	4.1	3

128	Burden of diabetic macular oedema in patients receiving anti-vascular endothelial growth factor therapy in South Korea: a healthcare resource use and cost analysis. <i>BMJ Open</i> , 2020 , 10, e042484	3	4
127	Benzodiazepine-Related Cognitive Impairment or Dementia: A Signal Detection Study Using a Case/Non-Case Approach. <i>Psychiatry Investigation</i> , 2020 , 17, 587-595	3.1	4
126	Signal Detection of Adverse Events Following Pneumococcal Vaccines from the Korea Adverse Event Reporting System Database, 2005-2016. <i>Yonsei Medical Journal</i> , 2020 , 61, 243-250	3	1
125	Updates on Vaccine Safety and Post-Licensure Surveillance for Adverse Events Following Immunization in South Korea, 2005-2017. <i>Yonsei Medical Journal</i> , 2020 , 61, 623-630	3	3
124	Patterns of Ulcerative Colitis Treatments and Factors Affecting the Prescribing of Systemic Corticosteroid using Health Insurance Claims Database. <i>Korean Journal of Clinical Pharmacy</i> , 2020 , 30, 102-112	0.2	
123	Zoledronic acid and skeletal-related events in patients with bone metastatic cancer or multiple myeloma. <i>Journal of Bone and Mineral Metabolism</i> , 2020 , 38, 254-263	2.9	13
122	Comparison of signal detection of tumour necrosis factor- α inhibitors using the Korea Adverse Events Reporting System Database, 2005-2016. <i>Clinical Rheumatology</i> , 2020 , 39, 347-355	3.9	4
121	Real-world treatment persistence of non-tumor necrosis factor inhibitors versus tumor necrosis factor inhibitors among patients with rheumatoid arthritis in South Korea. <i>Current Medical Research and Opinion</i> , 2020 , 36, 343-351	2.5	4
120	Uncertain Association Between Benzodiazepine Use and the Risk of Dementia: A Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 201-211.e2	5.9	9
119	Association Between Acetylcholinesterase Inhibitors and Osteoporotic Fractures in Older Persons With Alzheimer's Disease. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1128-1133.e1	5.9	5
118	Increased risk of death with codeine use in the elderly over 85 years old and patients with respiratory disease: A case-control study using retrospective insurance claims database. <i>Medicine (United States)</i> , 2020 , 99, e22155	1.8	
117	Economic burden of subsequent fracture in osteoporosis patients in South Korea. <i>Journal of Medical Economics</i> , 2020 , 23, 1598-1605	2.4	0
116	Authors' Response to Association between Acetylcholinesterase Inhibitors and Osteoporotic Fractures in Older Persons With Alzheimer's Disease. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 707	5.9	
115	Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	3
114	Incidence and risk factors of subsequent osteoporotic fracture: a nationwide cohort study in South Korea. <i>Archives of Osteoporosis</i> , 2020 , 15, 180	2.9	2
113	A cohort study of antihypertensive use during pregnancy in South Korea, 2013-2017. <i>Pregnancy Hypertension</i> , 2020 , 22, 167-174	2.6	0
112	Differential characteristics and treatment of psoriasis patients by economic status in South Korea: An analysis of the National Health Insurance Database. <i>Medicine (United States)</i> , 2020 , 99, e22410	1.8	0
111	Risk of Major Adverse Cardiovascular Events Associated with Concomitant Use of Antidepressants and Non-steroidal Anti-inflammatory Drugs: A Retrospective Cohort Study. <i>CNS Drugs</i> , 2020 , 34, 1063-1074	6.7	2

110	Topiramate-related adverse events: Pattern and signals in the Korea Adverse Event Reporting System, 2010-2017. <i>Medicine (United States)</i> , 2020 , 99, e22669	1.8	3
109	Exploring pharmacogenetic difference using adverse event database: an example of clopidogrel and cardiovascular events. <i>Pharmacogenomics</i> , 2020 , 21, 1157-1168	2.6	
108	Gender differences in adverse event reports associated with antidiabetic drugs. <i>Scientific Reports</i> , 2020 , 10, 17545	4.9	8
107	Association between domperidone use and adverse cardiovascular events: A nested case-control and case-time-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1636-1649	2.6	3
106	The economic impact of disease progression and death in hormone receptor positive (HR+), human epidermal growth factor receptor 2 negative (HER2-) advanced breast cancer patients: using Korean nationwide health insurance claims data. <i>Current Medical Research and Opinion</i> , 2020 , 36, 1825-1833	2.5	0
105	Anticholinergic Use Among the Elderly With Alzheimer Disease in South Korea: A Population-based Study. <i>Alzheimer Disease and Associated Disorders</i> , 2020 , 34, 238-243	2.5	2
104	Major Adverse Cardiovascular Events in Antidepressant Users Within Patients With Ischemic Heart Diseases: A Nationwide Cohort Study. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 475-481	1.7	1
103	Antidepressant Use and the Risk of Major Adverse Cardiovascular Events in Patients Without Known Cardiovascular Disease: A Retrospective Cohort Study. <i>Frontiers in Pharmacology</i> , 2020 , 11, 594474	5.6	0
102	Explosive Increase in Tramadol Use in Korea 2003-2013: Analysis of Patient Trends Based on the Korea National Health Insurance Database. <i>Journal of Psychoactive Drugs</i> , 2020 , 52, 153-161	3.6	5
101	Machine Learning for Detection of Safety Signals From Spontaneous Reporting System Data: Example of Nivolumab and Docetaxel. <i>Frontiers in Pharmacology</i> , 2020 , 11, 602365	5.6	4
100	Use of proton pump inhibitors and the risk of cholangitis: a nationwide cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 760-768	6.1	15
99	Utilization of oral anticoagulants in Korean nonvalvular atrial fibrillation patients. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1434-1441	2.3	2
98	Signal Detection for Cardiovascular Adverse Events of DPP-4 Inhibitors Using the Korea Adverse Event Reporting System Database, 2008-2016. <i>Yonsei Medical Journal</i> , 2019 , 60, 200-207	3	7
97	Beyond uncertainty: Negative findings for the association between the use of proton pump inhibitors and risk of dementia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 2135-2143	4.3	7
96	Incidence of skeletal-related events in patients with breast or prostate cancer-induced bone metastasis or multiple myeloma: A 12-year longitudinal nationwide healthcare database study. <i>Cancer Epidemiology</i> , 2019 , 61, 104-110	2.8	13
95	Notable Differences in Drug Lag Between Korea and Japan of New Drugs Between 2009 and 2017. <i>Therapeutic Innovation and Regulatory Science</i> , 2019 , 216847901983846	1.2	
94	Concurrent use of benzodiazepines, antidepressants, and opioid analgesics with zolpidem and risk for suicide: a case-control and case-crossover study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1535-1544	4.5	5
93	Risk of neuropsychiatric adverse events associated with the use of oseltamivir: a nationwide population-based case-crossover study-authorsResponse. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 1764-1765	5.1	1

92	Zolpidem Use and Suicide Death in South Korea: A Population-Based Case-Control Study. <i>Suicide and Life-Threatening Behavior</i> , 2019 , 49, 1653-1667	3.9	7
91	Proton-pump inhibitors and the risk of Clostridium difficile-associated diarrhea in high-risk antibiotics users: A population-based case-crossover study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 479-488	2.6	1
90	Characteristics and trends of spontaneous reporting of therapeutic ineffectiveness in South Korea from 2000 to 2016. <i>PLoS ONE</i> , 2019 , 14, e0212905	3.7	5
89	Differential completeness of spontaneous adverse event reports among hospitals/clinics, pharmacies, consumers, and pharmaceutical companies in South Korea. <i>PLoS ONE</i> , 2019 , 14, e0212336	3.7	4
88	Assessment of Consistency of Drug Interaction Information in Drug Labels Among the United States, the United Kingdom, China, Japan, and Korea. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 105, 505-514	6.1	6
87	An empirical assessment of immeasurable time bias in the setting of nested case-control studies: Statins and all-cause mortality among patients with heart failure. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1318-1327	2.6	4
86	Signal detection of human papillomavirus vaccines using the Korea Adverse Events Reporting System database, between 2005 and 2016. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1365-1372 ^{2,3}		4
85	Effect of Statins, Metformin, Angiotensin-Converting Enzyme Inhibitors, and Angiotensin II Receptor Blockers on Age-Related Macular Degeneration. <i>Yonsei Medical Journal</i> , 2019 , 60, 679-686	3	15
84	Physician and pharmacist satisfaction and clinical needs for the real-time medication surveillance program in South Korea. <i>BMC Health Services Research</i> , 2019 , 19, 805	2.9	
83	Trends in the use of antibiotics among Korean children. <i>Korean Journal of Pediatrics</i> , 2019 , 62, 113-118	2.4	8
82	Association between use of antiemetics, antipsychotics, or antidepressants and the risk of Parkinson's disease?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019 , 57, 73-81	2	2
81	The Multi-Institutional Health Screening Records Database of South Korea: Description and Evaluation of Its Characteristics. <i>Yonsei Medical Journal</i> , 2019 , 60, 1216-1222	3	1
80	Investigation on Perceptions, Attitudes, and Contributing Factors to Spontaneous Adverse Drug Reaction Reporting among Community Pharmacists: Results from a Web-based Survey. <i>Korean Journal of Clinical Pharmacy</i> , 2019 , 29, 125-132	0.2	0
79	Regulatory effect of decreasing therapeutic duplication of respiratory drugs using a prescription database between 2012 and 2015. <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 103, 218-228	3.4	1
78	Features of anticholinergic prescriptions and predictors of high use in the elderly: Population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1591-1600	2.6	9
77	Pattern of adverse events induced by aflibercept and ranibizumab: A nationwide spontaneous adverse event reporting database, 2007-2016. <i>Medicine (United States)</i> , 2019 , 98, e16785	1.8	2
76	The association between antidepressant use and deaths from road traffic accidents: a case-crossover study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 485-495	4.5	4
75	Risk of neuropsychiatric adverse events associated with the use of oseltamivir: a nationwide population-based case-crossover study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 453-461	5.1	13

74	Current status of pharmacovigilance regulatory structures, processes, and outcomes in the Asia-Pacific region: Survey results from 15 countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 362-369	2.6	2
73	All-Cause Mortality Associated with Tramadol Use: A Case-Crossover Study. <i>Drug Safety</i> , 2019 , 42, 785-796	3.6	9
72	Twelve-year trend in the use of zolpidem and physicians' non-compliance with recommended duration: a Korean national health insurance database study. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 109-117	2.8	4
71	Pediatric codeine prescriptions in outpatient and inpatient settings in Korea. <i>American Journal of Managed Care</i> , 2019 , 25, e224-e229	2.1	
70	Prescribing trend of pioglitazone after safety warning release in Korea. <i>American Journal of Managed Care</i> , 2019 , 25, e342-e348	2.1	1
69	Estimation of cost savings between 2011 and 2014 attributed to infliximab biosimilar in the South Korean healthcare market: real-world evidence using a nationwide database. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1227-1236	2.3	10
68	The Uncertainty of the Association Between Proton Pump Inhibitor Use and the Risk of Dementia: Prescription Sequence Symmetry Analysis Using a Korean Healthcare Database Between 2002 and 2013. <i>Drug Safety</i> , 2018 , 41, 615-624	5.1	16
67	Persistence of biologic disease-modifying antirheumatic drugs in patients with rheumatoid arthritis: An analysis of the South Korean National Health Insurance Database. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 485-491	5.3	10
66	Increased use of third-generation cephalosporin antibiotics in the outpatient setting in Korean children and adolescents. <i>Pediatrics International</i> , 2018 , 60, 803-810	1.2	2
65	Projection of future pharmacy service fees using the dispensing claims in hospital and clinic outpatient pharmacies: national health insurance database between 2006 and 2012. <i>BMC Health Services Research</i> , 2018 , 18, 327	2.9	
64	Potential Overestimation of Aspirin's Beneficial Effect on Breast Cancer by Study Design. <i>Journal of Women's Health</i> , 2018 , 27, 844	3	1
63	Consistency of listed indications and contraindications between the U.S., the U.K., Japan, and Korea on prescription drug labels. <i>Regulatory Toxicology and Pharmacology</i> , 2018 , 98, 168-170	3.4	3
62	Discrepancies in the Evidence and Recommendation Levels of Pregnancy Information in Prescription Drug Labeling in the United States, United Kingdom, Japan, and Korea. <i>Journal of Women's Health</i> , 2018 , 27, 1086-1092	3	7
61	Prevalence and predictors of tricyclic antidepressant use among elderly Koreans in primary-care and specialty clinics. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018 , 56, 224-230	2	7
60	Comparative Analysis of Ethical-the-counter Drugs and Over-the-counter Drugs for the Adverse Events from the Community Pharmacy. <i>Korean Journal of Clinical Pharmacy</i> , 2018 , 28, 230-237	0.2	
59	Patient and provider characteristics related with prescribing of ADHD medication: Nationwide health insurance claims database study in Korea. <i>Asia-Pacific Psychiatry</i> , 2018 , 10, e12289	3.2	4
58	Hypertension Risk with Abacavir Use among HIV-Infected Individuals: A Nationwide Cohort Study. <i>Yonsei Medical Journal</i> , 2018 , 59, 1245-1252	3	1
57	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1223-1230	2.6	6

56	Signal Detection Between Fluoroquinolone Use and the Risk of Rhegmatogenous Retinal Detachment: Sequence Symmetry Analysis Using Nationwide South Korean Healthcare Database Between 2004 and 2015. <i>Clinical Drug Investigation</i> , 2018 , 38, 1179-1188	3.2	3
55	Signal detection of benzodiazepine use and risk of dementia: sequence symmetry analysis using South Korean national healthcare database. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 1568-1576	2.3	10
54	The risk profile of rhegmatogenous retinal detachment before and after using a fluoroquinolone: a 12 year nationwide self-controlled case series study. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 3442-3453	5.1	1
53	Trends in polypharmacy over 12 years and changes in its social gradients in South Korea. <i>PLoS ONE</i> , 2018 , 13, e0204018	3.7	8
52	Decrease in use of contraindicated drugs with automated alerts in children. <i>Pediatrics International</i> , 2017 , 59, 720-726	1.2	5
51	Health Care Utilization and Direct Costs in Mild, Moderate, and Severe Adult Asthma: A Descriptive Study Using the 2014 South Korean Health Insurance Database. <i>Clinical Therapeutics</i> , 2017 , 39, 527-536	3.5	21
50	Antibiotic Use in Children - A Cross-National Analysis of 6 Countries. <i>Journal of Pediatrics</i> , 2017 , 182, 239-244.e1	3.6	58
49	Statin potency and the risk of hospitalization for community-acquired pneumonia. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1319-1327	3.8	8
48	Use pattern and predictors of use of highly caffeinated energy drinks among South Korean adolescents: a study using the Health Belief Model. <i>BMJ Open</i> , 2017 , 7, e017224	3	6
47	High Prevalence of Depression Diagnosis Among Medical Aid Beneficiaries: A Korean Health Insurance Database Study. <i>Asia-Pacific Journal of Public Health</i> , 2017 , 29, 692-697	2	2
46	Differential Risk of Peptic Ulcer Among Users of Antidepressants Combined With Nonsteroidal Anti-inflammatory Drugs. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 239-245	1.7	5
45	Comparative safety for cardiovascular outcomes of DPP-4 inhibitors versus glimepiride in patients with type 2 diabetes: A retrospective cohort study. <i>Medicine (United States)</i> , 2017 , 96, e7213	1.8	16
44	Trends in the prescribing of atypical antipsychotics in elderly patients with dementia in Korea?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017 , 55, 581-587	2	4
43	Real-world prescribing patterns of long-acting benzodiazepines for elderly Koreans in 2013?. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017 , 55, 472-479	2	4
42	Comparison of first- and second-generation antihistamine prescribing in elderly outpatients: A health insurance database study in 2013. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017 , 55, 781-790	2	2
41	Comparison of Effectiveness Between Delamanid and Bedaquiline Among Patients with Multidrug-Resistant Tuberculosis: A Markov Model Simulation Study. <i>Clinical Drug Investigation</i> , 2016 , 36, 957-968	3.2	6
40	Proton pump inhibitors and risk of Clostridium difficile infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1589-1595	4.1	26
39	Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): nationwide self controlled case series study. <i>BMJ, The</i> , 2016 , 353, i2550	5.9	65

38	Trends in prescription of pregnancy-contraindicated drugs in Korea, 2007-2011. <i>Regulatory Toxicology and Pharmacology</i> , 2016 , 75, 35-45	3.4	7
37	Prescribing patterns for attention deficit hyperactivity disorder medications among children and adolescents in Korea, 2007-2011. <i>Epidemiology and Health</i> , 2016 , 38, e2016045	5.6	8
36	Statin Use in Patients With Hepatitis C-related Cirrhosis: True Benefit or Immortal Time Bias?. <i>Gastroenterology</i> , 2016 , 151, 373	13.3	1
35	Prescribing trends of attention-deficit hyperactivity disorder (ADHD) medications in UK primary care, 1995-2015. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 858-68	3.8	66
34	Prescribing patterns of the four most commonly used sedatives in endoscopic examination in Korea: propofol, midazolam, diazepam, and lorazepam. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 71, 565-70	3.4	7
33	Increased use in propofol and reported patterns of adverse events among anesthetics in Korea. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 71, 478-83	3.4	10
32	Regulatory action and moderate decrease in methylphenidate use among ADHD diagnosed patients aged five and under in Korea. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 72, 244-8	3.4	3
31	A comparison of risperidone and haloperidol for the risk of ischemic stroke in the elderly: a propensity score-matched cohort analysis. <i>Journal of Psychopharmacology</i> , 2015 , 29, 903-9	4.6	8
30	Risk of intracranial haemorrhage in antidepressant users with concurrent use of non-steroidal anti-inflammatory drugs: nationwide propensity score matched study. <i>BMJ, The</i> , 2015 , 351, h3517	5.9	50
29	Evaluation of low-dose aspirin for primary prevention of ischemic stroke among patients with diabetes: a retrospective cohort study. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7, 8	5.6	6
28	Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. <i>Drug Safety</i> , 2015 , 38, 823-31	5.1	28
27	Estimation of risk for diabetes according to the metabolically healthy status stratified by degree of obesity in Korean men. <i>Endocrine</i> , 2015 , 50, 650-8	4	14
26	Drug persistency of cholinesterase inhibitors for patients with dementia of Alzheimer type in Korea. <i>Archives of Pharmacal Research</i> , 2015 , 38, 1255-62	6.1	12
25	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 858-64	4.6	32
24	Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20	3.1	41
23	Prevalence of antibiotic use for pediatric acute upper respiratory tract infections in Korea. <i>Journal of Korean Medical Science</i> , 2015 , 30, 617-24	4.7	16
22	Risk of ischemic stroke associated with the use of antipsychotic drugs in elderly patients: a retrospective cohort study in Korea. <i>PLoS ONE</i> , 2015 , 10, e0119931	3.7	17
21	Differential cardiovascular outcomes after dipeptidyl peptidase-4 inhibitor, sulfonylurea, and pioglitazone therapy, all in combination with metformin, for type 2 diabetes: a population-based cohort study. <i>PLoS ONE</i> , 2015 , 10, e0124287	3.7	50

20	Comparison of the prescribing pattern of bisphosphonate and raloxifene in Korean women with osteoporosis: from a national health insurance claims database. <i>PLoS ONE</i> , 2015 , 10, e0127970	3.7	8
19	Co-medication of statins with contraindicated drugs. <i>PLoS ONE</i> , 2015 , 10, e0125180	3.7	8
18	Socioeconomic disparities in osteoporosis prevalence: different results in the overall Korean adult population and single-person households. <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 84-93	3.7	9
17	Prevalence and predictors of polypharmacy among Korean elderly. <i>PLoS ONE</i> , 2014 , 9, e98043	3.7	75
16	Utilization patterns of disease-modifying antirheumatic drugs in elderly rheumatoid arthritis patients. <i>Journal of Korean Medical Science</i> , 2014 , 29, 210-6	4.7	9
15	Dramatic decrease in fluoroquinolones in the pediatric population in Korea. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1320-4	2.6	8
14	New initiatives for pharmacovigilance in South Korea: introducing the Korea Institute of Drug Safety and Risk Management (KIDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1115-22	2.6	23
13	Acute renal failure following oral sodium phosphate bowel preparation: a nationwide case-crossover study. <i>Endoscopy</i> , 2014 , 46, 465-70	3.4	11
12	Agreement of label information of cardiovascular drugs in pregnancy among Korea, the USA, the UK, and Japan. <i>Regulatory Toxicology and Pharmacology</i> , 2014 , 68, 363-9	3.4	6
11	The clinical availability of non alcoholic fatty liver disease as an early predictor of the metabolic syndrome in Korean men: 5-year prospective cohort study. <i>Atherosclerosis</i> , 2013 , 227, 398-403	3.1	28
10	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
9	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
8	Risk of ischemic stroke with the use of risperidone, quetiapine and olanzapine in elderly patients: a population-based, case-crossover study. <i>Journal of Psychopharmacology</i> , 2013 , 27, 638-44	4.6	38
7	Multi-indication carbamazepine and the risk of severe cutaneous adverse drug reactions in Korean elderly patients: a Korean health insurance data-based study. <i>PLoS ONE</i> , 2013 , 8, e83849	3.7	12
6	The role of the KIDS for enhancing drug safety and risk management in Korea. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 861	0.5	5
5	Association of serum ferritin and the development of metabolic syndrome in middle-aged Korean men: a 5-year follow-up study. <i>Diabetes Care</i> , 2012 , 35, 2521-6	14.6	65
4	Overlapping medication associated with healthcare switching among Korean elderly diabetic patients. <i>Journal of Korean Medical Science</i> , 2011 , 26, 1461-8	4.7	21
3	The relationship between serum ferritin and metabolic syndrome in healthy Korean men. <i>Diabetes/Metabolism Research and Reviews</i> , 2011 , 27, 597-603	7.5	13

2	Association between NSAIDs use and adverse clinical outcomes among adults hospitalised with COVID-19 in South Korea: A nationwide study	1
1	Association of mental disorders with SARS-CoV-2 infection and severe health outcomes: a nationwide cohort study	1