Jingyu Yang

List of Publications by Citations

Source: https://exaly.com/author-pdf/3732185/jingyu-yang-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers2,290
citations28
h-index42
g-index114
ext. papers2,778
ext. citations5.7
avg, IF4.86
L-index

#	Paper	IF	Citations
112	Hepatoprotective effects of apple polyphenols on CCl4-induced acute liver damage in mice. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 6525-31	5.7	141
111	Urinary metabonomic study on biochemical changes in chronic unpredictable mild stress model of depression. <i>Clinica Chimica Acta</i> , 2010 , 411, 204-9	6.2	104
110	Pseudoginsenoside-F11 (PF11) exerts anti-neuroinflammatory effects on LPS-activated microglial cells by inhibiting TLR4-mediated TAK1/IKK/NF- B , MAPKs and Akt signaling pathways. <i>Neuropharmacology</i> , 2014 , 79, 642-56	5.5	91
109	Demethoxycurcumin, a natural derivative of curcumin attenuates LPS-induced pro-inflammatory responses through down-regulation of intracellular ROS-related MAPK/NF-kappaB signaling pathways in N9 microglia induced by lipopolysaccharide. <i>International Immunopharmacology</i> , 2010 ,	5.8	82
108	10, 331-8 Alkaloids from the leaves of Uncaria rhynchophylla and their inhibitory activity on NO production in lipopolysaccharide-activated microglia. <i>Journal of Natural Products</i> , 2008 , 71, 1271-4	4.9	74
107	Sildenafil attenuates LPS-induced pro-inflammatory responses through down-regulation of intracellular ROS-related MAPK/NF- B signaling pathways in N9 microglia. <i>International Immunopharmacology</i> , 2011 , 11, 468-74	5.8	71
106	Cisplatin-enriching cancer stem cells confer multidrug resistance in non-small cell lung cancer via enhancing TRIB1/HDAC activity. <i>Cell Death and Disease</i> , 2017 , 8, e2746	9.8	66
105	Targeting ALDH1A1 by disulfiram/copper complex inhibits non-small cell lung cancer recurrence driven by ALDH-positive cancer stem cells. <i>Oncotarget</i> , 2016 , 7, 58516-58530	3.3	65
104	The GABA(A) receptor mediates the hypnotic activity of melatonin in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2003 , 74, 573-8	3.9	64
103	Pterostilbene attenuates lipopolysaccharide-induced learning and memory impairment possibly via inhibiting microglia activation and protecting neuronal injury in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 54, 92-102	5.5	56
102	Gomisin A inhibits lipopolysaccharide-induced inflammatory responses in N9 microglia via blocking the NF- B /MAPKs pathway. <i>Food and Chemical Toxicology</i> , 2014 , 63, 119-27	4.7	52
101	Neuronal-targeted TFEB rescues dysfunction of the autophagy-lysosomal pathway and alleviates ischemic injury in permanent cerebral ischemia. <i>Autophagy</i> , 2019 , 15, 493-509	10.2	52
100	Novel chalcone derivatives as hypoxia-inducible factor (HIF)-1 inhibitor: synthesis, anti-invasive and anti-angiogenic properties. <i>European Journal of Medicinal Chemistry</i> , 2015 , 89, 88-97	6.8	45
99	Improvement of morphine-mediated analgesia by inhibition of Earrestin2 expression in mice periaqueductal gray matter. <i>International Journal of Molecular Sciences</i> , 2009 , 10, 954-63	6.3	44
98	The efficacy and safety of bufadienolides-loaded nanostructured lipid carriers. <i>International Journal of Pharmaceutics</i> , 2010 , 393, 203-11	6.5	40
97	Enhanced delivery of doxorubicin to the liver through self-assembled nanoparticles formed via conjugation of glycyrrhetinic acid to the hydroxyl group of hyaluronic acid. <i>Carbohydrate Polymers</i> , 2018 , 195, 170-179	10.3	39
96	Neuronal injury, but not microglia activation, is associated with ketamine-induced experimental schizophrenic model in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 45, 107-16	5.5	39

(2015-2016)

95	receptor phosphorylation in a neuroendocrine mouse model of anxiety/depression. <i>Scientific Reports</i> , 2016 , 6, 30951	4.9	38	
94	Improved tumor tissue penetration and tumor cell uptake achieved by delayed charge reversal nanoparticles. <i>Acta Biomaterialia</i> , 2017 , 62, 157-166	10.8	33	
93	Activation of an AKT/FOXM1/STMN1 pathway drives resistance to tyrosine kinase inhibitors in lung cancer. <i>British Journal of Cancer</i> , 2017 , 117, 974-983	8.7	33	
92	Efficacy and safety of sodium-glucose cotransporter-2 inhibitors versus dipeptidyl peptidase-4 inhibitors as monotherapy or add-on to metformin in patients with type 2 diabetes mellitus: A systematic review and meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 113-120	6.7	32	
91	Dibenzocyclooctadiene lignans from Schisandra chinensis and their inhibitory activity on NO production in lipopolysaccharide-activated microglia cells. <i>Phytochemistry</i> , 2014 , 104, 72-8	4	31	
90	In vivo study on the neurotransmitters and their metabolites change in depressive disorder rat plasma by ultra high performance liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 988, 59-	3.2 65	30	
89	Suppressing autophagy enhances disulfiram/copper-induced apoptosis in non-small cell lung cancer. <i>European Journal of Pharmacology</i> , 2018 , 827, 1-12	5.3	30	
88	Lipopolysaccharide induces neuroinflammation in microglia by activating the MTOR pathway and downregulating Vps34 to inhibit autophagosome formation. <i>Journal of Neuroinflammation</i> , 2020 , 17, 18	10.1	29	
87	An 1H NMR and UPLCMS-based plasma metabonomic study to investigate the biochemical changes in chronic unpredictable mild stress model of depression. <i>Metabolomics</i> , 2011 , 7, 413-423	4.7	29	
86	A novel small-molecule activator of procaspase-3 induces apoptosis in cancer cells and reduces tumor growth in human breast, liver and gallbladder cancer xenografts. <i>Molecular Oncology</i> , 2014 , 8, 1640-52	7.9	28	
85	Pseudoginsenoside-F11 alleviates cognitive deficits and Alzheimer's disease-type pathologies in SAMP8 mice. <i>Pharmacological Research</i> , 2019 , 139, 512-523	10.2	28	
84	Serum metabonomics study of anti-depressive effect of Xiao-Chai-Hu-Tang on rat model of chronic unpredictable mild stress. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1029-1030, 28-35	3.2	27	
83	Red wine phenolic complexes and their in vitro antioxidant activity. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 8623-7	5.7	27	
82	A self-propelling cycle mediated by reactive oxide species and nitric oxide exists in LPS-activated microglia. <i>Neurochemistry International</i> , 2012 , 61, 1220-30	4.4	26	
81	SVCT2, a potential therapeutic target, protects against oxidative stress during ethanol-induced neurotoxicity via JNK/p38 MAPKs, NF-B and miRNA125a-5p. <i>Free Radical Biology and Medicine</i> , 2016 , 96, 362-73	7.8	26	
80	Lesions of the medial prefrontal cortex prevent the acquisition but not reinstatement of morphine-induced conditioned place preference in mice. <i>Neuroscience Letters</i> , 2008 , 433, 48-53	3.3	25	
79	Pseudoginsenoside-F11 inhibits methamphetamine-induced behaviors by regulating dopaminergic and GABAergic neurons in the nucleus accumbens. <i>Psychopharmacology</i> , 2016 , 233, 831-40	4.7	24	
78	Dual targeting of retinoid X receptor and histone deacetylase with DW22 as a novel antitumor approach. <i>Oncotarget</i> , 2015 , 6, 9740-55	3.3	22	

77	Pseudoginsenoside-F11 attenuates cognitive impairment by ameliorating oxidative stress and neuroinflammation in d-galactose-treated mice. <i>International Immunopharmacology</i> , 2019 , 67, 78-86	5.8	21
76	Design, synthesis and anticancer activities of diaryl urea derivatives bearing N-acylhydrazone moiety. <i>Chemical and Pharmaceutical Bulletin</i> , 2012 , 60, 1046-54	1.9	20
75	Antidepressant-like effects of Xiaochaihutang in a neuroendocrine mouse model of anxiety/depression. <i>Journal of Ethnopharmacology</i> , 2016 , 194, 674-683	5	19
74	Xiaochaihutang attenuates depressive/anxiety-like behaviors of social isolation-reared mice by regulating monoaminergic system, neurogenesis and BDNF expression. <i>Journal of Ethnopharmacology</i> , 2017 , 208, 94-104	5	19
73	Lesions of nucleus accumbens affect morphine-induced release of ascorbic acid and GABA but not of glutamate in rats. <i>Addiction Biology</i> , 2011 , 16, 540-50	4.6	18
7²	Pseudoginsenoside-F11 Protects against Transient Cerebral Ischemia Injury in Rats Involving Repressing Calcium Overload. <i>Neuroscience</i> , 2019 , 411, 86-104	3.9	17
71	Yonkenafil: a novel phosphodiesterase type 5 inhibitor induces neuronal network potentiation by a cGMP-dependent Nogo-R axis in acute experimental stroke. <i>Experimental Neurology</i> , 2014 , 261, 267-77	5.7	17
70	Sustained delivery of cytarabine-loaded vesicular phospholipid gels for treatment of xenografted glioma. <i>International Journal of Pharmaceutics</i> , 2014 , 472, 48-55	6.5	17
69	Purification, characterization and antitumor activities of a new protein from Syngnathus acus, an officinal marine fish. <i>Marine Drugs</i> , 2012 , 10, 35-50	6	17
68	Targeting procaspase-3 with WF-208, a novel PAC-1 derivative, causes selective cancer cell apoptosis. <i>Journal of Cellular and Molecular Medicine</i> , 2015 , 19, 1916-28	5.6	16
67	Oligomer procyanidins (F2) isolated from grape seeds inhibits tumor angiogenesis and cell invasion by targeting HIF-1\(\text{H}\)n vitro. <i>International Journal of Oncology</i> , 2015 , 46, 708-20	4.4	16
66	TXA9, a cardiac glycoside from Streptocaulon juventas, exerts a potent anti-tumor activity against human non-small cell lung cancer cells in vitro and in vivo. <i>Steroids</i> , 2015 , 94, 51-9	2.8	16
65	Antidepressant-like effects of Xiaochaihutang in perimenopausal mice. <i>Journal of Ethnopharmacology</i> , 2020 , 248, 112318	5	16
64	A Novel Quinolyl-Substituted Analogue of Resveratrol Inhibits LPS-Induced Inflammatory Responses in Microglial Cells by Blocking the NF-B/MAPK Signaling Pathways. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1801380	5.9	15
63	Metabonomic Evaluation of Chronic Unpredictable Mild Stress-Induced Changes in Rats by Intervention of Fluoxetine by HILIC-UHPLC/MS. <i>PLoS ONE</i> , 2015 , 10, e0129146	3.7	15
62	Structural optimization of berberine as a synergist to restore antifungal activity of fluconazole against drug-resistant Candida albicans. <i>ChemMedChem</i> , 2014 , 9, 207-16	3.7	15
61	Hepatoprotective effect of apple polyphenols against concanavalin A-induced immunological liver injury in mice. <i>Chemico-Biological Interactions</i> , 2016 , 258, 159-65	5	14
60	NMDA receptors in the medial prefrontal cortex and the dorsal hippocampus regulate methamphetamine-induced hyperactivity and extracellular amino acid release in mice. <i>Behavioural Brain Research</i> , 2012 , 232, 44-52	3.4	14

(2019-2015)

59	Nanomicelle Based Peroral Delivery System for Enhanced Absorption and Sustained Release of 10-Hydrocamptothecin. <i>Journal of Biomedical Nanotechnology</i> , 2015 , 11, 262-73	4	13	
58	Protective effect of Liuwei Dihuang Pill on cisplatin-induced reproductive toxicity and genotoxicity in male mice. <i>Journal of Ethnopharmacology</i> , 2020 , 247, 112269	5	13	
57	NF- B Upregulates Type 5 Phosphodiesterase in N9 Microglial Cells: Inhibition by Sildenafil and Yonkenafil. <i>Molecular Neurobiology</i> , 2016 , 53, 2647-58	6.2	12	
56	Protection of resveratrol and its analogues against ethanol-induced oxidative DNA damage in human peripheral lymphocytes. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2011 , 721, 171-7	3	12	
55	Characterization of a novel HDAC/RXR/HtrA1 signaling axis as a novel target to overcome cisplatin resistance in human non-small cell lung cancer. <i>Molecular Cancer</i> , 2020 , 19, 134	42.1	12	
54	Revealing Antidepressant Mechanisms of Baicalin in Hypothalamus Through Systems Approaches in Corticosterone- Induced Depressed Mice. <i>Frontiers in Neuroscience</i> , 2019 , 13, 834	5.1	11	
53	Targeting HDAC/OAZ1 axis with a novel inhibitor effectively reverses cisplatin resistance in non-small cell lung cancer. <i>Cell Death and Disease</i> , 2019 , 10, 400	9.8	10	
52	Pseudoginsenoside-F11 Attenuates Lipopolysaccharide-Induced Acute Lung Injury by Suppressing Neutrophil Infiltration and Accelerating Neutrophil Clearance. <i>Inflammation</i> , 2019 , 42, 1857-1868	5.1	10	
51	The cytotoxic activities of cardiac glycosides from Streptocaulon juventas and the structure-activity relationships. <i>Floterap</i> [] 2014 , 98, 228-33	3.2	10	
50	Gut Microbial Diversity in Rat Model Induced by Rhubarb. <i>Experimental Animals</i> , 2014 , 63, 415-422	1.8	10	
49	Separation and identification of multiple constituents in Xiao Chai Hu Decoction (Sho-saiko-to) by bioactivity-guided fractionation combined with LC-ESI-QTOFMS/MS. <i>Biomedical Chromatography</i> , 2015 , 29, 1146-66	1.7	10	
48	Inhibitory activity of a phytochemically characterized fraction from Streptocaulon juventas on lung cancer in nude mice. <i>Planta Medica</i> , 2010 , 76, 561-5	3.1	10	
47	Novel ceramides from aerial parts of Saussurea involucrata Kar. et. Kir. <i>Archives of Pharmacal Research</i> , 2009 , 32, 1221-5	6.1	10	
46	Pseudoginsenoside-F11 improves long-term neurological function and promotes neurogenesis after transient cerebral ischemia in mice. <i>Neurochemistry International</i> , 2020 , 133, 104586	4.4	10	
45	Pseudoginsenoside-F11 Accelerates Microglial Phagocytosis of Myelin Debris and Attenuates Cerebral Ischemic Injury Through Complement Receptor 3. <i>Neuroscience</i> , 2020 , 426, 33-49	3.9	10	
44	Pseudoginsenoside-F11 alleviates oligomeric Emyloid-induced endosome-lysosome defects in microglia. <i>Traffic</i> , 2019 , 20, 61-70	5.7	10	
43	Uridine attenuates morphine-induced conditioned place preference and regulates glutamate/GABA levels in mPFC of mice. <i>Pharmacology Biochemistry and Behavior</i> , 2017 , 163, 74-82	3.9	9	
42	N2 neutrophils may participate in spontaneous recovery after transient cerebral ischemia by inhibiting ischemic neuron injury in rats. <i>International Immunopharmacology</i> , 2019 , 77, 105970	5.8	9	

41	Structure-activity relationship study of dibenzocyclooctadiene lignans isolated from Schisandra chinensis on lipopolysaccharide-induced microglia activation. <i>Planta Medica</i> , 2014 , 80, 671-5	3.1	9
40	The role of the insular cortex in naloxone-induced conditioned place aversion in morphine-dependent mice. <i>Physiological Research</i> , 2016 , 65, 701-709	2.1	9
39	Development and validation of a UHPLC-MS/MS method for the simultaneous determination of five bioactive flavonoids in rat plasma and comparative pharmacokinetic study after oral administration of Xiaochaihu Tang and three compatibilities. <i>Journal of Separation Science</i> , 2017 , 40, 1896-1905	3.4	8
38	The metabolism of baicalin in rat and the biological activities of the metabolites. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 404529	2.3	8
37	Incretin mimetics and sodium-glucose co-transporter 2 inhibitors as monotherapy or add-on to metformin for treatment of type 2 diabetes: a systematic review and network meta-analysis. <i>Acta Diabetologica</i> , 2021 , 58, 5-18	3.9	8
36	Quantitative proteomics reveal antidepressant potential protein targets of xiaochaihutang in corticosterone induced model of depression. <i>Journal of Ethnopharmacology</i> , 2019 , 231, 438-445	5	7
35	Histamine H receptor deletion in cholinergic neurons induces sensorimotor gating ability deficit and social impairments in mice. <i>Nature Communications</i> , 2021 , 12, 1142	17.4	7
34	Receptor-targeting nanomaterials alleviate binge drinking-induced neurodegeneration as artificial neurotrophins. <i>Exploration</i> , 2021 , 1, 61-74		7
33	Novel cinnamohydroxamic acid derivatives as HDAC inhibitors with anticancer activity in vitro and in vivo. <i>Chemico-Biological Interactions</i> , 2016 , 249, 64-70	5	6
32	Potential role of the ecto-5Fnucleotidase in morphine-induced uridine release and neurobehavioral changes. <i>Neuropharmacology</i> , 2018 , 141, 1-10	5.5	6
31	Pseudoginsenoside F11 ameliorates the dysfunction of the autophagy-lysosomal pathway by activating calcineurin-mediated TFEB nuclear translocation in neuron during permanent cerebral ischemia. <i>Experimental Neurology</i> , 2021 , 338, 113598	5.7	6
30	An Ultra-Performance Liquid Chromatography Photodiode Array Detection Tandem Mass Spectrometric Method for Simultaneous Determination of Seven Major Bioactive Constituents in Xiaochaihutang and Its Application to Fourteen Compatibilities Study. <i>Journal of Chromatographic</i>	1.4	5
29	PAC-1 and its derivative WF-210 Inhibit Angiogenesis by inhibiting VEGF/VEGFR pathway. <i>European Journal of Pharmacology</i> , 2018 , 821, 29-38	5.3	5
28	Uridine decreases morphine-induced behavioral sensitization by decreasing dorsal striatal dopamine release possibly via agonistic effects at GABAA receptors. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1557-66	1.2	5
27	Identification of oligomer proanthocyanidins (F2) isolated from grape seeds as a formyl peptide receptor 1 partial agonist. <i>International Immunopharmacology</i> , 2013 , 15, 756-63	5.8	5
26	Pseudoginsenoside-F11 ameliorates ischemic neuron injury by regulating the polarization of neutrophils and macrophages in vitro. <i>International Immunopharmacology</i> , 2020 , 85, 106564	5.8	5
25	The regulative effects of levetiracetam on adult hippocampal neurogenesis in mice via Wnt/Ecatenin signaling. <i>Neurochemistry International</i> , 2020 , 133, 104643	4.4	5
24	Efficacy and Safety of Vasopressin Receptor Antagonists for Euvolemic or Hypervolemic Hyponatremia: A Meta-Analysis. <i>Medicine (United States)</i> , 2016 , 95, e3310	1.8	5

23	Oxytocin signaling in the treatment of drug addiction: Therapeutic opportunities and challenges. <i>Pharmacology & Therapeutics</i> , 2021 , 223, 107820	13.9	5
22	Repeated oxytocin treatment during abstinence inhibited context- or restraint stress-induced reinstatement of methamphetamine-conditioned place preference and promoted adult hippocampal neurogenesis in mice. <i>Experimental Neurology</i> , 2022 , 347, 113907	5.7	4
21	Design, synthesis and evaluation of N-hydroxypropenamides based on adamantane to overcome resistance in NSCLC. <i>Bioorganic Chemistry</i> , 2019 , 86, 696-704	5.1	3
20	Minor cytotoxic cardenolide glycosides from the root of Streptocaulon juventas. <i>Steroids</i> , 2015 , 93, 39-4	16 .8	3
19	Network pharmacology reveals pharmacological effect and mechanism of Panax notoginseng (Burk.) F. H. Chen on reproductive and genetic toxicity in male mice. <i>Journal of Ethnopharmacology</i> , 2021 , 270, 113792	5	3
18	CAPN1 (Calpain1)-Mediated Impairment of Autophagic Flux Contributes to Cerebral Ischemia-Induced Neuronal Damage. <i>Stroke</i> , 2021 , 52, 1809-1821	6.7	3
17	Simultaneous determination of six constituents in Mahuang Fuzi Xixin by UPLC-PDA-MS/MS. <i>Natural Product Research</i> , 2015 , 29, 772-5	2.3	2
16	Dual effects on constipation and diarrhea: protective potential of Radix Inulae lactones on irritable bowel syndrome. <i>RSC Advances</i> , 2016 , 6, 94486-94495	3.7	2
15	The Effects of the Honey-Roasting Process on the Pharmacokinetics of the Six Active Compounds of Licorice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 5731276	2.3	2
14	Agonistic analog of growth hormone-releasing hormone promotes neurofunctional recovery and neural regeneration in ischemic stroke. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
13	Hippocampal neurogenesis interferes with extinction and reinstatement of methamphetamine-associated reward memory in mice. <i>Neuropharmacology</i> , 2021 , 196, 108717	5.5	2
12	Pseudoginsenoside-F11 ameliorates thromboembolic stroke injury in rats by reducing thromboinflammation. <i>Neurochemistry International</i> , 2021 , 149, 105108	4.4	2
11	Ethanol inducing ascorbic acid release in the prefrontal cortex and striatum of freely moving mice. <i>Yakugaku Zasshi</i> , 2006 , 126, 671-5	О	1
10	Assessment of reproductive toxicity and genotoxicity of Aconiti Lateralis Radix Praeparata and its processed products in male mice. <i>Journal of Ethnopharmacology</i> , 2021 , 275, 114102	5	1
9	Pseudoginsenoside-F11 promotes functional recovery after transient cerebral ischemia by regulating the microglia/macrophage polarization in rats. <i>International Immunopharmacology</i> , 2021 , 99, 107896	5.8	1
8	An EHMT2/NFYA-ALDH2 signaling axis modulates the RAF pathway to regulate paclitaxel resistance in lung cancer <i>Molecular Cancer</i> , 2022 , 21, 106	42.1	1
7	Neuroprotective effect of pseudoginsenoside-F11 on permanent cerebral ischemia in rats by regulating calpain activity and NR2A submit-mediated AKT-CREB signaling pathways. <i>Phytomedicine</i> , 2021 , 96, 153847	6.5	О
6	Potential mechanism of action of Jing Fang Bai Du San in the treatment of COVID-19 using docking and network pharmacology <i>International Journal of Medical Sciences</i> , 2022 , 19, 213-224	3.7	О

5	Pseudoginsenoside-F11 ameliorates okadiac acid-induced learning and memory impairment in rats via modulating protein phosphatase 2A. <i>Mechanisms of Ageing and Development</i> , 2021 , 197, 111496	5.6	О
4	Protective effect and mechanism of Lycium barbarum L. polyphenol on cognitive impairment induced by ethanol in mice <i>Phytomedicine</i> , 2022 , 100, 154033	6.5	O
3	Synthesis and biological evaluation of 2,2-dimethylbenzopyran derivatives as potent neuroprotection agents <i>RSC Advances</i> , 2019 , 9, 2498-2508	3.7	
2	Antidepressant-like effects and mechanisms of the herbal formula Xiaochaihutang in depression 2021 , 519-528		
1	Microscale thermophoresis and fluorescence polarization assays of calcineurin-peptide interactions <i>Analytical Biochemistry</i> , 2022 , 114626	3.1	