Lauren E Griffith

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3733833/lauren-e-griffith-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12,384 174 47 110 h-index g-index citations papers 5.8 14,535 179 4.9 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|--------------------|-----------|
| 174 | The predictive utility of functional status at discharge: a population-level cohort analysis <i>BMC Geriatrics</i> , 2022 , 22, 8 | 4.1 | O |
| 173 | Associations of functional disability and behavioural risk factors with social participation of older adults: a cross-sectional analysis from the Canadian Longitudinal Study on Aging <i>BMJ Open</i> , 2022 , 12, e052173 | 3 | 0 |
| 172 | Emergency department interventions that could be conducted in subacute care settings for patients with nonemergent conditions transported by paramedics: a modified Delphi study <i>CMAJ Open</i> , 2022 , 10, E1-E7 | 2.5 | O |
| 171 | Examining the association between loneliness and emergency department visits using Canadian Longitudinal Study of Aging (CLSA) data: a retrospective cross-sectional study <i>BMC Geriatrics</i> , 2022 , 22, 69 | 4.1 | 1 |
| 170 | Assessment of Functional Mobility After COVID-19 in Adults Aged 50 Years or Older in the Canadian Longitudinal Study on Aging <i>JAMA Network Open</i> , 2022 , 5, e2146168 | 10.4 | 4 |
| 169 | Self-reported health and the well-being paradox among community-dwelling older adults: a cross-sectional study using baseline data from the Canadian Longitudinal Study on Aging (CLSA) <i>BMC Geriatrics</i> , 2022 , 22, 112 | 4.1 | 0 |
| 168 | Factors associated with participation in life situations in people with COPD <i>Chronic Respiratory Disease</i> , 2022 , 19, 14799731221079305 | 3 | O |
| 167 | Cohort profile: genomic data for 26 622 individuals from the Canadian Longitudinal Study on Aging (CLSA) <i>BMJ Open</i> , 2022 , 12, e059021 | 3 | 1 |
| 166 | Multimorbidity in Canadians living in the community: Results from the Canadian Longitudinal Study of Aging. <i>Canadian Family Physician</i> , 2021 , 67, 187-197 | 0.9 | 1 |
| 165 | Increased urban greenness associated with improved mental health among middle-aged and older adults of the Canadian Longitudinal Study on Aging (CLSA) <i>Environmental Research</i> , 2021 , 112587 | 7.9 | 4 |
| 164 | The Relationship Between Multimorbidity and Self-Reported Health Among Community-Dwelling Older Adults and the Factors that Shape This Relationship: A Mixed Methods Study Protocol Using CLSA Baseline Data. <i>International Journal of Qualitative Methods, The</i> , 2021 , 20, 160940692110501 | 3.3 | 1 |
| 163 | Team approach to polypharmacy evaluation and reduction: study protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 746 | 2.8 | 1 |
| 162 | Respiratory Symptoms Are Associated With Frailty in Older Adults With Normal Spirometry, Independent of Smoking, in the Canadian Longitudinal Study of Aging. <i>Respiratory Care</i> , 2021 , 66, 1848 | - 18 57 | O |
| 161 | The impact of multimorbidity level and functional limitations on the accuracy of using self-reported survey data compared to administrative data to measure general practitioner and specialist visits in community-living adults. <i>BMC Health Services Research</i> , 2021 , 21, 1123 | 2.9 | О |
| 160 | Older AdultsRMotivations for Participating in a "Tune-Up" of Their Driving Skills: A Multi-Stakeholder Analysis. <i>Journal of Applied Gerontology</i> , 2021 , 40, 1297-1304 | 3.3 | O |
| 159 | Examining early and late onset of multimorbidity in the Canadian Longitudinal Study on Aging. Journal of the American Geriatrics Society, 2021 , 69, 1579-1591 | 5.6 | 6 |
| 158 | The association between primary ovarian insufficiency and osteoporosis in the Canadian Longitudinal Study on Aging. <i>Menopause</i> , 2021 , 28, 693-698 | 2.5 | 2 |

(2020-2021)

| 157 | Determinants of physical activity in older adults: an umbrella review protocol. <i>JBI Evidence Synthesis</i> , 2021 , 19, 2883-2892 | 2.1 | 1 |
|-----|---|-----|---|
| 156 | Reliability and Minimal Detectable Change Values for Performance-Based Measures of Physical Functioning in the Canadian Longitudinal Study on Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 2030-2038 | 6.4 | 5 |
| 155 | Prognostic association of frailty with post-arrest outcomes following cardiac arrest: A systematic review and meta-analysis. <i>Resuscitation</i> , 2021 , 167, 242-250 | 4 | 4 |
| 154 | Management of social isolation and loneliness in community-dwelling older adults: protocol for a network meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2021 , 11, e042828 | 3 | |
| 153 | Group-based trajectory modeling of body mass index and body size over the life course: A scoping review. <i>Obesity Science and Practice</i> , 2021 , 7, 100-128 | 2.6 | 6 |
| 152 | Development of the PriCARE classification for potentially preventable emergency department visits by ambulance: a RAND/UCLA modified Delphi study protocol. <i>BMJ Open</i> , 2021 , 11, e045351 | 3 | 4 |
| 151 | Effect of socio-demographic and health factors on the association between multimorbidity and acute care service use: population-based survey linked to health administrative data. <i>BMC Health Services Research</i> , 2021 , 21, 62 | 2.9 | 4 |
| 150 | Body mass index, waist circumference, waist-to-hip ratio, and body fat in relation to health care use in the Canadian Longitudinal Study on Aging. <i>International Journal of Obesity</i> , 2021 , 45, 666-676 | 5.5 | 5 |
| 149 | Frailty differences across population characteristics associated with health inequality: a cross-sectional analysis of baseline data from the Canadian Longitudinal Study on Aging (CLSA). <i>BMJ Open</i> , 2021 , 11, e047945 | 3 | 1 |
| 148 | Functional limitations in people with multimorbidity and the association with mental health conditions: Baseline data from the Canadian Longitudinal Study on Aging (CLSA). <i>PLoS ONE</i> , 2021 , 16, e0255907 | 3.7 | 2 |
| 147 | The combined effect of behavioural risk factors on disability in aging adults from the Canadian Longitudinal Study on Aging (CLSA). <i>Preventive Medicine</i> , 2021 , 149, 106609 | 4.3 | 3 |
| 146 | Clustering of obesity-related characteristics: A latent class analysis from the Canadian Longitudinal Study on Aging. <i>Preventive Medicine</i> , 2021 , 153, 106739 | 4.3 | O |
| 145 | Identifying patient characteristics associated with potentially redirectable paramedic transported emergency department visits in Ontario, Canada: a population-based cohort study <i>BMJ Open</i> , 2021 , 11, e054625 | 3 | O |
| 144 | Functional recovery following hospitalisation of patients diagnosed with COVID-19: a protocol for a longitudinal cohort study <i>BMJ Open</i> , 2021 , 11, e053021 | 3 | О |
| 143 | Multimorbidity in Canadians living in the community. Canadian Family Physician, 2021, 67, 187-197 | 0.9 | 1 |
| 142 | Measuring multimorbidity series-an overlooked complexity comparison of self-report vs. administrative data in community-living adults: paper 2. Prevalence estimates depend on the data source. <i>Journal of Clinical Epidemiology</i> , 2020 , 124, 163-172 | 5.7 | 4 |
| 141 | Delphi consensus on core criteria set selecting among health-related outcome measures (HROM) in primary health care. <i>Journal of Clinical Epidemiology</i> , 2020 , 127, 105-116 | 5.7 | 1 |
| 140 | Effectiveness of a community program for older adults with type 2 diabetes and multimorbidity: a pragmatic randomized controlled trial. <i>BMC Geriatrics</i> , 2020 , 20, 174 | 4.1 | 6 |

| 139 | Oral Health, Diet, and Frailty at Baseline of the Canadian Longitudinal Study on Aging. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 959-966 | 5.6 | 16 |
|-----|--|------|----|
| 138 | Depression, hormone therapy, and the menopausal transition among women aged 45 to 64 years using Canadian Longitudinal Study on aging baseline data. <i>Menopause</i> , 2020 , 27, 763-770 | 2.5 | 12 |
| 137 | Comparison of two biomarker only algorithms for early risk stratification in patients with suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , 2020 , 319, 140-143 | 3.2 | 6 |
| 136 | Measuring multimorbidity series: an overlooked complexity-comparison of self-report vs. administrative data in community-living adults-paper 1: introduction. <i>Journal of Clinical Epidemiology</i> , 2020 , 124, 160-162 | 5.7 | 2 |
| 135 | Measuring multimorbidity series. An overlooked complexity - Comparison of self-report vs. administrative data in community-living adults: Paper 3. Agreement across data sources and implications for estimating associations with health service use. <i>Journal of Clinical Epidemiology</i> , | 5.7 | 7 |
| 134 | 2020 , 124, 173-182 Trajectories of physical activity, from young adulthood to older adulthood, and pancreatic cancer risk; a population-based case-control study in Ontario, Canada. <i>BMC Cancer</i> , 2020 , 20, 139 | 4.8 | 0 |
| 133 | Individual and population level impact of chronic conditions on functional disability in older adults. <i>PLoS ONE</i> , 2020 , 15, e0229160 | 3.7 | 14 |
| 132 | Clinical evaluation of Ortho Clinical Diagnostics high-sensitivity cardiac Troponin I assay in patients with symptoms suggestive of acute coronary syndrome. <i>Clinical Biochemistry</i> , 2020 , 80, 48-51 | 3.5 | 11 |
| 131 | Using the clinical chemistry score in the emergency department to detect adverse cardiac events: a diagnostic accuracy study. <i>CMAJ Open</i> , 2020 , 8, E676-E684 | 2.5 | 7 |
| 130 | Latent variable models for harmonization of test scores: A case study on memory. <i>Biometrical Journal</i> , 2020 , 62, 34-52 | 1.5 | 3 |
| 129 | Self-reported oral health at baseline of the Canadian Longitudinal Study on Aging. <i>Community Dentistry and Oral Epidemiology</i> , 2020 , 48, 72-80 | 2.8 | 7 |
| 128 | Advancing cross-national planning and partnership: Proceedings from the International Multimorbidity Symposium 2019. <i>Journal of Comorbidity</i> , 2020 , 10, 2235042X20953313 | 4 | |
| 127 | The hidden complexity of measuring number of chronic conditions using administrative and self-report data: A short report. <i>Journal of Comorbidity</i> , 2020 , 10, 2235042X20931287 | 4 | О |
| 126 | Self-management program versus usual care for community-dwelling older adults with multimorbidity: A pragmatic randomized controlled trial in Ontario, Canada. <i>Journal of Comorbidity</i> , 2020 , 10, 2235042X20963390 | 4 | 3 |
| 125 | A Deterioration in Hearing Is Associated With Functional and Cognitive Impairments, Difficulty With Communication, and Greater Health Instability. <i>Journal of Applied Gerontology</i> , 2020 , 39, 159-171 | 3.3 | 7 |
| 124 | The Association Between Self-Reported and Performance-Based Physical Function With Activities of Daily Living Disability in the Canadian Longitudinal Study on Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 147-154 | 6.4 | 13 |
| 123 | Trajectories of body mass index, from adolescence to older adulthood, and pancreatic cancer risk; a population-based case-control study in Ontario, Canada. <i>Cancer Causes and Control</i> , 2019 , 30, 955-966 | 2.8 | 8 |
| 122 | Validity of self-reported recall of anthropometric measures in early life: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2019 , 20, 1426-1440 | 10.6 | 16 |

(2018-2019)

| 121 | population-based studies of older adults in Ontario with diabetes, dementia and stroke. <i>BMC Health Services Research</i> , 2019 , 19, 313 | 2.9 | 19 | |
|-----|---|-----|----|--|
| 120 | Combining volunteers and primary care teamwork to support health goals and needs of older adults: a pragmatic randomized controlled trial. <i>Cmaj</i> , 2019 , 191, E491-E500 | 3.5 | 24 | |
| 119 | Community paramedicine: A systematic review of program descriptions and training. <i>Canadian Journal of Emergency Medicine</i> , 2019 , 21, 749-761 | 0.6 | 23 | |
| 118 | Multimorbidity Frameworks Impact Prevalence and Relationships with Patient-Important Outcomes. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1632-1640 | 5.6 | 23 | |
| 117 | A Profile of Older Adults With a History of Stroke Receiving Home Care in Ontario, Canada. <i>Home Health Care Management and Practice</i> , 2019 , 31, 162-171 | 0.9 | 1 | |
| 116 | Cohort Profile: The Canadian Longitudinal Study on Aging (CLSA). <i>International Journal of Epidemiology</i> , 2019 , 48, 1752-1753j | 7.8 | 76 | |
| 115 | Multimorbidity predicts functional decline in community-dwelling older adults: Prospective cohort study. <i>Canadian Family Physician</i> , 2019 , 65, e56-e63 | 0.9 | 8 | |
| 114 | Family medicine residentsRknowledge of, attitudes toward, and clinical practices related to environmental health: Multi-program survey. <i>Canadian Family Physician</i> , 2019 , 65, e269-e277 | 0.9 | O | |
| 113 | Normative comparison standards for measures of cognition in the Canadian Longitudinal Study on Aging (CLSA): Does applying sample weights make a difference?. <i>Psychological Assessment</i> , 2019 , 31, 1081-1091 | 5.3 | 3 | |
| 112 | Older driver training programs: A systematic review of evidence aimed at improving behind-the-wheel performance. <i>Journal of Safety Research</i> , 2019 , 71, 295-313 | 4 | 8 | |
| 111 | Multimorbidity and comorbidity revisited: refining the concepts for international health research. Journal of Clinical Epidemiology, 2019 , 105, 142-146 | 5.7 | 58 | |
| 110 | Performance of high-sensitivity cardiac troponin in the emergency department for myocardial infarction and a composite cardiac outcome across different estimated glomerular filtration rates. <i>Clinica Chimica Acta</i> , 2018 , 479, 166-170 | 6.2 | 14 | |
| 109 | Labour Outcomes After Successful External Cephalic Version Compared With Spontaneous Cephalic Version. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2018 , 40, 61-67 | 1.3 | 1 | |
| 108 | Clinical chemistry score versus high-sensitivity cardiac troponin I and T tests alone to identify patients at low or high risk for myocardial infarction or death at presentation to the emergency department. <i>Cmaj</i> , 2018 , 190, E974-E984 | 3.5 | 23 | |
| 107 | Community Program Improves Quality of Life and Self-Management in Older Adults with Diabetes Mellitus and Comorbidity. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 263-273 | 5.6 | 40 | |
| 106 | High-sensitivity cardiac troponin concentrations at emergency department presentation in females and males with an acute cardiac outcome. <i>Annals of Clinical Biochemistry</i> , 2018 , 55, 604-607 | 2.2 | 3 | |
| 105 | Key factors to consider when measuring multimorbidity: Results from an expert panel and online survey. <i>Journal of Comorbidity</i> , 2018 , 8, 2235042X18795306 | 4 | 19 | |
| 104 | Validity and Reliability of a Short Diet Questionnaire to Estimate Dietary Intake in Older Adults in a Subsample of the Canadian Longitudinal Study on Aging. <i>Nutrients</i> , 2018 , 10, | 6.7 | 10 | |

| 103 | Protocol for a program of research from the Aging, Community and Health Research Unit: Promoting optimal aging at home for older adults with multimorbidity. <i>Journal of Comorbidity</i> , 2018 , 8, 2235042X18789508 | 4 | 12 |
|-----|--|-----|----|
| 102 | Examining Occupational TherapistsRAwareness of Medical Fitness-to-Drive Legislation Using a Knowledge-to-Action Approach. <i>Topics in Geriatric Rehabilitation</i> , 2018 , 34, 274-282 | 0.7 | 2 |
| 101 | Systematic review: Can non-mydriatic cameras accurately detect diabetic retinopathy?. <i>Diabetes Research and Clinical Practice</i> , 2017 , 129, 154-159 | 7.4 | 6 |
| 100 | Association of external cephalic version before term with late preterm birth. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 998-1005 | 3.8 | 2 |
| 99 | The cumulative effect of frailty and cognition on mortality - results of a prospective cohort study. <i>International Psychogeriatrics</i> , 2017 , 29, 535-543 | 3.4 | 42 |
| 98 | Maelstrom Research guidelines for rigorous retrospective data harmonization. <i>International Journal of Epidemiology</i> , 2017 , 46, 103-105 | 7.8 | 62 |
| 97 | Timed Up and Go predicts functional decline in older patients presenting to the emergency department following minor traumall Age and Ageing, 2017, 46, 214-218 | 3 | 14 |
| 96 | Comparison of functional outcomes in elderly who have sustained a minor trauma with or without head injury: a prospective multicenter cohort study. <i>Canadian Journal of Emergency Medicine</i> , 2017 , 19, 329-337 | 0.6 | 6 |
| 95 | Functional disability and social participation restriction associated with chronic conditions in middle-aged and older adults. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 381-389 | 5.1 | 48 |
| 94 | Assessing the measurement properties of a Frailty Index across the age spectrum in the Canadian Longitudinal Study on Aging. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 794-799 | 5.1 | 18 |
| 93 | Cognitive measures in the Canadian Longitudinal Study on Aging. <i>Clinical Neuropsychologist</i> , 2017 , 31, 233-250 | 4.4 | 30 |
| 92 | Painful Memories: Reliability of Pain Intensity Recall at 3 Months in Senior Patients. <i>Pain Research and Management</i> , 2017 , 2017, 5983721 | 2.6 | 18 |
| 91 | Comorbidity and its relationship with health service use and cost in community-living older adults with diabetes: A population-based study in Ontario, Canada. <i>Diabetes Research and Clinical Practice</i> , 2016 , 122, 113-123 | 7.4 | 32 |
| 90 | Comparison of Standardization Methods for the Harmonization of Phenotype Data: An Application to Cognitive Measures. <i>American Journal of Epidemiology</i> , 2016 , 184, 770-778 | 3.8 | 9 |
| 89 | Increasing comorbidity and health services utilization in older adults with prior stroke. <i>Neurology</i> , 2016 , 87, 2091-2098 | 6.5 | 30 |
| 88 | Patterns of health service use in community living older adults with dementia and comorbid conditions: a population-based retrospective cohort study in Ontario, Canada. <i>BMC Geriatrics</i> , 2016 , 16, 177 | 4.1 | 33 |
| 87 | Frail older adults with minor fractures show lower health-related quality of life (SF-12) scores up to six months following emergency department discharge. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 40 | 3 | 18 |
| 86 | A protocol for a pragmatic randomized controlled trial using the Health Teams Advancing Patient Experience: Strengthening Quality (Health TAPESTRY) platform approach to promote person-focused primary healthcare for older adults. Implementation Science 2016, 11, 49 | 8.4 | 27 |

(2008-2016)

| 85 | SeniorsRnarratives of asking (and not asking) for help after a fall: implications for identity. <i>Ageing and Society</i> , 2016 , 36, 240-258 | 1.7 | 8 |
|----|--|--------------------|-----|
| 84 | Factors influencing discrepancies in self-reported memory and performance on memory recall in the Canadian Community Health Survey-Healthy Aging, 2008-09. <i>Age and Ageing</i> , 2016 , 45, 280-6 | 3 | 1 |
| 83 | Estimating multiple morbidity disease burden among older persons: a convergent construct validity study to discriminate among six chronic illness measures, CCHS 2008/09. <i>BMC Geriatrics</i> , 2015 , 15, 12 | 4.1 | 18 |
| 82 | Mining a Unique Canadian Resource: The Canadian Longitudinal Study on Aging. <i>Canadian Journal on Aging</i> , 2015 , 34, 366-77 | 1.6 | 48 |
| 81 | Return to the ED and hospitalisation following minor injuries among older persons treated in the emergency department: predictors among independent seniors within 6 months. <i>Age and Ageing</i> , 2015 , 44, 624-9 | 3 | 16 |
| 80 | Statistical approaches to harmonize data on cognitive measures in systematic reviews are rarely reported. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 154-62 | 5.7 | 23 |
| 79 | Outcomes for patients with the same disease treated inside and outside of randomized trials: a systematic review and meta-analysis. <i>Cmaj</i> , 2014 , 186, E596-609 | 3.5 | 15 |
| 78 | Persona-scenario exercise for codesigning primary care interventions. <i>Canadian Family Physician</i> , 2014 , 60, 294-6 | 0.9 | 10 |
| 77 | Individual participant data meta-analysis of mechanical workplace risk factors and low back pain. <i>American Journal of Public Health</i> , 2012 , 102, 309-18 | 5.1 | 92 |
| 76 | Consumer products and fall-related injuries in seniors. Canadian Journal of Public Health, 2012, 103, e33 | 2 5. 72 | 3 |
| 75 | Conducting quantitative synthesis when comparing medical interventions: AHRQ and the Effective Health Care Program. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 1187-97 | 5.7 | 307 |
| 74 | Translation of mechanical exposure in the workplace into common metrics for meta-analysis: a reliability and validity study. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 605-10 | 2.1 | |
| 73 | Population attributable risk for functional disability associated with chronic conditions in Canadian older adults. <i>Age and Ageing</i> , 2010 , 39, 738-45 | 3 | 84 |
| 72 | The minimal detectable change cannot reliably replace the minimal important difference. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 28-36 | 5.7 | 220 |
| 71 | The Canadian longitudinal study on aging (CLSA). Canadian Journal on Aging, 2009, 28, 221-9 | 1.6 | 231 |
| 70 | Using the entire cohort in the receiver operating characteristic analysis maximizes precision of the minimal important difference. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 374-9 | 5.7 | 69 |
| 69 | Developing common metrics of mechanical exposures across aetiological studies of low back pain in working populations for use in meta-analysis. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 467 | 7 -8 1 | 10 |
| 68 | A study of the physiologic responses to a lung recruitment maneuver in acute lung injury and acute respiratory distress syndrome. <i>Respiratory Care</i> , 2008 , 53, 1441-9 | 2.1 | 43 |

| 67 | Fresh frozen plasma transfusion in critically ill patients. Critical Care Medicine, 2007, 35, 1655-9 | 1.4 | 75 |
|----|--|-------------------|-----|
| 66 | Low-back pain definitions in occupational studies were categorized for a meta-analysis using Delphi consensus methods. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 625-33 | 5.7 | 32 |
| 65 | The standard gamble showed better construct validity than the time trade-off. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 1029-33 | 5.7 | 24 |
| 64 | Application of generalizability theory confirmed lower reliability of the standard gamble than the feeling thermometer. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 1256-62 | 5.7 | 6 |
| 63 | Barriers to participation in clinical trials of cancer: a meta-analysis and systematic review of patient-reported factors. <i>Lancet Oncology, The</i> , 2006 , 7, 141-8 | 21.7 | 372 |
| 62 | Barriers to participation in HIV drug trials: a systematic review. <i>Lancet Infectious Diseases, The</i> , 2006 , 6, 32-8 | 25.5 | 40 |
| 61 | Mortality predictions in the intensive care unit: comparing physicians with scoring systems. <i>Critical Care Medicine</i> , 2006 , 34, 878-85 | 1.4 | 747 |
| 60 | Do clinical marker states improve responsiveness and construct validity of the standard gamble and feeling thermometer: a randomized multi-center trial in patients with chronic respiratory disease. <i>Quality of Life Research</i> , 2006 , 15, 1-14 | 3.7 | 14 |
| 59 | Elevated Cardiac Troponin Levels in Critically Ill Patients: Prevalence, Incidence, and Outcomes. <i>American Journal of Critical Care</i> , 2006 , 15, 280-288 | 1.7 | 50 |
| 58 | Levels of care in the intensive care unit: a research program. <i>American Journal of Critical Care</i> , 2006 , 15, 269-79 | 1.7 | 6 |
| 57 | Elevated cardiac troponin levels in critically ill patients: prevalence, incidence, and outcomes. <i>American Journal of Critical Care</i> , 2006 , 15, 280-8; quiz 289 | 1.7 | 28 |
| 56 | The standard gamble demonstrated lower reliability than the feeling thermometer. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 458-65 | 5.7 | 21 |
| 55 | Deep venous thrombosis in medical-surgical critically ill patients: prevalence, incidence, and risk factors. <i>Critical Care Medicine</i> , 2005 , 33, 1565-71 | 1.4 | 895 |
| 54 | Thrombocytopenia in medical-surgical critically ill patients: prevalence, incidence, and risk factors. <i>Journal of Critical Care</i> , 2005 , 20, 348-53 | 4 | 174 |
| 53 | Prophylaxis of Thromboembolism in Critical Care (PROTECT) Trial: a pilot study. <i>Journal of Critical Care</i> , 2005 , 20, 364-72 | 4 | 60 |
| 52 | Deep venous thrombosis: clinically silent in the intensive care unit. <i>Journal of Critical Care</i> , 2005 , 20, 33 | 4 -4 0 | 59 |
| 51 | Clinically important venous thromboembolism in pediatric critical care: a Canadian survey. <i>Journal of Critical Care</i> , 2005 , 20, 373-80 | 4 | 11 |
| 50 | Burden of illness in venous thromboembolism in critical care: a multicenter observational study. Journal of Critical Care, 2005, 20, 341-7 | 4 | 82 |

(2001-2004)

| 49 | the emergency department with possible acute coronary syndrome?. <i>Canadian Journal of Emergency Medicine</i> , 2004 , 6, 22-30 | 0.6 | 8 |
|----|---|---------------|-----|
| 48 | Clinician discomfort with life support plans for mechanically ventilated patients. <i>Intensive Care Medicine</i> , 2004 , 30, 1783-90 | 14.5 | 20 |
| 47 | Survey of interventions for the prevention and treatment of acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2004 , 32, 946-54 | 1.4 | 54 |
| 46 | PROphylaxis for ThromboEmbolism in Critical Care Trial (PROTECT): A Pilot Study <i>Blood</i> , 2004 , 104, 1784-1784 | 2.2 | 5 |
| 45 | Anti-Xa Levels in Critically Ill Patients Receiving Dalteparin for Thromboprophylaxis <i>Blood</i> , 2004 , 104, 4075-4075 | 2.2 | |
| 44 | A clinical trial to evaluate the measurement properties of 2 direct preference instruments administered with and without hypothetical marker states. <i>Medical Decision Making</i> , 2003 , 23, 140-9 | 2.5 | 38 |
| 43 | A comparison of the original chronic respiratory questionnaire with a standardized version. <i>Chest</i> , 2003 , 124, 1421-9 | 5.3 | 67 |
| 42 | Adaptation to the Intensive Care Environment (ATICE): development and validation of a new sedation assessment instrument. <i>Critical Care Medicine</i> , 2003 , 31, 2344-54 | 1.4 | 152 |
| 41 | Evaluation of the minimal important difference for the feeling thermometer and the St. Georgeß Respiratory Questionnaire in patients with chronic airflow obstruction. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 1170-6 | 5.7 | 135 |
| 40 | Withdrawal of mechanical ventilation in anticipation of death in the intensive care unit. <i>New England Journal of Medicine</i> , 2003 , 349, 1123-32 | 59.2 | 332 |
| 39 | PhysiciansRattitude to use heat and moisture exchangers or heated humidifiers: a Franco-Canadian survey. <i>Intensive Care Medicine</i> , 2002 , 28, 719-25 | 14.5 | 32 |
| 38 | Can we individualize the Raumber needed to treat An empirical study of summary effect measures in meta-analyses. <i>International Journal of Epidemiology</i> , 2002 , 31, 72-6 | 7.8 | 212 |
| 37 | Education, ethics, and end-of-life decisions in the intensive care unit. <i>Critical Care Medicine</i> , 2002 , 30, 290-6 | 1.4 | 72 |
| 36 | Effect of air filtration systems on asthma: a systematic review of randomized trials. <i>Chest</i> , 2002 , 122, 1535-42 | 5.3 | 52 |
| 35 | A randomized controlled trial to evaluate the effect of informing patients about their pretreatment responses to two respiratory questionnaires. <i>Chest</i> , 2002 , 122, 1701-8 | 5.3 | 11 |
| 34 | A critical look at transition ratings. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 900-8 | 5.7 | 216 |
| 33 | Predicting success in weaning from mechanical ventilation. <i>Chest</i> , 2001 , 120, 400S-24S | 5.3 | 250 |
| 32 | Trials comparing alternative weaning modes and discontinuation assessments. <i>Chest</i> , 2001 , 120, 425S-3 | B 75 3 | 33 |

| 31 | Introduction to a series of systematic reviews of weaning from mechanical ventilation. <i>Chest</i> , 2001 , 120, 396S-9S | 5.3 | 20 |
|----|--|---------------|------|
| 30 | Problems of HRQL assessment: how much is too much?. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 1081 | -5 .7 | 26 |
| 29 | Trials comparing early vs late extubation following cardiovascular surgery. <i>Chest</i> , 2001 , 120, 445S-53S | 5.3 | 65 |
| 28 | Support Group Intervention for Women with Osteoporosis. <i>Rehabilitation Nursing</i> , 2000 , 25, 88-92 | 1.3 | 8 |
| 27 | Systematic review on the risk and benefit of different cholesterol-lowering interventions. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 187-95 | 9.4 | 167 |
| 26 | SurgeonsRassessment of symptoms suggesting extrathoracic metastases in patients with lung cancer. Canadian Lung Oncology Group. <i>Annals of Thoracic Surgery</i> , 1999 , 68, 309-15 | 2.7 | 13 |
| 25 | The attributable morbidity and mortality of ventilator-associated pneumonia in the critically ill patient. The Canadian Critical Trials Group. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 159, 1249-56 | 10.2 | 667 |
| 24 | Isoniazid prophylaxis for tuberculosis in HIV infection: a meta-analysis of randomized controlled trials. <i>Aids</i> , 1999 , 13, 501-7 | 3.5 | 185 |
| 23 | Risk factors for clinically important upper gastrointestinal bleeding in patients requiring mechanical ventilation. Canadian Critical Care Trials Group. <i>Critical Care Medicine</i> , 1999 , 27, 2812-7 | 1.4 | 207 |
| 22 | Adjudicating ventilator-associated pneumonia in a randomized trial of critically ill patients. <i>Journal of Critical Care</i> , 1998 , 13, 159-63 | 4 | 23 |
| 21 | A comparison of sucralfate and ranitidine for the prevention of upper gastrointestinal bleeding in patients requiring mechanical ventilation. Canadian Critical Care Trials Group. <i>New England Journal of Medicine</i> , 1998 , 338, 791-7 | 59.2 | 683 |
| 20 | Adolescent sexual behaviour: results from an Ontario sample. Part 1: Adolescent sexual activity. <i>Canadian Journal of Public Health</i> , 1998 , 89, 90-3 | 3.2 | 10 |
| 19 | The results of direct and indirect treatment comparisons in meta-analysis of randomized controlled trials. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 683-91 | 5.7 | 1371 |
| 18 | Documenting life-support preferences in hospitalized patients. <i>Journal of Critical Care</i> , 1997 , 12, 155-60 | 04 | 18 |
| 17 | Effects of electroconvulsive therapy on peripheral adrenoceptors, plasma, noradrenaline, MHPG and cortisol in depressed patients. <i>British Journal of Psychiatry</i> , 1996 , 169, 758-65 | 5.4 | 21 |
| 16 | Does treatment with L-thyroxine influence health status in middle-aged and older adults with subclinical hypothyroidism?. <i>Journal of General Internal Medicine</i> , 1996 , 11, 744-9 | 4 | 172 |
| 15 | Discrimination and abuse experienced by general internists in Canada. <i>Journal of General Internal Medicine</i> , 1995 , 10, 565-72 | 4 | 38 |
| 14 | Interobserver variation in the computed tomographic evaluation of mediastinal lymph node size in patients with potentially resectable lung cancer. Canadian Lung Oncology Group. <i>Chest</i> , 1995 , 107, 116- | . 5 .3 | 32 |

LIST OF PUBLICATIONS

| 13 | Measuring patient and relative satisfaction with level or aggressiveness of care and involvement in care decisions in the context of life threatening illness. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 1215 | -2 4 .7 | 48 |
|----|---|--------------------|-----|
| 12 | Risk factors for gastrointestinal bleeding in critically ill patients. Canadian Critical Care Trials Group. New England Journal of Medicine, 1994 , 330, 377-81 | 59.2 | 806 |
| 11 | Primary prevention of child sexual abuse: a critical review. Part II. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1994 , 35, 857-76 | 7.9 | 53 |
| 10 | Primary prevention of child physical abuse and neglect: a critical review. Part I. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1994 , 35, 835-56 | 7.9 | 61 |
| 9 | Quality of life after myocardial infarction. <i>Journal of Clinical Epidemiology</i> , 1994 , 47, 1287-96 | 5.7 | 118 |
| 8 | Selective decontamination of the digestive tract. An overview. <i>Chest</i> , 1994 , 105, 1221-9 | 5.3 | 148 |
| 7 | Measuring quality of life in asthma. The American Review of Respiratory Disease, 1993, 147, 832-8 | | 658 |
| 6 | Interviewer versus self-administered questionnaires in developing a disease-specific, health-related quality of life instrument for asthma. <i>Journal of Clinical Epidemiology</i> , 1993 , 46, 529-34 | 5.7 | 109 |
| 5 | Measuring quality of life in the frail elderly. Journal of Clinical Epidemiology, 1993, 46, 1433-44 | 5.7 | 79 |
| 4 | Fatal occupational accidents in Ontario, 1986-1989. <i>American Journal of Industrial Medicine</i> , 1993 , 23, 253-64 | 2.7 | 11 |
| 3 | Retinal pigment epithelium response and the use of the EOG and Arden Ratio in depression. <i>Psychiatry Research</i> , 1991 , 36, 175-85 | 9.9 | 15 |
| 2 | A longitudinal analysis of the impact of the COVID-19 pandemic on the mental health of middle-aged and older adults from the Canadian Longitudinal Study on Aging. <i>Nature Aging</i> , | | 4 |
| 1 | Establishing consensus on emergency department interventions that could be conducted in sub-acute care settings for non-emergent paramedic transported visits: A RAND/UCLA modified Delphi study | | 1 |