

Rajeev Kapila

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3734008/publications.pdf>

Version: 2024-02-01

76
papers

2,013
citations

249298

26
h-index

325983

40
g-index

78
all docs

78
docs citations

78
times ranked

2569
citing authors

#	ARTICLE	IF	CITATIONS
1	Health-promoting role of dietary bioactive compounds through epigenetic modulations: a novel prophylactic and therapeutic approach. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 619-639.	5.4	19
2	Biofunctional Attributes of Surface Layer Protein and Cell-Bound Exopolysaccharide from Probiotic <i>Limosilactobacillus fermentum</i> (MTCC 5898). <i>Probiotics and Antimicrobial Proteins</i> , 2022, 14, 360-371.	1.9	7
3	Strain-specific effects of probiotic <i>Lactobacilli</i> on mRNA expression of epigenetic modifiers in intestinal epithelial cells. <i>Archives of Microbiology</i> , 2022, 204, .	1.0	4
4	Macrophage-activating factor of bovine colostrum promotes phagocytic activity of murine macrophages and bovine phagocytes. <i>Journal of Reproductive Immunology</i> , 2022, 153, 103660.	0.8	0
5	miR300 intervenes Smad3/β2-catenin/RunX2 crosstalk for therapy with an alternate function as indicative biomarker in osteoporosis. <i>Bone</i> , 2021, 143, 115603.	1.4	8
6	Protective effects of potential probiotic <i>Lactobacillus rhamnosus</i> (MTCC-5897) fermented whey on reinforcement of intestinal epithelial barrier function in a colitis-induced murine model. <i>Food and Function</i> , 2021, 12, 6102-6116.	2.1	19
7	Comparative evaluation of the protective effects of cow, buffalo and goat milk in glucocorticoid-induced bone alterations in mice. <i>International Journal of Dairy Technology</i> , 2021, 74, 316-323.	1.3	2
8	Isolation and Characterization of Angiotensin Converting Enzyme Inhibitory Peptide from Buffalo Casein. <i>International Journal of Peptide Research and Therapeutics</i> , 2021, 27, 1481-1491.	0.9	9
9	Tmprss2 specific miRNAs as promising regulators for SARS-CoV-2 entry checkpoint. <i>Virus Research</i> , 2021, 294, 198275.	1.1	28
10	<i>Lactobacillus fermentum</i> (MTCC-5898) alleviates <i>Escherichia coli</i> -induced inflammatory responses in intestinal epithelial cells by modulating immune genes and NF-κB signalling. <i>Journal of Applied Microbiology</i> , 2021, 131, 3008-3017.	1.4	21
11	Physicochemical Characteristics of Novel Cell-Bound Exopolysaccharide from Probiotic <i>Limosilactobacillus fermentum</i> (MTCC 5898) and Its Relation to Antioxidative Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 10338-10349.	2.4	9
12	Potential probiotic <i>Lactobacillus rhamnosus</i> MTCC-5897 attenuates <i>Escherichia coli</i> induced inflammatory response in intestinal cells. <i>Archives of Microbiology</i> , 2021, 203, 5703-5713.	1.0	10
13	Safety Assessment of Potential Probiotic <i>Lactobacillus fermentum</i> MTCC-5898 in Murine Model after Repetitive Dose for 28 Days (Sub-Acute Exposure). <i>Probiotics and Antimicrobial Proteins</i> , 2020, 12, 259-270.	1.9	12
14	Potential Probiotic <i>Lactobacillus rhamnosus</i> (MTCC-5897) Inhibits <i>Escherichia coli</i> Impaired Intestinal Barrier Function by Modulating the Host Tight Junction Gene Response. <i>Probiotics and Antimicrobial Proteins</i> , 2020, 12, 1149-1160.	1.9	29
15	C-terminal sequence deletion effect on antioxidative characteristics of VLPVPQK bioactive peptide from buffalo milk casein. <i>LWT - Food Science and Technology</i> , 2020, 119, 108816.	2.5	5
16	Implantation associated changes in expression profile of indoleamine-2, 3-dioxygenase 1, Th1-Th2 cytokines and interferon-stimulated genes on neutrophils and peripheral blood mononuclear cells of crossbred cows. <i>Journal of Reproductive Immunology</i> , 2020, 142, 103188.	0.8	5
17	Anti-apoptotic effect of buffalo milk casein derived bioactive peptide by directing Nrf2 regulation in starving fibroblasts. <i>Food Bioscience</i> , 2020, 35, 100566.	2.0	9
18	Repertoire of Structure-Activity-Based Novel Modified Peptides Elicits Enhanced Osteogenic Potential. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 8308-8320.	2.4	6

#	ARTICLE	IF	CITATIONS
19	pH-dependent inhibition of AHL-mediated quorum sensing by cell-free supernatant of lactic acid bacteria in <i>Pseudomonas aeruginosa</i> PAO1. <i>Microbial Pathogenesis</i> , 2020, 142, 104105.	1.3	31
20	<i>Lactobacillus fermentum</i> (MTCC-5898) supplementation renders prophylactic action against <i>Escherichia coli</i> impaired intestinal barrier function through tight junction modulation. <i>LWT - Food Science and Technology</i> , 2020, 123, 109118.	2.5	22
21	Proteomics and transcriptomics study reveals the utility of ISGs as novel molecules for early pregnancy diagnosis in dairy cows. <i>Journal of Reproductive Immunology</i> , 2020, 140, 103148.	0.8	16
22	Dietary intake of pearl millet based weaning food supplemented with iron and vitamin A enhances bioavailability of vitamin A in anemic rats. <i>International Journal for Vitamin and Nutrition Research</i> , 2020, 90, 448-458.	0.6	2
23	Role of fermented dairy foods in human health. <i>Indian Journal of Dairy Science</i> , 2020, 73, 97-110.	0.2	2
24	Consumption of Probiotic <i>Lactobacillus fermentum</i> MTCC: 5898-Fermented Milk Attenuates Dyslipidemia, Oxidative Stress, and Inflammation in Male Rats Fed on Cholesterol-Enriched Diet. <i>Probiotics and Antimicrobial Proteins</i> , 2019, 11, 509-518.	1.9	49
25	<i>Escherichia coli</i> K12: An evolving opportunistic commensal gut microbe distorts barrier integrity in human intestinal cells. <i>Microbial Pathogenesis</i> , 2019, 133, 103545.	1.3	22
26	Adherence capability and safety assessment of an indigenous probiotic strain <i>Lactobacillus rhamnosus</i> MTCC-5897. <i>Microbial Pathogenesis</i> , 2019, 130, 120-130.	1.3	29
27	Probiotic lactobacilli mediated changes in global epigenetic signatures of human intestinal epithelial cells during <i>Escherichia coli</i> challenge. <i>Annals of Microbiology</i> , 2019, 69, 603-612.	1.1	17
28	Antioxidative and anti-inflammatory potential with trans-epithelial transport of a buffalo casein-derived hexapeptide (YFYPQL). <i>Food Bioscience</i> , 2019, 28, 151-163.	2.0	14
29	Nrf2 dependent antiaging effect of milk-derived bioactive peptide in old fibroblasts. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 9677-9691.	1.2	8
30	Milk fermented with probiotic strains <i>Lactobacillus rhamnosus</i> MTCC: 5957 and <i>Lactobacillus rhamnosus</i> MTCC: 5897 ameliorates the diet-induced hypercholesterolemia in rats. <i>Annals of Microbiology</i> , 2019, 69, 483-494.	1.1	11
31	Antiosteopenic Effect of Buffalo Milk Casein-Derived Peptide (NAVPITPL) in Ovariectomized Rats. <i>International Journal of Peptide Research and Therapeutics</i> , 2019, 25, 1147-1158.	0.9	12
32	Aflatoxin M1 Detoxification Ability of Probiotic Lactobacilli of Indian Origin in In vitro Digestion Model. <i>Probiotics and Antimicrobial Proteins</i> , 2019, 11, 460-469.	1.9	23
33	Buffalo Milk Casein Derived Decapeptide (YQEPVLGPVR) Having Bifunctional Anti-inflammatory and Antioxidative Features Under Cellular Milieu. <i>International Journal of Peptide Research and Therapeutics</i> , 2019, 25, 623-633.	0.9	31
34	Effect of tropical thermal stress on peri-implantation immune responses in cows. <i>Theriogenology</i> , 2018, 114, 149-158.	0.9	17
35	Effect of buffalo casein-derived novel bioactive peptides on osteoblast differentiation. <i>European Journal of Nutrition</i> , 2018, 57, 593-605.	1.8	32
36	Double emulsion-encapsulated guggul exhibits improved in vivo hypocholesterolaemic action in rats. <i>International Journal of Food Science and Technology</i> , 2018, 53, 626-633.	1.3	4

#	ARTICLE	IF	CITATIONS
37	Osteoanabolic activity of whey-derived anti-oxidative (MHIRL and YVEEL) and angiotensin-converting enzyme inhibitory (YLLF, ALPMHIR, IPA and WLAHK) bioactive peptides. <i>Peptides</i> , 2018, 99, 1-7.	1.2	29
38	Evaluation of anti-diabetic attributes of <i>Lactobacillus rhamnosus</i> MTCC: 5957, <i>Lactobacillus rhamnosus</i> MTCC: 5897 and <i>Lactobacillus fermentum</i> MTCC: 5898 in streptozotocin induced diabetic rats. <i>Microbial Pathogenesis</i> , 2018, 125, 454-462.	1.3	52
39	Bio-accessible milk casein derived tripeptide (LLY) mediates overlapping anti-inflammatory and anti-oxidative effects under cellular (Caco-2) and in vivo milieu. <i>Journal of Nutritional Biochemistry</i> , 2018, 62, 167-180.	1.9	17
40	Casein-derived antioxidative peptide prevents oxidative stress-induced dysfunction in osteoblast cells. <i>PharmaNutrition</i> , 2018, 6, 169-179.	0.8	13
41	Evaluation of the osteoprotective potential of whey derived-antioxidative (YVEEL) and angiotensin-converting enzyme inhibitory (YLLF) bioactive peptides in ovariectomised rats. <i>Food and Function</i> , 2018, 9, 4791-4801.	2.1	31
42	Probiotics in the modulation of maternalâ€‘infant immunity: Implications for allergic diseases. <i>Food Reviews International</i> , 2017, 33, 516-537.	4.3	3
43	Buffalo casein derived peptide can alleviates H ₂ O ₂ induced cellular damage and necrosis in fibroblast cells. <i>Experimental and Toxicologic Pathology</i> , 2017, 69, 485-495.	2.1	17
44	Dietary metabolites derived from gut microbiota: critical modulators of epigenetic changes in mammals. <i>Nutrition Reviews</i> , 2017, 75, 374-389.	2.6	165
45	Protective effects of casein-derived peptide VLPVPOK against hydrogen peroxideâ€‘induced dysfunction and cellular oxidative damage in rat osteoblastic cells. <i>Human and Experimental Toxicology</i> , 2017, 36, 967-980.	1.1	30
46	Whole grains and resistant starch rich, reducedâ€‘calorie biscuit diet as a hypoglycaemic, hypolipidaemic and insulin stimulator in streptozotocinâ€‘induced diabetic rats. <i>International Journal of Food Science and Technology</i> , 2017, 52, 118-126.	1.3	5
47	Antioxidative peptide from milk exhibits antiosteopenic effects through inhibition of oxidative damage and bone-resorbing cytokines in ovariectomized rats. <i>Nutrition</i> , 2017, 43-44, 21-31.	1.1	52
48	Milk and Fermented Milk Products in Alleviation of Aging Pathophysiology. , 2017, , 287-292.		1
49	Efficacy of Milk-Derived Bioactive Peptides on Health by Cellular and Animal Models. , 2017, , 303-311.		5
50	Consumption of probiotic <i>Lactobacillus rhamnosus</i> (MTCC: 5897) containing fermented milk plays a key role in development of the immune system in newborn mice during the sucklingâ€‘weaning transition. <i>Microbiology and Immunology</i> , 2016, 60, 261-267.	0.7	19
51	Akt drives buffalo casein-derived novel peptide-mediated osteoblast differentiation. <i>Journal of Nutritional Biochemistry</i> , 2016, 38, 134-144.	1.9	53
52	<i>In vivo</i> assessment of iron bioavailability from fortified pearl millet based weaning food. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 4410-4415.	1.7	7
53	Identification of buffalo casein-derived bioactive peptides with osteoblast proliferation activity. <i>European Food Research and Technology</i> , 2016, 242, 2139-2146.	1.6	34
54	Probiotic Dahi containing <i>Lactobacillus acidophilus</i> and <i>Bifidobacterium bifidum</i> modulates immunoglobulin levels and cytokines expression in whey proteins sensitised mice. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 3180-3187.	1.7	41

#	ARTICLE	IF	CITATIONS
55	Fermented milk with probiotic <i>Lactobacillus rhamnosus</i> S1K3 (MTCC5957) protects mice from salmonella by enhancing immune and nonimmune protection mechanisms at intestinal mucosal level. <i>Journal of Nutritional Biochemistry</i> , 2016, 30, 62-73.	1.9	31
56	Transepithelial transport of milk derived bioactive peptide VLPVPQK. <i>Food Chemistry</i> , 2016, 190, 681-688.	4.2	106
57	Feeding probiotic <i>Lactobacillus rhamnosus</i> (MTCC 5897) fermented milk to suckling mothers alleviates ovalbumin-induced allergic sensitisation in mice offspring. <i>British Journal of Nutrition</i> , 2015, 114, 1168-1179.	1.2	28
58	Antioxidative peptide derived from enzymatic digestion of buffalo casein. <i>International Dairy Journal</i> , 2015, 42, 1-5.	1.5	76
59	Release of β -casomorphin-7/5 during simulated gastrointestinal digestion of milk β -casein variants from Indian crossbred cattle (Karan Fries). <i>Food Chemistry</i> , 2015, 168, 70-79.	4.2	45
60	Dietary supplementation of milk fermented with probiotic <i>Lactobacillus fermentum</i> enhances systemic immune response and antioxidant capacity in aging mice. <i>Nutrition Research</i> , 2014, 34, 968-981.	1.3	68
61	Cross-talk between probiotic lactobacilli and host immune system. <i>Journal of Applied Microbiology</i> , 2014, 117, 303-319.	1.4	90
62	Age-associated aberrations in mouse cellular and humoral immune responses. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 353-362.	1.4	29
63	Comparative evaluation of cow β -casein variants (A1/A2) consumption on Th2-mediated inflammatory response in mouse gut. <i>European Journal of Nutrition</i> , 2014, 53, 1039-1049.	1.8	79
64	Impact of Milk Derived β -Casomorphins on Physiological Functions and Trends in Research: A Review. <i>International Journal of Food Properties</i> , 2014, 17, 1726-1741.	1.3	40
65	Improvement in Th1/Th2 immune homeostasis, antioxidative status and resistance to pathogenic <i>E. coli</i> on consumption of probiotic <i>Lactobacillus rhamnosus</i> fermented milk in aging mice. <i>Age</i> , 2014, 36, 9686.	3.0	65
66	Consumption of β -casomorphins-7/5 induce inflammatory immune response in mice gut through Th2 pathway. <i>Journal of Functional Foods</i> , 2014, 8, 150-160.	1.6	40
67	Induction of immune tolerance to caseins and whey proteins by oral intubation in mouse allergy model. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2014, 98, 467-475.	1.0	6
68	Effect of supplementation of vitamin E, copper and zinc on the <i>in vitro</i> phagocytic activity and lymphocyte proliferation index of peripartum Sahiwal (<i>Bos indicus</i>) cows. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2013, 97, 315-321.	1.0	35
69	Effect of micronutrient supplementation around calving on the plasma cortisol levels of Murrah buffaloes and Sahiwal and Karan Fries cows. <i>Tropical Animal Health and Production</i> , 2013, 45, 1047-1050.	0.5	11
70	Probiotics as Anti-immunosenescence Agents. <i>Food Reviews International</i> , 2013, 29, 201-216.	4.3	16
71	Comparative evaluation of allergic sensitization to milk proteins of cow, buffalo and goat. <i>Small Ruminant Research</i> , 2013, 112, 191-198.	0.6	33
72	Casein hydrolysates enhance osteoblast proliferation and differentiation in mouse bone marrow culture. <i>Food Bioscience</i> , 2013, 2, 24-30.	2.0	22

#	ARTICLE	IF	CITATIONS
73	Effect of thermal processing of cow and buffalo milk on the allergenic response to caseins and whey proteins in mice. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 2287-2292.	1.7	16
74	Comparison of innate immune activation after prolonged feeding of milk fermented with three species of <i>Lactobacilli</i> . <i>Microbiology and Immunology</i> , 2013, 57, 778-784.	0.7	20
75	Comparative Evaluation of Oral Administration of Probiotic <i>Lactobacilli</i> -fermented Milks on Macrophage Function. <i>Probiotics and Antimicrobial Proteins</i> , 2012, 4, 173-179.	1.9	18
76	In vitro phagocytic activity of milk neutrophils during lactation cycle in Murrah buffaloes of different parity. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2010, 94, 706-711.	1.0	21