Greg E Gaski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3734022/publications.pdf Version: 2024-02-01



CDEC E CASKL

#	Article	IF	CITATIONS
1	Patient-Specific Precision Injury Signatures to Optimize Orthopaedic Interventions in Multiply Injured Patients (PRECISE STUDY). Journal of Orthopaedic Trauma, 2022, 36, S14-S20.	1.4	3
2	Risk factors for complications within 30 days of operatively fixed periprosthetic femur fractures. Journal of Clinical Orthopaedics and Trauma, 2022, , 101925.	1.5	1
3	Fixation using Alternative Implants for the Treatment of Hip Fractures (FAITH-2): The Exploratory Health-Related Quality of Life and Patient-Reported Functional Outcomes of a Multi-Centre 2ÂA—Â2 Factorial Randomized Controlled Pilot Trial in Young Femoral Neck Fracture Patients. Injury, 2021, 52, 3051-3059.	1.7	5
4	Base Deficit ≥Â6 within 24Âh of Injury is a risk factor for fracture nonunion in the polytraumatized patient. Injury, 2021, 52, 3271-3276.	1.7	6
5	Polytraumatized patient lower extremity nonunion development: Raw data. Data in Brief, 2021, 37, 107244.	1.0	0
6	Early dynamic orchestration of immunologic mediators identifies multiply injured patients who are tolerant or sensitive to hemorrhage. Journal of Trauma and Acute Care Surgery, 2021, 90, 441-450.	2.1	8
7	Fixation Using Alternative Implants for the Treatment of Hip Fractures (FAITH-2): The Clinical Outcomes of a Multicenter 2 × 2 Factorial Randomized Controlled Pilot Trial in Young Femoral Neck Fracture Patients. Journal of Orthopaedic Trauma, 2020, 34, 524-532.	1.4	9
8	Retrograde intramedullary nailing below a hip arthroplasty prosthesis: a viable fixation option for periprosthetic and interprosthetic femur fractures. International Orthopaedics, 2020, 44, 2283-2289.	1.9	5
9	Fixation Using Alternative Implants for the Treatment of Hip Fractures. OTA International the Open Access Journal of Orthopaedic Trauma, 2020, 3, e66.	1.0	2
10	Cluster identification, selection, and description in cluster randomized crossover trials: the PREP-IT trials. Trials, 2020, 21, 712.	1.6	5
11	Abdominopelvic bleed rate on admission CT correlates with mortality and transfusion needs in the setting of blunt pelvic fractures: a single institution pilot study. Emergency Radiology, 2019, 26, 37-44.	1.8	5
12	Computational evidence for an early, amplified systemic inflammation program in polytrauma patients with severe extremity injuries. PLoS ONE, 2019, 14, e0217577.	2.5	26
13	Precision Medicine Applications to Manage Multiply Injured Patients With Orthopaedic Trauma. Journal of Orthopaedic Trauma, 2019, 33, S25-S29.	1.4	13
14	Early Immunologic Response in Multiply Injured Patients With Orthopaedic Injuries Is Associated With Organ Dysfunction. Journal of Orthopaedic Trauma, 2019, 33, 220-228.	1.4	21
15	Diagnosis and Management of Polytraumatized Patients With Severe Extremity Trauma. Journal of Orthopaedic Trauma, 2018, 32, S1-S6.	1.4	5
16	Shock volume: Patient-specific cumulative hypoperfusion predicts organ dysfunction in a prospective cohort of multiply injured patients. Journal of Trauma and Acute Care Surgery, 2018, 85, S84-S91.	2.1	5
17	Tissue damage volume predicts organ dysfunction and inflammation after injury. Journal of Surgical Research, 2016, 202, 188-195.	1.6	11
18	Large-magnitude Pelvic and Retroperitoneal Tissue Damage Predicts Organ Failure. Clinical Orthopaedics and Related Research, 2016, 474, 1410-1416.	1.5	7

#	Article	IF	CITATIONS
19	The effect of pH versus base deficit on organ failure in trauma patients. Journal of Surgical Research, 2016, 200, 260-265.	1.6	11