

Jamie Brown

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3735054/jamie-brown-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

253
papers

6,049
citations

38
h-index

70
g-index

304
ext. papers

7,883
ext. citations

5.3
avg, IF

6.66
L-index

#	Paper	IF	Citations
253	Real-world effectiveness of e-cigarettes when used to aid smoking cessation: a cross-sectional population study. <i>Addiction</i> , 2014 , 109, 1531-40	4.6	314
252	Implicit learning as an ability. <i>Cognition</i> , 2010 , 116, 321-40	3.5	305
251	Nicotine, Carcinogen, and Toxin Exposure in Long-Term E-Cigarette and Nicotine Replacement Therapy Users: A Cross-sectional Study. <i>Annals of Internal Medicine</i> , 2017 , 166, 390-400	8	292
250	2013 ,		220
249	Associations Between E-Cigarette Type, Frequency of Use, and Quitting Smoking: Findings From a Longitudinal Online Panel Survey in Great Britain. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 1187-94	4.9	206
248	Is the use of electronic cigarettes while smoking associated with smoking cessation attempts, cessation and reduced cigarette consumption? A survey with a 1-year follow-up. <i>Addiction</i> , 2015 , 110, 1160-8	4.6	184
247	Prevalence and characteristics of e-cigarette users in Great Britain: Findings from a general population survey of smokers. <i>Addictive Behaviors</i> , 2014 , 39, 1120-5	4.2	177
246	Predictive validity of the Motivation To Stop Scale (MTSS): a single-item measure of motivation to stop smoking. <i>Drug and Alcohol Dependence</i> , 2013 , 128, 15-9	4.9	149
245	Association between electronic cigarette use and changes in quit attempts, success of quit attempts, use of smoking cessation pharmacotherapy, and use of stop smoking services in England: time series analysis of population trends. <i>BMJ, The</i> , 2016 , 354, i4645	5.9	145
244	The association of smoking status with SARS-CoV-2 infection, hospitalization and mortality from COVID-19: a living rapid evidence review with Bayesian meta-analyses (version 7). <i>Addiction</i> , 2021 , 116, 1319-1368	4.6	136
243	Cortisol diurnal rhythm and stress reactivity in male adolescents with early-onset or adolescence-onset conduct disorder. <i>Biological Psychiatry</i> , 2008 , 64, 599-606	7.9	133
242	Personalised digital interventions for reducing hazardous and harmful alcohol consumption in community-dwelling populations. <i>The Cochrane Library</i> , 2017 , 9, CD011479	5.2	127
241	Intact implicit learning in autism spectrum conditions. <i>Quarterly Journal of Experimental Psychology</i> , 2010 , 63, 1789-812	1.8	115
240	'Real-world' effectiveness of smoking cessation treatments: a population study. <i>Addiction</i> , 2014 , 109, 491-9	4.6	113
239	Behavior change techniques in popular alcohol reduction apps: content analysis. <i>Journal of Medical Internet Research</i> , 2015 , 17, e118	7.6	113
238	Perceived relative harm of electronic cigarettes over time and impact on subsequent use. A survey with 1-year and 2-year follow-ups. <i>Drug and Alcohol Dependence</i> , 2015 , 157, 106-11	4.9	93
237	Association of the COVID-19 lockdown with smoking, drinking and attempts to quit in England: an analysis of 2019-20 data. <i>Addiction</i> , 2021 , 116, 1233-1244	4.6	92

236	Mindfulness for smoking cessation. <i>The Cochrane Library</i> , 2020 ,	5.2	78
235	Internet-based intervention for smoking cessation (StopAdvisor) in people with low and high socioeconomic status: a randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2014 , 2, 997-1006	35.1	73
234	Associative learning predicts intelligence above and beyond working memory and processing speed. <i>Intelligence</i> , 2009 , 37, 374-382	3	73
233	Identification of Behavior Change Techniques and Engagement Strategies to Design a Smartphone App to Reduce Alcohol Consumption Using a Formal Consensus Method. <i>JMIR MHealth and UHealth</i> , 2015 , 3, e73	5.5	70
232	Comparison of brief interventions in primary care on smoking and excessive alcohol consumption: a population survey in England. <i>British Journal of General Practice</i> , 2016 , 66, e1-9	1.6	65
231	How effective and cost-effective was the national mass media smoking cessation campaign 'Stoptober'?. <i>Drug and Alcohol Dependence</i> , 2014 , 135, 52-8	4.9	61
230	Summative assessments are more powerful drivers of student learning than resource intensive teaching formats. <i>BMC Medicine</i> , 2013 , 11, 61	11.4	59
229	Prospective cohort study of the effectiveness of smoking cessation treatments used in the "real world". <i>Mayo Clinic Proceedings</i> , 2014 , 89, 1360-7	6.4	56
228	A systematic review of studies assessing the association between adherence to smoking cessation medication and treatment success. <i>Addiction</i> , 2014 , 109, 35-43	4.6	55
227	Positive smoker identity as a barrier to quitting smoking: findings from a national survey of smokers in England. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 740-5	4.9	52
226	A smartphone app to reduce excessive alcohol consumption: Identifying the effectiveness of intervention components in a factorial randomised control trial. <i>Scientific Reports</i> , 2018 , 8, 4384	4.9	51
225	Complex systems and individual-level approaches to population health: a false dichotomy?. <i>Lancet Public Health</i> , 2017 , 2, e396-e397	22.4	49
224	Association of prevalence of electronic cigarette use with smoking cessation and cigarette consumption in England: a time-series analysis between 2006 and 2017. <i>Addiction</i> , 2020 , 115, 961-974	4.6	49
223	Factors associated with drinking behaviour during COVID-19 social distancing and lockdown among adults in the UK. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108461	4.9	48
222	Moderators of real-world effectiveness of smoking cessation aids: a population study. <i>Addiction</i> , 2019 , 114, 1627-1638	4.6	47
221	Understanding and using time series analyses in addiction research. <i>Addiction</i> , 2019 , 114, 1866-1884	4.6	45
220	Deconstructing the Alcohol Harm Paradox: A Population Based Survey of Adults in England. <i>PLoS ONE</i> , 2016 , 11, e0160666	3.7	45
219	Factors Influencing Usability of a Smartphone App to Reduce Excessive Alcohol Consumption: Think Aloud and Interview Studies. <i>Frontiers in Public Health</i> , 2017 , 5, 39	6	43

218	Normative misperceptions about alcohol use in the general population of drinkers: a cross-sectional survey. <i>Addictive Behaviors</i> , 2015 , 42, 203-6	4.2	42
217	Protocol for a national monthly survey of alcohol use in England with 6-month follow-up: 'the Alcohol Toolkit Study'. <i>BMC Public Health</i> , 2015 , 15, 230	4.1	41
216	Development of StopAdvisor: A theory-based interactive internet-based smoking cessation intervention. <i>Translational Behavioral Medicine</i> , 2012 , 2, 263-75	3.2	39
215	Test-enhanced learning of clinical reasoning: a crossover randomised trial. <i>Medical Education</i> , 2016 , 50, 711-20	3.7	37
214	COVID-19, smoking and inequalities: a study of 53 002 adults in the UK. <i>Tobacco Control</i> , 2021 , 30, e111-121	5.3	36
213	Estimating the population impact of e-cigarettes on smoking cessation in England. <i>Addiction</i> , 2016 , 111, 1118-9	4.6	36
212	Associations between socio-economic factors and alcohol consumption: A population survey of adults in England. <i>PLoS ONE</i> , 2019 , 14, e0209442	3.7	33
211	Influences on the Uptake of and Engagement With Health and Well-Being Smartphone Apps: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e17572	7.6	32
210	Development of SmokeFree Baby: a smoking cessation smartphone app for pregnant smokers. <i>Translational Behavioral Medicine</i> , 2016 , 6, 533-545	3.2	31
209	Association of initial e-cigarette and other tobacco product use with subsequent cigarette smoking in adolescents: a cross-sectional, matched control study. <i>Tobacco Control</i> , 2021 , 30, 212-220	5.3	30
208	Does non-smoker identity following quitting predict long-term abstinence? Evidence from a population survey in England. <i>Addictive Behaviors</i> , 2015 , 45, 99-103	4.2	29
207	A pilot study of StopAdvisor: a theory-based interactive internet-based smoking cessation intervention aimed across the social spectrum. <i>Addictive Behaviors</i> , 2012 , 37, 1365-70	4.2	29
206	Beliefs about the harms of long-term use of nicotine replacement therapy: perceptions of smokers in England. <i>Addiction</i> , 2012 , 107, 2037-42	4.6	28
205	The most "successful" method for failing to quit smoking is unassisted cessation. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 748-9	4.9	28
204	Association between smoking and alcohol-related behaviours: a time-series analysis of population trends in England. <i>Addiction</i> , 2017 , 112, 1832-1841	4.6	27
203	Evaluating the effectiveness of a smartphone app to reduce excessive alcohol consumption: protocol for a factorial randomised control trial. <i>BMC Public Health</i> , 2016 , 16, 536	4.1	27
202	How does rate of smoking cessation vary by age, gender and social grade? Findings from a population survey in England. <i>Addiction</i> , 2013 , 108, 1680-5	4.6	26
201	E-cigarette use in England 2014-17 as a function of socio-economic profile. <i>Addiction</i> , 2019 , 114, 294-303	4.6	26

200	COVID-19, smoking, vaping and quitting: a representative population survey in England. <i>Addiction</i> , 2021 , 116, 1186-1195	4.6	26
199	Light smokers are less likely to receive advice to quit from their GP than moderate-to-heavy smokers: a comparison of national survey data from the Netherlands and England. <i>European Journal of General Practice</i> , 2013 , 19, 99-105	2.8	25
198	Associations between dual use of e-cigarettes and smoking cessation: A prospective study of smokers in England. <i>Addictive Behaviors</i> , 2020 , 103, 106230	4.2	25
197	The Methodological Quality and Effectiveness of Technology-Based Smoking Cessation Interventions for Disadvantaged Groups: A Systematic Review and Meta-analysis. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 276-285	4.9	24
196	Seeking health information and support online: does it differ as a function of engagement in risky health behaviors? Evidence from the health information national trends survey. <i>Journal of Medical Internet Research</i> , 2014 , 16, e253	7.6	24
195	Modelling continuous abstinence rates over time from clinical trials of pharmacological interventions for smoking cessation. <i>Addiction</i> , 2019 , 114, 787-797	4.6	24
194	Associations between tobacco control mass media campaign expenditure and smoking prevalence and quitting in England: a time series analysis. <i>Tobacco Control</i> , 2018 , 27, 455-462	5.3	23
193	Pilot randomized controlled trial of an internet-based smoking cessation intervention for pregnant smokers ('MumsQuit'). <i>Drug and Alcohol Dependence</i> , 2014 , 140, 130-6	4.9	23
192	Cigarette craving and withdrawal symptoms during temporary abstinence and the effect of nicotine gum. <i>Psychopharmacology</i> , 2013 , 229, 209-18	4.7	23
191	Prevalence and characteristics of smokers interested in internet-based smoking cessation interventions: cross-sectional findings from a national household survey. <i>Journal of Medical Internet Research</i> , 2013 , 15, e50	7.6	23
190	Comparison of the characteristics of long-term users of electronic cigarettes versus nicotine replacement therapy: A cross-sectional survey of English ex-smokers and current smokers. <i>Drug and Alcohol Dependence</i> , 2015 , 153, 300-5	4.9	22
189	Behavior Change Techniques Used in Digital Behavior Change Interventions to Reduce Excessive Alcohol Consumption: A Meta-regression. <i>Annals of Behavioral Medicine</i> , 2018 , 52, 530-543	4.5	22
188	How are the English Stop Smoking Services responding to growth in use of electronic cigarettes?. <i>Patient Education and Counseling</i> , 2014 , 94, 276-81	3.1	22
187	Has growth in electronic cigarette use by smokers been responsible for the decline in use of licensed nicotine products? Findings from repeated cross-sectional surveys. <i>Thorax</i> , 2015 , 70, 974-8	7.3	22
186	Impact on smoking of England's 2012 partial tobacco point of sale display ban: a repeated cross-sectional national study. <i>Tobacco Control</i> , 2017 , 26, 141-148	5.3	21
185	Healthier central England or North-South divide? Analysis of national survey data on smoking and high-risk drinking. <i>BMJ Open</i> , 2017 , 7, e014210	3	21
184	Moving Knowledge Acquisition From the Lecture Hall to the Student Home: A Prospective Intervention Study. <i>Journal of Medical Internet Research</i> , 2015 , 17, e223	7.6	21
183	Association of the US Outbreak of Vaping-Associated Lung Injury With Perceived Harm of e-Cigarettes Compared With Cigarettes. <i>JAMA Network Open</i> , 2020 , 3, e206981	10.4	20

182	Construct and Predictive Validity of Three Measures of Intention to Quit Smoking: Findings From the International Tobacco Control (ITC) Netherlands Survey. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 1101-1108	4.9	20
181	Does the addition of a supportive chatbot promote user engagement with a smoking cessation app? An experimental study. <i>Digital Health</i> , 2019 , 5, 2055207619880676	4	20
180	Reported Theory Use by Digital Interventions for Hazardous and Harmful Alcohol Consumption, and Association With Effectiveness: Meta-Regression. <i>Journal of Medical Internet Research</i> , 2018 , 20, e69	7.6	20
179	The development of Drink Less: an alcohol reduction smartphone app for excessive drinkers. <i>Translational Behavioral Medicine</i> , 2019 , 9, 296-307	3.2	20
178	Sexual orientation identity and tobacco and hazardous alcohol use: findings from a cross-sectional English population survey. <i>BMJ Open</i> , 2017 , 7, e015058	3	19
177	Effectiveness of varenicline versus nicotine replacement therapy for smoking cessation with minimal professional support: evidence from an English population study. <i>Psychopharmacology</i> , 2014 , 231, 37-42	4.7	19
176	Temporal patterns of alcohol consumption and attempts to reduce alcohol intake in England. <i>BMC Public Health</i> , 2016 , 16, 917	4.1	17
175	Study protocol of the German Study on Tobacco Use (DEBRA): a national household survey of smoking behaviour and cessation. <i>BMC Public Health</i> , 2017 , 17, 378	4.1	17
174	The needs and preferences of pregnant smokers regarding tailored Internet-based smoking cessation interventions: a qualitative interview study. <i>BMC Public Health</i> , 2014 , 14, 1070	4.1	17
173	Comparison of Trends in Self-reported Cigarette Consumption and Sales in England, 2011 to 2018. <i>JAMA Network Open</i> , 2019 , 2, e1910161	10.4	16
172	How can we improve teaching of ECG interpretation skills? Findings from a prospective randomised trial. <i>Journal of Electrocardiology</i> , 2016 , 49, 7-12	1.4	16
171	Is prevalence of e-cigarette and nicotine replacement therapy use among smokers associated with average cigarette consumption in England? A time-series analysis. <i>BMJ Open</i> , 2018 , 8, e016046	3	16
170	Randomized factorial experiment of components of the SmokeFree Baby smartphone application to aid smoking cessation in pregnancy. <i>Translational Behavioral Medicine</i> , 2019 , 9, 583-593	3.2	16
169	External validation of the Motivation To Stop Scale (MTSS): findings from the International Tobacco Control (ITC) Netherlands Survey. <i>European Journal of Public Health</i> , 2017 , 27, 129-134	2.1	16
168	Predictors of and reasons for attempts to reduce alcohol intake: A population survey of adults in England. <i>PLoS ONE</i> , 2017 , 12, e0173458	3.7	15
167	Beliefs and attitudes about addressing alcohol consumption in health care: a population survey in England. <i>BMC Public Health</i> , 2018 , 18, 391	4.1	15
166	Predictors of Engagement, Response to Follow Up, and Extent of Alcohol Reduction in Users of a Smartphone App (Drink Less): Secondary Analysis of a Factorial Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e11175	5.5	15
165	Structured Smoking Cessation Training for Medical Students: A Prospective Study. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 2209-2215	4.9	15

164	Individual-level behavioural smoking cessation interventions tailored for disadvantaged socioeconomic position: a systematic review and meta-regression. <i>Lancet Public Health, The</i> , 2019 , 4, e628-e644	22.4	15
163	How can we teach medical students to choose wisely? A randomised controlled cross-over study of video- versus text-based case scenarios. <i>BMC Medicine</i> , 2018 , 16, 107	11.4	14
162	Personalised digital interventions for reducing hazardous and harmful alcohol consumption in community-dwelling populations 2015 ,		14
161	Prospective cohort study of the effectiveness of varenicline versus nicotine replacement therapy for smoking cessation in the "real world". <i>BMC Public Health</i> , 2014 , 14, 1163	4.1	14
160	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review with Bayesian meta-analyses (version 7). <i>Qeios</i> ,	0	14
159	Changes in smoker characteristics in England between 2008 and 2017. <i>Addiction</i> , 2020 , 115, 748-756	4.6	14
158	Characterising the patterns of and factors associated with increased alcohol consumption since COVID-19 in a UK sample. <i>Drug and Alcohol Review</i> , 2021 , 40, 890-899	3.2	14
157	Perceived addiction to smoking and associations with motivation to stop, quit attempts and quitting success: A prospective study of English smokers. <i>Addictive Behaviors</i> , 2019 , 90, 306-311	4.2	14
156	Vaping for weight control: A cross-sectional population study in England. <i>Addictive Behaviors</i> , 2019 , 95, 211-219	4.2	13
155	Smoking prevalence in England is below 20% for the first time in 80 years. <i>BMJ, The</i> , 2014 , 348, g1378	5.9	13
154	Assessing the association between the use of NRT for smoking reduction and attempts to quit smoking using propensity score matching. <i>Drug and Alcohol Dependence</i> , 2012 , 126, 354-61	4.9	13
153	Population-level predictors of changes in success rates of smoking quit attempts in England: a time series analysis. <i>Addiction</i> , 2020 , 115, 315-325	4.6	13
152	Negative Vaccine Attitudes and Intentions to Vaccinate Against Covid-19 in Relation to Smoking Status: A Population Survey of UK Adults. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 1623-1628	4.9	13
151	Associations between vaping and Covid-19: Cross-sectional findings from the HEBECO study. <i>Drug and Alcohol Dependence</i> , 2021 , 221, 108590	4.9	13
150	Short-term effects of announcing revised lower risk national drinking guidelines on related awareness and knowledge: a trend analysis of monthly survey data in England. <i>BMJ Open</i> , 2016 , 6, e013804	3.04	13
149	Exposure to revised drinking guidelines and 'COM-B' determinants of behaviour change: descriptive analysis of a monthly cross-sectional survey in England. <i>BMC Public Health</i> , 2018 , 18, 251	4.1	12
148	Association of amount and duration of NRT use in smokers with cigarette consumption and motivation to stop smoking: a national survey of smokers in England. <i>Addictive Behaviors</i> , 2015 , 40, 33-8	4.2	12
147	Relative effectiveness of a full versus reduced version of the 'Smoke Free' mobile application for smoking cessation: a randomised controlled trial. <i>F1000Research</i> , 2018 , 7, 1524	3.6	12

146	Relative effectiveness of a full versus reduced version of the Smoke Free mobile application for smoking cessation: an exploratory randomised controlled trial. <i>F1000Research</i> , 2018 , 7, 1524	3.6	12
145	Smokers' strategies across social grades to minimise the cost of smoking in a period with annual tax increases: evidence from a national survey in England. <i>BMJ Open</i> , 2019 , 9, e026320	3	12
144	Finding smoking hot-spots: a cross-sectional survey of smoking patterns by housing tenure in England. <i>Addiction</i> , 2019 , 114, 889-895	4.6	11
143	Evaluating the causal impact of individual alcohol licensing decisions on local health and crime using natural experiments with synthetic controls. <i>Addiction</i> , 2020 , 115, 2021-2031	4.6	11
142	Was the expansion of the marketing license for nicotine replacement therapy in the United Kingdom to include smoking reduction associated with changes in use and incidence of quit attempts?. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 1777-81	4.9	11
141	Understanding the Association Between Spontaneous Quit Attempts and Improved Smoking Cessation Success Rates: A Population Survey in England With 6-Month Follow-up. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1460-1467	4.9	11
140	Association between changes in harm perceptions and e-cigarette use among current tobacco smokers in England: a time series analysis. <i>BMC Medicine</i> , 2020 , 18, 98	11.4	10
139	Lessons learned from unsuccessful use of personal carbon monoxide monitors to remotely assess abstinence in a pragmatic trial of a smartphone stop smoking app - A secondary analysis. <i>Addictive Behaviors Reports</i> , 2019 , 9, 100122	3.7	10
138	Expenditure on smoking and alternative nicotine delivery products: a population survey in England. <i>Addiction</i> , 2019 , 114, 2026-2036	4.6	10
137	Roll-your-own cigarette use and smoking cessation behaviour: a cross-sectional population study in England. <i>BMJ Open</i> , 2018 , 8, e025370	3	10
136	German Public Support for Tobacco Control Policy Measures: Results from the German Study on Tobacco Use (DEBRA), a Representative National Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	9
135	How do prompts for attempts to quit smoking relate to method of quitting and quit success?. <i>Annals of Behavioral Medicine</i> , 2014 , 47, 358-68	4.5	9
134	Are smokers who are regularly exposed to e-cigarette use by others more or less motivated to stop or to make a quit attempt? A cross-sectional and longitudinal survey. <i>BMC Medicine</i> , 2018 , 16, 206	11.4	9
133	Mental health and smoking cessation-a population survey in England. <i>BMC Medicine</i> , 2020 , 18, 161	11.4	8
132	Motivation to reduce alcohol consumption and subsequent attempts at reduction and changes in consumption in increasing and higher-risk drinkers in England: a prospective population survey. <i>Addiction</i> , 2018 , 113, 817-827	4.6	8
131	Are recent attempts to quit smoking associated with reduced drinking in England? A cross-sectional population survey. <i>BMC Public Health</i> , 2016 , 16, 535	4.1	8
130	Prevalence of NRT use and associated nicotine intake in smokers, recent ex-smokers and longer-term ex-smokers. <i>PLoS ONE</i> , 2014 , 9, e113045	3.7	8
129	Influence of the SARS-CoV-2 Outbreak on the Uptake of a Popular Smoking Cessation App in UK Smokers: Interrupted Time Series Analysis. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e19494	5.5	8

128	Independent Associations Between Different Measures of Socioeconomic Position and Smoking Status: A Cross-Sectional Study of Adults in England. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 107-114	4.9	8
127	Association of the Covid-19 lockdown with smoking, drinking, and attempts to quit in England: an analysis of 2019-2020 data		8
126	Prevalence and correlates of long-term e-cigarette and nicotine replacement therapy use: a prospective study in England. <i>BMJ Open</i> , 2019 , 9, e029252	3	8
125	Is dual use of nicotine products and cigarettes associated with smoking reduction and cessation behaviours? A prospective study in England. <i>BMJ Open</i> , 2020 , 10, e036055	3	7
124	Attempts to reduce alcohol intake and treatment needs among people with probable alcohol dependence in England: a general population survey. <i>Addiction</i> , 2018 , 113, 1430-1438	4.6	7
123	Does consistent motivation to stop smoking improve the explanation of recent quit attempts beyond current motivation? A cross-sectional study. <i>Addictive Behaviors</i> , 2018 , 81, 12-16	4.2	7
122	An Online Documentary Film to Motivate Quit Attempts Among Smokers in the General Population (4Weeks2Freedom): A Randomized Controlled Trial. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1093-100	4.9	7
121	Trends in Attempts to Quit Smoking in England Since 2007: A Time Series Analysis of a Range of Population-Level Influences. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1476-1483	4.9	7
120	Psychosocial Interventions to Improve Psychological, Social and Physical Wellbeing in Family Members Affected by an Adult Relative's Substance Use: A Systematic Search and Review of the Evidence. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	7
119	Moderators of changes in smoking, drinking and quitting behaviour associated with the first COVID-19 lockdown in England. <i>Addiction</i> , 2021 ,	4.6	7
118	User characteristics of a smartphone app to reduce alcohol consumption. <i>Translational Behavioral Medicine</i> , 2017 , 7, 845-853	3.2	6
117	Associations between use of pharmacological aids in a smoking cessation attempt and subsequent quitting activity: a population study. <i>Addiction</i> , 2015 , 110, 513-8	4.6	6
116	Use of aids for smoking cessation and alcohol reduction: A population survey of adults in England. <i>BMC Public Health</i> , 2016 , 16, 1237	4.1	6
115	Trends in and factors associated with the adoption of digital aids for smoking cessation and alcohol reduction: A population survey in England. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107653	4.9	6
114	Updating the evidence on the effectiveness of the alcohol reduction app, Drink Less: using Bayes factors to analyse trial datasets supplemented with extended recruitment. <i>F1000Research</i> , 2019 , 8, 114	3.6	6
113	Epidemic of youth nicotine addiction? What does the National Youth Tobacco Survey 2017-2019 reveal about high school e-cigarette use in the USA?. <i>Qeios</i> ,	0	6
112	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review. <i>Qeios</i> ,	0	6
111	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review. <i>Qeios</i> ,	0	6

110	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review (version 4). <i>Qeios</i> ,	0	6
109	Smoking and COVID-19: Rapid evidence review for the Royal College of Physicians, London (UK). <i>Qeios</i> ,	0	6
108	Is the use of e-cigarettes for smoking cessation associated with alcohol consumption? A population-level survey of successful quitters in England. <i>Addictive Behaviors</i> , 2020 , 101, 106138	4.2	6
107	Harm Perceptions of E-cigarettes Among Smokers With and Without Mental Health Conditions in England: A Cross-Sectional Population Survey. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 511-517	4.9	6
106	England SimSmoke: the impact of nicotine vaping on smoking prevalence and smoking-attributable deaths in England. <i>Addiction</i> , 2021 , 116, 1196-1211	4.6	6
105	The International Cannabis Toolkit (iCannToolkit): a multidisciplinary expert consensus on minimum standards for measuring cannabis use. <i>Addiction</i> , 2021 ,	4.6	6
104	E-Cigarettes and Toxin Exposure. <i>Annals of Internal Medicine</i> , 2017 , 167, 525-526	8	5
103	Pragmatic randomised trial of a smartphone app (NRT2Quit) to improve effectiveness of nicotine replacement therapy in a quit attempt by improving medication adherence: results of a prematurely terminated study. <i>Trials</i> , 2019 , 20, 547	2.8	5
102	A gateway to more productive research on e-cigarettes? Commentary on a comprehensive framework for evaluating public health impact. <i>Addiction</i> , 2017 , 112, 21-22	4.6	5
101	COVID-19, smoking, and inequalities: a cross-sectional survey of adults in the UK		5
100	Association between income and education with quit attempts, use of cessation aids, and short-term success in tobacco smokers: A social gradient analysis from a population-based cross-sectional household survey in Germany (DEBRA study). <i>Addictive Behaviors</i> , 2020 , 111, 106553	4.2	5
99	Technology-mediated just-in-time adaptive interventions (JITAI)s to reduce harmful substance use: a systematic review. <i>Addiction</i> , 2021 ,	4.6	5
98	Association of Socioeconomic Position With e-Cigarette Use Among Individuals Who Quit Smoking in England, 2014 to 2019. <i>JAMA Network Open</i> , 2020 , 3, e204207	10.4	4
97	Should we pay the student? A randomised trial of financial incentives in medical education. <i>Medical Teacher</i> , 2013 , 35, 760-6	3	4
96	Mediation analysis of the association between use of NRT for smoking reduction and attempts to stop smoking. <i>Psychology and Health</i> , 2012 , 27, 1118-33	2.9	4
95	Heated tobacco products for smoking cessation and reducing smoking prevalence.. <i>The Cochrane Library</i> , 2022 , 1, CD013790	5.2	4
94	Updating the evidence on the effectiveness of the alcohol reduction app, Drink Less: using Bayes factors to analyse trial datasets supplemented with extended recruitment. <i>F1000Research</i> , 2019 , 8, 114	3.6	4
93	Perceptions of Factors Influencing Engagement With Health and Well-being Apps in the United Kingdom: Qualitative Interview Study.. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e29098	5.5	4

92	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review. <i>Qeios</i> ,	0	4
91	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review (version 3). <i>Qeios</i> ,	0	4
90	Trends in use of e-cigarette device types and heated tobacco products from 2016 to 2020 in England. <i>Scientific Reports</i> , 2021 , 11, 13203	4.9	4
89	Socioeconomic inequalities in the delivery of brief interventions for smoking and excessive drinking: findings from a cross-sectional household survey in England. <i>BMJ Open</i> , 2019 , 9, e023448	3	4
88	Smoking and Quitting Behavior by Sexual Orientation: A Cross-Sectional Survey of Adults in England. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 124-134	4.9	4
87	Evaluating the effectiveness of the smartphone app, Drink Less, compared with the NHS alcohol advice webpage, for the reduction of alcohol consumption among hazardous and harmful adult drinkers in the UK at 6-month follow-up: protocol for a randomised controlled trial. <i>Addiction</i> , 2021 , 116, 112-125	4.6	4
86	Dependence on nicotine in US high school students in the context of changing patterns of tobacco product use. <i>Addiction</i> , 2021 , 116, 1859-1870	4.6	4
85	Moderators of changes in smoking, drinking, and quitting behaviour associated with the first Covid-19 lockdown in England		4
84	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review with Bayesian meta-analyses (version 12). <i>Qeios</i> ,	0	4
83	Epidemic of youth nicotine addiction? What does the National Youth Tobacco Survey reveal about high school e-cigarette use in the USA? (Preprint). <i>Qeios</i> ,	0	3
82	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review with Bayesian meta-analyses (version 9). <i>Qeios</i> ,	0	3
81	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review (version 5). <i>Qeios</i> ,	0	3
80	The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review (version 6). <i>Qeios</i> ,	0	3
79	Associations between vaping and Covid-19: cross-sectional findings from the HEBECO study		3
78	Associations between smoking status and bodily pain in a cross-sectional survey of UK respondents. <i>Addictive Behaviors</i> , 2020 , 102, 106229	4.2	3
77	Perceived non-smoking norms and motivation to stop smoking, quit attempts, and cessation: a cross-sectional study in England. <i>Scientific Reports</i> , 2020 , 10, 10487	4.9	3
76	Effects on alcohol consumption of announcing and implementing revised UK low-risk drinking guidelines: findings from an interrupted time series analysis. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 942-949	5.1	3
75	Protocol for expansion of an existing national monthly survey of smoking behaviour and alcohol use in England to Scotland and Wales: The Smoking and Alcohol Toolkit Study. <i>Wellcome Open Research</i> , 2021 , 6, 67	4.8	3

74	Influences on the Uptake of Health and Well-being Apps and Curated App Portals: Think-Aloud and Interview Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e27173	5.5	3
73	'S'-shaped curve: modelling trends in smoking prevalence, uptake and cessation in Great Britain from 1973 to 2016. <i>Thorax</i> , 2019 , 74, 875-881	7.3	3
72	Evaluations of clinical tobacco cessation interventions in Arab populations: A systematic review. <i>Addictive Behaviors</i> , 2019 , 88, 169-174	4.2	3
71	Trends in and Correlates of Use of Roll-Your-Own Cigarettes: A Population Study in England 2008-2017. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 942-949	4.9	3
70	Perceptions of factors influencing engagement with health and wellbeing apps: a qualitative study using the COM-B model and Theoretical Domains Framework.. <i>Qeios</i> ,	0	3
69	Heated tobacco products for smoking cessation and reducing smoking prevalence. <i>The Cochrane Library</i> , 2020 ,	5.2	2
68	Vaping for weight control: Findings from a qualitative study. <i>Addictive Behaviors Reports</i> , 2020 , 12, 1002357	3.5	2
67	A theory of addiction 2013 , 229-256		2
66	Characterising the alcohol harm paradox: a population-based survey of adults in England. <i>Lancet, The</i> , 2015 , 386, S23	4.0	2
65	Does smoking reduction make smokers happier? Evidence from a cross-sectional survey. <i>Journal of Smoking Cessation</i> , 2014 , 9, 1-5	0.5	2
64	A randomised controlled trial of a theory-based interactive internet-based smoking cessation intervention (StopAdvisor): Study protocol. <i>Journal of Smoking Cessation</i> , 2013 , 8, 63-70	0.5	2
63	Protocol for a feasibility study of smoking cessation in the surgical pathway before major lung surgery: Project MURRAY. <i>BMJ Open</i> , 2020 , 10, e036568	3	2
62	Profile of menthol cigarette smokers in the months following the removal of these products from the market: a cross-sectional population survey in England. <i>Tobacco Control</i> , 2021 ,	5.3	2
61	Relationship of smoking with current and future social isolation and loneliness: 12-year follow-up of older adults in England.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 14, 100302		2
60	Has the SARS-CoV-2 outbreak had an impact on uptake of digital cessation support in UK smokers? An interrupted time series analysis (Preprint)		2
59	Review of: "Low incidence of daily active tobacco smoking in patients with symptomatic COVID-19". <i>Qeios</i> ,	0	2
58	Review of "Smoking, vaping and hospitalization for COVID-19". <i>Qeios</i> ,	0	2
57	COVID-19, smoking, vaping and quitting: A representative population survey in England		2

56	Understanding Uptake of Digital Health Products: Methodology Tutorial for a Discrete Choice Experiment Using the Bayesian Efficient Design. <i>Journal of Medical Internet Research</i> , 2021 , 23, e32365	7.6	2
55	Combined health risks of cigarette smoking and low levels of physical activity: a prospective cohort study in England with 12-year follow-up. <i>BMJ Open</i> , 2019 , 9, e032852	3	2
54	Does the offer of e-cigarettes benefit smoking cessation among unselected smokers?. <i>Addiction</i> , 2019 , 114, 186-187	4.6	2
53	Impact of the "Stoptober" Smoking Cessation Campaign in England From 2012 to 2017: A Quasiexperimental Repeat Cross-Sectional Study. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1453-1459	4.9	2
52	Long-term evaluation of the rise in legal age-of-sale of cigarettes from 16 to 18 in England: a trend analysis. <i>BMC Medicine</i> , 2020 , 18, 85	11.4	2
51	Socio-economic distribution of e-cigarette use among recent former regular smokers and current smokers at ages 25-26 in England. <i>Addiction</i> , 2021 , 116, 1548-1557	4.6	2
50	The impact of celebrity influence and national media coverage on users of an alcohol reduction app: a natural experiment. <i>BMC Public Health</i> , 2021 , 21, 30	4.1	2
49	'Give 'em the vape, sell 'em the pods': razor-and-blades methods of pod e-cigarette pricing. <i>Tobacco Control</i> , 2021 ,	5.3	2
48	Concurrent validity of an estimator of weekly alcohol consumption (EWAC) based on the extended AUDIT. <i>Addiction</i> , 2021 ,	4.6	2
47	Smoking, distress and COVID-19 in England: Cross-sectional population surveys from 2016 to 2020. <i>Preventive Medicine Reports</i> , 2021 , 23, 101420	2.6	2
46	Estimated Failure to Report Unsuccessful Quit Attempts by Type of Cessation Aid: A Population Survey of Smokers in England. <i>Journal of Smoking Cessation</i> , 2022 , 2022, 1-8	0.5	2
45	Predictive Validity, Diagnostic Accuracy and Test-Retest Reliability of the Strength of Urges to Drink (SUTD) Scale. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
44	Interpreting internet-based trials: StopAdvisor for smoking cessation--authors' reply. <i>Lancet Respiratory Medicine</i> , 2015 , 3, e6-7	35.1	1
43	In reply--Electronic cigarettes are efficacious. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 417-8	6.4	1
42	The need for an evidence-based and rational debate on e-cigarettes. <i>Lancet, The</i> , 2020 , 395, 688	4.0	1
41	Offer and Use of Smoking-Cessation Support by Depression/Anxiety Status: A Cross-Sectional Survey. <i>Journal of Smoking Cessation</i> , 2018 , 13, 207-215	0.5	1
40	Medicaid Coverage and Access to Care for American Indians and Alaska Natives Under the Affordable Care Act. <i>JAMA Internal Medicine</i> , 2016 , 176, 860-1	11.5	1
39	Quitting Without Reporting Having Tried: Findings From a National Survey. <i>Journal of Smoking Cessation</i> , 2015 , 10, 141-145	0.5	1

38	A positive view on e-cigarettes. <i>BMJ, The</i> , 2015 , 351, h3864	5.9	1
37	Treatment of tobacco addiction and the cardiovascular specialist. <i>Current Opinion in Cardiology</i> , 2012 , 27, 525-32	2.1	1
36	Factors associated with drinking behaviour during COVID-19 social distancing and lockdown among adults in the UK		1
35	Perceived risk factors for severe Covid-19 symptoms and their association with health behaviours: Findings from the HEBECO study.. <i>Acta Psychologica</i> , 2021 , 222, 103458	1.7	1
34	Negative vaccine attitudes and intentions to vaccinate against Covid-19 in relation to smoking status: a population survey of UK adults		1
33	Are population trends in high-risk alcohol consumption in smokers associated with trends in quit attempts and quit success? A time-series analysis. <i>BMJ Open</i> , 2020 , 10, e034262	3	1
32	Differences between ethnic groups in self-reported use of e-cigarettes and nicotine replacement therapy for cutting down and temporary abstinence: a cross-sectional population-level survey in England. <i>Addiction</i> , 2021 , 116, 2476-2485	4.6	1
31	Moderators of the association between regular smoking exposure and motivation and attempts to quit: a repeat cross-sectional study. <i>Addiction</i> , 2021 , 116, 2837-2846	4.6	1
30	Refining the content and design of an alcohol reduction app, , to improve its usability and effectiveness: a mixed methods approach. <i>F1000Research</i> , 2021 , 10, 511	3.6	1
29	"At least someone thinks I'm doing well": a real-world evaluation of the quit-smoking app StopCoach for lower socio-economic status smokers. <i>Addiction Science & Clinical Practice</i> , 2021 , 16, 48	4.1	1
28	Public attitudes towards healthcare policies promoting tobacco cessation in Germany: results from the representative German study on tobacco use (DEBRA study). <i>BMJ Open</i> , 2019 , 9, e026245	3	1
27	Prevalence and correlates of receipt by smokers of general practitioner advice on smoking cessation in England: a cross-sectional survey of adults. <i>Addiction</i> , 2021 , 116, 358-372	4.6	1
26	Evaluation of the London Smoking Cessation Transformation Programme: a time-series analysis. <i>Addiction</i> , 2021 , 116, 1558-1568	4.6	1
25	Exploring views on alcohol consumption and digital support for alcohol reduction in UK-based Punjabi-Sikh men: A think aloud and interview study. <i>Drug and Alcohol Review</i> , 2020 , 40, 231	3.2	1
24	Influences on the Uptake of Health and Well-being Apps and Curated App Portals: Think-Aloud and Interview Study (Preprint)		1
23	Testing the validity of national drug surveys: comparison between a general population cohort and household surveys. <i>Addiction</i> , 2021 , 116, 2076-2083	4.6	1
22	Who would be targeted by increasing the legal age of sale of cigarettes from 18 to 21? A cross-sectional study exploring the number and characteristics of smokers in England. <i>Addiction</i> , 2021 , 116, 2187-2197	4.6	1
21	Has the increased participation in the national campaign 'Dry January' been associated with cutting down alcohol consumption in England?. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 108938	4.9	1

20	The SPECTRUM Consortium: a new UK Prevention Research Partnership consortium focussed on the commercial determinants of health, the prevention of non-communicable diseases, and the reduction of health inequalities. <i>Wellcome Open Research</i> , 2021 , 6, 6	4.8	1
19	Effectiveness of an offer of the Smoke Free smartphone application for smoking cessation: protocol for a randomized controlled trial. <i>Addiction</i> , 2019 , 114, 2078-2086	4.6	0
18	Refining the content and design of an alcohol reduction app, Drink Less, to improve its usability and effectiveness: a mixed methods approach. <i>F1000Research</i> ,10, 511	3.6	0
17	Does addition of craving management tools in a stop smoking app improve quit rates among adult smokers? Results from BupaQuit pragmatic pilot randomised controlled trial. <i>Digital Health</i> , 2021 , 7, 20552076211058935	4	0
16	Alcohol consumption and associations with sociodemographic and health-related characteristics in Germany: A population survey. <i>Addictive Behaviors</i> , 2022 , 125, 107159	4.2	0
15	Smokers' Use of E-Cigarettes in Situations Where Smoking Is not Permitted in England: Quarterly Trends 2011-2020 and Associations With Sociodemographic and Smoking Characteristics. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 1831-1838	4.9	0
14	Associations between smoking to relieve stress, motivation to stop and quit attempts across the social spectrum: A population survey in England.. <i>PLoS ONE</i> , 2022 , 17, e0268447	3.7	0
13	The iCannToolkit: A consensus-based, flexible framework for measuring contemporary cannabis use. <i>Addiction</i> ,	4.6	0
12	Reply to 'Smoke free, but dependent on nicotine' (Karam-Hage 2019). <i>Addiction</i> , 2019 , 114, 1887-1888	4.6	
11	Authors' reply to Roscoe. <i>BMJ, The</i> , 2014 , 348, g1946	5.9	
10	Animal Farm must give way to doublethink when studying addiction. <i>Addiction</i> , 2014 , 109, 1214-5	4.6	
9	The case of Stop Smoking Services in England. <i>British Journal of Psychiatry</i> , 2013 , 202, 74	5.4	
8	Personality typologies of smokers and excessive drinkers: a cross-sectional survey of respondents in the BBC Lab UK Study. <i>F1000Research</i> ,11, 94	3.6	
7	Association between cigarette smoking status and voting intentions: Cross sectional surveys in England 2015-2020.. <i>BMC Public Health</i> , 2021 , 21, 2254	4.1	
6	The impact of promoting revised UK low-risk drinking guidelines on alcohol consumption: interrupted time series analysis. <i>Public Health Research</i> , 2020 , 8, 1-108	1.7	
5	Prevalence and characteristics of ever regular use of non-combustible nicotine for 1 year or more: a population survey in England. <i>Harm Reduction Journal</i> , 2021 , 18, 114	4.6	
4	Commentary on Smith et al. (2020): Equity positive impact of English Stop Smoking Services underlines need for comprehensive approach to public health interventions. <i>Addiction</i> , 2020 , 115, 47-48	4.6	
3	Response to Brailon (2021): No, not the exception. <i>Addiction</i> , 2021 , 116, 2924-2926	4.6	

- 2 Smoking cessation support for dual users of cigarettes and electronic cigarettes. *Lancet Public Health, The*, **2021**, 6, e441-e442 22.4
- 1 GPs have key role in helping patients to stop smoking. *Practitioner*, **2012**, 256, 23-5, 3