Frederick Wolfe

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3736974/frederick-wolfe-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 230
 42,476
 73
 205

 papers
 citations
 h-index
 g-index

 248
 48,294
 4.4
 7.24

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
230	Fibromyalgia criteria and anomalous results: comment on the article by Ghavidel-Parsa et al <i>ACR Open Rheumatology</i> , 2022 ,	3.5	0
229	Obesity and the Risk of Incident Chronic Opioid Use in Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2021 , 73, 1405-1412	4.7	1
228	The Evolution of Fibromyalgia, Its Concepts, and Criteria <i>Cureus</i> , 2021 , 13, e20010	1.2	O
227	Modified 2016 American College of Rheumatology Fibromyalgia Criteria, the Analgesic, Anesthetic, and Addiction Clinical Trial Translations Innovations Opportunities and Networks-American Pain Society Pain Taxonomy, and the Prevalence of Fibromyalgia. <i>Arthritis Care and Research</i> , 2021 , 73, 617-6	4.7 525	10
226	The relation of fibromyalgia and fibromyalgia symptoms to self-reported seizures. <i>PLoS ONE</i> , 2021 , 16, e0246051	3.7	O
225	Increase in Cannabis Use Among Adults with Rheumatic Diseases: Results from a 2014-2019 US Observational Study. <i>Arthritis Care and Research</i> , 2021 ,	4.7	2
224	Subjective Cognitive Dysfunction in Patients With and Without Fibromyalgia: Prevalence, Predictors, Correlates, and Consequences <i>Cureus</i> , 2021 , 13, e20351	1.2	
223	What high rates of physical and mental comorbidity remind us about fibromyalgia. <i>European Journal of Pain</i> , 2020 , 24, 1423-1424	3.7	
222	All-cause and cause-specific mortality in persons with fibromyalgia and widespread pain: An observational study in 35,248 persons with rheumatoid arthritis, non-inflammatory rheumatic disorders and clinical fibromyalgia. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 1457-1464	5.3	4
221	Reply. Arthritis Care and Research, 2020 , 72, 1509-1510	4.7	
220	The Relation of Physical Comorbidity and Multimorbidity to Fibromyalgia, Widespread Pain, and Fibromyalgia-related Variables. <i>Journal of Rheumatology</i> , 2020 , 47, 624-631	4.1	9
219	Prevalence and overlap of somatic symptom disorder, bodily distress syndrome and fibromyalgia syndrome in the German general population: A cross sectional study. <i>Journal of Psychosomatic Research</i> , 2020 , 133, 110111	4.1	16
218	Serious infection risk in rheumatoid arthritis compared with non-inflammatory rheumatic and musculoskeletal diseases: a US national cohort study. <i>RMD Open</i> , 2019 , 5, e000935	5.9	46
217	Medications associated with fracture risk in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1041-1047	2.4	47
216	The Problematic Nature of Fibromyalgia Diagnosis in the Community. <i>ACR Open Rheumatology</i> , 2019 , 1, 43-51	3.5	21
215	Diagnosis of Fibromyalgia: Disagreement Between Fibromyalgia Criteria and Clinician-Based Fibromyalgia Diagnosis in a University Clinic. <i>Arthritis Care and Research</i> , 2019 , 71, 343-351	4.7	23
214	Letter to the editor, "Fibromyalgia Criteria". <i>Journal of Pain</i> , 2019 , 20, 739-740	5.2	4

(2015-2019)

213	Primary and Secondary Fibromyalgia Are The Same: The Universality of Polysymptomatic Distress. Journal of Rheumatology, 2019 , 46, 204-212	4.1	21
212	Risk of Serious Infection in Patients With Rheumatoid Arthritis Treated With Biologic Versus Nonbiologic Disease-Modifying Antirheumatic Drugs. <i>ACR Open Rheumatology</i> , 2019 , 1, 424-432	3.5	20
211	Revised chronic widespread pain criteria: development from and integration with fibromyalgia criteria. <i>Scandinavian Journal of Pain</i> , 2019 , 20, 77-86	1.9	24
210	Trends and Determinants of Osteoporosis Treatment and Screening in Patients With Rheumatoid Arthritis Compared to Osteoarthritis. <i>Arthritis Care and Research</i> , 2018 , 70, 713-723	4.7	10
209	Fibromyalgia diagnosis and biased assessment: Sex, prevalence and bias. <i>PLoS ONE</i> , 2018 , 13, e0203755	3.7	89
208	Risk of diabetes mellitus associated with disease-modifying antirheumatic drugs and statins in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 848-854	2.4	50
207	A Comparative Evaluation of the 2011 and 2016 Criteria for Fibromyalgia. <i>Journal of Rheumatology</i> , 2017 , 44, 1271-1276	4.1	27
206	No Association of Fibromyalgia and Seronegative Rheumatoid Arthritis-The Need for Uniform Application of Fibromyalgia Criteria in Research Studies: Comment on the Article by Doss et al. <i>Arthritis and Rheumatology</i> , 2017 , 69, 679-680	9.5	5
205	Fibromyalgia Is Overdiagnosed in the General Population: Comment on the Article by Hootman et al. <i>Arthritis and Rheumatology</i> , 2016 , 68, 3043-3044	9.5	1
204	Widespread Pain and Low Widespread Pain Index Scores among Fibromyalgia-positive Cases Assessed with the 2010/2011 Fibromyalgia Criteria. <i>Journal of Rheumatology</i> , 2016 , 43, 1743-8	4.1	27
203	2016 Revisions to the 2010/2011 fibromyalgia diagnostic criteria. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 319-329	5.3	623
202	Three-Quarters of Persons in the US Population Reporting a Clinical Diagnosis of Fibromyalgia Do Not Satisfy Fibromyalgia Criteria: The 2012 National Health Interview Survey. <i>PLoS ONE</i> , 2016 , 11, e015	7235	48
201	Comparison of Physician-Based and Patient-Based Criteria for the Diagnosis of Fibromyalgia. <i>Arthritis Care and Research</i> , 2016 , 68, 652-9	4.7	21
200	The Polysymptomatic Distress Scale Is Simple, Useful, and Effective in Clinical Care and Clinical and Epidemiology Studies. <i>Journal of Rheumatology</i> , 2016 , 43, 454	4.1	3
199	Dr. Wolfe replies. Journal of Rheumatology, 2016 , 43, 453	4.1	
198	Construct validity and clinical utility of current research criteria of DSM-5 somatic symptom disorder diagnosis in patients with fibromyalgia syndrome. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 546-52	4.1	32
197	Dr. Wolfe replies. Journal of Rheumatology, 2015 , 42, 352	4.1	
196	The Use of Polysymptomatic Distress Categories in the Evaluation of Fibromyalgia (FM) and FM Severity. <i>Journal of Rheumatology</i> , 2015 , 42, 1494-501	4.1	42

195	The Prevalence and Characteristics of Fibromyalgia in the 2012 National Health Interview Survey. <i>PLoS ONE</i> , 2015 , 10, e0138024	3.7	133
194	Self-reported childhood maltreatment, lifelong traumatic events and mental disorders in fibromyalgia syndrome: a comparison of US and German outpatients. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S86-92	2.2	16
193	Linking physical function outcomes in rheumatology: performance of a crosswalk for converting Health Assessment Questionnaire scores to Short Form 36 physical functioning scale scores. <i>Arthritis Care and Research</i> , 2014 , 66, 1754-8	4.7	7
192	McLean et al. paper, Incidence and predictors of neck and widespread pain after motor vehicle collision among U.S. litigants and nonlitigants [Pain, 2014, 155, 1416]	8	
191	Polysymptomatic distress in patients with rheumatoid arthritis: understanding disproportionate response and its spectrum. <i>Arthritis Care and Research</i> , 2014 , 66, 1465-71	4.7	32
190	Fibromyalgia and physical trauma: the concepts we invent. <i>Journal of Rheumatology</i> , 2014 , 41, 1737-45	4.1	18
189	The global burden of rheumatoid arthritis: estimates from the global burden of disease 2010 study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1316-22	2.4	613
188	Symptoms, the nature of fibromyalgia, and diagnostic and statistical manual 5 (DSM-5) defined mental illness in patients with rheumatoid arthritis and fibromyalgia. <i>PLoS ONE</i> , 2014 , 9, e88740	3.7	44
187	Social security work disability and its predictors in patients with fibromyalgia. <i>Arthritis Care and Research</i> , 2014 , 66, 1354-63	4.7	23
186	Strong association of health literacy with functional status among rheumatoid arthritis patients: a cross-sectional study. <i>Arthritis Care and Research</i> , 2014 , 66, 508-14	4.7	28
185	Fibromyalgia research criteria. Journal of Rheumatology, 2014 , 41, 187	4.1	14
184	Patient Health Questionnaire 15 as a generic measure of severity in fibromyalgia syndrome: surveys with patients of three different settings. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 307-11	4.1	25
183	Culture, science and the changing nature of fibromyalgia. <i>Nature Reviews Rheumatology</i> , 2013 , 9, 751-5	8.1	36
182	Crosscultural measurement equivalence of the Health Assessment Questionnaire II. <i>Arthritis Care and Research</i> , 2013 , 65, 1000-4	4.7	10
181	The association among childhood maltreatment, somatic symptom intensity, depression, and somatoform dissociative symptoms in patients with fibromyalgia syndrome: a single-center cohort study. <i>Journal of Trauma and Dissociation</i> , 2013 , 14, 342-58	2.8	26
180	The Somatic Symptom Disorder in DSM 5 risks mislabelling people with major medical diseases as mentally ill. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 586-7	4.1	18
179	Fibromyalgia prevalence, somatic symptom reporting, and the dimensionality of polysymptomatic distress: results from a survey of the general population. <i>Arthritis Care and Research</i> , 2013 , 65, 777-85	4.7	266
178	In memoriam - Hugh A. Smythe, 1927-2012. Journal of Rheumatology, 2013, 40, 343-7	4.1	1

(2011-2013)

177	Bisphosphonate use is associated with reduced risk of myocardial infarction in patients with rheumatoid arthritis. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 984-91	6.3	41
176	Prevalence of fibromyalgia: a population-based study in Olmsted County, Minnesota, utilizing the Rochester Epidemiology Project. <i>Arthritis Care and Research</i> , 2013 , 65, 786-92	4.7	205
175	Longitudinal patterns of analgesic and central acting drug use and associated effectiveness in fibromyalgia. <i>European Journal of Pain</i> , 2013 , 17, 581-6	3.7	38
174	The role of antidepressants in the management of fibromyalgia syndrome: a systematic review and meta-analysis. <i>CNS Drugs</i> , 2012 , 26, 297-307	6.7	99
173	Effect of body mass index on mortality and clinical status in rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 1471-9	4.7	93
172	The German fibromyalgia consumer reports - a cross-sectional survey. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 74	2.8	42
171	Validation of the Fibromyalgia Survey Questionnaire within a cross-sectional survey. <i>PLoS ONE</i> , 2012 , 7, e37504	3.7	78
170	Sleep problems and risk of fibromyalgiauntenable conclusions: comment on the article by Mork et al. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1692-3; author reply 1693-4		2
169	Validity and reliability problems with patient global as a component of the ACR/EULAR remission criteria as used in clinical practice. <i>Journal of Rheumatology</i> , 2012 , 39, 1139-45	4.1	50
168	Hearing loss in fibromyalgia? Somatic sensory and non-sensory symptoms in patients with fibromyalgia and other rheumatic disorders. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, 88-93	2.2	12
167	Fibromyalgia diagnosis and diagnostic criteria. <i>Annals of Medicine</i> , 2011 , 43, 495-502	1.5	94
166	The development of fibromyalgiaI: examination of rates and predictors in patients with rheumatoid arthritis (RA). <i>Pain</i> , 2011 , 152, 291-299	8	100
165	Mortality in fibromyalgia: a study of 8,186 patients over thirty-five years. <i>Arthritis Care and Research</i> , 2011 , 63, 94-101	4.7	73
164	How to use the new American College of Rheumatology fibromyalgia diagnostic criteria. <i>Arthritis Care and Research</i> , 2011 , 63, 1073-4	4.7	20
163	American College of Rheumatology/European League Against Rheumatism provisional definition of remission in rheumatoid arthritis for clinical trials. <i>Arthritis and Rheumatism</i> , 2011 , 63, 573-86		520
162	Remission of rheumatoid arthritis in clinical practice: application of the American College of Rheumatology/European League Against Rheumatism 2011 remission criteria. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3204-15		63
161	The National Data Bank for rheumatic diseases: a multi-registry rheumatic disease data bank. <i>Rheumatology</i> , 2011 , 50, 16-24	3.9	91
160	Fibromyalgia criteria and severity scales for clinical and epidemiological studies: a modification of the ACR Preliminary Diagnostic Criteria for Fibromyalgia. <i>Journal of Rheumatology</i> , 2011 , 38, 1113-22	4.1	853

159	The longitudinal outcome of fibromyalgia: a study of 1555 patients. <i>Journal of Rheumatology</i> , 2011 , 38, 2238-46	4.1	102
158	Response to letter from Dr Toda. Annals of Medicine, 2011, 43, 661-661	1.5	
157	Do we need core sets of fibromyalgia domains? The assessment of fibromyalgia (and other rheumatic disorders) in clinical practice. <i>Journal of Rheumatology</i> , 2011 , 38, 1104-12	4.1	15
156	Treatment and nontreatment predictors of health assessment questionnaire disability progression in rheumatoid arthritis: a longitudinal study of 18,485 patients. <i>Arthritis Care and Research</i> , 2011 , 63, 366-72	4.7	31
155	The Hawthorne effect, sponsored trials, and the overestimation of treatment effectiveness. Journal of Rheumatology, 2010 , 37, 2216-20	4.1	38
154	Scale characteristics and mapping accuracy of the US EQ-5D, UK EQ-5D, and SF-6D in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2010 , 37, 1615-25	4.1	15
153	EQ-5D and SF-36 quality of life measures in systemic lupus erythematosus: comparisons with rheumatoid arthritis, noninflammatory rheumatic disorders, and fibromyalgia. <i>Journal of Rheumatology</i> , 2010 , 37, 296-304	4.1	79
152	Chronic conditions and health problems in rheumatic diseases: comparisons with rheumatoid arthritis, noninflammatory rheumatic disorders, systemic lupus erythematosus, and fibromyalgia. <i>Journal of Rheumatology</i> , 2010 , 37, 305-15	4.1	105
151	Rheumatoid arthritis. Lancet, The, 2010, 376, 1094-108	40	2155
150	The loss of health status in rheumatoid arthritis and the effect of biologic therapy: a longitudinal observational study. <i>Arthritis Research and Therapy</i> , 2010 , 12, R35	5.7	44
149	Infections requiring hospitalization in the abatacept clinical development program: an epidemiological assessment. <i>Arthritis Research and Therapy</i> , 2010 , 12, R67	5.7	47
148	Rates and predictors of hydroxychloroquine retinal toxicity in patients with rheumatoid arthritis and systemic lupus erythematosus. <i>Arthritis Care and Research</i> , 2010 , 62, 775-84	4.7	184
147	The American College of Rheumatology preliminary diagnostic criteria for fibromyalgia and measurement of symptom severity. <i>Arthritis Care and Research</i> , 2010 , 62, 600-10	4.7	2215
146	New American College of Rheumatology criteria for fibromyalgia: a twenty-year journey. <i>Arthritis Care and Research</i> , 2010 , 62, 583-4	4.7	95
145	Development and initial validation of a self-assessed lupus organ damage instrument. <i>Arthritis Care and Research</i> , 2010 , 62, 559-68	4.7	33
144	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Phase 2 methodological report. <i>Arthritis and Rheumatism</i> , 2010 , 62, 25	82-91	182
143	2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2569-81		4825
142	Fibromyalgia wars. <i>Journal of Rheumatology</i> , 2009 , 36, 671-8	4.1	83

(2008-2009)

Proposed metrics for the determination of rheumatoid arthritis outcome and treatment success and failure. <i>Journal of Rheumatology</i> , 2009 , 36, 27-33	4.1	18
Remission in rheumatoid arthritis: physician and patient perspectives. <i>Journal of Rheumatology</i> , 2009 , 36, 930-3	4.1	17
Is fatigue an inflammatory variable in rheumatoid arthritis (RA)? Analyses of fatigue in RA, osteoarthritis, and fibromyalgia. <i>Journal of Rheumatology</i> , 2009 , 36, 2788-94	4.1	58
Outcome and predictor relationships in fibromyalgia and rheumatoid arthritis: evidence concerning the continuum versus discrete disorder hypothesis. <i>Journal of Rheumatology</i> , 2009 , 36, 831-6	4.1	25
The many myths of erythrocyte sedimentation rate and C-reactive protein. <i>Journal of Rheumatology</i> , 2009 , 36, 1568-9	4.1	21
Current risk factors for work disability associated with rheumatoid arthritis: recent data from a US national cohort. <i>Arthritis and Rheumatism</i> , 2009 , 61, 321-8		51
Predicting depression in rheumatoid arthritis: the signal importance of pain extent and fatigue, and comorbidity. <i>Arthritis and Rheumatism</i> , 2009 , 61, 667-73		137
Out-of-pocket expenses and their burden in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1563-70		29
Fibromyalgia, systemic lupus erythematosus (SLE), and evaluation of SLE activity. <i>Journal of Rheumatology</i> , 2009 , 36, 82-8	4.1	67
Cryopyrin-associated periodic syndromes: development of a patient-reported outcomes instrument to assess the pattern and severity of clinical disease activity. <i>Current Medical Research and Opinion</i> , 2008 , 24, 2531-43	2.5	12
The challenges of determining RA disease activity and remission in clinical practice. <i>Nature Clinical Practice Rheumatology</i> , 2008 , 4, 462-3		3
Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part II. <i>Arthritis and Rheumatism</i> , 2008 , 58, 26-35		2961
Double-blind trial of recombinant gamma-interferon versus placebo in the treatment of rheumatoid arthritis. 1989. <i>Arthritis and Rheumatism</i> , 2008 , 58, S79-88		7
Contemporary prevalence and incidence of work disability associated with rheumatoid arthritis in the US. <i>Arthritis and Rheumatism</i> , 2008 , 59, 474-80		62
The risk of myocardial infarction and pharmacologic and nonpharmacologic myocardial infarction predictors in rheumatoid arthritis: a cohort and nested case-control analysis. <i>Arthritis and Rheumatism</i> , 2008 , 58, 2612-21		127
Evaluation of the effect of anti-tumor necrosis factor agent use on rheumatoid arthritis work disability: the jury is still out. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1082-9		39
Cardiovascular, rheumatologic, and pharmacologic predictors of stroke in patients with rheumatoid arthritis: a nested, case-control study. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1090-6		92
The problem of rheumatoid arthritis disease activity and remission in clinical practice. <i>Journal of Rheumatology</i> , 2008 , 35, 1015-22	4.1	39
	and failure. Journal of Rheumatology, 2009, 36, 27-33 Remission in rheumatoid arthritis: physician and patient perspectives. Journal of Rheumatology, 2009, 36, 930-3 Is fatigue an inflammatory variable in rheumatoid arthritis (RA)? Analyses of fatigue in RA, osteoarthritis, and fibromyalgia. Journal of Rheumatology, 2009, 36, 2788-94 Outcome and predictor relationships in fibromyalgia and rheumatoid arthritis: evidence concerning the continuum versus discrete disorder hypothesis. Journal of Rheumatology, 2009, 36, 831-6 The many myths of erythrocyte sedimentation rate and C-reactive protein. Journal of Rheumatology, 2009, 36, 1568-9 Current risk factors for work disability associated with rheumatoid arthritis: recent data from a US national cohort. Arthritis and Rheumatism, 2009, 61, 321-8 Predicting depression in rheumatoid arthritis: the signal importance of pain extent and fatigue, and comorbidity. Arthritis and Rheumatism, 2009, 61, 667-73 Out-of-pocket expenses and their burden in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2009, 61, 1563-70 Fibromyalgia, systemic lupus erythematosus (SLE), and evaluation of SLE activity. Journal of Rheumatology, 2009, 36, 82-8 Cryopytin-associated periodic syndromes: development of a patient-reported outcomes instrument to assess the patiern and severity of clinical disease activity. Current Medical Research and Opinion, 2008, 24, 2531-43 The challenges of determining RA disease activity and remission in clinical practice. Nature Clinical Practice Rheumatology, 2008, 4, 462-3 Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part II. Arthritis and Rheumatism, 2008, 58, 579-88 Contemporary prevalence and incidence of work disability associated with rheumatoid arthritis in the US. Arthritis and Rheumatism, 2008, 59, 474-80 The risk of myocardial infarction and pharmacologic and nonpharmacologic myocardial infarction predictors in rheumatoid arthritis: a cohort and nested case-control analysis. Arthri	And failure. Journal of Rheumatology, 2009, 36, 27-33 Remission in rheumatoid arthritis: physician and patient perspectives. Journal of Rheumatology, 2009, 36, 930-3 Is fatigue an inflammatory variable in rheumatoid arthritis (RA)? Analyses of fatigue in RA, osteoarthritis, and fibromyalgia. Journal of Rheumatology, 2009, 36, 2788-94 Qutcome and predictor relationships in fibromyalgia and rheumatoid arthritis: evidence concerning the continum versus discrete disorder hypothesis. Journal of Rheumatology, 2009, 36, 834-6 The many myths of erythrocyte sedimentation rate and C-reactive protein. Journal of Rheumatology, 2009, 36, 1568-9 Current risk factors for work disability associated with rheumatoid arthritis: recent data from a US national cohort. Arthritis and Rheumatism, 2009, 61, 321-8 Predicting depression in rheumatoid arthritis: the signal importance of pain extent and fatigue, and comorbidity. Arthritis and Rheumatism, 2009, 61, 667-73 Out-of-pocket expenses and their burden in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2009, 61, 1563-70 Fibromyalgia, systemic lupus erythematosus (SLE), and evaluation of SLE activity. Journal of Rheumatology, 2009, 36, 82-8 Cryopyrin-associated periodic syndromes: development of a patient-reported outcomes instrument to assess the pattern and severity of clinical disease activity. Current Medical Research and Opinion, 2008, 24, 2531-43 Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part II. Arthritis and Rheumatism, 2008, 58, 26-35 Double-blind trial of recombinant gamma-interferon versus placebo in the treatment of rheumatoid arthritis. 1989. Arthritis and Rheumatism, 2008, 58, 579-88 Contemporary prevalence and incidence of work disability associated with rheumatoid arthritis in the US. Arthritis and Rheumatism, 2008, 59, 1082-9 Cardiovascular, rheumatologic, and pharmacologic predictors of stroke in patients with rheumatoid arthritis and Rheumatism, 2008, 59, 1090-6 The problem of rheumato

123	Prevalence, risk, and risk factors for oral and ocular dryness with particular emphasis on rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2008 , 35, 1023-30	4.1	18
122	Cost-effectiveness of abatacept in patients with moderately to severely active rheumatoid arthritis and inadequate response to tumor necrosis factor-alpha antagonists. <i>Journal of Rheumatology</i> , 2008 , 35, 1745-53	4.1	30
121	The effect of methotrexate and anti-tumor necrosis factor therapy on the risk of lymphoma in rheumatoid arthritis in 19,562 patients during 89,710 person-years of observation. <i>Arthritis and Rheumatism</i> , 2007 , 56, 1433-9		279
120	Interaction between smoking, the shared epitope, and anti-cyclic citrullinated peptide: a mixed picture in three large North American rheumatoid arthritis cohorts. <i>Arthritis and Rheumatism</i> , 2007 , 56, 1745-53		132
119	Resistance of rheumatoid arthritis patients to changing therapy: discordance between disease activity and patients' treatment choices. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2135-42		98
118	Biologic treatment of rheumatoid arthritis and the risk of malignancy: analyses from a large US observational study. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2886-95		425
117	Minimal disease activity, remission, and the long-term outcomes of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 935-42		51
116	Comorbidities in rheumatoid arthritis. Best Practice and Research in Clinical Rheumatology, 2007, 21, 88	5- 9 .96	252
115	Rheumatoid arthritis treatment and the risk of severe interstitial lung disease. <i>Scandinavian Journal of Rheumatology</i> , 2007 , 36, 172-8	1.9	74
114	Corticosteroid use in rheumatoid arthritis: prevalence, predictors, correlates, and outcomes. <i>Journal of Rheumatology</i> , 2007 , 34, 696-705	4.1	71
113	The effect of low-dose aspirin on the decreased risk of development of dyspepsia and gastrointestinal ulcers associated to cyclooxygenase-2 selective inhibitors. <i>Journal of Rheumatology</i> , 2007 , 34, 1765-9	4.1	3
112	Assessment of pain in rheumatoid arthritis: minimal clinically significant difference, predictors, and the effect of anti-tumor necrosis factor therapy. <i>Journal of Rheumatology</i> , 2007 , 34, 1674-83	4.1	97
111	The prevalence and incidence of work disability in rheumatoid arthritis, and the effect of anti-tumor necrosis factor on work disability. <i>Journal of Rheumatology</i> , 2007 , 34, 2211-7	4.1	44
110	The potentials and challenges of patient registries. Acta Reumatolgica Portuguesa, 2007, 32, 313-5	0.7	
109	Fibromyalgia diagnosis: a comparison of clinical, survey, and American College of Rheumatology criteria. <i>Arthritis and Rheumatism</i> , 2006 , 54, 169-76		143
108	Medicare coverage of tumor necrosis factor alpha inhibitors as an influence on physicians' prescribing behavior. <i>Archives of Internal Medicine</i> , 2006 , 166, 57-63		35
107	Treatment for rheumatoid arthritis and the risk of hospitalization for pneumonia: associations with prednisone, disease-modifying antirheumatic drugs, and anti-tumor necrosis factor therapy. <i>Arthritis and Rheumatism</i> , 2006 , 54, 628-34		367
106	Gastrointestinal prophylactic therapy among patients with arthritis treated by rheumatology specialists. <i>Journal of Rheumatology</i> , 2006 , 33, 779-84	4.1	6

105	Anemia and renal function in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2006 , 33, 157	164-32	39
104	The Symptom Intensity Scale, fibromyalgia, and the meaning of fibromyalgia-like symptoms. <i>Journal of Rheumatology</i> , 2006 , 33, 2291-9	4.1	53
103	Can severity be predicted by treatment variables in rheumatoid arthritis administrative data bases?. <i>Journal of Rheumatology</i> , 2006 , 33, 1952-6	4.1	9
102	Sleep disturbance in patients with rheumatoid arthritis: evaluation by medical outcomes study and visual analog sleep scales. <i>Journal of Rheumatology</i> , 2006 , 33, 1942-51	4.1	101
101	The association of rheumatoid arthritis and its treatment with sinus disease. <i>Journal of Rheumatology</i> , 2006 , 33, 2412-5	4.1	16
100	Replication of putative candidate-gene associations with rheumatoid arthritis in >4,000 samples from North America and Sweden: association of susceptibility with PTPN22, CTLA4, and PADI4. <i>American Journal of Human Genetics</i> , 2005 , 77, 1044-60	11	432
99	Effects of doxycycline on progression of osteoarthritis: results of a randomized, placebo-controlled, double-blind trial. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2015-25		211
98	Work disability and its economic effect on 55-64-year-old adults with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2005 , 53, 603-8		57
97	Radiographic benefit without clinical improvement in infliximab-treated patients with rheumatoid arthritis: comment on the article by Smolen et al. <i>Arthritis and Rheumatism</i> , 2005 , 52, 4044-5; author reply 4045-7		6
96	The disease activity score is not suitable as the sole criterion for initiation and evaluation of anti-tumor necrosis factor therapy in the clinic: discordance between assessment measures and limitations in questionnaire use for regulatory purposes. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3873-9		47
95	Patient questionnaires for clinical research and improved standard patient care: is it better to have 80% of the information in 100% of patients or 100% of the information in 5% of patients?. <i>Journal of Rheumatology</i> , 2005 , 32, 575-7	4.1	26
94	Expanding the definition of clinical differences: from minimally clinically important differences to really important differences. Analyses in 8931 patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 583-9	4.1	46
93	Work limitations among working persons with rheumatoid arthritis: results, reliability, and validity of the work limitations questionnaire in 836 patients. <i>Journal of Rheumatology</i> , 2005 , 32, 1006-12	4.1	56
92	Comorbid depression is an independent risk factor for mortality in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1013-9	4.1	164
91	Preliminary evaluation of a visual analog function scale for use in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1261-6	4.1	23
90	Severity of joint pain and Kellgren-Lawrence grade at baseline are better predictors of joint space narrowing than bone scintigraphy in obese women with knee osteoarthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1540-6	4.1	25
89	Steroids for rheumatoid arthritis: the honeymoon revisited (once again). <i>Journal of Rheumatology</i> , 2005 , 32, 1863-5	4.1	3
88	Household income and earnings losses among 6,396 persons with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1875-83	4.1	59

87	Skin cancer, rheumatoid arthritis, and tumor necrosis factor inhibitors. <i>Journal of Rheumatology</i> , 2005 , 32, 2130-5	4.1	139
86	Why the HAQ-II can be an effective substitute for the HAQ. <i>Clinical and Experimental Rheumatology</i> , 2005 , 23, S29-30	2.2	4
85	A brief introduction to the National Data Bank for Rheumatic Diseases. <i>Clinical and Experimental Rheumatology</i> , 2005 , 23, S168-71	2.2	23
84	A composite disease activity scale for clinical practice, observational studies, and clinical trials: the patient activity scale (PAS/PAS-II). <i>Journal of Rheumatology</i> , 2005 , 32, 2410-5	4.1	80
83	Jaw pain: its prevalence and meaning in patients with rheumatoid arthritis, osteoarthritis, and fibromyalgia. <i>Journal of Rheumatology</i> , 2005 , 32, 2421-8	4.1	20
82	Controlling for Time-dependent Confounding using Marginal Structural Models. <i>The Stata Journal</i> , 2004 , 4, 402-420	3.5	135
81	Tuberculosis infection in patients with rheumatoid arthritis and the effect of infliximab therapy. <i>Arthritis and Rheumatism</i> , 2004 , 50, 372-9		325
80	Lymphoma in rheumatoid arthritis: the effect of methotrexate and anti-tumor necrosis factor therapy in 18,572 patients. <i>Arthritis and Rheumatism</i> , 2004 , 50, 1740-51		699
79	Development and validation of the health assessment questionnaire II: a revised version of the health assessment questionnaire. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3296-305		202
78	Data collection, maintenance, and analysis for rheumatic disease research. <i>Rheumatic Disease Clinics of North America</i> , 2004 , 30, 753-68, vi	2.4	5
77	Heart failure in rheumatoid arthritis: rates, predictors, and the effect of anti-tumor necrosis factor therapy. <i>American Journal of Medicine</i> , 2004 , 116, 305-11	2.4	294
76	Rheumatology grand rounds at rush: patient self-report data are key to better patient care. <i>Journal of Clinical Rheumatology</i> , 2004 , 10, 347-9	1.1	1
75	Longer use of COX-2-specific inhibitors compared to nonspecific nonsteroidal antiinflammatory drugs: a longitudinal study of 3639 patients in community practice. <i>Journal of Rheumatology</i> , 2004 , 31, 355-8	4.1	14
74	A short history of data banking in the United States from 1974 to 2003. <i>Journal of rheumatology Supplement, The</i> , 2004 , 69, 41-5		2
73	Severe rheumatoid arthritis (RA), worse outcomes, comorbid illness, and sociodemographic disadvantage characterize ra patients with fibromyalgia. <i>Journal of Rheumatology</i> , 2004 , 31, 695-700	4.1	148
72	Variability of precision in scoring radiographic abnormalities in rheumatoid arthritis by experienced readers. <i>Journal of Rheumatology</i> , 2004 , 31, 1062-72	4.1	34
71	Blood pressure destabilization and edema among 8538 users of celecoxib, rofecoxib, and nonselective nonsteroidal antiinflammatory drugs (NSAID) and nonusers of NSAID receiving ordinary clinical care. <i>Journal of Rheumatology</i> , 2004 , 31, 1143-51	4.1	32
70	Infliximab dose and clinical status: results of 2 studies in 1642 patients with rheumatoid arthritis. Journal of Rheumatology, 2004 , 31, 1538-45	4.1	31

(2002-2004)

69	Depression and fibromyalgia: treatment and cost when diagnosed separately or concurrently. <i>Journal of Rheumatology</i> , 2004 , 31, 1621-9	4.1	32
68	Fatigue assessments in rheumatoid arthritis: comparative performance of visual analog scales and longer fatigue questionnaires in 7760 patients. <i>Journal of Rheumatology</i> , 2004 , 31, 1896-902	4.1	140
67	Fatigue, rheumatoid arthritis, and anti-tumor necrosis factor therapy: an investigation in 24,831 patients. <i>Journal of Rheumatology</i> , 2004 , 31, 2115-20	4.1	57
66	The Short Arthritis Assessment Scale: a brief assessment questionnaire for rapid evaluation of arthritis severity in research and clinical practice. <i>Journal of Rheumatology</i> , 2004 , 31, 2472-9	4.1	4
65	Patient perception of the burden of weight gain and blood pressure increase among RA patients using celecoxib, rofecoxib, and non-specific NSAIDs. <i>Journal of Clinical Rheumatology</i> , 2003 , 9, 344-53	1.1	4
64	The assessment of rheumatoid arthritis and the acceptability of self-report questionnaires in clinical practice. <i>Arthritis and Rheumatism</i> , 2003 , 49, 59-63		42
63	Predicting mortality in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 1530-42		203
62	Direct medical costs and their predictors in patients with rheumatoid arthritis: a three-year study of 7,527 patients. <i>Arthritis and Rheumatism</i> , 2003 , 48, 2750-62		206
61	Increase in cardiovascular and cerebrovascular disease prevalence in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2003 , 30, 36-40	4.1	213
60	Pain extent and diagnosis: development and validation of the regional pain scale in 12,799 patients with rheumatic disease. <i>Journal of Rheumatology</i> , 2003 , 30, 369-78	4.1	92
59	Stop using the American College of Rheumatology criteria in the clinic. <i>Journal of Rheumatology</i> , 2003 , 30, 1671-2	4.1	65
58	Toward a definition and method of assessment of treatment failure and treatment effectiveness: the case of leflunomide versus methotrexate. <i>Journal of Rheumatology</i> , 2003 , 30, 1725-32	4.1	20
57	HLA-DRB1 genotype associations in 793 white patients from a rheumatoid arthritis inception cohort: frequency, severity, and treatment bias. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2320-9		76
56	The determination and measurement of functional disability in rheumatoid arthritis. <i>Arthritis Research</i> , 2002 , 4 Suppl 2, S11-5		12
55	Methotrexate and mortality in patients with rheumatoid arthritis: a prospective study. <i>Lancet, The</i> , 2002 , 359, 1173-7	40	809
54	Methotrexate treatment and mortality in rheumatoid arthritis. <i>Lancet, The</i> , 2002 , 360, 1097-1098	40	3
53	The longterm outcome of osteoarthritis: rates and predictors of joint space narrowing in symptomatic patients with knee osteoarthritis. <i>Journal of Rheumatology</i> , 2002 , 29, 139-46	4.1	57
52	Gastroprotective therapy and risk of gastrointestinal ulcers: risk reduction by COX-2 therapy. <i>Journal of Rheumatology</i> , 2002 , 29, 467-73	4.1	38

51	Increase in lifetime adverse drug reactions, service utilization, and disease severity among patients who will start COX-2 specific inhibitors: quantitative assessment of channeling bias and confounding by indication in 6689 patients with rheumatoid arthritis and osteoarthritis. <i>Journal of</i>	4.1	45
50	Rheumatology, 2002, 29, 1015-22 The psychometrics of functional status questionnaires: room for improvement. <i>Journal of Rheumatology</i> , 2002, 29, 865-8	4.1	11
49	The effect of health related quality of life on reported use of health care resources in patients with osteoarthritis and rheumatoid arthritis: a longitudinal analysis. <i>Journal of Rheumatology</i> , 2002 , 29, 114	7- 3 : 5	47
48	Radiographic methods in knee osteoarthritis: a further comparison of semiflexed (MTP), schuss-tunnel, and weight-bearing anteroposterior views for joint space narrowing and osteophytes. <i>Journal of Rheumatology</i> , 2002 , 29, 2597-601	4.1	18
47	Radiography of rheumatoid arthritis in the time of increasing drug effectiveness. <i>Current Rheumatology Reports</i> , 2001 , 3, 46-52	4.9	8
46	Benchmarking and the percentile assessment of RA: adding a new dimension to rheumatic disease measurement. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 994-5	2.4	5
45	Evaluating severity and status in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2001 , 28, 1453-62	4.1	24
44	Starting a disease modifying antirheumatic drug or a biologic agent in rheumatoid arthritis: standards of practice for RA treatment. <i>Journal of Rheumatology</i> , 2001 , 28, 1704-11	4.1	15
43	Evaluation and documentation of rheumatoid arthritis disease status in the clinic: which variables best predict change in therapy. <i>Journal of Rheumatology</i> , 2001 , 28, 1712-7	4.1	27
42	The level of inflammation in rheumatoid arthritis is determined early and remains stable over the longterm course of the illness. <i>Journal of Rheumatology</i> , 2001 , 28, 1817-24	4.1	38
41	A reappraisal of HAQ disability in rheumatoid arthritis. Arthritis and Rheumatism, 2000, 43, 2751-61		138
40	Assessing radiographic status of rheumatoid arthritis: introduction of a short erosion scale. <i>Journal of Rheumatology</i> , 2000 , 27, 2090-9	4.1	21
39	Listening to the patient: a practical guide to self-report questionnaires in clinical care. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1797-808		114
38	Toward a multidimensional Health Assessment Questionnaire (MDHAQ): assessment of advanced activities of daily living and psychological status in the patient-friendly health assessment questionnaire format. <i>Arthritis and Rheumatism</i> , 1999 , 42, 2220-30		291
37	Altered nociception, but not fibromyalgia, after cervical spine injury: comment on the article by Buskila et al. <i>Arthritis and Rheumatism</i> , 1998 , 41, 183-4		3
36	The long-term outcomes of rheumatoid arthritis: a 23-year prospective, longitudinal study of total joint replacement and its predictors in 1,600 patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1998 , 41, 1072-82		220
35	Radiographic outcome of recent-onset rheumatoid arthritis: a 19-year study of radiographic progression. <i>Arthritis and Rheumatism</i> , 1998 , 41, 1571-82		217
34	Fatigue and Musculoskeletal Pain. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 1997 , 8, 101-111	2.3	10

33	Increased rates of fibromyalgia following cervical spine injury. A controlled study of 161 cases of traumatic injury. <i>Arthritis and Rheumatism</i> , 1997 , 40, 446-52		279
32	A prospective, longitudinal, multicenter study of service utilization and costs in fibromyalgia. <i>Arthritis and Rheumatism</i> , 1997 , 40, 1560-70		269
31	Fibromyalgia and work disability: Is Fibromyalgia a disabling disorder?. <i>Rheumatic Disease Clinics of North America</i> , 1996 , 22, 369-91	2.4	32
30	Reply to J.E.L. Owen. <i>Pain</i> , 1995 , 62, 126	8	
29	The Future of Fibromyalgia:. Journal of Musculoskeletal Pain, 1995, 3, 3-15		4
28	The epidemiology of drug treatment failure in rheumatoid arthritis. <i>Bailliereus Clinical Rheumatology</i> , 1995 , 9, 619-32		97
27	The prevalence and characteristics of fibromyalgia in the general population. <i>Arthritis and Rheumatism</i> , 1995 , 38, 19-28		1569
26	American College of Rheumatology. Preliminary definition of improvement in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1995 , 38, 727-35		2250
25	DATA COLLECTION IN THE CLINIC. Rheumatic Disease Clinics of North America, 1995 , 21, 321-358	2.4	22
24	A DATABASE FOR RHEUMATOID ARTHRITIS. Rheumatic Disease Clinics of North America, 1995 , 21, 481	-5 0 04	3
24	A DATABASE FOR RHEUMATOID ARTHRITIS. Rheumatic Disease Clinics of North America, 1995, 21, 481. Fibromyalgia in the adult Danish population. Scandinavian Journal of Rheumatology, 1994, 23, 55-6	1.9	<i>3</i>
23	Fibromyalgia in the adult Danish population. <i>Scandinavian Journal of Rheumatology</i> , 1994 , 23, 55-6		5
23	Fibromyalgia in the adult Danish population. <i>Scandinavian Journal of Rheumatology</i> , 1994 , 23, 55-6 Fibromyalgia:. <i>Journal of Musculoskeletal Pain</i> , 1994 , 2, 23-39		5
23	Fibromyalgia in the adult Danish population. <i>Scandinavian Journal of Rheumatology</i> , 1994 , 23, 55-6 Fibromyalgia:. <i>Journal of Musculoskeletal Pain</i> , 1994 , 2, 23-39 The mortality of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1994 , 37, 481-94 Effect of light and season on pain and depression in subjects with rheumatic disorders. <i>Pain</i> , 1994 ,	1.9	5 10 1029
23 22 21 20	Fibromyalgia in the adult Danish population. <i>Scandinavian Journal of Rheumatology</i> , 1994 , 23, 55-6 Fibromyalgia:. <i>Journal of Musculoskeletal Pain</i> , 1994 , 2, 23-39 The mortality of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1994 , 37, 481-94 Effect of light and season on pain and depression in subjects with rheumatic disorders. <i>Pain</i> , 1994 , 59, 227-234	1.9	5 10 1029 16
23 22 21 20	Fibromyalgia in the adult Danish population. <i>Scandinavian Journal of Rheumatology</i> , 1994 , 23, 55-6 Fibromyalgia:. <i>Journal of Musculoskeletal Pain</i> , 1994 , 2, 23-39 The mortality of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1994 , 37, 481-94 Effect of light and season on pain and depression in subjects with rheumatic disorders. <i>Pain</i> , 1994 , 59, 227-234 Aspects of the Epidemiology of Fibromyalgia. <i>Journal of Musculoskeletal Pain</i> , 1994 , 2, 65-77	1.9	5 10 1029 16

15	Disability and the Dimensions of Distress in Fibromyalgia. Journal of Musculoskeletal Pain, 1993, 1, 65-8	7	10
14	Clinical, laboratory, and radiographic assessments. Current Opinion in Rheumatology, 1993 , 5, 138-45	5.3	3
13	The Epidemilogy of Fibromyalgia. <i>Journal of Musculoskeletal Pain</i> , 1993 , 1, 137-148		40
12	The American College of Rheumatology preliminary core set of disease activity measures for rheumatoid arthritis clinical trials. The Committee on Outcome Measures in Rheumatoid Arthritis Clinical Trials. <i>Arthritis and Rheumatism</i> , 1993 , 36, 729-40		1228
11	The use of classification criteria in the diagnosis of rheumatoid arthritis: comment on the article by Katz and Liang. <i>Arthritis and Rheumatism</i> , 1992 , 35, 844		1
10	The latex test revisited. Rheumatoid factor testing in 8,287 rheumatic disease patients. <i>Arthritis and Rheumatism</i> , 1991 , 34, 951-60		78
9	The American College of Rheumatology 1990 Criteria for the Classification of Fibromyalgia. Report of the Multicenter Criteria Committee. <i>Arthritis and Rheumatism</i> , 1990 , 33, 160-72		6494
8	Multicenter study of recombinant human erythropoietin in correction of anemia in rheumatoid arthritis. <i>American Journal of Medicine</i> , 1990 , 89, 161-8	2.4	203
7	A multicenter study of annual health service utilization and costs in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1986 , 29, 488-93		130
6	A multicenter study of hospitalization in rheumatoid arthritis. Frequency, medical-surgical admissions, and charges. <i>Arthritis and Rheumatism</i> , 1986 , 29, 614-9		66
5	Impact of specific therapy upon rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1986 , 29, 620-7		35
4	Socioeconomic impact of fibrositis. A study of 81 patients with primary fibrositis. <i>American Journal of Medicine</i> , 1986 , 81, 78-84	2.4	68
3	Development of criteria for the diagnosis of fibrositis. <i>American Journal of Medicine</i> , 1986 , 81, 99-104	2.4	40
2	Tender point count. <i>Arthritis and Rheumatism</i> , 1985 , 28, 479		4
1	American Rheumatism Association nomenclature and classification of arthritis and rheumatism (1983). <i>Arthritis and Rheumatism</i> , 1983 , 26, 1029-32		52