

Wolfgang Poller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3738912/wolfgang-poller-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

7,123
citations

42
h-index

84
g-index

105
ext. papers

8,216
ext. citations

8.3
avg, IF

5.09
L-index

#	Paper	IF	Citations
101	A novel Troponin I mutation associated with severe restrictive cardiomyopathy-a case report of a 27-year-old woman with fatigue.. <i>European Heart Journal - Case Reports</i> , 2022 , 6, ytac053	0.9	0
100	Eosinophilic granulomatosis with polyangiitis (EGPA) with low activity EBV replication during the COVID 19 pandemic.. <i>IJC Heart and Vasculature</i> , 2022 , 39, 100968	2.4	
99	Missense Variant E1295K of Sodium Channel SCN5A Associated With Recurrent Ventricular Fibrillation and Myocardial Inflammation.. <i>JACC: Case Reports</i> , 2022 , 4, 280-286	1.2	1
98	Severe heart failure in the setting of inflammatory cardiomyopathy with likely pathogenic titin variant.. <i>IJC Heart and Vasculature</i> , 2022 , 39, 100969	2.4	
97	Cardiovascular consequences of viral infections: from COVID to other viral diseases. <i>Cardiovascular Research</i> , 2021 , 117, 2610-2623	9.9	3
96	Increased risk of severe clinical course of COVID-19 in carriers of HLA-C*04:01. <i>EClinicalMedicine</i> , 2021 , 40, 101099	11.3	9
95	Familial Recurrent Myocarditis Triggered by Exercise in Patients With a Truncating Variant of the Desmoplakin Gene. <i>Journal of the American Heart Association</i> , 2020 , 9, e015289	6	19
94	Impact of the Gut Microbiota on Atorvastatin Mediated Effects on Blood Lipids. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
93	Virome Sequencing in Patients With Myocarditis. <i>Circulation: Heart Failure</i> , 2020 , 13, e007103	7.6	7
92	From traditional pharmacological towards nucleic acid-based therapies for cardiovascular diseases. <i>European Heart Journal</i> , 2020 , 41, 3884-3899	9.5	29
91	Protein modification with ISG15 blocks coxsackievirus pathology by antiviral and metabolic reprogramming. <i>Science Advances</i> , 2020 , 6, eaay1109	14.3	10
90	Long noncoding RNA NEAT1 modulates immune cell functions and is suppressed in early onset myocardial infarction patients. <i>Cardiovascular Research</i> , 2019 , 115, 1886-1906	9.9	51
89	Immune system-mediated atherosclerosis caused by deficiency of long non-coding RNA MALAT1 in ApoE-/-mice. <i>Cardiovascular Research</i> , 2019 , 115, 302-314	9.9	62
88	Multimodality Imaging Reveals Divergent Responses of Left and Right Heart to Treatment in Cardiac Amyloidosis. <i>JACC: Case Reports</i> , 2019 , 1, 360-366	1.2	0
87	Hematopoietic Deficiency of the Long Noncoding RNA MALAT1 Promotes Atherosclerosis and Plaque Inflammation. <i>Circulation</i> , 2019 , 139, 1320-1334	16.7	103
86	The forkhead transcription factor Foxo3 negatively regulates natural killer cell function and viral clearance in myocarditis. <i>European Heart Journal</i> , 2018 , 39, 876-887	9.5	12
85	Non-coding RNAs in cardiovascular diseases: diagnostic and therapeutic perspectives. <i>European Heart Journal</i> , 2018 , 39, 2704-2716	9.5	168

84	Cardiovascular Involvement in Chronic Hepatitis C Virus Infections - Insight from Novel Antiviral Therapies. <i>Journal of Clinical and Translational Hepatology</i> , 2018 , 6, 161-167	5.2	7
83	High incidence of cardiac dysfunction and response to antiviral treatment in patients with chronic hepatitis C virus infection. <i>Clinical Research in Cardiology</i> , 2017 , 106, 551-556	6.1	15
82	Silencing Genes in the Heart. <i>Methods in Molecular Biology</i> , 2017 , 1521, 17-39	1.4	3
81	High Perforin-Positive Cardiac Cell Infiltration and Male Sex Predict Adverse Long-Term Mortality in Patients With Inflammatory Cardiomyopathy. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	8
80	Adiponectin attenuates profibrotic extracellular matrix remodeling following cardiac injury by up-regulating matrix metalloproteinase 9 expression in mice. <i>Physiological Reports</i> , 2017 , 5, e13523	2.6	12
79	Long-term outcome of patients with virus-negative chronic myocarditis or inflammatory cardiomyopathy after immunosuppressive therapy. <i>Clinical Research in Cardiology</i> , 2016 , 105, 1011-1020	6.1	50
78	Long noncoding RNA MALAT1-derived mascRNA is involved in cardiovascular innate immunity. <i>Journal of Molecular Cell Biology</i> , 2016 , 8, 178-81	6.3	39
77	Identification of novel antigens contributing to autoimmunity in cardiovascular diseases. <i>Clinical Immunology</i> , 2016 , 173, 64-75	9	9
76	Differential Cardiac MicroRNA Expression Predicts the Clinical Course in Human Enterovirus Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2015 , 8, 605-18	7.6	21
75	Nicotinamide phosphoribosyltransferase/pre-B-cell colony enhancing factor/visfatin plasma levels and clinical outcome in patients with dilated cardiomyopathy. <i>Journal of Cardiac Failure</i> , 2015 , 21, 330-8	3.3	5
74	Combination of RNA interference and virus receptor trap exerts additive antiviral activity in coxsackievirus B3-induced myocarditis in mice. <i>Journal of Infectious Diseases</i> , 2015 , 211, 613-22	7	14
73	Systemic overexpression of matricellular protein CCN1 exacerbates obliterative bronchiolitis in mouse tracheal allografts. <i>Transplant International</i> , 2015 , 28, 1416-25	3	6
72	Chromosomally integrated human herpesvirus 6 in heart failure: prevalence and treatment. <i>European Journal of Heart Failure</i> , 2015 , 17, 9-19	12.3	54
71	Single-target RNA interference for the blockade of multiple interacting proinflammatory and profibrotic pathways in cardiac fibroblasts. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 66, 141-56	5.8	30
70	Ubiquitin-like protein ISG15 (interferon-stimulated gene of 15 kDa) in host defense against heart failure in a mouse model of virus-induced cardiomyopathy. <i>Circulation</i> , 2014 , 130, 1589-600	16.7	52
69	Cardiac fibroblasts support cardiac inflammation in heart failure. <i>Basic Research in Cardiology</i> , 2014 , 109, 428	11.8	96
68	A novel artificial microRNA expressing AAV vector for phospholamban silencing in cardiomyocytes improves Ca ²⁺ uptake into the sarcoplasmic reticulum. <i>PLoS ONE</i> , 2014 , 9, e92188	3.7	14
67	Presence of perforin in endomyocardial biopsies of patients with inflammatory cardiomyopathy predicts poor outcome. <i>European Journal of Heart Failure</i> , 2014 , 16, 1066-72	12.3	24

66	Cardiovascular RNA interference therapy: the broadening tool and target spectrum. <i>Circulation Research</i> , 2013 , 113, 588-602	15.7	30
65	Protease-activated receptor-2 regulates the innate immune response to viral infection in a coxsackievirus B3-induced myocarditis. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1737-45	15.1	49
64	Adiponectin modulates NK-cell function. <i>European Journal of Immunology</i> , 2013 , 43, 1024-33	6.1	32
63	Adiponectin protects against Toll-like receptor 4-mediated cardiac inflammation and injury. <i>Cardiovascular Research</i> , 2013 , 99, 422-31	9.9	48
62	Endogenous migration modulators as parent compounds for the development of novel cardiovascular and anti-inflammatory drugs. <i>British Journal of Pharmacology</i> , 2012 , 165, 2044-58	8.6	2
61	Interferon-Beta improves survival in enterovirus-associated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1295-6	15.1	81
60	CCN1: a novel inflammation-regulated biphasic immune cell migration modulator. <i>Cellular and Molecular Life Sciences</i> , 2012 , 69, 3101-13	10.3	38
59	Left ventricular dysfunction induced by nonsevere idiopathic pulmonary arterial hypertension: a pressure-volume relationship study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 186, 181-9	10.2	58
58	High leptin and resistin expression in chronic heart failure: adverse outcome in patients with dilated and inflammatory cardiomyopathy. <i>European Journal of Heart Failure</i> , 2012 , 14, 1265-75	12.3	35
57	Vaccine protection against lethal homologous and heterologous challenge using recombinant AAV vectors expressing codon-optimized genes from pandemic swine origin influenza virus (SOIV). <i>Vaccine</i> , 2011 , 29, 1690-9	4.1	21
56	Pharmacological and biological antiviral therapeutics for cardiac coxsackievirus infections. <i>Molecules</i> , 2011 , 16, 8475-503	4.8	25
55	Transactivation of human parvovirus B19 gene expression in endothelial cells by adenoviral helper functions. <i>Virology</i> , 2011 , 411, 50-64	3.6	20
54	Adiponectin is a negative regulator of antigen-activated T cells. <i>European Journal of Immunology</i> , 2011 , 41, 2323-32	6.1	74
53	Reduced degradation of the chemokine MCP-3 by matrix metalloproteinase-2 exacerbates myocardial inflammation in experimental viral cardiomyopathy. <i>Circulation</i> , 2011 , 124, 2082-93	16.7	67
52	Adiponectin expression in patients with inflammatory cardiomyopathy indicates favourable outcome and inflammation control. <i>European Heart Journal</i> , 2011 , 32, 1134-47	9.5	36
51	TRIF is a critical survival factor in viral cardiomyopathy. <i>Journal of Immunology</i> , 2011 , 186, 2561-70	5.3	66
50	Cardiac inflammation contributes to changes in the extracellular matrix in patients with heart failure and normal ejection fraction. <i>Circulation: Heart Failure</i> , 2011 , 4, 44-52	7.6	371
49	Matricellular signaling molecule CCN1 attenuates experimental autoimmune myocarditis by acting as a novel immune cell migration modulator. <i>Circulation</i> , 2010 , 122, 2688-98	16.7	42

48	Cardiac-targeted delivery of regulatory RNA molecules and genes for the treatment of heart failure. <i>Cardiovascular Research</i> , 2010 , 86, 353-64	9.9	31
47	Inhibition of adenovirus infections by siRNA-mediated silencing of early and late adenoviral gene functions. <i>Antiviral Research</i> , 2010 , 88, 86-94	10.8	24
46	Prevention of cardiac dysfunction in acute coxsackievirus B3 cardiomyopathy by inducible expression of a soluble coxsackievirus-adenovirus receptor. <i>Circulation</i> , 2009 , 120, 2358-66	16.7	55
45	Cdc2-like kinases and DNA topoisomerase I regulate alternative splicing of tissue factor in human endothelial cells. <i>Circulation Research</i> , 2009 , 104, 589-99	15.7	62
44	Response to Letter Regarding Article, Role of Left Ventricular Stiffness in Heart Failure With Normal Ejection Fraction <i>Circulation</i> , 2009 , 119,	16.7	1
43	Combination of soluble coxsackievirus-adenovirus receptor and anti-coxsackievirus siRNAs exerts synergistic antiviral activity against coxsackievirus B3. <i>Antiviral Research</i> , 2009 , 83, 298-306	10.8	20
42	CAR-diology--a virus receptor in the healthy and diseased heart. <i>Journal of Molecular Medicine</i> , 2009 , 87, 879-84	5.5	15
41	Cardiac deletion of the Coxsackievirus-adenovirus receptor abolishes Coxsackievirus B3 infection and prevents myocarditis in vivo. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1219-26	15.1	86
40	Role of the phosphatidylinositol 3-kinase/protein kinase B pathway in regulating alternative splicing of tissue factor mRNA in human endothelial cells. <i>Circulation Journal</i> , 2009 , 73, 1746-52	2.9	37
39	Description of a local cardiac adiponectin system and its deregulation in dilated cardiomyopathy. <i>European Heart Journal</i> , 2008 , 29, 1168-80	9.5	63
38	Role of left ventricular stiffness in heart failure with normal ejection fraction. <i>Circulation</i> , 2008 , 117, 2051-60	16.7	327
37	Complication rate of right ventricular endomyocardial biopsy via the femoral approach: a retrospective and prospective study analyzing 3048 diagnostic procedures over an 11-year period. <i>Circulation</i> , 2008 , 118, 1722-8	16.7	177
36	Effects of the Cdc2-like kinase-family and DNA topoisomerase I on the alternative splicing of eNOS in TNF-alpha-stimulated human endothelial cells. <i>Biological Chemistry</i> , 2008 , 389, 1333-8	4.5	20
35	The tight junction protein CAR regulates cardiac conduction and cell-cell communication. <i>Journal of Experimental Medicine</i> , 2008 , 205, 2369-79	16.6	88
34	Tissue factor expression pattern in human non-small cell lung cancer tissues indicate increased blood thrombogenicity and tumor metastasis. <i>Oncology Reports</i> , 2008 ,	3.5	8
33	Cardiac-targeted RNA interference mediated by an AAV9 vector improves cardiac function in coxsackievirus B3 cardiomyopathy. <i>Journal of Molecular Medicine</i> , 2008 , 86, 987-97	5.5	64
32	Preamplification techniques for real-time RT-PCR analyses of endomyocardial biopsies. <i>BMC Molecular Biology</i> , 2008 , 9, 3	4.5	57
31	The tight junction protein CAR regulates cardiac conduction and cell-cell communication. <i>Journal of Cell Biology</i> , 2008 , 182, i13-i13	7.3	

30	Immunohistological detection of Parvovirus B19 capsid proteins in endomyocardial biopsies from dilated cardiomyopathy patients. <i>Medical Science Monitor</i> , 2008 , 14, CR333-338	3.2	12
29	Utility of Doppler echocardiography and tissue Doppler imaging in the estimation of diastolic function in heart failure with normal ejection fraction: a comparative Doppler-conductance catheterization study. <i>Circulation</i> , 2007 , 116, 637-47	16.7	849
28	Immunomodulation by interleukin-4 suppresses matrix metalloproteinases and improves cardiac function in murine myocarditis. <i>European Journal of Pharmacology</i> , 2007 , 554, 60-8	5.3	30
27	Effect of ionizing radiation on cellular procoagulability and co-ordinated gene alterations. <i>Haematologica</i> , 2007 , 92, 1091-8	6.6	12
26	A bidirectional Tet-dependent promotor construct regulating the expression of E1A for tight control of oncolytic adenovirus replication. <i>Journal of Biotechnology</i> , 2007 , 127, 560-74	3.7	12
25	An improved Tet-On regulatable FasL-adenovirus vector system for lung cancer therapy. <i>Journal of Molecular Medicine</i> , 2006 , 84, 215-25	5.5	29
24	An isoform shift in the cardiac adenine nucleotide translocase expression alters the kinetic properties of the carrier in dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2006 , 8, 81-9	12.3	30
23	Viruses and other environmental factors as possible sources of phenotypic heterogeneity in familial dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 689-90; author reply 690	15.1	2
22	Alterations in myocardial tissue factor expression and cellular localization in dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1081-9	15.1	73
21	Carvedilol improves left ventricular function in murine coxsackievirus-induced acute myocarditis association with reduced myocardial interleukin-1beta and MMP-8 expression and a modulated immune response. <i>European Journal of Heart Failure</i> , 2005 , 7, 444-52	12.3	55
20	High prevalence of viral genomes and multiple viral infections in the myocardium of adults with "idiopathic" left ventricular dysfunction. <i>Circulation</i> , 2005 , 111, 887-93	16.7	500
19	Procoagulant soluble tissue factor is released from endothelial cells in response to inflammatory cytokines. <i>Circulation Research</i> , 2005 , 96, 1233-9	15.7	222
18	Viral and nonviral factors causing nonspecific replication of tumor- and tissue-specific promoter-dependent oncolytic adenoviruses. <i>Molecular Therapy</i> , 2005 , 11, 563-77	11.7	22
17	Viral persistence in the myocardium is associated with progressive cardiac dysfunction. <i>Circulation</i> , 2005 , 112, 1965-70	16.7	404
16	Release of active and depot GDF-5 after adenovirus-mediated overexpression stimulates rabbit and human intervertebral disc cells. <i>Journal of Molecular Medicine</i> , 2004 , 82, 126-34	5.5	54
15	Induction of coxsackievirus-adenovirus-receptor expression during myocardial tissue formation and remodeling: identification of a cell-to-cell contact-dependent regulatory mechanism. <i>Circulation</i> , 2003 , 107, 876-82	16.7	76
14	Regulation of human factor IX expression using doxycycline-inducible gene expression system. <i>Thrombosis and Haemostasis</i> , 2003 , 90, 398-405	7	13
13	Interferon-beta treatment eliminates cardiotropic viruses and improves left ventricular function in patients with myocardial persistence of viral genomes and left ventricular dysfunction. <i>Circulation</i> , 2003 , 107, 2793-8	16.7	383

12	Parvovirus B19 infection mimicking acute myocardial infarction. <i>Circulation</i> , 2003 , 108, 945-50	16.7	202
11	Collagen degradation in a murine myocarditis model: relevance of matrix metalloproteinase in association with inflammatory induction. <i>Cardiovascular Research</i> , 2002 , 56, 235-47	9.9	82
10	Adenovirus-mediated overexpression and stimulation of the human angiotensin II type 2 receptor in porcine cardiac fibroblasts does not modulate proliferation, collagen I mRNA expression and ERK1/ERK2 activity, but inhibits protein tyrosine phosphatases. <i>Journal of Molecular Medicine</i> , 2001 , 79, 510-21	5.5	15
9	Human coxsackie-adenovirus receptor is colocalized with integrins alpha(v)beta(3) and alpha(v)beta(5) on the cardiomyocyte sarcolemma and upregulated in dilated cardiomyopathy: implications for cardiotropic viral infections. <i>Circulation</i> , 2001 , 104, 275-80	16.7	163
8	Regulation of human endothelial cell focal adhesion sites and migration by cGMP-dependent protein kinase I. <i>Journal of Biological Chemistry</i> , 2000 , 275, 25723-32	5.4	102
7	Enteroviral RNA replication in the myocardium of patients with left ventricular dysfunction and clinically suspected myocarditis. <i>Circulation</i> , 1999 , 99, 889-95	16.7	177
6	Molecular characterisation of the defective alpha 1-antitrypsin alleles PI Mwurzburg (Pro369Ser), Mheerlen (Pro369Leu), and Q0lisbon (Thr68Ile). <i>European Journal of Human Genetics</i> , 1999 , 7, 321-31	5.3	27
5	Dilated cardiomyopathy is associated with significant changes in collagen type I/III ratio. <i>Circulation</i> , 1999 , 99, 2750-6	16.7	275
4	Differential recognition of alpha 1-antitrypsin-elastase and alpha 1-antichymotrypsin-cathepsin G complexes by the low density lipoprotein receptor-related protein. <i>Journal of Biological Chemistry</i> , 1995 , 270, 2841-5	5.4	48
3	Application of molecular genetics to the study of beta-cell function and diabetes mellitus. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1995 , 103 Suppl 2, 15-22	2.3	1
2	The molecular basis of alpha 1-antichymotrypsin deficiency in a heterozygote with liver and lung disease. <i>Journal of Hepatology</i> , 1993 , 18, 313-21	13.4	84
1	Molecular genetic analysis of NIDDM. Status and prospects. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1993 , 101, 58-68	2.3	1