Stewart G Martin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3741128/publications.pdf

Version: 2024-02-01

97 papers 3,682 citations

32 h-index 58 g-index

100 all docs

100 docs citations

100 times ranked

6085 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Quantifying Lymphatic in Human Tissue Samples. Methods in Molecular Biology, 2022, 2441, 183-189. | 0.9 | O |
| 2 | Cytotoxic and Radiosensitising Effects of a Novel Thioredoxin Reductase Inhibitor in Brain Cancers. Molecular Neurobiology, 2022, 59, 3546-3563. | 4.0 | 2 |
| 3 | Functionalized Block Coâ€Polymer Proâ€Drug Nanoparticles with Antiâ€Cancer Efficacy in 3D Spheroids and in an Orthotopic Triple Negative Breast Cancer Model. Advanced Therapeutics, 2021, 4, 2000103. | 3.2 | 6 |
| 4 | Cytotoxic and radiosensitising effects of a novel thioredoxin reductase inhibitor in breast cancer. Investigational New Drugs, 2021, 39, 1232-1241. | 2.6 | 7 |
| 5 | Intratumoural Cytochrome P450 Expression in Breast Cancer: Impact on Standard of Care Treatment and New Efforts to Develop Tumour-Selective Therapies. Biomedicines, 2021, 9, 290. | 3.2 | 24 |
| 6 | PP1, PKA and DARPPâ€32 in breast cancer: A retrospective assessment of protein and mRNA expression. Journal of Cellular and Molecular Medicine, 2021, 25, 5015-5024. | 3.6 | 11 |
| 7 | Advances in Radiation Biology – Highlights from the 16th ICRR special feature: introductory editorial. British Journal of Radiology, 2020, 93, 20209006. | 2.2 | 1 |
| 8 | Retrospective assessment of cyclinâ€dependent kinase 5 mRNA and protein expression and its association with patient survival in breast cancer. Journal of Cellular and Molecular Medicine, 2020, 24, 6263-6271. | 3.6 | 8 |
| 9 | Thioredoxin System Protein Expression Is Associated with Poor Clinical Outcome in Adult and Paediatric Gliomas and Medulloblastomas. Molecular Neurobiology, 2020, 57, 2889-2901. | 4.0 | 19 |
| 10 | Dopamine and cAMPâ€regulated phosphoprotein 32kDa (DARPPâ€32), protein phosphataseâ€1 and cyclinâ€dependent kinase 5 expression in ovarian cancer. Journal of Cellular and Molecular Medicine, 2020, 24, 9165-9175. | 3.6 | 7 |
| 11 | Utility of ankyrin 3 as a prognostic marker in androgen-receptor-positive breast cancer. Breast Cancer Research and Treatment, 2019, 176, 63-73. | 2.5 | 7 |
| 12 | Expression of Syk and MAP4 proteins in ovarian cancer. Journal of Cancer Research and Clinical Oncology, 2019, 145, 909-919. | 2.5 | 6 |
| 13 | Dopamine and cAMP-regulated phosphoprotein 32 kDa (DARPP-32) and survival in breast cancer: a retrospective analysis of protein and mRNA expression. Scientific Reports, 2019, 9, 16987. | 3.3 | 11 |
| 14 | Overexpression of the cancer stem cell marker CD133 confers a poor prognosis in invasive breast cancer. Breast Cancer Research and Treatment, 2019, 174, 387-399. | 2.5 | 53 |
| 15 | Pushing the frontiers of radiobiology: A special feature in memory of Sir Oliver Scott and Professor Jack Fowler. British Journal of Radiology, 2019, 92, 20189005. | 2.2 | 4 |
| 16 | Calpain system protein expression and activity in ovarian cancer. Journal of Cancer Research and Clinical Oncology, 2019, 145, 345-361. | 2.5 | 22 |
| 17 | Clinical and biological roles of Kelch-like family member 7 in breast cancer: a marker of poor prognosis. Breast Cancer Research and Treatment, 2018, 170, 525-533. | 2.5 | 12 |
| 18 | IL-6 and IL-10 are associated with good prognosis in early stage invasive breast cancer patients. Cancer Immunology, Immunotherapy, 2018, 67, 537-549. | 4.2 | 67 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | High nuclear MSK1 is associated with longer survival in breast cancer patients. Journal of Cancer Research and Clinical Oncology, 2018, 144, 509-517. | 2.5 | 12 |
| 20 | Low expression of G protein-coupled oestrogen receptor 1 (GPER) is associated with adverse survival of breast cancer patients. Oncotarget, 2018, 9, 25946-25956. | 1.8 | 34 |
| 21 | Saccharomyces cerevisiae-like 1 (SEC14L1) is a prognostic factor in breast cancer associated with lymphovascular invasion. Modern Pathology, 2018, 31, 1675-1682. | 5.5 | 13 |
| 22 | Clinicopathological and prognostic significance of Ras association and pleckstrin homology domains 1 (RAPH1) in breast cancer. Breast Cancer Research and Treatment, 2018, 172, 61-68. | 2.5 | 10 |
| 23 | RORÎ ³ t+ Innate Lymphoid Cells Promote Lymph Node Metastasis of Breast Cancers. Cancer Research, 2017, 77, 1083-1096. | 0.9 | 93 |
| 24 | Macrophage-derived interleukin-1beta promotes human breast cancer cell migration and lymphatic adhesion in vitro. Cancer Immunology, Immunotherapy, 2017, 66, 1287-1294. | 4.2 | 27 |
| 25 | Rho-GTPase activating-protein 18: a biomarker associated with good prognosis in invasive breast cancer. British Journal of Cancer, 2017, 117, 1176-1184. | 6.4 | 16 |
| 26 | Caspase-3 and caspase-8 expression in breast cancer: caspase-3 is associated with survival. Apoptosis: an International Journal on Programmed Cell Death, 2017, 22, 357-368. | 4.9 | 124 |
| 27 | Immunohistochemical Assessment of Leukocyte Involvement in Angiogenesis. Methods in Molecular Biology, 2016, 1430, 49-57. | 0.9 | 2 |
| 28 | Calpainâ€1 is associated with adverse relapse free survival in breast cancer: a confirmatory study. Histopathology, 2016, 68, 1021-1029. | 2.9 | 10 |
| 29 | Chk1 phosphorylated at serine345 is a predictor of early local recurrence and radioâ€resistance in breast cancer. Molecular Oncology, 2016, 10, 213-223. | 4.6 | 33 |
| 30 | The calpain system is associated with survival of breast cancer patients with large but operable inflammatory and non-inflammatory tumours treated with neoadjuvant chemotherapy. Oncotarget, 2016, 7, 47927-47937. | 1.8 | 19 |
| 31 | Multiple pathways regulate Cten in colorectal cancer without a Tensin switch. International Journal of Experimental Pathology, 2015, 96, 362-369. | 1.3 | 16 |
| 32 | Inflammatory breast cancer: time to standardise diagnosis assessment and management, and for the joining of forces to facilitate effective research. British Journal of Cancer, 2015, 112, 1613-1615. | 6.4 | 35 |
| 33 | The clinicopathological and gene expression patterns associated with ulceration of primary melanoma. Pigment Cell and Melanoma Research, 2015, 28, 94-104. | 3.3 | 26 |
| 34 | Editorialâ€"nanoparticles for diagnostic imaging and radiotherapy. British Journal of Radiology, 2015, 88, 20150692. | 2.2 | 1 |
| 35 | Analysis of lymphatic and blood vessel invasion biomarkers in T1 esophagogastric adenocarcinomas for improved patient prognostication. Ecological Management and Restoration, 2015, 28, 262-268. | 0.4 | 14 |
| 36 | Calpain in Breast Cancer: Role in Disease Progression and Treatment Response. Pathobiology, 2015, 82, 133-141. | 3.8 | 43 |

| # | Article | IF | Citations |
|----|--|--------------|-----------|
| 37 | Lymphovascular invasion: assessment and prognostic impact in melanoma and breast cancer. Histology and Histopathology, 2015, 30, 1001-9. | 0.7 | 11 |
| 38 | FKBPL: a marker of good prognosis in breast cancer. Oncotarget, 2015, 6, 12209-12223. | 1.8 | 13 |
| 39 | Low calpain-9 is associated with adverse disease-specific survival following endocrine therapy in breast cancer. BMC Cancer, 2014, 14, 995. | 2.6 | 19 |
| 40 | Prognostic significance of lymphatic invasion in lymph node-positive breast carcinoma: findings from a large case series with long-term follow-up using immunohistochemical endothelial marker. Modern Pathology, 2014, 27, 1568-1577. | 5 . 5 | 10 |
| 41 | BJR radiobiology special feature. British Journal of Radiology, 2014, 87, 20140074. | 2.2 | 1 |
| 42 | Redox Proteins and Radiotherapy. Clinical Oncology, 2014, 26, 289-300. | 1.4 | 51 |
| 43 | Involvement of metformin and AMPK in the radioresponse and prognosis of luminal versus basal-like breast cancer treated with radiotherapy. Oncotarget, 2014, 5, 12936-12949. | 1.8 | 51 |
| 44 | Expression of the calpain system is associated with poor clinical outcome in gastro-oesophageal adenocarcinomas. Journal of Gastroenterology, 2013, 48, 1213-1221. | 5.1 | 18 |
| 45 | Thioredoxin interacting protein and its association with clinical outcome in gastro-oesophageal adenocarcinoma. Redox Biology, 2013, 1, 285-291. | 9.0 | 25 |
| 46 | Poly(adenosine diphosphate-ribose) polymerase expression in BRCA-proficient ovarian high-grade serous carcinoma; association with patient survival. Human Pathology, 2013, 44, 1638-1647. | 2.0 | 36 |
| 47 | Critical research gaps and translational priorities for the successful prevention and treatment of breast cancer. Breast Cancer Research, 2013, 15, R92. | 5.0 | 320 |
| 48 | Expression of angiogenic chemokines in ovarian clear cell carcinoma. Journal of Obstetrics and Gynaecology Research, 2013, 39, 297-304. | 1.3 | 4 |
| 49 | Redox Environment, Free Radical, and Oxidative DNA Damage. Antioxidants and Redox Signaling, 2013, 18, 2399-2408. | 5.4 | 101 |
| 50 | Abstract 2270: Metformin and the thioredoxin system influence the radiosensitivity of luminal versus basal/triple-negative phenotype breast cancer , 2013, , . | | 0 |
| 51 | Calpain system protein expression in basal-like and triple-negative invasive breast cancer. Annals of Oncology, 2012, 23, 2289-2296. | 1.2 | 64 |
| 52 | Objective assessment of blood and lymphatic vessel invasion and association with macrophage infiltration in cutaneous melanoma. Modern Pathology, 2012, 25, 493-504. | 5.5 | 105 |
| 53 | Calpainâ€2 expression is associated with response to platinum based chemotherapy, progressionâ€free and overall survival in ovarian cancer. Journal of Cellular and Molecular Medicine, 2012, 16, 2422-2428. | 3.6 | 36 |
| 54 | A Comparative Study of Adhesion of Melanoma and Breast Cancer Cells to Blood and Lymphatic Endothelium. Lymphatic Research and Biology, 2012, 10, 173-181. | 1.1 | 14 |

| # | Article | IF | Citations |
|----------|---|-------------------|-----------------|
| 55 | The prognostic and predictive power of redox protein expression for anthracycline-based chemotherapy response in locally advanced breast cancer. Modern Pathology, 2012, 25, 1106-1116. | 5. 5 | 24 |
| 56 | Calpain system protein expression in carcinomas of the pancreas, bile duct and ampulla. BMC Cancer, 2012, 12, 511. | 2.6 | 23 |
| 57 | Base Excision Repair, the Redox Environment and Therapeutic Implications. Current Molecular Pharmacology, 2012, 5, 88-101. | 1.5 | 21 |
| 58 | The prognostic significance of lymphovascular invasion in invasive breast carcinoma. Cancer, 2012, 118, 3670-3680. | 4.1 | 197 |
| 59 | Co-expression of VEGF and CA9 in ovarian high-grade serous carcinoma and relationship to survival. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2012, 461, 33-39. | 2.8 | 21 |
| 60 | Analysis of Tumor and Endothelial Cell Viability and Survival Using Sulforhodamine B and Clonogenic Assays. Methods in Molecular Biology, 2011, 740, 45-56. | 0.9 | 11 |
| 61 | Expression of thioredoxin system and related peroxiredoxin proteins is associated with clinical outcome in radiotherapy treated early stage breast cancer. Radiotherapy and Oncology, 2011, 100, 308-313. | 0.6 | 41 |
| 62 | Lymphatic Expression of CLEVER-1 in Breast Cancer and Its Relationship with Lymph Node Metastasis. Analytical Cellular Pathology, 2011, 34, 67-78. | 1.4 | 12 |
| 63 | The calpain system and cancer. Nature Reviews Cancer, 2011, 11, 364-374. | 28.4 | 333 |
| 64 | Calpastatin is associated with lymphovascular invasion in breast cancer. Breast, 2011, 20, 413-418. | 2.2 | 27 |
| 65 | The cadherin switch in ovarian high-grade serous carcinoma is associated with disease progression. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 459, 21-29. | 2.8 | 34 |
| 66 | Objective assessment of lymphatic and blood vascular invasion in lymph nodeâ€negative breast carcinoma: findings from a large case series with longâ€term followâ€up. Journal of Pathology, 2011, 223, | | 74 |
| | 358-365. | 4.5 | |
| 67 | 358-365. Calpainâ€1 expression is associated with relapseâ€free survival in breast cancer patients treated with trastuzumab following adjuvant chemotherapy. International Journal of Cancer, 2011, 129, 1773-1780. | 5.1 | 34 |
| 68 | Calpainâ€1 expression is associated with relapseâ€free survival in breast cancer patients treated with | | |
| | Calpainâ€1 expression is associated with relapseâ€free survival in breast cancer patients treated with trastuzumab following adjuvant chemotherapy. International Journal of Cancer, 2011, 129, 1773-1780. Redox Protein Expression Predicts Radiotherapeutic Response in Early-Stage Invasive Breast Cancer | 5.1 | 34 |
| 68 | Calpainâ€1 expression is associated with relapseâ€free survival in breast cancer patients treated with trastuzumab following adjuvant chemotherapy. International Journal of Cancer, 2011, 129, 1773-1780. Redox Protein Expression Predicts Radiotherapeutic Response in Early-Stage Invasive Breast Cancer Patients. International Journal of Radiation Oncology Biology Physics, 2011, 79, 1532-1540. Lymphatic and blood vessels in basal and triple-negative breast cancers: characteristics and | 5.1 0.8 | 34 25 |
| 68 69 | Calpainâ€1 expression is associated with relapseâ€free survival in breast cancer patients treated with trastuzumab following adjuvant chemotherapy. International Journal of Cancer, 2011, 129, 1773-1780. Redox Protein Expression Predicts Radiotherapeutic Response in Early-Stage Invasive Breast Cancer Patients. International Journal of Radiation Oncology Biology Physics, 2011, 79, 1532-1540. Lymphatic and blood vessels in basal and triple-negative breast cancers: characteristics and prognostic significance. Modern Pathology, 2011, 24, 774-785. Lymphatic expression of CLEVER-1 in breast cancer and its relationship with lymph node metastasis. | 5.1 0.8 5.5 | 34 25 114 |

| # | Article | IF | Citations |
|----|--|------|------------|
| 73 | Lymphatic and angiogenic characteristics in breast cancer: morphometric analysis and prognostic implications. Breast Cancer Research and Treatment, 2009, 113, 261-273. | 2.5 | 53 |
| 74 | Vascular invasion in breast cancer; an overview of recent prognostic developments and molecular pathophysiological mechanisms. Histopathology, 2009, 55, 1-9. | 2.9 | 35 |
| 75 | 2-[(1-Methylpropyl)dithio]- $1 < i > H < / i > -i $ imidazole inhibits tubulin polymerization through cysteine oxidation. Molecular Cancer Therapeutics, 2008, 7, 143-151. | 4.1 | 7 5 |
| 76 | The thioredoxin system: a key target in tumour and endothelial cells. British Journal of Radiology, 2008, 81, S57-S68. | 2.2 | 76 |
| 77 | Improved Methods of Detection of Lymphovascular Invasion Demonstrate That It is the Predominant Method of Vascular Invasion in Breast Cancer and has Important Clinical Consequences. American Journal of Surgical Pathology, 2007, 31, 1825-1833. | 3.7 | 170 |
| 78 | Vascular Endothelial Growth Factor Expression Predicts Outcome after Primary Radiotherapy for Head and Neck Squamous Cell Cancer. Clinical Oncology, 2007, 19, 71-76. | 1.4 | 6 |
| 79 | Prognostic significance of vascular endothelial cell growth factors -A, -C and -D in breast cancer and their relationship with angio- and lymphangiogenesis. British Journal of Cancer, 2007, 96, 1092-1100. | 6.4 | 166 |
| 80 | A cellular and molecular investigation of the action of PMX464, a putative thioredoxin inhibitor, in normal and colorectal cancer cell lines. British Journal of Pharmacology, 2007, 151, 1167-1175. | 5.4 | 19 |
| 81 | In vitro cytotoxicity of Phortress against colorectal cancer. International Journal of Oncology, 2006, 29, 1287. | 3.3 | 5 |
| 82 | Cytotoxic and antiangiogenic activity of AW464 (NSC 706704), a novel thioredoxin inhibitor: an in vitro study. British Journal of Cancer, 2005, 92, 350-358. | 6.4 | 50 |
| 83 | Transfection and Transduction of Primary Human Endothelial Cells. , 2001, 46, 227-235. | | 0 |
| 84 | Gene-transfer systems for human endothelial cells. Advanced Drug Delivery Reviews, 2000, 41, 223-233. | 13.7 | 20 |
| 85 | Neutron-Energy-Dependent Cell Survival and Oncogenic Transformation Journal of Radiation Research, 1999, 40, 53-59. | 1.6 | 11 |
| 86 | Identification of two novel mRNA splice variants of bax. Cell Death and Differentiation, 1999, 6, 97-98. | 11.2 | 11 |
| 87 | 60 Hz Power Frequency Magnetic Field-Enhancement of X-Ray Induced Oncogenic Transformation in Embryonic Tissue. , 1999, , 675-678. | | 0 |
| 88 | Effect of track structure and radioprotectors on the induction of oncogenic transformation in murine fibroblasts by heavy ions. Advances in Space Research, 1998, 22, 1719-1723. | 2.6 | 7 |
| 89 | Photoneutrons from medical linear accelerators—Radiobiological measurements and risk estimates. International Journal of Radiation Oncology Biology Physics, 1995, 33, 225-230. | 0.8 | 57 |
| 90 | The Biological Effectiveness of Radon-Progeny Alpha Particles. II. Oncogenic Transformation as a Function of Linear Energy Transfer. Radiation Research, 1995, 142, 54. | 1.5 | 62 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | The Biological Effectiveness of Radon-Progeny Alpha Particles. IV. Morphological Transformation of Syrian Hamster Embryo Cells at Low Doses. Radiation Research, 1995, 142, 70. | 1.5 | 15 |
| 92 | Neutron-Induced Cell Cycle-Dependent Oncogenic Transformation of C3H 10T1/2 Cells. Radiation Research, 1995, 142, 270. | 1.5 | 9 |
| 93 | Interaction of hyperthermia and chemotherapy agents; cell lethality and oncogenic potential. International Journal of Hyperthermia, 1994, 10, 89-99. | 2.5 | 35 |
| 94 | Collagen Metabolism in the Murine Colon Following X Irradiation. Radiation Research, 1992, 130, 38. | 1.5 | 4 |
| 95 | Determination of X-ray-induced Damage to the Murine Colon Using Tissue Compliance Measurements. International Journal of Radiation Biology, 1991, 59, 503-515. | 1.8 | 5 |
| 96 | Determination of collagen and protein turnover by high-performance liquid chromatography. Biomedical Applications, 1990, 526, 383-395. | 1.7 | 9 |
| 97 | In vitro radiosensitization of breast cancer with hypoxiaâ€activated prodrugs. Journal of Cellular and Molecular Medicine, 0, , . | 3.6 | 2 |