

Zamir K Punja

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3742276/zamir-k-punja-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

2,526
citations

26
h-index

47
g-index

105
ext. papers

2,923
ext. citations

2.7
avg, IF

5.81
L-index

#	Paper	IF	Citations
101	Management of powdery mildew on greenhouse cucumber (<i>Cucumis sativus</i> L.) plants using biological and chemical approaches. <i>Canadian Journal of Plant Pathology</i> , 2021 , 43, 35-42	1.6	4
100	The diverse mycoflora present on dried cannabis (<i>Cannabis sativa</i> L., marijuana) inflorescences in commercial production. <i>Canadian Journal of Plant Pathology</i> , 2021 , 43, 88-100	1.6	7
99	Epidemiology of <i>Fusarium oxysporum</i> causing root and crown rot of cannabis (<i>Cannabis sativa</i> L., marijuana) plants in commercial greenhouse production. <i>Canadian Journal of Plant Pathology</i> , 2021 , 43, 216-235	1.6	7
98	First report of <i>Fusarium proliferatum</i> causing crown and stem rot, and pith necrosis, in cannabis (<i>Cannabis sativa</i> L., marijuana) plants. <i>Canadian Journal of Plant Pathology</i> , 2021 , 43, 236-255	1.6	5
97	Evaluation of disease management approaches for powdery mildew on <i>Cannabis sativa</i> L. (marijuana) plants. <i>Canadian Journal of Plant Pathology</i> , 2021 , 43, 394-412	1.6	8
96	Emerging diseases of <i>Cannabis sativa</i> and sustainable management. <i>Pest Management Science</i> , 2021 , 77, 3857-3870	4.6	15
95	Variables Affecting Shoot Growth and Plantlet Recovery in Tissue Cultures of Drug-Type L. <i>Frontiers in Plant Science</i> , 2021 , 12, 732344	6.2	2
94	Assessing Aerated Vermicompost Tea Combined with Microbial Biological Control Agents for Suppression of and. <i>Phytopathology</i> , 2021 , 111, 1137-1151	3.8	
93	The <i>Fusarium solani</i> species complex infecting cannabis (<i>Cannabis sativa</i> L., marijuana) plants and a first report of <i>Fusarium</i> (<i>Cylindrocarpon</i>) <i>lichenicola</i> causing root and crown rot. <i>Canadian Journal of Plant Pathology</i> , 2021 , 43, 567-581	1.6	1
92	Hermaphroditism in Marijuana (L.) Inflorescences - Impact on Floral Morphology, Seed Formation, Progeny Sex Ratios, and Genetic Variation. <i>Frontiers in Plant Science</i> , 2020 , 11, 718	6.2	11
91	Effects of a foliar fertilizer containing boron on the development of <i>Sclerotinia</i> stem rot (<i>Sclerotinia sclerotiorum</i>) on canola (<i>Brassica napus</i> L.) leaves. <i>Journal of Phytopathology</i> , 2020 , 168, 47-55 ^{1,8}	1.8	7
90	Efficacy of <i>Bacillus subtilis</i> strain QST 713 (Rhapsody) against four major diseases of greenhouse cucumbers. <i>Crop Protection</i> , 2019 , 124, 104845	2.7	12
89	Pathogens and Molds Affecting Production and Quality of L. <i>Frontiers in Plant Science</i> , 2019 , 10, 1120	6.2	41
88	Management of Fungal Diseases on Cucumber (<i>Cucumis sativus</i> L.) and Tomato (<i>Solanum lycopersicum</i> L.) Crops in Greenhouses Using <i>Bacillus subtilis</i> . <i>Bacilli in Climate Resilient Agriculture and Bioprospecting</i> , 2019 , 1-28	1.2	6
87	Flower and foliage-infecting pathogens of marijuana (<i>Cannabis sativa</i> L.) plants. <i>Canadian Journal of Plant Pathology</i> , 2018 , 40, 514-527	1.6	23
86	Root and crown rot pathogens causing wilt symptoms on field-grown marijuana (<i>Cannabis sativa</i> L.) plants. <i>Canadian Journal of Plant Pathology</i> , 2018 , 40, 528-541	1.6	17
85	<i>Fusarium</i> and <i>Pythium</i> species infecting roots of hydroponically grown marijuana (<i>Cannabis sativa</i> L.) plants. <i>Canadian Journal of Plant Pathology</i> , 2018 , 40, 498-513	1.6	15

84	Occurrence of botrytis leaf blight, anthracnose leaf spot, and white blister rust on <i>Wasabia japonica</i> in British Columbia. <i>Canadian Journal of Plant Pathology</i> , 2017 , 39, 60-71	1.6	3
83	The Role of Agrobacterium-Mediated and Other Gene-Transfer Technologies in Cannabis Research and Product Development 2017 , 343-363		4
82	Investigating biospeckle laser analysis as a diagnostic method to assess sprouting damage in wheat seeds. <i>Computers and Electronics in Agriculture</i> , 2017 , 141, 238-247	6.5	14
81	Phoma leaf spot of wasabi (<i>Wasabia japonica</i>) caused by <i>Leptosphaeria biglobosa</i> . <i>Plant Pathology</i> , 2017 , 66, 480-489	2.8	4
80	Assessing Genetic Diversity in <i>Cannabis sativa</i> Using Molecular Approaches 2017 , 395-418		8
79	Role of fruit surface mycoflora, wounding and storage conditions on post-harvest disease development on greenhouse tomatoes. <i>Canadian Journal of Plant Pathology</i> , 2016 , 38, 448-459	1.6	5
78	Effects of <i>Bacillus subtilis</i> strain QST 713 and storage temperatures on post-harvest disease development on greenhouse tomatoes. <i>Crop Protection</i> , 2016 , 84, 98-104	2.7	23
77	Hemp (<i>Cannabis sativa</i> L.). <i>Methods in Molecular Biology</i> , 2015 , 1224, 319-29	1.4	5
76	Carrot (<i>Daucus carota</i> L.). <i>Methods in Molecular Biology</i> , 2015 , 1224, 59-66	1.4	2
75	Characterization of a novel dsRNA endornavirus in the plant pathogenic fungus <i>Thielaviopsis basicola</i> . <i>Mycology</i> , 2014 , 5, 10-15	3.7	1
74	Growth, pathogenicity and infection behaviour, and genetic diversity of <i>Rhizocercosporidium panici</i> isolates from ginseng roots in British Columbia. <i>Canadian Journal of Plant Pathology</i> , 2013 , 35, 503-513	1.6	5
73	Do western boxelder bugs sunbathe for sanitation? Inferences from in vitro experiments. <i>Entomologia Experimentalis Et Applicata</i> , 2012 , 145, 38-49	2.1	4
72	Fruit infection and postharvest decay of greenhouse tomatoes caused by <i>Penicillium</i> species in British Columbia. <i>Canadian Journal of Plant Pathology</i> , 2012 , 34, 524-535	1.6	8
71	American ginseng: research developments, opportunities, and challenges. <i>Journal of Ginseng Research</i> , 2011 , 35, 368-74	5.8	23
70	Commercial extract from the brown seaweed <i>Ascophyllum nodosum</i> reduces fungal diseases in greenhouse cucumber. <i>Journal of Applied Phycology</i> , 2011 , 23, 353-361	3.2	101
69	Evaluation of biological control agents for control of botrytis blight of geranium and powdery mildew of rose. <i>Canadian Journal of Plant Pathology</i> , 2011 , 33, 499-505	1.6	11
68	Transgenic Vegetables 2011 , 31-54		1
67	Genetic engineering for increasing fungal and bacterial disease resistance in crop plants. <i>GM Crops</i> , 2010 , 1, 199-206		61

66	Factors influencing colonization of cucumber roots by <i>Clonostachys rosea</i> f. <i>catenulata</i> , a biological disease control agent. <i>Biocontrol Science and Technology</i> , 2010 , 20, 37-55	1.7	14
65	Composts containing fluorescent pseudomonads suppress fusarium root and stem rot development on greenhouse cucumber. <i>Canadian Journal of Microbiology</i> , 2010 , 56, 896-905	3.2	18
64	Interactions Between <i>Clonostachys rosea</i> f. <i>catenulata</i> , <i>Fusarium oxysporum</i> and Cucumber Roots Leading to Biological Control of Fusarium Root and Stem Rot 2010 , 93-106		0
63	Research news highlights. <i>Canadian Journal of Plant Pathology</i> , 2009 , 31, 263-264	1.6	2
62	Broad-spectrum disease resistance to necrotrophic and biotrophic pathogens in transgenic carrots (<i>Daucus carota</i> L.) expressing an Arabidopsis NPR1 gene. <i>Planta</i> , 2009 , 231, 131-41	4.7	76
61	Comparative resistance to foliar fungal pathogens in transgenic carrot plants expressing genes encoding for chitinase, β 1,3-glucanase and peroxidase. <i>European Journal of Plant Pathology</i> , 2009 , 123, 331-342	2.1	50
60	Vascular blackening of wasabi rhizomes caused by <i>Pectobacterium carotovorum</i> subsp. <i>carotovorum</i> . <i>European Journal of Plant Pathology</i> , 2009 , 124, 483-493	2.1	6
59	Enhanced resistance to foliar fungal pathogens in carrot by application of elicitors. <i>Annals of Applied Biology</i> , 2009 , 155, 71-80	2.6	40
58	Chitinase and beta-1,3-glucanase enzyme production by the mycoparasite <i>Clonostachys rosea</i> f. <i>catenulata</i> against fungal plant pathogens. <i>Canadian Journal of Microbiology</i> , 2009 , 55, 356-67	3.2	51
57	Seaweed extract reduces foliar fungal diseases on carrot. <i>Crop Protection</i> , 2008 , 27, 1360-1366	2.7	125
56	Molecular and biochemical characterization of defense responses in ginseng (<i>Panax quinquefolius</i>) roots challenged with <i>Fusarium equiseti</i> . <i>Physiological and Molecular Plant Pathology</i> , 2008 , 72, 10-20	2.6	18
55	Colonization of cucumber plants by the biocontrol fungus <i>Clonostachys rosea</i> f. <i>catenulata</i> . <i>Biological Control</i> , 2008 , 46, 267-278	3.8	26
54	Occurrence of <i>Phoma argillacea</i> on <i>Rubus spectabilis</i> in British Columbia and an evaluation of its potential as a forest weed biological control agent. <i>Canadian Journal of Plant Pathology</i> , 2008 , 30, 74-84	1.6	2
53	Host range and mycotoxin production by <i>Fusarium equiseti</i> isolates originating from ginseng fields ¹ . <i>Canadian Journal of Plant Pathology</i> , 2008 , 30, 155-160	1.6	29
52	Generation of low copy number and stably expressing transgenic creeping bentgrass plants using minimal gene cassette bombardment. <i>Biologia Plantarum</i> , 2008 , 52, 215-221	2.1	10
51	Metabolic engineering of novel ketocarotenoid production in carrot plants. <i>Transgenic Research</i> , 2008 , 17, 489-501	3.3	118
50	Growth, population dynamics, and diversity of <i>Fusarium equiseti</i> in ginseng fields. <i>European Journal of Plant Pathology</i> , 2008 , 121, 173-184	2.1	26
49	Comparative expression of beta-glucuronidase with five different promoters in transgenic carrot (<i>Daucus carota</i> L.) root and leaf tissues. <i>Plant Cell Reports</i> , 2008 , 27, 279-87	5.1	21

48	Transgenic carrot plants accumulating ketocarotenoids show tolerance to UV and oxidative stresses. <i>Plant Physiology and Biochemistry</i> , 2008 , 46, 875-83	5.4	22
47	Environmental and host requirements for field infection of blueberry fruits by <i>Colletotrichum acutatum</i> in British Columbia. <i>Plant Pathology</i> , 2007 , 56, 107	2.8	13
46	Combined expression of chitinase and lipid transfer protein genes in transgenic carrot plants enhances resistance to foliar fungal pathogens. <i>Plant Cell Reports</i> , 2007 , 26, 1539-46	5.1	70
45	Biological control of damping-off on American ginseng (<i>Panax quinquefolius</i>) by <i>Clonostachys rosea</i> f. <i>catenulata</i> (= <i>Gliocladium catenulatum</i>). <i>Canadian Journal of Plant Pathology</i> , 2007 , 29, 203-207	1.6	11
44	Diversity, complexity and transmission of double-stranded RNA elements in <i>Chalara elegans</i> (synanam. <i>Thielaviopsis basicola</i>). <i>Mycological Research</i> , 2006 , 110, 697-704		20
43	Carrot (<i>Daucus carota</i> L.). <i>Methods in Molecular Biology</i> , 2006 , 344, 3-12	1.4	5
42	Influence of iron on cylindrocarpon root rot development on ginseng. <i>Phytopathology</i> , 2006 , 96, 1179-87	3.8	20
41	Molecular and Biological Characterization of a Mitovirus in <i>Chalara elegans</i> (<i>Thielaviopsis basicola</i>). <i>Phytopathology</i> , 2006 , 96, 468-79	3.8	28
40	Inoculum prevalence, host infection and biological control of <i>Colletotrichum acutatum</i> : causal agent of blueberry anthracnose in British Columbia. <i>Plant Pathology</i> , 2006 , 55, 442-450	2.8	33
39	Co-infection by two distinct totivirus-like double-stranded RNA elements in <i>Chalara elegans</i> (<i>Thielaviopsis basicola</i>). <i>Virus Research</i> , 2005 , 109, 71-85	6.4	22
38	Factors Influencing Development of Root Rot on Ginseng Caused by <i>Cylindrocarpon destructans</i> . <i>Phytopathology</i> , 2005 , 95, 1381-90	3.8	83
37	Biochemistry of ginseng root tissues affected by rusty root symptoms. <i>Plant Physiology and Biochemistry</i> , 2005 , 43, 1103-14	5.4	68
36	Transgenic carrots expressing a thaumatin-like protein display enhanced resistance to several fungal pathogens. <i>Canadian Journal of Plant Pathology</i> , 2005 , 27, 291-296	1.6	36
35	Virulence of <i>Chalara elegans</i> on bean leaves, and host-tissue responses to infection. <i>Canadian Journal of Plant Pathology</i> , 2004 , 26, 52-62	1.6	5
34	Multiplication and germination of somatic embryos of American ginseng derived from suspension cultures and biochemical and molecular analyses of plantlets. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2004 , 40, 329-338	2.3	14
33	Greenhouse Cucumber Cultivars Differ in Susceptibility to <i>Fusarium</i> Root and Stem Rot. <i>HortTechnology</i> , 2004 , 14, 240-242	1.3	6
32	Tissue culture and <i>Agrobacterium</i> -mediated transformation of hemp (<i>Cannabis sativa</i> L.). <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2003 , 39, 578-585	2.3	55
31	Using fungi and yeasts to manage vegetable crop diseases. <i>Trends in Biotechnology</i> , 2003 , 21, 400-7	15.1	140

30	Biological control of damping-off and root rot caused by <i>Pythium aphanidermatum</i> on greenhouse cucumbers. <i>Canadian Journal of Plant Pathology</i> , 2003 , 25, 411-417	1.6	49
29	Biological Control Of Fungal Diseases On Vegetable Crops With Fungi And Yeasts. <i>Mycology</i> , 2003 ,		2
28	Histopathology of Callus and Germinating Seeds of <i>Arceuthobium tsugense</i> subsp. <i>tsugense</i> Infected by <i>Cylindrocarpon cylindroides</i> and <i>Colletotrichum gloeosporioides</i> . <i>International Journal of Plant Sciences</i> , 2002 , 163, 765-773	2.6	3
27	Genetic Diversity among Natural and Cultivated Field Populations and Seed Lots of American Ginseng (<i>Panax quinquefolius</i> L.) in Canada. <i>International Journal of Plant Sciences</i> , 2002 , 163, 427-439	2.6	31
26	In vitro germination and development of western hemlock dwarf mistletoe. <i>Plant Cell, Tissue and Organ Culture</i> , 2001 , 66, 97-105	2.7	6
25	Genetic diversity among mycelial compatibility groups of <i>Sclerotium rolfsii</i> (teleomorph <i>Athelia rolfsii</i>) and <i>S. delphinii</i> . <i>Mycological Research</i> , 2001 , 105, 537-546		20
24	Genetic engineering of plants to enhance resistance to fungal pathogens? a review of progress and future prospects. <i>Canadian Journal of Plant Pathology</i> , 2001 , 23, 216-235	1.6	187
23	Morphological and molecular characterization of <i>Chalara elegans</i> (<i>Thielaviopsis basicola</i>), cause of black root rot on diverse plant species. <i>Canadian Journal of Botany</i> , 2000 , 77, 1801-1812		3
22	Floral Biology and Seed Production in Cultivated North American Ginseng (<i>Panax quinquefolius</i>). <i>Journal of the American Society for Horticultural Science</i> , 2000 , 125, 567-575	2.3	12
21	Tissue culture of parasitic flowering plants: Methods and applications in agriculture and forestry. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 1999 , 35, 369-381	2.3	13
20	Morphological and molecular characterization of <i>Chalara elegans</i> (<i>Thielaviopsis basicola</i>), cause of black root rot on diverse plant species. <i>Canadian Journal of Botany</i> , 1999 , 77, 1801-1812		16
19	Glyphosate treatment of bean seedlings causes short-term increases in <i>Pythium</i> populations and damping off potential in soils. <i>Applied Soil Ecology</i> , 1998 , 8, 25-33	5	28
18	Genetic Change Within Populations of <i>Phytophthora infestans</i> in the United States and Canada During 1994 to 1996: Role of Migration and Recombination. <i>Phytopathology</i> , 1998 , 88, 939-49	3.8	173
17	Fungal pathogens of American ginseng (<i>Panax quinquefolium</i>) in British Columbia. <i>Canadian Journal of Plant Pathology</i> , 1997 , 19, 301-306	1.6	59
16	Comparative efficacy of bacteria, fungi, and yeasts as biological control agents for diseases of vegetable crops. <i>Canadian Journal of Plant Pathology</i> , 1997 , 19, 315-323	1.6	34
15	The biology of Canadian weeds. 105. <i>Rubus strigosus</i> Michx., <i>Rubus parviflorus</i> Nutt., and <i>Rubus spectabilis</i> Pursh.. <i>Canadian Journal of Plant Science</i> , 1996 , 76, 187-201	1	9
14	Identification and role of <i>Pythium</i> species as glyphosate synergists on bean (<i>Phaseolus vulgaris</i>) grown in different soils. <i>Mycological Research</i> , 1996 , 100, 971-978		15
13	Assessment of host specificity among different species of glyphosate synergistic <i>Pythium</i> . <i>Mycological Research</i> , 1996 , 100, 1445-1453		4

12	Chitinase profiles in mature carrot (<i>Daucus carota</i>) roots and purification and characterization of a novel isoform. <i>Physiologia Plantarum</i> , 1996 , 96, 130-138	4.6	5
11	Influence of double-stranded RNAs on growth, sporulation, pathogenicity, and survival of <i>Chalara elegans</i> . <i>Canadian Journal of Botany</i> , 1995 , 73, 1001-1009		10
10	Induction and characterization of chitinase isoforms in cucumber (<i>Cucumis sativus</i> L.): effect of elicitors, wounding and pathogen inoculation. <i>Plant Science</i> , 1994 , 99, 141-150	5.3	15
9	Influence of culture conditions on mycelial growth and phialospore production and germination in <i>Chalara elegans</i> . <i>Canadian Journal of Botany</i> , 1993 , 71, 447-456		7
8	Influence of Postharvest Handling Practices and Dip Treatments on Development of Black Root Rot on Fresh Market Carrots. <i>Plant Disease</i> , 1993 , 77, 989	1.5	39
7	Mycelial growth and pathogenesis by <i>Rhizoctonia carotae</i> on carrot. <i>Canadian Journal of Plant Pathology</i> , 1987 , 9, 24-31	1.6	13
6	Progression of root rot on processing carrots due to <i>Sclerotium rolfsii</i> and the relationship of disease incidence to inoculum density. <i>Canadian Journal of Plant Pathology</i> , 1986 , 8, 297-304	1.6	3
5	Relationships Among Soil Depth, Soil Texture, and Inoculum Placement in Infection of Carrot Roots by Eruptively Germinating Sclerotia of <i>Sclerotium rolfsii</i> . <i>Phytopathology</i> , 1986 , 76, 976	3.8	4
4	Fungal Disease Resistance in Plants		14
3	The bud rot pathogens infecting cannabis (<i>Cannabis sativa</i> L., marijuana) inflorescences: symptomology, species identification, pathogenicity and biological control. <i>Canadian Journal of Plant Pathology</i> , 1-28	1.6	2
2	Several <i>Pythium</i> species cause crown and root rot on cannabis (<i>Cannabis sativa</i> L., marijuana) plants grown under commercial greenhouse conditions. <i>Canadian Journal of Plant Pathology</i> , 1-16	1.6	2
1	First report of the powdery mildew pathogen of hops, <i>Podosphaeria macularis</i> , naturally infecting cannabis (<i>Cannabis sativa</i> L., marijuana) plants under field conditions. <i>Canadian Journal of Plant Pathology</i> , 1-15	1.6	1