Hirokazu Kawagishi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/374354/publications.pdf

Version: 2024-02-01

135 papers 4,060 citations

32 h-index 58 g-index

136 all docs

136 docs citations

136 times ranked

2479 citing authors

#	Article	IF	CITATIONS
1	Ethanol fermentation by saprotrophic white-rot fungus Phanerochaete sordida YK-624 during wood decay as a system for short-term resistance to hypoxic conditions. Journal of Bioscience and Bioengineering, 2022, 133, 64-69.	1.1	3
2	The Fairy Chemical Imidazole-4-carboxamide Inhibits the Expression of Axl, PD-L1, and PD-L2 and Improves Response to Cisplatin in Melanoma. Cells, 2022, 11, 374.	1.8	7
3	1,2,3-Triazine formation mechanism of the fairy chemical 2-azahypoxanthine in the fairy ring-forming fungus <i>Lepista sordida</i> . Organic and Biomolecular Chemistry, 2022, 20, 2636-2642.	1.5	6
4	A new lanostane triterpenoid from the mushroom <i>Hypholoma fasciculare</i> Bioscience, Biotechnology and Biochemistry, 2022, , .	0.6	0
5	The complete mitochondrial genome sequence of the fairy ring-forming fungus <i>Lepista sordida</i> Mitochondrial DNA Part B: Resources, 2022, 7, 712-714.	0.2	1
6	Study on Secondary Metabolites of Endophytic Fungus, Aspergillus fumigatus, from Crocus sativus L. Guided byUHPLC-HRMS/MS-Based Molecular Network. International Journal of Analytical Chemistry, 2022, 2022, 1-11.	0.4	2
7	White-rot fungus Phanerochaete chrysosporium metabolizes chloropyridinyl-type neonicotinoid insecticides by an N-dealkylation reaction catalyzed by two cytochrome P450s. Journal of Hazardous Materials, 2021, 402, 123831.	6.5	34
8	Safety evaluation of 2-aza-8-oxohypoxanthine by <i>in vitro</i> skin sensitization and human tests. Fundamental Toxicological Sciences, 2021, 8, 123-133.	0.2	4
9	Chemical studies on bioactive compounds related to higher fungi. Bioscience, Biotechnology and Biochemistry, 2021, 85, 1-7.	0.6	7
10	<i>S</i> -Adenosylhomocysteine Analogue of a Fairy Chemical, Imidazole-4-carboxamide, as its Metabolite in Rice and Yeast and Synthetic Investigations of Related Compounds. Journal of Natural Products, 2021, 84, 453-458.	1.5	4
11	The Potential of 2-aza-8-Oxohypoxanthine as a Cosmetic Ingredient. Cosmetics, 2021, 8, 60.	1.5	5
12	Transcriptomics analysis reveals the high biodegradation efficiency of white-rot fungus Phanerochaete sordida YK-624 on native lignin. Journal of Bioscience and Bioengineering, 2021, 132, 253-257.	1.1	7
13	Improvement of saccharide yield from wood by simultaneous enzymatic delignification and saccharification using a ligninolytic enzyme and cellulase. Journal of Bioscience and Bioengineering, 2021, 132, 213-219.	1.1	7
14	Clinical Evaluation of Topical Lotion Containing 2-Aza-8-Oxohypoxanthine on Skin Barrier Function against Water Loss. Cosmetics, 2021, 8, 83.	1.5	4
15	Draft Genome Sequence of the White-Rot Fungus Phanerochaete sordida YK-624. Microbiology Resource Announcements, 2021, 10, e0084221.	0.3	4
16	An efficient heterologous <i>Escherichia coli</i> based expression system for lectin production from <i>Pleurocybella porrigens</i> Bioscience, Biotechnology and Biochemistry, 2021, 85, 630-633.	0.6	2
17	Self-fusion and fusion cell isolation of transformants derived from white rot fungus Phanerochaete sordida YK-624 by simple visual method. Journal of Bioscience and Bioengineering, 2020, 129, 146-149.	1.1	1
18	A Fairy Chemical Suppresses Retinal Angiogenesis as a HIF Inhibitor. Biomolecules, 2020, 10, 1405.	1.8	18

#	Article	IF	CITATIONS
19	Plant growth regulators from mushrooms. Journal of Antibiotics, 2020, 73, 657-665.	1.0	7
20	Bitter compounds in two Tricholoma species, T. aestuans and T. virgatum. Journal of Antibiotics, 2020, 73, 697-701.	1.0	0
21	Biosynthesis of the Fairy Chemicals, 2-Azahypoxanthine and Imidazole-4-carboxamide, in the Fairy Ring-Forming FungusLepista sordida. Journal of Natural Products, 2020, 83, 2469-2476.	1.5	14
22	Axl and immune checkpoints inhibitors from fruiting bodies of Pleurocybella porrigens. Journal of Antibiotics, 2020, 73, 733-736.	1.0	5
23	Plant growth regulators and Axl and immune checkpoint inhibitors from the edible mushroom <i>Leucopaxillus giganteus</i> . Bioscience, Biotechnology and Biochemistry, 2020, 84, 1332-1338.	0.6	13
24	A Staphylococcus pro-apoptotic peptide induces acute exacerbation of pulmonary fibrosis. Nature Communications, 2020, 11, 1539.	5.8	43
25	Inhibition of cholesteryl ester synthesis by polyacetylenes from Atractylodes rhizome. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 126997.	1.0	5
26	Biomimetic Synthesis of Chaxine and its Related Compounds. Journal of Organic Chemistry, 2020, 85, 4848-4860.	1.7	5
27	Effects of imidazole-4-carboxamide and 2-azahypoxanthine on the growth and ectomycorrhizal colonization of Pinus densiflora seedlings inoculated with Tricholoma matsutake. Mycoscience, 2020, 61, 259-263.	0.3	1
28	Medicinal Mushroom, Grifola gargal (Agaricomycetes), Lowers Triglyceride in Animal Models of Obesity and Diabetes and in Adults with Prediabetes. International Journal of Medicinal Mushrooms, 2020, 22, 79-91.	0.9	3
29	Safety evaluation of 2-aza-8-oxohypoxanthine based on <i>in vitro</i> and human patch tests. Fundamental Toxicological Sciences, 2020, 7, 207-214.	0.2	6
30	A Fairy Chemical, Imidazole-4-carboxamide, is Produced on a Novel Purine Metabolic Pathway in Rice. Scientific Reports, 2019, 9, 9899.	1.6	19
31	Biotransformation and detoxification of the neonicotinoid insecticides nitenpyram and dinotefuran by Phanerochaete sordida YK-624. Environmental Pollution, 2019, 252, 856-862.	3.7	48
32	Ribosides and Ribotide of a Fairy Chemical, Imidazole-4-carboxamide, as Its Metabolites in Rice. Organic Letters, 2019, 21, 7841-7845.	2.4	7
33	Efficient Reconstitution of Basidiomycota Diterpene Erinacine Gene Cluster in Ascomycota Host <i>Aspergillus oryzae</i> Based on Genomic DNA Sequences. Journal of the American Chemical Society, 2019, 141, 15519-15523.	6.6	60
34	Array of Metabolites in Italian Hericium erinaceus Mycelium, Primordium, and Sporophore. Molecules, 2019, 24, 3511.	1.7	24
35	The complete mitochondrial genome sequence of the edible mushroom Stropharia rugosoannulata (Strophariaceae, Basidiomycota). Mitochondrial DNA Part B: Resources, 2019, 4, 570-572.	0.2	3
36	Effect on growth, sugar consumption, and aerobic ethanol fermentation of homologous expression of the sugar transporter gene Pshxt1 in the white rot fungus Phanerochaete sordida YK-624. Journal of Bioscience and Bioengineering, 2019, 128, 537-543.	1.1	6

#	Article	IF	CITATIONS
37	Genome sequence analysis of the fairy ring-forming fungus Lepista sordida and gene candidates for interaction with plants. Scientific Reports, 2019, 9, 5888.	1.6	15
38	Erinachromanes A and B and Erinaphenol A from the Culture Broth of Hericium erinaceus. Journal of Agricultural and Food Chemistry, 2019, 67, 3134-3139.	2.4	8
39	Are fairy chemicals a new family of plant hormones?. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2019, 95, 29-38.	1.6	33
40	Identification of the cytochrome P450 involved in the degradation of neonicotinoid insecticide acetamiprid in Phanerochaete chrysosporium. Journal of Hazardous Materials, 2019, 371, 494-498.	6.5	47
41	Hericium erinaceus Improves Recognition Memory and Induces Hippocampal and Cerebellar Neurogenesis in Frail Mice during Aging. Nutrients, 2019, 11, 715.	1.7	39
42	Structural investigation of α-l-fucosidase from the pancreas of Patiria pectinifera, based on molecular cloning. Carbohydrate Research, 2019, 475, 27-33.	1.1	7
43	Effects of Glucose Concentration on Ethanol Fermentation of White-Rot Fungus Phanerochaete sordida YK-624 Under Aerobic Conditions. Current Microbiology, 2019, 76, 263-269.	1.0	7
44	Science of fairy chemicals and the possibility of application of them to agriculture. Japanese Journal of Pesticide Science, 2019, 44, 174-180.	0.0	0
45	Fairy chemicals $\hat{a} \in \hat{a}$ a candidate for a new family of plant hormones and possibility of practical use in agriculture*. Bioscience, Biotechnology and Biochemistry, 2018, 82, 752-758.	0.6	35
46	Functional characterization of the manganese transporter smf2 homologue gene, PsMnt, of Phanerochaete sordida YK-624 via homologous overexpression. FEMS Microbiology Letters, 2018, 365, .	0.7	7
47	<i>N</i> -Glucosides of Fairy Chemicals, 2-Azahypoxanthine and 2-Aza-8-oxohypoxanthine, in Rice. Organic Letters, 2018, 20, 312-314.	2.4	20
48	Bioactive compounds from the edible mushroom Cortinarius caperatus. Mycoscience, 2018, 59, 172-175.	0.3	7
49	Discovery of Plant Growth Stimulants by C–H Arylation of 2-Azahypoxanthine. Organic Letters, 2018, 20, 5684-5687.	2.4	15
50	Synthesis of double-13C-labeled imidazole derivatives. Tetrahedron Letters, 2018, 59, 3516-3518.	0.7	15
51	A novel plant growth regulator from Pholiota lubrica. Tetrahedron Letters, 2018, 59, 2559-2561.	0.7	9
52	Plant growth regulators from the fruiting bodies of Tricholoma flavovirens. Bioscience, Biotechnology and Biochemistry, 2017, 81, 441-444.	0.6	6
53	Biomimetic Synthesis and Structural Revision of Chaxine B and Its Analogues. Organic Letters, 2017, 19, 560-563.	2.4	13
54	Cytotoxic compounds against cancer cells from <i>Bombyx mori</i> inoculated with <i>Cordyceps militaris</i> Bioscience, Biotechnology and Biochemistry, 2017, 81, 1224-1226.	0.6	7

#	Article	IF	CITATIONS
55	Gram-Scale, Stereoselective Synthesis and Biological Evaluation of (+)-Armillariol C. Journal of Natural Products, 2017, 80, 2561-2565.	1.5	31
56	Plant growth inhibitors from the culture broth of fairy ring-forming fungus Lepista sordida. Mycoscience, 2017, 58, 387-390.	0.3	5
57	Plant growth regulators from the edible mushroom Leccinum extremiorientale. Mycoscience, 2017, 58, 383-386.	0.3	6
58	Bioremediation of the neonicotinoid insecticide clothianidin by the white-rot fungus Phanerochaete sordida. Journal of Hazardous Materials, 2017, 321, 586-590.	6. 5	68
59	Effect of the Medicinal Mushroom, Grifola gargal (Agaricomycetes), on Bone Turnover Markers and Serum Lipids in Middle-Aged and Elderly Japanese Women. International Journal of Medicinal Mushrooms, 2016, 18, 1-7.	0.9	3
60	Inhibition of neutrophil superoxide generation by shikonin is associated with suppression of cellular Ca ²⁺ fluxes. Journal of Clinical Biochemistry and Nutrition, 2016, 59, 1-9.	0.6	8
61	Analysis of ethanol fermentation mechanism of ethanol producing white-rot fungus Phlebia sp. MG-60 by RNA-seq. BMC Genomics, 2016, 17, 616.	1.2	20
62	The biosynthetic pathway of 2-azahypoxanthine in fairy-ring forming fungus. Scientific Reports, 2016, 6, 39087.	1.6	23
63	Analysis of the aplyronine A-induced protein–protein interaction between actin and tubulin by surface plasmon resonance. Bioorganic and Medicinal Chemistry, 2016, 24, 2809-2814.	1.4	10
64	Direct lactic acid production from beech wood by transgenic white-rot fungus Phanerochaete sordida YK-624. Journal of Biotechnology, 2016, 239, 83-89.	1.9	21
65	Bioconversion of AHX to AOH by resting cells of <i>Burkholderia contaminans</i> CH-1. Bioscience, Biotechnology and Biochemistry, 2016, 80, 2045-2050.	0.6	20
66	Effects of Homologous Expression of 1,4-Benzoquinone Reductase and Homogentisate 1,2-Dioxygenase Genes on Wood Decay in Hyper-Lignin-Degrading Fungus Phanerochaete sordida YK-624. Current Microbiology, 2016, 73, 512-518.	1.0	11
67	Plant growth regulatory compounds from the mushroom Russula vinosa. Mycoscience, 2016, 57, 404-407.	0.3	5
68	Oxidative <i>trans</i> to <i>cis</i> Isomerization of Olefins in Polyketide Biosynthesis. Angewandte Chemie - International Edition, 2016, 55, 6207-6210.	7.2	23
69	Improvement of ethanol production by recombinant expression of pyruvate decarboxylase in the white-rot fungus Phanerochaete sordida YK-624. Journal of Bioscience and Bioengineering, 2016, 122, 17-21.	1.1	10
70	Molecular breeding of lignin-degrading brown-rot fungus Gloeophyllum trabeum by homologous expression of laccase gene. AMB Express, 2015, 5, 81.	1.4	17
71	Effect of 2-Azahypoxanthine (AHX) Produced by the Fairy-Ring-Forming Fungus on the Growth and the Grain Yield of Rice. Japan Agricultural Research Quarterly, 2015, 49, 45-49.	0.1	34
72	Bioactive Sesquiterpene Aryl Esters from the Culture Broth of <i>Armillaria</i> sp Journal of Natural Products, 2015, 78, 163-167.	1.5	37

#	Article	IF	CITATIONS
73	Improving xylitol production through recombinant expression of xylose reductase in the white-rot fungus Phanerochaete sordida YK-624. Journal of Bioscience and Bioengineering, 2015, 120, 6-8.	1.1	5
74	Genome Sequence of a Novel Iflavirus from mRNA Sequencing of the Pupa of Bombyx mori Inoculated with <i>Cordyceps militaris</i> . Genome Announcements, 2015, 3, .	0.8	9
75	Fairy Chemicals, 2-Azahypoxanthine and 2-Aza-8-oxohypoxanthine, Regulate Carotenoid Accumulation in Citrus Juice Sacs <i>in Vitro</i> . Journal of Agricultural and Food Chemistry, 2015, 63, 7230-7235.	2.4	8
76	Thapsigargin-induced ER stress suppressive compounds from the mushroom Mycoleptodonoides aitchisonii. Tetrahedron Letters, 2015, 56, 5561-5563.	0.7	2
77	Erinaceolactones A to C, from the Culture Broth of <i>Hericium erinaceus</i> . Journal of Natural Products, 2015, 78, 155-158.	1.5	32
78	A-WINGS: an integrated genome database for Pleurocybella porrigens (Angel's wing oyster mushroom,) Tj E	TQq0,00	rgBŢ /Overloc
79	Metabolism of bisphenol A by hyper lignin-degrading fungus Phanerochaete sordida YK-624 under non-ligninolytic condition. Chemosphere, 2014, 109, 128-133.	4.2	15
80	2-Azahypoxanthine and imidazole-4-carboxamide produced by the fairy-ring-forming fungus increase wheat yield. Field Crops Research, 2014, 162, 6-11.	2.3	40
81	The Source of "Fairy Rings― 2-Azahypoxanthine and its Metabolite Found in a Novel Purine Metabolic Pathway in Plants. Angewandte Chemie - International Edition, 2014, 53, 1552-1555.	7.2	56
82	Practical synthesis of natural plant-growth regulator 2-azahypoxanthine, its derivatives, and biotin-labeled probes. Organic and Biomolecular Chemistry, 2014, 12, 3813-3815.	1.5	30
83	Endoplasmic Reticulum Stress Suppressive Compounds from the Edible Mushroom Mycoleptodonoides aitchisonii. Journal of Natural Products, 2014, 77, 1729-1733.	1.5	19
84	A new compound from the mushroom Tricholoma flavovirens. Bioscience, Biotechnology and Biochemistry, 2014, 78, 755-757.	0.6	6
85	Heterologous expression of a lectin from Pleurocybella porrigens (PPL) in Phanerochaete sordida YK-624. Journal of Microbiological Methods, 2014, 100, 70-76.	0.7	13
86	Fomiroid A, a Novel Compound from the Mushroom Fomitopsis nigra, Inhibits NPC1L1-Mediated Cholesterol Uptake via a Mode of Action Distinct from That of Ezetimibe. PLoS ONE, 2014, 9, e116162.	1.1	10
87	An unusual sterol from the mushroom Stropharia rugosoannulata. Tetrahedron Letters, 2013, 54, 4900-4902.	0.7	15
88	Armillariols A to C from the culture broth of Armillaria sp Tetrahedron Letters, 2013, 54, 5481-5483.	0.7	12
89	Isolation of Bioactive Steroids from the <i>Stropharia rugosoannulata </i> Mushroom and Absolute Configuration of Strophasterol B. Bioscience, Biotechnology and Biochemistry, 2013, 77, 1779-1781.	0.6	32
90	A Novel Core Fucose-specific Lectin from the Mushroom Pholiota squarrosa. Journal of Biological Chemistry, 2012, 287, 33973-33982.	1.6	101

#	Article	IF	CITATIONS
91	Strophasterolsâ€A to D with an Unprecedented Steroid Skeleton: From the Mushroom ⟨i⟩Stropharia rugosoannulata⟨ i⟩. Angewandte Chemie - International Edition, 2012, 51, 10820-10822.	7.2	50
92	Agrocybynes A–E from the culture broth of Agrocybe praecox. Tetrahedron, 2012, 68, 1262-1265.	1.0	12
93	Proof of the Existence of an Unstable Amino Acid: Pleurocybellaziridine in <i>Pleurocybella porrigens</i> i>. Angewandte Chemie - International Edition, 2011, 50, 1168-1170.	7.2	32
94	Extract of the mushroom Mycoleptodonoides aitchisonii induces a series of anti-oxidative and phase II detoxifying enzymes through activation of the transcription factor Nrf2. Food Chemistry, 2011, 129, 92-99.	4.2	15
95	Leccinine A, an endoplasmic reticulum stress-suppressive compound from the edible mushroom Leccinum extremiorientale. Tetrahedron, 2011, 67, 6649-6653.	1.0	17
96	Functional-Food Constituents in the Fruiting Bodies of <i>Stropharia rugosoannulata </i> Biotechnology and Biochemistry, 2011, 75, 1631-1634.	0.6	31
97	Disclosure of the "Fairy―of Fairyâ€Ringâ€Forming Fungus <i>Lepista sordida</i> . ChemBioChem, 2010, 11, 1373-1377.	1.3	77
98	Unusual amino acid derivatives from the mushroom Pleurocybella porrigens. Tetrahedron, 2010, 66, 504-507.	1.0	26
99	Plant-Growth Regulator, Imidazole-4-Carboxamide, Produced by the Fairy Ring Forming Fungus Lepista sordida. Journal of Agricultural and Food Chemistry, 2010, 58, 9956-9959.	2.4	76
100	Termitomycamides A to E, Fatty Acid Amides Isolated from the Mushroom <i>Termitomyces titanicus </i> , Suppress Endoplasmic Reticulum Stress. Organic Letters, 2010, 12, 5012-5015.	2.4	26
101	Suppressing the Formation of Osteoclasts Using Bioactive Components of the Edible Mushroom Leccinum extremiorientale (L Vass.) Singer (Agaricomycetideae). International Journal of Medicinal Mushrooms, 2010, 12, 401-406.	0.9	6
102	Endoplasmic Reticulum (ER) Stress-Suppressive Compounds from Scrap Cultivation Beds of the MushroomHericium erinaceum. Bioscience, Biotechnology and Biochemistry, 2009, 73, 1908-1910.	0.6	24
103	Chaxines B, C, D, and E from the edible mushroom Agrocybe chaxingu. Tetrahedron, 2009, 65, 9850-9853.	1.0	34
104	Endoplasmic reticulum (ER) stress protecting compounds from the mushroom Mycoleptodonoides aitchisonii. Tetrahedron, 2009, 65, 221-224.	1.0	22
105	Purification, Characterization, and cDNA Cloning of a Lectin from the Mushroom <i>Pleurocybella porrigens </i> i>. Bioscience, Biotechnology and Biochemistry, 2009, 73, 702-709.	0.6	43
106	An endoplasmic reticulum (ER) stress-suppressive compound and its analogues from the mushroom Hericium erinaceum. Bioorganic and Medicinal Chemistry, 2008, 16, 9467-9470.	1.4	66
107	Isolation and characterization of lectins from the AG-D group of binucleate Rhizoctonia species. Journal of General Plant Pathology, 2007, 73, 235-241.	0.6	6
108	Bioactive Compounds from Mushrooms. Heterocycles, 2007, 72, 45.	0.4	15

#	Article	IF	CITATIONS
109	Chaxine A, an Osteoclast-Forming Suppressing Substance, from the Mushroom Agrocybe chaxingu. Heterocycles, 2006, 69, 253.	0.4	30
110	Dilinoleoyl-phosphatidylethanolamine from Hericium erinaceum protects against ER stress-dependent Neuro2a cell death via protein kinase C pathway. Journal of Nutritional Biochemistry, 2006, 17, 525-530.	1.9	65
111	Erinacines J and K from the mycelia of Hericium erinaceum. Tetrahedron, 2006, 62, 8463-8466.	1.0	74
112	Erinacine A increases catecholamine and nerve growth factor content in the central nervous system of rats. Nutrition Research, 2005, 25, 617-623.	1.3	94
113	Growth Promotion of Mycelia of the Matsutake MushroomTricholoma matsutakebyD-Isoleucine. Bioscience, Biotechnology and Biochemistry, 2004, 68, 2405-2407.	0.6	19
114	Lectin Variation in Members of <i>Rhizoctonia</i> Species. Microbes and Environments, 2004, 19, 227-235.	0.7	5
115	Novel Hydroquinone as a Matrix Metallo-proteinase Inhibitor from the Mushroom, Piptoporus betulinus. Bioscience, Biotechnology and Biochemistry, 2002, 66, 2748-2750.	0.6	18
116	Aldehyde Dehydrogenase Inhibitors from the Mushroom Clitocybe clavipes. Journal of Natural Products, 2002, 65, 1712-1714.	1.5	32
117	Liver Injury Suppressing Compounds from Avocado (Persea americana). Journal of Agricultural and Food Chemistry, 2001, 49, 2215-2221.	2.4	73
118	Two Novel Diterpenoids, Erinacines H and I from the Mycelia of Hericium erinaceum. Bioscience, Biotechnology and Biochemistry, 2000, 64, 2402-2405.	0.6	145
119	Crystal Structure of 2-(1-(2,4-Dinitrobenzoyloxy)ethyl)-3-methyl-4-butanolide Analytical Sciences, 1998, 14, 867-868.	0.8	1
120	Erinacines E, F, and G, stimulators of nerve growth factor (NGF)-synthesis, from the mycelia of Hericium erinaceum. Tetrahedron Letters, 1996, 37, 7399-7402.	0.7	188
121	ERINACINE D, A STIMULATOR OF NGF-SYNTHESIS, FROM THE MYCELIA OF HERICIUM ERINACEUM. Heterocyclic Communications, 1996, 2, .	0.6	87
122	Enzymic synthesis of lacto-N-triose II and its positional analogues. Glycoconjugate Journal, 1995, 12, 664-671.	1.4	22
123	Mushroom lectins. Food Reviews International, 1995, 11, 63-68.	4.3	28
124	N-Acetylglucosaminyl Disaccharide and Trisaccharide Formation Through Lysozyme-Catalyzed Transfer Reaction. Journal of Carbohydrate Chemistry, 1995, 14, 213-225.	0.4	23
125	Reishi, <i> Ganoderma lucidum </i> and <i> Ganoderma tsugae </i> : Bioactive substances and medicinal effects. Food Reviews International, 1995, 11, 151-166.	4.3	127
126	Antitumorâ€active substances from mushrooms. Food Reviews International, 1995, 11, 23-61.	4.3	152

#	Article	IF	CITATIONS
127	Inhibitory Activity of (9R,10S,12Z)-9,10-Dihydroxy-8-oxo-octadecenoic Acid, Its C-9 Epimer and Their Derivatives toward the Growth of Tea Pollen Tubes. Bioscience, Biotechnology and Biochemistry, 1995, 59, 1562-1563.	0.6	0
128	Hypocholesterolemic Action of Dietary Grifolin on Rats Fed with a High-cholesterol Diet. Bioscience, Biotechnology and Biochemistry, 1994, 58, 211-212.	0.6	9
129	Erinacines A, B and C, strong stimulators of nerve growth factor (NGF)-synthesis, from the mycelia of Hericium erinaceum. Tetrahedron Letters, 1994, 35, 1569-1572.	0.7	283
130	A sialic acid-binding lectin from the mushroomHericium erinaceum. FEBS Letters, 1994, 340, 56-58.	1.3	95
131	Antimicrobial chlorinated orcinol derivatives from mycelia of Hericium erinaceum. Phytochemistry, 1993, 34, 1445-1446.	1.4	62
132	Erinapyrones A and B from the Cultured Mycelia ofHericium erinaceum. Chemistry Letters, 1992, 21, 2475-2476.	0.7	19
133	Chromans, hericenones F, G and H from the mushroom Hericium erinaceum. Phytochemistry, 1992, 32, 175-178.	1.4	100
134	Hericenones C, D and E, stimulators of nerve growth factor (NGF)-synthesis, from the mushroom Hericium erinaceum. Tetrahedron Letters, 1991, 32, 4561-4564.	0.7	163
135	Hericenone A and B as cytotoxic principles from the mushroom. Tetrahedron Letters, 1990, 31, 373-376.	0.7	129