

Tiffany K Gill

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3746812/publications.pdf>

Version: 2024-02-01

210
papers

36,076
citations

50276

46
h-index

3732

179
g-index

213
all docs

213
docs citations

213
times ranked

54227
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	13.7	8,569
2	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128Â·9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	13.7	5,010
3	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	13.7	4,989
4	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994.	13.7	3,269
5	Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 459-480.	10.2	2,625
6	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	13.7	2,123
7	Global, regional, and national age-sex-specific mortality and life expectancy, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	13.7	716
8	Hand Grip Strength: age and gender stratified normative data in a population-based study. <i>BMC Research Notes</i> , 2011, 4, 127.	1.4	497
9	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	27.8	469
10	Diabetes and Cardiovascular Disease Outcomes in the Metabolically Healthy Obese Phenotype. <i>Diabetes Care</i> , 2013, 36, 2388-2394.	8.6	402
11	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	13.7	335
12	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1250-1284.	13.7	330
13	Population and fertility by age and sex for 195 countries and territories, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1995-2051.	13.7	294
14	Global, regional, and national burden of bone fractures in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>The Lancet Healthy Longevity</i> , 2021, 2, e580-e592.	4.6	277
15	Prevalence and correlates of foot pain in a populationâ€“based study: the North West Adelaide health study. <i>Journal of Foot and Ankle Research</i> , 2008, 1, 2.	1.9	250
16	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 870-905.	13.7	229
17	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	13.7	219
18	Sleep health of Australian adults in 2016: results of the 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2017, 3, 35-42.	2.5	204

#	ARTICLE	IF	CITATIONS
19	Multimorbidity - not just an older person's issue. Results from an Australian biomedical study. BMC Public Health, 2010, 10, 718.	2.9	187
20	The global burden of falls: global, regional and national estimates of morbidity and mortality from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i3-i11.	2.4	185
21	A Population-Based Survey of Factors Relating to the Prevalence of Falls in Older People. Gerontology, 2005, 51, 340-345.	2.8	177
22	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	27.8	161
23	How valid are self-reported height and weight? A comparison between CATI self-report and clinic measurements using a large cohort study. Australian and New Zealand Journal of Public Health, 2006, 30, 238-246.	1.8	158
24	The North West Adelaide Health Study: detailed methods and baseline segmentation of a cohort for selected chronic diseases. Epidemiologic Perspectives and Innovations, 2006, 3, 4.	7.0	130
25	Psychological well-being and psychological distress: is it necessary to measure both?. Psychology of Well-being, 2012, 2, 3.	2.3	124
26	The Associations Between Adolescent Head-on-Neck Posture, Backpack Weight, and Anthropometric Features. Spine, 1999, 24, 2262.	2.0	116
27	Population Comparison of Two Clinical Approaches to the Metabolic Syndrome: Implications of the new International Diabetes Federation consensus definition. Diabetes Care, 2005, 28, 2777-2779.	8.6	107
28	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
29	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000-17. The Lancet Global Health, 2020, 8, e1162-e1185.	6.3	91
30	Prevalence and comorbidity of sleep conditions in Australian adults: 2016 Sleep Health Foundation national survey. Sleep Health, 2018, 4, 13-19.	2.5	77
31	Soft drink consumption and mental health problems among adults in Australia. Public Health Nutrition, 2010, 13, 1073-1079.	2.2	72
32	Prevalence and correlates of shoulder pain and stiffness in a population-based study: the North West Adelaide Health Study. International Journal of Rheumatic Diseases, 2010, 13, 215-222.	1.9	70
33	Short sleep duration and obesity among Australian children. BMC Public Health, 2010, 10, 609.	2.9	66
34	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i.	1.9	65
35	Effects of area deprivation on health risks and outcomes: a multilevel, cross-sectional, Australian population study. International Journal of Public Health, 2009, 54, 183-192.	2.3	64
36	Vitamin D levels in an Australian population. BMC Public Health, 2014, 14, 1001.	2.9	64

#	ARTICLE	IF	CITATIONS
37	Prevalence and factors associated with stunting and thinness among adolescent students in Northern Ethiopia: a comparison to World Health Organization standards. <i>Archives of Public Health</i> , 2015, 73, 44.	2.4	62
38	How equitable are colorectal cancer screening programs which include FOBTs? A review of qualitative and quantitative studies. <i>Preventive Medicine</i> , 2010, 50, 165-172.	3.4	61
39	Mapping disparities in education across low- and middle-income countries. <i>Nature</i> , 2020, 577, 235-238.	27.8	58
40	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020, 77, 133-141.	2.8	56
41	Monosodium glutamate is related to a higher increase in blood pressure over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults. <i>Journal of Hypertension</i> , 2011, 29, 846-853.	0.5	55
42	Factor structure and validity of the shoulder pain and disability index in a population-based study of people with shoulder symptoms. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 8.	1.9	55
43	Prevalence of abnormalities on shoulder MRI in symptomatic and asymptomatic older adults. <i>International Journal of Rheumatic Diseases</i> , 2014, 17, 863-871.	1.9	54
44	Cause for concern in the use of non-steroidal anti-inflammatory medications in the community -a population-based study. <i>BMC Family Practice</i> , 2011, 12, 70.	2.9	50
45	Rice intake, weight change and risk of the metabolic syndrome development among Chinese adults: the Jiangsu Nutrition Study (JIN). <i>Asia Pacific Journal of Clinical Nutrition</i> , 2012, 21, 35-43.	0.4	50
46	Burden and trend of diet-related non-communicable diseases in Australia and comparison with 34 OECD countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>European Journal of Nutrition</i> , 2019, 58, 1299-1313.	3.9	49
47	Suicidal Ideation. <i>Crisis</i> , 2009, 30, 39-42.	1.2	48
48	Age differences in associations between psychological distress and chronic conditions. <i>International Journal of Public Health</i> , 2011, 56, 71-80.	2.3	48
49	Discharge planning quality from the carer perspective. <i>Quality of Life Research</i> , 2000, 9, 1005-1013.	3.1	47
50	Psychological factors and quality of life in arthritis: a population-based study. <i>Clinical Rheumatology</i> , 2007, 26, 1049-1054.	2.2	47
51	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020, 26, 750-759.	30.7	47
52	Prevalence and associations of gout and hyperuricaemia: results from an Australian population-based study. <i>Internal Medicine Journal</i> , 2016, 46, 566-573.	0.8	45
53	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	1.9	44
54	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	2.4	44

#	ARTICLE	IF	CITATIONS
55	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26.	2.4	44
56	Comparing self-reported and measured high blood pressure and high cholesterol status using data from a large representative cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2010, 34, 394-400.	1.8	43
57	Comparing different definitions of prediabetes with subsequent risk of diabetes: an individual participant data meta-analysis involving 76 513 individuals and 8208 cases of incident diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000794.	2.8	42
58	Body mass index, waist hip ratio, and waist circumference: which measure to classify obesity?. <i>International Journal of Public Health</i> , 2003, 48, 191-200.	2.6	41
59	Mental, Emotional, and Social Problems Among School Children with Asthma. <i>Journal of Asthma</i> , 2008, 45, 489-493.	1.7	41
60	Association between soft drink consumption and asthma and chronic obstructive pulmonary disease among adults in Australia. <i>Respirology</i> , 2012, 17, 363-369.	2.3	41
61	Is Diabetes Associated with Shoulder Pain or Stiffness? Results from a Population Based Study. <i>Journal of Rheumatology</i> , 2009, 36, 371-377.	2.0	40
62	Independent Association of HbA _{1c} and Incident Cardiovascular Disease in People Without Diabetes. <i>Obesity</i> , 2009, 17, 559-563.	3.0	39
63	Association between Dietary Inflammatory Index, Dietary Patterns, Plant-Based Dietary Index and the Risk of Obesity. <i>Nutrients</i> , 2021, 13, 1536.	4.1	38
64	Do people with risky behaviours participate in biomedical cohort studies?. <i>BMC Public Health</i> , 2006, 6, 11.	2.9	37
65	Gout prevalence and predictors of urate-lowering therapy use: results from a population-based study. <i>Arthritis Research and Therapy</i> , 2018, 20, 143.	3.5	37
66	Dietary inflammatory index (DII [®]) and the risk of depression symptoms in adults. <i>Clinical Nutrition</i> , 2021, 40, 3631-3642.	5.0	36
67	Detecting determinants of suicidal ideation: South Australian surveillance system results. <i>International Journal of Public Health</i> , 2007, 52, 142-152.	2.6	35
68	Continuing decline in hormone therapy use: population trends over 17 years. <i>Climacteric</i> , 2009, 12, 122-130.	2.4	35
69	Equity of colorectal cancer screening: cross-sectional analysis of National Bowel Cancer Screening Program data for South Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2011, 35, 61-65.	1.8	35
70	Shoulder range of movement in the general population: age and gender stratified normative data using a community-based cohort. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 676.	1.9	35
71	The impact of dietary risk factors on the burden of non-communicable diseases in Ethiopia: findings from the Global Burden of Disease study 2013. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 122.	4.6	34
72	Perspectives of Frailty and Frailty Screening: Protocol for a Collaborative Knowledge Translation Approach and Qualitative Study of Stakeholder Understandings and Experiences. <i>BMC Geriatrics</i> , 2017, 17, 87.	2.7	34

#	ARTICLE	IF	CITATIONS
73	Smartphone applications for the evaluation of pathologic shoulder range of motion and shoulder scores—a comparative study. <i>JSES Open Access</i> , 2018, 2, 109-114.	0.9	34
74	Prevalence of Foot Pain Across an International Consortium of Population-Based Cohorts. <i>Arthritis Care and Research</i> , 2019, 71, 661-670.	3.4	34
75	Adolescent transport and unintentional injuries: a systematic analysis using the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2022, 7, e657-e669.	10.0	34
76	Obesity in South Australian adults - prevalence, projections and generational assessment over 13 years. <i>Australian and New Zealand Journal of Public Health</i> , 2005, 29, 343-348.	1.8	33
77	Factors Associated with Gamblers: A Population-based Cross-sectional Study of South Australian Adults. <i>Journal of Gambling Studies</i> , 2006, 22, 143-164.	1.6	33
78	Complex problems require complex solutions: the utility of social quality theory for addressing the Social Determinants of Health. <i>BMC Public Health</i> , 2011, 11, 630.	2.9	33
79	Prevalence and associations of co-morbid insomnia and sleep apnoea in an Australian population-based sample. <i>Sleep Medicine</i> , 2021, 82, 9-17.	1.6	31
80	Association between dietary patterns and low bone mineral density among adults aged 50 years and above: findings from the North West Adelaide Health Study (NWAHS). <i>British Journal of Nutrition</i> , 2016, 116, 1437-1446.	2.3	30
81	Influence of Gender on Associations of Obstructive Sleep Apnea Symptoms with Chronic Conditions and Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 930.	2.6	30
82	Folate awareness and the prevalence of neural tube defects in South Australia, 1966–2007. <i>Medical Journal of Australia</i> , 2008, 189, 566-569.	1.7	29
83	Sickness absenteeism is associated with sleep problems independent of sleep disorders: results of the 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2017, 3, 357-361.	2.5	27
84	Sociodemographic and behavioural correlates of social jetlag in Australian adults: results from the 2016 National Sleep Health Foundation Study. <i>Sleep Medicine</i> , 2018, 51, 133-139.	1.6	27
85	Patient Delay in Breast Cancer Diagnosis in Two Hospitals in Karachi, Pakistan: Preventive and Life-Saving Measures Needed. <i>JCO Global Oncology</i> , 2020, 6, 873-883.	1.8	26
86	Orthopaedic surgeons'™ perceptions of frailty and frailty screening. <i>BMC Geriatrics</i> , 2020, 20, 17.	2.7	26
87	Incidence, prevalence, mortality, disability-adjusted life years and risk factors of cancer in Australia and comparison with OECD countries, 1990–2015: findings from the Global Burden of Disease Study 2015. <i>Cancer Epidemiology</i> , 2018, 52, 43-54.	1.9	25
88	Utilising Digital Health Technology to Support Patient-Healthcare Provider Communication in Fragility Fracture Recovery: Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4047.	2.6	25
89	The OMERACT Core Domain Set for Clinical Trials of Shoulder Disorders. <i>Journal of Rheumatology</i> , 2019, 46, 969-975.	2.0	25
90	Physical Activity: The impact of incontinence on health-related quality of life in a South Australian population sample. <i>Australian and New Zealand Journal of Public Health</i> , 2004, 28, 173-179.	1.8	23

#	ARTICLE	IF	CITATIONS
91	Predictors of podiatry utilisation in Australia: the North West Adelaide Health Study. <i>Journal of Foot and Ankle Research</i> , 2008, 1, 8.	1.9	23
92	Building multidisciplinary health workforce capacity to support the implementation of integrated, people-centred Models of Care for musculoskeletal health. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016, 30, 559-584.	3.3	23
93	Association of Musculoskeletal Joint Pain With Obstructive Sleep Apnea, Daytime Sleepiness, and Poor Sleep Quality in Men. <i>Arthritis Care and Research</i> , 2017, 69, 742-747.	3.4	23
94	Individual diseases or clustering of health conditions? Association between multiple chronic diseases and health-related quality of life in adults. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 244.	2.4	23
95	Gout, flares, and allopurinol use: a population-based study. <i>Arthritis Research and Therapy</i> , 2019, 21, 132.	3.5	23
96	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1038-e1060.	6.3	23
97	A comparison of principal component analysis, partial least-squares and reduced-rank regressions in the identification of dietary patterns associated with bone mass in ageing Australians. <i>European Journal of Nutrition</i> , 2018, 57, 1969-1983.	3.9	22
98	Associations of childhood, maternal and household dietary patterns with childhood stunting in Ethiopia: proposing an alternative and plausible dietary analysis method to dietary diversity scores. <i>Nutrition Journal</i> , 2018, 17, 14.	3.4	22
99	The use of a surveillance system to measure changes in mental health in Australian adults during the global financial crisis. <i>International Journal of Public Health</i> , 2011, 56, 367-372.	2.3	20
100	A Population Study of 5 to 15 Year Olds: Full Time Maternal Employment not Associated with High BMI. The Importance of Screen-Based Activity, Reading for Pleasure and Sleep Duration in Children's BMI. <i>Maternal and Child Health Journal</i> , 2012, 16, 587-599.	1.5	20
101	Association between dietary patterns and adult depression symptoms based on principal component analysis, reduced-rank regression and partial least-squares. <i>Clinical Nutrition</i> , 2020, 39, 2811-2823.	5.0	20
102	Predictors of foot pain in the community: the North West Adelaide health study. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 23.	1.9	18
103	A multicenter case control study of association of vitamin D with breast cancer among women in Karachi, Pakistan. <i>PLoS ONE</i> , 2020, 15, e0225402.	2.5	18
104	Multidimensional sleep health is associated with mental well-being in Australian adults. <i>Journal of Sleep Research</i> , 2022, 31, e13477.	3.2	18
105	Severe obesity: Investigating the socio-demographics within the extremes of body mass index. <i>Obesity Research and Clinical Practice</i> , 2008, 2, 51-59.	1.8	17
106	Gender differences in asthma prevalence: Variations with socioeconomic disadvantage. <i>Respirology</i> , 2010, 15, 107-114.	2.3	17
107	Fruit and vegetable consumption â€“ the influence of aspects associated with trust in food and safety and quality of food. <i>Public Health Nutrition</i> , 2012, 15, 208-217.	2.2	17
108	SSRI antidepressant use potentiates weight gain in the context of unhealthy lifestyles: results from a 4-year Australian follow-up study. <i>BMJ Open</i> , 2017, 7, e016224.	1.9	17

#	ARTICLE	IF	CITATIONS
109	Prospective Associations of Dietary and Nutrient Patterns with Fracture Risk: A 20-Year Follow-Up Study. <i>Nutrients</i> , 2017, 9, 1198.	4.1	17
110	Waking to use technology at night, and associations with driving and work outcomes: a screenshot of Australian adults. <i>Sleep</i> , 2020, 43, .	1.1	17
111	Population attributable risk (PAR) of overweight and obesity on chronic diseases: South Australian representative, cross-sectional data, 2004â€“2006. <i>Obesity Research and Clinical Practice</i> , 2009, 3, 159-168.	1.8	16
112	Association of Fat Mass and Adipokines With Foot Pain in a Community Cohort. <i>Arthritis Care and Research</i> , 2016, 68, 526-533.	3.4	16
113	"I know I have arthritis but I don't know what type". Understanding and knowledge of this chronic condition. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 174.	1.9	15
114	Age and gender differences in disabling foot pain using different definitions of the Manchester Foot Pain and Disability Index. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 243.	1.9	15
115	Unpaid Informal Caregivers in South Australia: Population Characteristics, Prevalence and Age-Period-Cohort Effects 1994â€“2014. <i>PLoS ONE</i> , 2016, 11, e0161994.	2.5	15
116	Differences in risk factors and chronic conditions between informal (family) carers and non-carers using a population-based cross-sectional survey in South Australia. <i>BMJ Open</i> , 2018, 8, e020173.	1.9	15
117	The future burden of kidney and bladder cancers preventable by behavior modification in Australia: A pooled cohort study. <i>International Journal of Cancer</i> , 2020, 146, 874-883.	5.1	15
118	On the constructs of quality physiotherapy. <i>Australian Journal of Physiotherapy</i> , 2000, 46, 3-7.	0.9	14
119	Food consumption habits in two states of Australia, as measured by a Food Frequency Questionnaire. <i>BMC Research Notes</i> , 2011, 4, 507.	1.4	14
120	Shoulder Pain in the Community: An Examination of Associative Factors Using a Longitudinal Cohort Study. <i>Arthritis Care and Research</i> , 2013, 65, 2000-2007.	3.4	14
121	Association between Macronutrient Intake and Excessive Daytime Sleepiness: An Iso-Caloric Substitution Analysis from the North West Adelaide Health Study. <i>Nutrients</i> , 2019, 11, 2374.	4.1	14
122	The preventable burden of breast cancers for premenopausal and postmenopausal women in Australia: A pooled cohort study. <i>International Journal of Cancer</i> , 2019, 145, 2383-2394.	5.1	14
123	Trends of mortality attributable to child and maternal undernutrition, overweight/obesity and dietary risk factors of non-communicable diseases in sub-Saharan Africa, 1990â€“2015: findings from the Global Burden of Disease Study 2015. <i>Public Health Nutrition</i> , 2019, 22, 827-840.	2.2	14
124	Prevalence of Probable Shift Work Disorder in Non-Standard Work Schedules and Associations with Sleep, Health and Safety Outcomes: A Cross-Sectional Analysis. <i>Nature and Science of Sleep</i> , 2021, Volume 13, 683-693.	2.7	14
125	Does leisure time physical activity protect against shoulder pain at work?. <i>Occupational Medicine</i> , 2010, 60, 383-388.	1.4	13
126	Foot pain severity is associated with the ratio of visceral to subcutaneous fat mass, fat-mass index and depression in women. <i>Rheumatology International</i> , 2017, 37, 1175-1182.	3.0	13

#	ARTICLE	IF	CITATIONS
127	Making errors at work due to sleepiness or sleep problems is not confined to non-standard work hours: results of the 2016 Sleep Health Foundation national survey. <i>Chronobiology International</i> , 2019, 36, 758-769.	2.0	13
128	Predicting Australian Adults at High Risk of Cardiovascular Disease Mortality Using Standard Risk Factors and Machine Learning. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3187.	2.6	13
129	Endorsement of the OMERACT core domain set for shared decision making interventions in rheumatology trials: Results from a multi-stepped consensus-building approach. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 593-600.	3.4	13
130	Insomnia Prevalence Varies with Symptom Criteria Used with Implications for Epidemiological Studies: Role of Anthropometrics, Sleep Habit, and Comorbidities. <i>Nature and Science of Sleep</i> , 2022, Volume 14, 775-790.	2.7	13
131	Vertical anthropometric measures and low back pain in adolescents. <i>Physiotherapy Research International</i> , 2001, 6, 94-105.	1.5	12
132	Prevalence of influenza immunisation in Australia and suggestions for future targeting of campaigns. <i>International Journal of Public Health</i> , 2002, 47, 91-99.	2.6	12
133	Translating a health service intervention into a rural setting: lessons learned. <i>BMC Health Services Research</i> , 2016, 16, 62.	2.2	12
134	Endorsement of the domains of knee and hip osteoarthritis (OA) flare: A report from the OMERACT 2020 inaugural virtual consensus vote from the flares in OA working group. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 618-622.	3.4	12
135	Improving diagnosis and treatment of osteoporosis: evaluation of a clinical pathway for low trauma fractures. <i>Archives of Osteoporosis</i> , 2007, 2, 1-6.	2.4	11
136	The use of fish oil in the community: results of a population-based study. <i>Rheumatology</i> , 2009, 48, 441-442.	1.9	11
137	Association between monosodium glutamate intake and sleep-disordered breathing among Chinese adults with normal body weight. <i>Nutrition</i> , 2013, 29, 508-513.	2.4	11
138	Association between nutrient patterns and bone mineral density among ageing adults. <i>Clinical Nutrition ESPEN</i> , 2017, 22, 97-106.	1.2	11
139	Prevalence and associations of hand pain in the community: results from a population-based study. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 145-149.	1.1	10
140	Normal Population Reference Values for the Oxford and Harris Hip Scores – Electronic Data Collection and its Implications for Clinical Practice. <i>HIP International</i> , 2017, 27, 389-396.	1.7	10
141	Influencing Cancer Screening Participation Rates – Providing a Combined Cancer Screening Program (a) $Tj ETQq1 \frac{1}{2} 0.7843 \frac{14}{10} rgBT / 0v$	2.8	10
142	The preventable burden of endometrial and ovarian cancers in Australia: A pooled cohort study. <i>Gynecologic Oncology</i> , 2019, 153, 580-588.	1.4	10
143	Cocreation of a digital patient health hub to enhance education and person-centred integrated care post hip fracture: a mixed-methods study protocol. <i>BMJ Open</i> , 2019, 9, e033128.	1.9	10
144	Low Energy Trauma in Older Persons: Where to Next?. <i>The Open Orthopaedics Journal</i> , 2015, 9, 361-366.	0.2	10

#	ARTICLE	IF	CITATIONS
145	Personal digital health hubs for multiple conditions. Bulletin of the World Health Organization, 2020, 98, 569-575.	3.3	10
146	Weighting of the data and analytical approaches may account for differences in overcoming the inadequate representativeness of the respondents to the third wave of a cohort study. Journal of Clinical Epidemiology, 2013, 66, 461-464.	5.0	9
147	Role of Health Literacy in Self-Reported Musculoskeletal Disorders. Arthritis, 2015, 2015, 1-6.	2.0	9
148	The use of self-report questions to examine the prevalence of musculoskeletal problems: a test-retest study. BMC Musculoskeletal Disorders, 2016, 17, 100.	1.9	9
149	Burden of disease attributable to suboptimal diet, metabolic risks and low physical activity in Ethiopia and comparison with Eastern sub-Saharan African countries, 1990-2015: findings from the Global Burden of Disease Study 2015. BMC Public Health, 2018, 18, 552.	2.9	9
150	The Future Colorectal Cancer Burden Attributable to Modifiable Behaviors: A Pooled Cohort Study. JNCI Cancer Spectrum, 2018, 2, pky033.	2.9	9
151	The future burden of lung cancer attributable to current modifiable behaviours: a pooled study of seven Australian cohorts. International Journal of Epidemiology, 2018, 47, 1772-1783.	1.9	9
152	<p>A qualitative study of patient perspectives related to glucocorticoid therapy in polymyalgia rheumatica and giant cell arteritis</p>. Open Access Rheumatology: Research and Reviews, 2019, Volume 11, 189-198.	1.6	9
153	Nutrient patterns and depressive symptoms among Australian adults. European Journal of Nutrition, 2021, 60, 329-343.	3.9	9
154	Prescription medicines, over-the-counter medicines and complementary and alternative medicines use: a comparison between baby boomers and older South Australians. AIMS Public Health, 2019, 6, 380-395.	2.6	8
155	Thyroid cancers potentially preventable by reducing overweight and obesity in Australia: A pooled cohort study. International Journal of Cancer, 2022, 150, 1281-1290.	5.1	8
156	Trends in influenza immunisation amongst an elderly Australian community. Vaccine, 2007, 25, 5428-5432.	3.8	7
157	The use of chronic disease risk factor surveillance systems for evidence-based decision-making: physical activity and nutrition as examples. International Journal of Public Health, 2010, 55, 243-249.	2.3	7
158	Oral complementary medicine and alternative practitioner use varies across chronic conditions and attitudes to risk. Clinical Epidemiology, 2010, 2, 251.	3.0	7
159	Relationship of social factors including trust, control over life decisions, problems with transport and safety, to psychological distress in the community. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 465-473.	3.1	7
160	Changes in foot pain, structure and function following bariatric surgery. Journal of Foot and Ankle Research, 2018, 11, 35.	1.9	7
161	Biomedical health profiles of unpaid family carers in an urban population in South Australia. PLoS ONE, 2019, 14, e0208434.	2.5	7
162	Colorectal cancer screening in rural and remote areas: analysis of the National Bowel Cancer Screening Program data for South Australia. Rural and Remote Health, 0, , .	0.5	7

#	ARTICLE	IF	CITATIONS
163	The Accuracy of Self-report in Rheumatic Diseases. <i>Journal of Rheumatology</i> , 2017, 44, 1109-1111.	2.0	6
164	Take Charge of Pain: evaluating a community-targeted self-management education program for people with musculoskeletal pain. <i>Health Promotion Journal of Australia</i> , 2017, 28, 77-80.	1.2	6
165	The burden of pancreatic cancer in Australia attributable to smoking. <i>Medical Journal of Australia</i> , 2019, 210, 213-220.	1.7	6
166	Association between atrial fibrillation and hip fractures and the implications for hip fracture patients: a systematic review. <i>ANZ Journal of Surgery</i> , 2020, 90, 448-453.	0.7	6
167	Raman microspectroscopy demonstrates reduced mineralization of subchondral bone marrow lesions in knee osteoarthritis patients. <i>Bone Reports</i> , 2020, 12, 100269.	0.4	6
168	Osteoporosis in the community. <i>Bone and Joint Research</i> , 2012, 1, 93-98.	3.6	5
169	Feeling angry about current health status: using a population survey to determine the association with demographic, health and social factors. <i>BMC Public Health</i> , 2016, 16, 588.	2.9	5
170	A population analysis of self-management and health-related quality of life for chronic musculoskeletal conditions. <i>Health Expectations</i> , 2017, 20, 24-34.	2.6	5
171	Sociodemographic, lifestyle and metabolic predictors of all-cause mortality in a cohort of community-dwelling population: an 18-year follow-up of the North West Adelaide Health Study. <i>BMJ Open</i> , 2019, 9, e030079.	1.9	5
172	Association of metabolic phenotypes, grip strength and diabetes risk: The 15-year follow-up of The North West Adelaide Health Study, Australia. <i>Obesity Research and Clinical Practice</i> , 2020, 14, 536-541.	1.8	5
173	Sleep Duration Moderates the Relationship Between Perceived Work-Life Interference and Depressive Symptoms in Australian Men and Women from the North West Adelaide Health Study. <i>International Journal of Behavioral Medicine</i> , 2021, 28, 29-38.	1.7	5
174	A population perspective of osteoporosis. How common? What impact? How modifiable?. <i>Health Promotion Journal of Australia</i> , 2003, 14, 61-65.	1.2	5
175	Prevalence of influenza vaccination in South Australian aged care homes. <i>Australian and New Zealand Journal of Public Health</i> , 2005, 29, 38-43.	1.8	4
176	Participation in the National Bowel Cancer Screening Program. <i>Australasian Medical Journal</i> , 2008, , 141-146.	0.1	4
177	Impact of the new national health standard for rail safety workers on ischaemic heart disease risk factors in train drivers. <i>Internal Medicine Journal</i> , 2013, 43, 650-655.	0.8	4
178	Profiling bone and joint problems and health service use in an Australian regional population: The Port Lincoln Health Study. <i>Australian Health Review</i> , 2013, 37, 504.	1.1	4
179	Identification of Clusters of Foot Pain Location in a Community Sample. <i>Arthritis Care and Research</i> , 2017, 69, 1903-1908.	3.4	4
180	Asymptomatic population reference values for three knee patient-reported outcomes measures: evaluation of an electronic data collection system and implications for future international, multi-centre cohort studies. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 611-621.	2.4	4

#	ARTICLE	IF	CITATIONS
181	<p>Associations of OSA and Nocturnal Hypoxemia with Strength and Body Composition in Community Dwelling Middle Aged and Older Men</p>. Nature and Science of Sleep, 2020, Volume 12, 959-968.	2.7	4
182	A case series of suprascapular nerve block (with an historical comparator) for shoulder pain in motor neurone disease. Palliative Medicine, 2020, 34, 1127-1133.	3.1	4
183	Identifying Opportunities, and Motivation to Enhance Capabilities, Influencing the Development of a Personalized Digital Health Hub Model of Care for Hip Fractures: Mixed Methods Exploratory Study. Journal of Medical Internet Research, 2021, 23, e26886.	4.3	4
184	Telerehabilitation for community-dwelling middle-aged and older adults after musculoskeletal trauma: A systematic review. AIMS Medical Science, 2018, 5, 316-336.	0.4	4
185	Self reported overall health status: Implications for intervention strategies. Australasian Medical Journal, 2008, , 44-57.	0.1	4
186	Who is "on-call"™ in Australia? A new classification approach for on-call employment in future population-level studies. PLoS ONE, 2021, 16, e0259035.	2.5	4
187	The effect of either a pre or post exercise stretch on straight leg raise range of motion (SLR-ROM) in females. Journal of Science and Medicine in Sport, 2002, 5, 281-290.	1.3	3
188	Prevalence and healthcare usage of knee pain in South Australia: a population-based study. Internal Medicine Journal, 2019, 49, 1105-1110.	0.8	3
189	MANAGEMENT OF MUSCULOSKELETAL CONDITIONS IN RURAL SOUTH AUSTRALIA: A RANDOMISED CONTROLLED TRIAL. Journal of Frailty & Aging, the, 2017, 6, 1-4.	1.3	3
190	Smoking and osteoarthritis. International Journal of Rheumatic Diseases, 2013, 16, 766-767.	1.9	2
191	Prevalence of Self-reported Polycystic Ovary Syndrome and Profiles of Health Among Women of Different Generations: A Cross Sectional Study. Fertility & Reproduction, 2019, 01, 141-147.	0.1	2
192	The Future Burden of Head and Neck Cancers Attributable to Modifiable Behaviors in Australia: A Pooled Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1566-1574.	2.5	2
193	Sleep disorders and gout in Australian adults. BMC Rheumatology, 2021, 5, 30.	1.6	2
194	Beware the pitfalls of ill-placed questions " revisiting questionnaire ordering. International Journal of Public Health, 2006, 51, 43-44.	2.6	1
195	Using risk factor surveillance as a basis for mixed-methodology research: an example from Australia using food intake and anthropometric measures. International Journal of Public Health, 2010, 55, 655-660.	2.3	1
196	Socioeconomic factors and total joint replacement: Comment on the article by Mnatzaganian et al. Arthritis and Rheumatism, 2012, 64, 1299-1300.	6.7	1
197	Prevalence of minimal disease activity in Australian patients with Psoriatic Arthritis: Assessing the outcome of national funding criteria for biologic disease-modifying antirheumatic drug prescribing. International Journal of Rheumatic Diseases, 2019, 22, 262-268.	1.9	1
198	The impact of a hands-on arthrocentesis workshop in undergraduate medical education. BMC Medical Education, 2020, 20, 260.	2.4	1

#	ARTICLE	IF	CITATIONS
199	Parent-reported Mental Health Problems and Mental Health Services Use in South Australian School-aged Children. <i>AIMS Public Health</i> , 2016, 3, 750-768.	2.6	1
200	“Context, content, and system”-supporting digital health hub (DHH)-enabled models of care (MoCs) for fragility hip fractures: perspectives of diverse multidisciplinary stakeholders in South Australia from qualitative in-depth interviews. <i>Archives of Osteoporosis</i> , 2021, 16, 167.	2.4	1
201	SP1-66 Chronic disease in specific populations: an epidemiological analysis. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A392-A392.	3.7	0
202	SP1-65 Prevalence and incidence of chronic conditions in an Australian population based cohort study: 2000 to 2010. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A392-A392.	3.7	0
203	Asthma And Wheeze Are Associated With Reduced Vitamin D Levels In A Population Cohort. , 2012, , .		0
204	875 Association between dietary inflammatory index and sleep duration. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
205	880 Dietary inflammatory index and the risk of adult depression symptoms. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
206	1259 Adherence to healthy diet reduces mortality associated with systemic inflammation. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
207	889 Association of maternal smoking during pregnancy and early-childhood with adult insomnia symptoms. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
208	Impact of musculoskeletal conditions among those in residential aged care in Australia. <i>Australasian Journal on Ageing</i> , 2021, , .	0.9	0
209	Cholesterol-lowering therapy and the Australian Pharmaceutical Benefits Scheme: a population study. <i>Australian Health Review</i> , 2009, 33, 325.	1.1	0
210	0205 Sleep Need: More Influential on Health and Daytime Function than Sleep Duration?. <i>Sleep</i> , 2022, 45, A94-A94.	1.1	0