

Tiffany K Gill

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3746812/tiffany-k-gill-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

200 papers	20,530 citations	39 h-index	142 g-index
213 ext. papers	28,566 ext. citations	6.7 avg, IF	6.33 L-index

#	Paper	IF	Citations
200	Insomnia Prevalence Varies with Symptom Criteria Used with Implications for Epidemiological Studies: Role of Anthropometrics, Sleep Habit, and Comorbidities.. <i>Nature and Science of Sleep</i> , 2022 , 14, 775-790	3.6	0
199	0205 Sleep Need: More Influential on Health and Daytime Function than Sleep Duration?. <i>Sleep</i> , 2022 , 45, A94-A94	1.1	
198	Who is Qn-callQn Australia? A new classification approach for on-call employment in future population-level studies. <i>PLoS ONE</i> , 2021 , 16, e0259035	3.7	0
197	"Context, content, and system" supporting digital health hub (DHH)-enabled models of care (MoCs) for fragility hip fractures: perspectives of diverse multidisciplinary stakeholders in South Australia from qualitative in-depth interviews. <i>Archives of Osteoporosis</i> , 2021 , 16, 167	2.9	0
196	Multidimensional sleep health is associated with mental well-being in Australian adults. <i>Journal of Sleep Research</i> , 2021 , e13477	5.8	3
195	Predicting Australian Adults at High Risk of Cardiovascular Disease Mortality Using Standard Risk Factors and Machine Learning. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
194	Association between Dietary Inflammatory Index, Dietary Patterns, Plant-Based Dietary Index and the Risk of Obesity. <i>Nutrients</i> , 2021 , 13,	6.7	5
193	The Future Burden of Head and Neck Cancers Attributable to Modifiable Behaviors in Australia: A Pooled Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1566-1574	4	0
192	Dietary inflammatory index (DII) and the risk of depression symptoms in adults. <i>Clinical Nutrition</i> , 2021 , 40, 3631-3642	5.9	9
191	Prevalence of Probable Shift Work Disorder in Non-Standard Work Schedules and Associations with Sleep, Health and Safety Outcomes: A Cross-Sectional Analysis. <i>Nature and Science of Sleep</i> , 2021 , 13, 683-693	3.6	4
190	Endorsement of the domains of knee and hip osteoarthritis (OA) flare: A report from the OMERACT 2020 inaugural virtual consensus vote from the flares in OA working group. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 618-622	5.3	1
189	Endorsement of the OMERACT core domain set for shared decision making interventions in rheumatology trials: Results from a multi-stepped consensus-building approach. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 593-600	5.3	1
188	Prevalence and associations of co-morbid insomnia and sleep apnoea in an Australian population-based sample. <i>Sleep Medicine</i> , 2021 , 82, 9-17	4.6	14
187	Nutrient patterns and depressive symptoms among Australian adults. <i>European Journal of Nutrition</i> , 2021 , 60, 329-343	5.2	3
186	Sleep Duration Moderates the Relationship Between Perceived Work-Life Interference and Depressive Symptoms in Australian Men and Women from the North West Adelaide Health Study. <i>International Journal of Behavioral Medicine</i> , 2021 , 28, 29-38	2.6	2
185	Sleep disorders and gout in Australian adults. <i>BMC Rheumatology</i> , 2021 , 5, 30	2.9	0
184	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 398, 870-905	40	43

183	Global, regional, and national burden of bone fractures in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e580-e592	9.5	24
182	Identifying Opportunities, and Motivation to Enhance Capabilities, Influencing the Development of a Personalized Digital Health Hub Model of Care for Hip Fractures: Mixed Methods Exploratory Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e26886	7.6	1
181	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020 , 396, 1511-1524	40	73
180	A case series of suprascapular nerve block (with an historical comparator) for shoulder pain in motor neurone disease. <i>Palliative Medicine</i> , 2020 , 34, 1127-1133	5.5	3
179	Raman microspectroscopy demonstrates reduced mineralization of subchondral bone marrow lesions in knee osteoarthritis patients. <i>Bone Reports</i> , 2020 , 12, 100269	2.6	1
178	Patient Delay in Breast Cancer Diagnosis in Two Hospitals in Karachi, Pakistan: Preventive and Life-Saving Measures Needed. <i>JCO Global Oncology</i> , 2020 , 6, 873-883	3.7	11
177	Waking to use technology at night, and associations with driving and work outcomes: a screenshot of Australian adults. <i>Sleep</i> , 2020 , 43,	1.1	10
176	The global burden of falls: global, regional and national estimates of morbidity and mortality from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i3-i11	3.2	59
175	A multicenter case control study of association of vitamin D with breast cancer among women in Karachi, Pakistan. <i>PLoS ONE</i> , 2020 , 15, e0225402	3.7	10
174	Orthopaedic surgeons' Perceptions of frailty and frailty screening. <i>BMC Geriatrics</i> , 2020 , 20, 17	4.1	14
173	Personal digital health hubs for multiple conditions. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 569-575	8.2	6
172	Association between atrial fibrillation and hip fractures and the implications for hip fracture patients: a systematic review. <i>ANZ Journal of Surgery</i> , 2020 , 90, 448-453	1	1
171	Mapping disparities in education across low- and middle-income countries. <i>Nature</i> , 2020 , 577, 235-238	50.4	21
170	Association between dietary patterns and adult depression symptoms based on principal component analysis, reduced-rank regression and partial least-squares. <i>Clinical Nutrition</i> , 2020 , 39, 2811-2823	5.9	10
169	Shoulder range of movement in the general population: age and gender stratified normative data using a community-based cohort. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 676	2.8	3
168	Associations of OSA and Nocturnal Hypoxemia with Strength and Body Composition in Community Dwelling Middle Aged and Older Men. <i>Nature and Science of Sleep</i> , 2020 , 12, 959-968	3.6	0
167	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1038-e1060	13.6	12
166	The impact of a hands-on arthrocentesis workshop in undergraduate medical education. <i>BMC Medical Education</i> , 2020 , 20, 260	3.3	0

165	Association of metabolic phenotypes, grip strength and diabetes risk: The 15-year follow-up of The North West Adelaide Health Study, Australia. <i>Obesity Research and Clinical Practice</i> , 2020 , 14, 536-541	5.4	2
164	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020 , 26, i125-i153	3.2	12
163	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1250-1284	40	112
162	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1162-e1185	13.6	27
161	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i96-i114	3.2	39
160	The future burden of kidney and bladder cancers preventable by behavior modification in Australia: A pooled cohort study. <i>International Journal of Cancer</i> , 2020 , 146, 874-883	7.5	5
159	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020 , 49, 173-192	7.8	25
158	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020 , 26, 750-759	50.5	21
157	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i12-i26	3.2	13
156	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 133-141	2.1	20
155	Prevalence of Self-reported Polycystic Ovary Syndrome and Profiles of Health Among Women of Different Generations: A Cross Sectional Study. <i>Fertility & Reproduction</i> , 2019 , 01, 141-147	0.7	1
154	Prevalence and healthcare usage of knee pain in South Australia: a population-based study. <i>Internal Medicine Journal</i> , 2019 , 49, 1105-1110	1.6	3
153	The OMERACT Core Domain Set for Clinical Trials of Shoulder Disorders. <i>Journal of Rheumatology</i> , 2019 , 46, 969-975	4.1	14
152	Gout, flares, and allopurinol use: a population-based study. <i>Arthritis Research and Therapy</i> , 2019 , 21, 132	5.7	9
151	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264	50.4	278
150	Making errors at work due to sleepiness or sleep problems is not confined to non-standard work hours: results of the 2016 Sleep Health Foundation national survey. <i>Chronobiology International</i> , 2019 , 36, 758-769	3.6	12
149	The burden of pancreatic cancer in Australia attributable to smoking. <i>Medical Journal of Australia</i> , 2019 , 210, 213-220	4	3
148	Global, regional, and national burden of neurological disorders, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 459-480	24.1	1093

147	Biomedical health profiles of unpaid family carers in an urban population in South Australia. <i>PLoS ONE</i> , 2019 , 14, e0208434	3.7	5
146	The preventable burden of endometrial and ovarian cancers in Australia: A pooled cohort study. <i>Gynecologic Oncology</i> , 2019 , 153, 580-588	4.9	6
145	The preventable burden of breast cancers for premenopausal and postmenopausal women in Australia: A pooled cohort study. <i>International Journal of Cancer</i> , 2019 , 145, 2383-2394	7.5	8
144	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019 , 574, 353-358	58.4	87
143	A qualitative study of patient perspectives related to glucocorticoid therapy in polymyalgia rheumatica and giant cell arteritis. <i>Open Access Rheumatology: Research and Reviews</i> , 2019 , 11, 189-198	2.4	4
142	Association between Macronutrient Intake and Excessive Daytime Sleepiness: An Iso-Caloric Substitution Analysis from the North West Adelaide Health Study. <i>Nutrients</i> , 2019 , 11,	6.7	6
141	Utilising Digital Health Technology to Support Patient-Healthcare Provider Communication in Fragility Fracture Recovery: Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	11
140	Prescription medicines, over-the-counter medicines and complementary and alternative medicines use: a comparison between baby boomers and older South Australians. <i>AIMS Public Health</i> , 2019 , 6, 380-395	10.5	4
139	Sociodemographic, lifestyle and metabolic predictors of all-cause mortality in a cohort of community-dwelling population: an 18-year follow-up of the North West Adelaide Health Study. <i>BMJ Open</i> , 2019 , 9, e030079	3	1
138	Cocreation of a digital patient health hub to enhance education and person-centred integrated care post hip fracture: a mixed-methods study protocol. <i>BMJ Open</i> , 2019 , 9, e033128	3	7
137	Comparing different definitions of prediabetes with subsequent risk of diabetes: an individual participant data meta-analysis involving 76 513 individuals and 8208 cases of incident diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000794	4.5	14
136	Prevalence of minimal disease activity in Australian patients with Psoriatic Arthritis: Assessing the outcome of national funding criteria for biologic disease-modifying antirheumatic drug prescribing. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 262-268	2.3	1
135	Prevalence of Foot Pain Across an International Consortium of Population-Based Cohorts. <i>Arthritis Care and Research</i> , 2019 , 71, 661-670	4.7	11
134	Trends of mortality attributable to child and maternal undernutrition, overweight/obesity and dietary risk factors of non-communicable diseases in sub-Saharan Africa, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>Public Health Nutrition</i> , 2019 , 22, 827-840	3.3	7
133	Burden and trend of diet-related non-communicable diseases in Australia and comparison with 34 OECD countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>European Journal of Nutrition</i> , 2019 , 58, 1299-1313	5.2	27
132	Smartphone applications for the evaluation of pathologic shoulder range of motion and shoulder scores-a comparative study. <i>JSES Open Access</i> , 2018 , 2, 109-114	3.2	13
131	Prevalence and comorbidity of sleep conditions in Australian adults: 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2018 , 4, 13-19	4	46
130	Asymptomatic population reference values for three knee patient-reported outcomes measures: evaluation of an electronic data collection system and implications for future international, multi-centre cohort studies. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018 , 138, 611-621	3.6	2

129	Burden of disease attributable to suboptimal diet, metabolic risks and low physical activity in Ethiopia and comparison with Eastern sub-Saharan African countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>BMC Public Health</i> , 2018 , 18, 552	4.1	5
128	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
127	A comparison of principal component analysis, partial least-squares and reduced-rank regressions in the identification of dietary patterns associated with bone mass in ageing Australians. <i>European Journal of Nutrition</i> , 2018 , 57, 1969-1983	5.2	13
126	Changes in foot pain, structure and function following bariatric surgery. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 35	3.2	5
125	Gout prevalence and predictors of urate-lowering therapy use: results from a population-based study. <i>Arthritis Research and Therapy</i> , 2018 , 20, 143	5.7	25
124	Influence of Gender on Associations of Obstructive Sleep Apnea Symptoms with Chronic Conditions and Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	17
123	The future burden of lung cancer attributable to current modifiable behaviours: a pooled study of seven Australian cohorts. <i>International Journal of Epidemiology</i> , 2018 , 47, 1772-1783	7.8	6
122	Sociodemographic and behavioural correlates of social jetlag in Australian adults: results from the 2016 National Sleep Health Foundation Study. <i>Sleep Medicine</i> , 2018 , 51, 133-139	4.6	16
121	Associations of childhood, maternal and household dietary patterns with childhood stunting in Ethiopia: proposing an alternative and plausible dietary analysis method to dietary diversity scores. <i>Nutrition Journal</i> , 2018 , 17, 14	4.3	14
120	Telerehabilitation for community-dwelling middle-aged and older adults after musculoskeletal trauma: A systematic review. <i>AIMS Medical Science</i> , 2018 , 5, 316-336	0.4	2
119	Incidence, prevalence, mortality, disability-adjusted life years and risk factors of cancer in Australia and comparison with OECD countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>Cancer Epidemiology</i> , 2018 , 52, 43-54	2.8	21
118	Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1684-1735	40	483
117	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788	40	2850
116	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994	40	1964
115	Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051	40	189
114	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	40	4524
113	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138	40	210
112	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922	40	1283

111	The Future Colorectal Cancer Burden Attributable to Modifiable Behaviors: A Pooled Cohort Study. <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky033	4.6	4
110	Differences in risk factors and chronic conditions between informal (family) carers and non-carers using a population-based cross-sectional survey in South Australia. <i>BMJ Open</i> , 2018 , 8, e020173	3	9
109	Identification of Clusters of Foot Pain Location in a Community Sample. <i>Arthritis Care and Research</i> , 2017 , 69, 1903-1908	4.7	3
108	Sleep health of Australian adults in 2016: results of the 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2017 , 3, 35-42	4	150
107	Association between nutrient patterns and bone mineral density among ageing adults. <i>Clinical Nutrition ESPEN</i> , 2017 , 22, 97-106	1.3	9
106	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
105	Individual diseases or clustering of health conditions? Association between multiple chronic diseases and health-related quality of life in adults. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 244	3	16
104	SSRI antidepressant use potentiates weight gain in the context of unhealthy lifestyles: results from a 4-year Australian follow-up study. <i>BMJ Open</i> , 2017 , 7, e016224	3	11
103	Sickness absenteeism is associated with sleep problems independent of sleep disorders: results of the 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2017 , 3, 357-361	4	19
102	Foot pain severity is associated with the ratio of visceral to subcutaneous fat mass, fat-mass index and depression in women. <i>Rheumatology International</i> , 2017 , 37, 1175-1182	3.6	7
101	Perspectives of Frailty and Frailty Screening: Protocol for a Collaborative Knowledge Translation Approach and Qualitative Study of Stakeholder Understandings and Experiences. <i>BMC Geriatrics</i> , 2017 , 17, 87	4.1	23
100	A population analysis of self-management and health-related quality of life for chronic musculoskeletal conditions. <i>Health Expectations</i> , 2017 , 20, 24-34	3.7	4
99	Association of Musculoskeletal Joint Pain With Obstructive Sleep Apnea, Daytime Sleepiness, and Poor Sleep Quality in Men. <i>Arthritis Care and Research</i> , 2017 , 69, 742-747	4.7	13
98	Take Charge of Pain: evaluating a community-targeted self-management education program for people with musculoskeletal pain. <i>Health Promotion Journal of Australia</i> , 2017 , 28, 77-80	1.7	4
97	Prospective Associations of Dietary and Nutrient Patterns with Fracture Risk: A 20-Year Follow-Up Study. <i>Nutrients</i> , 2017 , 9,	6.7	11
96	Normal population reference values for the Oxford and Harris Hip Scores - electronic data collection and its implications for clinical practice. <i>HIP International</i> , 2017 , 27, 389-396	1.7	7
95	Influencing Cancer Screening Participation Rates-Providing a Combined Cancer Screening Program (a One Stop Shop) Could Be a Potential Answer. <i>Frontiers in Oncology</i> , 2017 , 7, 308	5.3	6
94	Management of Musculoskeletal Conditions in Rural South Australia: A Randomised Controlled Trial. <i>Journal of Frailty & Aging</i> , 2017 , 6, 212-215	2.6	2

93	Building multidisciplinary health workforce capacity to support the implementation of integrated, people-centred Models of Care for musculoskeletal health. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 559-584	5.3	16
92	Association between dietary patterns and low bone mineral density among adults aged 50 years and above: findings from the North West Adelaide Health Study (NWAHS). <i>British Journal of Nutrition</i> , 2016 , 116, 1437-1446	3.6	20
91	Feeling angry about current health status: using a population survey to determine the association with demographic, health and social factors. <i>BMC Public Health</i> , 2016 , 16, 588	4.1	4
90	Predictors of foot pain in the community: the North West Adelaide health study. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 23	3.2	10
89	Translating a health service intervention into a rural setting: lessons learned. <i>BMC Health Services Research</i> , 2016 , 16, 62	2.9	7
88	The use of self-report questions to examine the prevalence of musculoskeletal problems: a test-retest study. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 100	2.8	8
87	Association of Fat Mass and Adipokines With Foot Pain in a Community Cohort. <i>Arthritis Care and Research</i> , 2016 , 68, 526-33	4.7	14
86	Parent-reported Mental Health Problems and Mental Health Services Use in South Australian School-aged Children. <i>AIMS Public Health</i> , 2016 , 3, 750-768	1.9	1
85	Unpaid Informal Caregivers in South Australia: Population Characteristics, Prevalence and Age-Period-Cohort Effects 1994-2014. <i>PLoS ONE</i> , 2016 , 11, e0161994	3.7	12
84	Prevalence and associations of gout and hyperuricaemia: results from an Australian population-based study. <i>Internal Medicine Journal</i> , 2016 , 46, 566-73	1.6	24
83	The impact of dietary risk factors on the burden of non-communicable diseases in Ethiopia: findings from the Global Burden of Disease study 2013. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 122	8.4	24
82	Prevalence and factors associated with stunting and thinness among adolescent students in Northern Ethiopia: a comparison to World Health Organization standards. <i>Archives of Public Health</i> , 2015 , 73, 44	2.6	39
81	Role of Health Literacy in Self-Reported Musculoskeletal Disorders. <i>Arthritis</i> , 2015 , 2015, 607472		5
80	Low Energy Trauma in Older Persons: Where to Next?. <i>The Open Orthopaedics Journal</i> , 2015 , 9, 361-6	0.3	7
79	Vitamin D levels in an Australian population. <i>BMC Public Health</i> , 2014 , 14, 1001	4.1	52
78	Prevalence of abnormalities on shoulder MRI in symptomatic and asymptomatic older adults. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 863-71	2.3	34
77	Impact of the new national health standard for rail safety workers on ischaemic heart disease risk factors in train drivers. <i>Internal Medicine Journal</i> , 2013 , 43, 650-5	1.6	4
76	Smoking and osteoarthritis. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 766-7	2.3	2

75	Weighting of the data and analytical approaches may account for differences in overcoming the inadequate representativeness of the respondents to the third wave of a cohort study. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 461-4	5.7	9
74	Association between monosodium glutamate intake and sleep-disordered breathing among Chinese adults with normal body weight. <i>Nutrition</i> , 2013 , 29, 508-13	4.8	6
73	Shoulder pain in the community: an examination of associative factors using a longitudinal cohort study. <i>Arthritis Care and Research</i> , 2013 , 65, 2000-7	4.7	14
72	Diabetes and cardiovascular disease outcomes in the metabolically healthy obese phenotype: a cohort study. <i>Diabetes Care</i> , 2013 , 36, 2388-94	14.6	305
71	Profiling bone and joint problems and health service use in an Australian regional population: the Port Lincoln Health Study. <i>Australian Health Review</i> , 2013 , 37, 504-12	1.8	4
70	Association between soft drink consumption and asthma and chronic obstructive pulmonary disease among adults in Australia. <i>Respirology</i> , 2012 , 17, 363-9	3.6	28
69	Relationship of social factors including trust, control over life decisions, problems with transport and safety, to psychological distress in the community. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 465-73	4.5	6
68	Psychological well-being and psychological distress: is it necessary to measure both?. <i>Psychology of Well-being</i> , 2012 , 2, 3		68
67	Socioeconomic factors and total joint replacement: comment on the article by Mnatzaganian et al. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1299-300; author reply 1300-1		0
66	A population study of 5 to 15 year olds: full time maternal employment not associated with high BMI. The importance of screen-based activity, reading for pleasure and sleep duration in children@ BMI. <i>Maternal and Child Health Journal</i> , 2012 , 16, 587-99	2.4	15
65	Osteoporosis in the community: Sensitivity of self-reported estimates and medication use of those diagnosed with the condition. <i>Bone and Joint Research</i> , 2012 , 1, 93-8	4.2	4
64	Fruit and vegetable consumption - the influence of aspects associated with trust in food and safety and quality of food. <i>Public Health Nutrition</i> , 2012 , 15, 208-17	3.3	13
63	Rice intake, weight change and risk of the metabolic syndrome development among Chinese adults: the Jiangsu Nutrition Study (JIN). <i>Asia Pacific Journal of Clinical Nutrition</i> , 2012 , 21, 35-43	1	46
62	SP1-66 Chronic disease in specific populations: an epidemiological analysis. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A392-A392	5.1	
61	SP1-65 Prevalence and incidence of chronic conditions in an Australian population based cohort study: 2000 to 2010. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A392-A392	5.1	
60	Monosodium glutamate is related to a higher increase in blood pressure over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults. <i>Journal of Hypertension</i> , 2011 , 29, 846-53	1.9	36
59	Equity of colorectal cancer screening: cross-sectional analysis of National Bowel Cancer Screening Program data for South Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2011 , 35, 61-5	2.3	29
58	Complex problems require complex solutions: the utility of social quality theory for addressing the Social Determinants of Health. <i>BMC Public Health</i> , 2011 , 11, 630	4.1	25

57	Hand Grip Strength: age and gender stratified normative data in a population-based study. <i>BMC Research Notes</i> , 2011 , 4, 127	2.3	374
56	Age differences in associations between psychological distress and chronic conditions. <i>International Journal of Public Health</i> , 2011 , 56, 71-80	4	37
55	The use of a surveillance system to measure changes in mental health in Australian adults during the global financial crisis. <i>International Journal of Public Health</i> , 2011 , 56, 367-72	4	16
54	Cause for concern in the use of non-steroidal anti-inflammatory medications in the community--a population-based study. <i>BMC Family Practice</i> , 2011 , 12, 70	2.6	42
53	Age and gender differences in disabling foot pain using different definitions of the Manchester Foot Pain and Disability Index. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 243	2.8	12
52	Factor structure and validity of the shoulder pain and disability index in a population-based study of people with shoulder symptoms. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 8	2.8	46
51	Food consumption habits in two states of Australia, as measured by a Food Frequency Questionnaire. <i>BMC Research Notes</i> , 2011 , 4, 507	2.3	11
50	Prevalence and associations of hand pain in the community: results from a population-based study. <i>Scandinavian Journal of Rheumatology</i> , 2011 , 40, 145-9	1.9	9
49	Comparing self-reported and measured high blood pressure and high cholesterol status using data from a large representative cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34, 394-400	2.3	33
48	Gender differences in asthma prevalence: variations with socioeconomic disadvantage. <i>Respirology</i> , 2010 , 15, 107-14	3.6	14
47	Oral complementary medicine and alternative practitioner use varies across chronic conditions and attitudes to risk. <i>Clinical Epidemiology</i> , 2010 , 2, 251-60	5.9	7
46	Does leisure time physical activity protect against shoulder pain at work?. <i>Occupational Medicine</i> , 2010 , 60, 383-8	2.1	12
45	Soft drink consumption and mental health problems among adults in Australia. <i>Public Health Nutrition</i> , 2010 , 13, 1073-9	3.3	56
44	How equitable are colorectal cancer screening programs which include FOBTs? A review of qualitative and quantitative studies. <i>Preventive Medicine</i> , 2010 , 50, 165-72	4.3	51
43	Prevalence and correlates of shoulder pain and stiffness in a population-based study: the North West Adelaide Health Study. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 215-22	2.3	58
42	The use of chronic disease risk factor surveillance systems for evidence-based decision-making: physical activity and nutrition as examples. <i>International Journal of Public Health</i> , 2010 , 55, 243-9	4	7
41	Using risk factor surveillance as a basis for mixed-methodology research: an example from Australia using food intake and anthropometric measures. <i>International Journal of Public Health</i> , 2010 , 55, 655-60	4	1
40	Short sleep duration and obesity among Australian children. <i>BMC Public Health</i> , 2010 , 10, 609	4.1	53

39	Multimorbidity - not just an older person issue. Results from an Australian biomedical study. <i>BMC Public Health</i> , 2010 , 10, 718	4.1	146
38	"I know I have arthritis but I don't know what type". Understanding and knowledge of this chronic condition. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 174	2.8	11
37	Suicidal ideation. The clinical utility of the K10. <i>Crisis</i> , 2009 , 30, 39-42	2.8	40
36	Continuing decline in hormone therapy use: population trends over 17 years. <i>Climacteric</i> , 2009 , 12, 122-30	3.1	33
35	Is diabetes associated with shoulder pain or stiffness? Results from a population based study. <i>Journal of Rheumatology</i> , 2009 , 36, 371-7	4.1	32
34	The use of fish oil in the community: results of a population-based study. <i>Rheumatology</i> , 2009 , 48, 441-2	3.9	9
33	Effects of area deprivation on health risks and outcomes: a multilevel, cross-sectional, Australian population study. <i>International Journal of Public Health</i> , 2009 , 54, 183-92	4	53
32	Independent association of HbA(1c) and incident cardiovascular disease in people without diabetes. <i>Obesity</i> , 2009 , 17, 559-63	8	34
31	Population attributable risk (PAR) of overweight and obesity on chronic diseases: South Australian representative, cross-sectional data, 2004-2006. <i>Obesity Research and Clinical Practice</i> , 2009 , 3, I-IV	5.4	15
30	Cholesterol-lowering therapy and the Australian Pharmaceutical Benefits Scheme: a population study. <i>Australian Health Review</i> , 2009 , 33, 325-33	1.8	
29	Severe obesity: Investigating the socio-demographics within the extremes of body mass index. <i>Obesity Research and Clinical Practice</i> , 2008 , 2, I-II	5.4	16
28	Prevalence and correlates of foot pain in a population-based study: the North West Adelaide health study. <i>Journal of Foot and Ankle Research</i> , 2008 , 1, 2	3.2	197
27	Predictors of podiatry utilisation in Australia: the North West Adelaide Health Study. <i>Journal of Foot and Ankle Research</i> , 2008 , 1, 8	3.2	20
26	Mental, emotional, and social problems among school children with asthma. <i>Journal of Asthma</i> , 2008 , 45, 489-93	1.9	31
25	Participation in the National Bowel Cancer Screening Program. <i>Australasian Medical Journal</i> , 2008 , 141-146	1.4	2
24	Folate awareness and the prevalence of neural tube defects in South Australia, 1966-2007. <i>Medical Journal of Australia</i> , 2008 , 189, 566-9	4	26
23	Self reported overall health status: Implications for intervention strategies. <i>Australasian Medical Journal</i> , 2008 , 44-57	2	3
22	Detecting determinants of suicidal ideation: South Australian surveillance system results. <i>International Journal of Public Health</i> , 2007 , 52, 142-52		31

21	Psychological factors and quality of life in arthritis: a population-based study. <i>Clinical Rheumatology</i> , 2007 , 26, 1049-54	3.9	41
20	Improving diagnosis and treatment of osteoporosis: evaluation of a clinical pathway for low trauma fractures. <i>Archives of Osteoporosis</i> , 2007 , 2, 1-6	2.9	8
19	Trends in influenza immunisation amongst an elderly Australian community. <i>Vaccine</i> , 2007 , 25, 5428-32	4.1	7
18	Beware the pitfalls of ill-placed questions - revisiting questionnaire ordering. <i>International Journal of Public Health</i> , 2006 , 51, 43-4		1
17	Do people with risky behaviours participate in biomedical cohort studies?. <i>BMC Public Health</i> , 2006 , 6, 11	4.1	33
16	The North West Adelaide Health Study: detailed methods and baseline segmentation of a cohort for selected chronic diseases. <i>Epidemiologic Perspectives and Innovations</i> , 2006 , 3, 4		114
15	How valid are self-reported height and weight? A comparison between CATI self-report and clinic measurements using a large cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 238-46	2.3	137
14	Factors associated with gamblers: a population-based cross-sectional study of South Australian adults. <i>Journal of Gambling Studies</i> , 2006 , 22, 143-64	3	28
13	A population-based survey of factors relating to the prevalence of falls in older people. <i>Gerontology</i> , 2005 , 51, 340-5	5.5	144
12	Obesity in South Australian adults--prevalence, projections and generational assessment over 13 years. <i>Australian and New Zealand Journal of Public Health</i> , 2005 , 29, 343-8	2.3	32
11	Prevalence of influenza vaccination in South Australian aged care homes. <i>Australian and New Zealand Journal of Public Health</i> , 2005 , 29, 38-43	2.3	2
10	Population comparison of two clinical approaches to the metabolic syndrome: implications of the new International Diabetes Federation consensus definition. <i>Diabetes Care</i> , 2005 , 28, 2777-9	14.6	94
9	The impact of incontinence on health-related quality of life in a South Australian population sample. <i>Australian and New Zealand Journal of Public Health</i> , 2004 , 28, 173-9	2.3	18
8	Body mass index, waist hip ratio, and waist circumference: which measure to classify obesity?. <i>International Journal of Public Health</i> , 2003 , 48, 191-200		27
7	A population perspective of osteoporosis. How common? What impact? How modifiable?. <i>Health Promotion Journal of Australia</i> , 2003 , 14, 61-65	1.7	5
6	The effect of either a pre or post exercise stretch on straight leg raise range of motion (SLR-ROM) in females. <i>Journal of Science and Medicine in Sport</i> , 2002 , 5, 281-90	4.4	3
5	Prevalence of influenza immunisation in Australia and suggestions for future targeting of campaigns. <i>International Journal of Public Health</i> , 2002 , 47, 91-9		11
4	Vertical anthropometric measures and low back pain in adolescents. <i>Physiotherapy Research International</i> , 2001 , 6, 94-105	1.8	10

3	Discharge planning quality from the carer perspective. <i>Quality of Life Research</i> , 2000 , 9, 1005-13	3.7	35
2	On the constructs of quality physiotherapy. <i>Australian Journal of Physiotherapy</i> , 2000 , 46, 3-7		11
1	The associations between adolescent head-on-neck posture, backpack weight, and anthropometric features. <i>Spine</i> , 1999 , 24, 2262-7	3.3	90