

Jaime Aurelio Viã±a Olay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3749737/publications.pdf>

Version: 2024-02-01

39
papers

602
citations

623734

14
h-index

610901

24
g-index

39
all docs

39
docs citations

39
times ranked

475
citing authors

#	ARTICLE	IF	CITATIONS
1	Study of the Influence of the Type of Aging on the Behavior of Delamination of Adhesive Joints in Carbon-Fiber-Reinforced Epoxy Composites. <i>Materials</i> , 2022, 15, 3669.	2.9	3
2	Fundamental frequency analysis of functionally graded plates with temperature-dependent properties based on improved exponential-trigonometric two-dimensional higher shear deformation theory. <i>Archive of Applied Mechanics</i> , 2021, 91, 859-881.	2.2	7
3	3-D structured porous carbons with virtually any shape from whey powders. <i>Carbon</i> , 2021, 175, 403-412.	10.3	8
4	Application of PET/Sepiolite Nanocomposite Trays to Improve Food Quality. <i>Foods</i> , 2021, 10, 1188.	4.3	4
5	Shelf Life of Fresh Sliced Sea Bream Pack in PET Nanocomposite Trays. <i>Polymers</i> , 2021, 13, 1974.	4.5	1
6	MOLDABLE AND MACHINABLE POROUS CARBON STRUCTURES OBTAINED FROM WHEY. <i>Dyna (Spain)</i> , 2021, 96, 422-428.	0.2	1
7	Symmetric and asymmetric dynamic characterization of mode III fracture in epoxy/unidirectional carbon fibre composites. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2020, 43, 457-465.	3.4	1
8	Finite element analysis of the Longitudinal Half Fixed Beam method for mode III characterization. <i>Composite Structures</i> , 2020, 232, 111546.	5.8	3
9	Study of the influence of the type of matrix used in carbon-epoxy composites on fatigue delamination under mode III fracture. <i>Materials and Design</i> , 2020, 186, 108345.	7.0	10
10	Mechanical properties of fibreglass and carbon-fibre reinforced polyetherimide after twenty years of outdoor environmental aging in the city of Gijón (Spain). <i>Composites Communications</i> , 2020, 22, 100522.	6.3	8
11	Use of a LHFB Device for Testing Mode III in a Composite Laminate. <i>Polymers</i> , 2019, 11, 1243.	4.5	2
12	Influence of the Test Method on the Characterization of the Fatigue Delamination Behavior of a Composite Material under Mixed Mode I/II Fracture. <i>Polymers</i> , 2019, 11, 1788.	4.5	5
13	Preparation and Mechanical Properties of Graphene/Carbon Fiber-Reinforced Hierarchical Polymer Composites. <i>Journal of Composites Science</i> , 2019, 3, 30.	3.0	39
14	Experimental investigation of notch effect and ply number on mechanical behavior of interply hybrid laminates (glass/carbon/epoxy). <i>Composites Part B: Engineering</i> , 2018, 145, 189-196.	12.0	27
15	Study of Fatigue Behavior of Epoxy/Carbon Composites under Mixed Mode I/II Loading. <i>Advanced Engineering Materials</i> , 2018, 20, 1700569.	3.5	3
16	Low Temperature and Resin Effects on the Mode I Interlaminar Fracture Toughness in Aeronautical Quality Polymer Composites. <i>Proceedings (mdpi)</i> , 2018, 2, .	0.2	2
17	A study of the effects of the matrix epoxy resin and graphene oxide (GO) manufacturing process on the tensile behaviour of GO-epoxy nanocomposites. <i>Plastics, Rubber and Composites</i> , 2017, 46, 405-412.	2.0	5
18	Fracture behavior under mixed mode I/II static and dynamic loading of ADCB specimens. <i>Journal of Reinforced Plastics and Composites</i> , 2016, 35, 1513-1523.	3.1	6

#	ARTICLE	IF	CITATIONS
19	Influence on the delamination phenomenon of matrix type and thermal variations in unidirectional carbon-fiber epoxy composites. <i>Polymer Composites</i> , 2015, 36, 747-755.	4.6	5
20	Influence of temperature on the delamination process under mode I fracture and dynamic loading of two carbon-fiber epoxy composites. <i>Composites Part B: Engineering</i> , 2015, 68, 207-214.	12.0	18
21	Influence of the Loading System on Mode I Delamination Results in Carbon-Epoxy Composites. <i>Experimental Techniques</i> , 2014, 38, 53-58.	1.5	4
22	Using a statistical model for the analysis of the influence of the type of matrix carbon-fiber epoxy composites on the fatigue delamination under modes I and II of fracture. <i>International Journal of Fatigue</i> , 2013, 56, 54-59.	5.7	13
23	Influence of temperature on a carbon-fiber epoxy composite subjected to static and fatigue loading under mode-I delamination. <i>International Journal of Solids and Structures</i> , 2012, 49, 2934-2940.	2.7	67
24	Influence of the crack plane asymmetry over GII results in carbon epoxy ENF specimens. <i>Composite Structures</i> , 2012, 94, 1187-1191.	5.8	14
25	Finite element modelling of mode I delamination specimens by means of implicit and explicit solvers. <i>Polymer Testing</i> , 2012, 31, 404-410.	4.8	17
26	Modelling ENF test procedure by means of the two-step extension method. Influence of friction forces. <i>Polymer Testing</i> , 2011, 30, 856-860.	4.8	5
27	Influence of the matrix constituent on mode I and mode II delamination toughness in fiber-reinforced polymer composites under cyclic fatigue. <i>Mechanics of Materials</i> , 2011, 43, 62-67.	3.2	19
28	Influence of the Matrix Type on the Mode I Fracture of Carbon-Epoxy Composites Under Dynamic Delamination. <i>Experimental Mechanics</i> , 2011, 51, 293-301.	2.0	17
29	Influence of the Mode Mixity Ratio and Test Procedures on the Total Energy Release Rate in Carbon-Epoxy Laminates. <i>Procedia Engineering</i> , 2011, 10, 953-958.	1.2	5
30	Influence of Resin Type on the Delamination Behavior of Carbon Fiber Reinforced Composites Under Mode-II Loading. <i>International Journal of Damage Mechanics</i> , 2011, 20, 963-978.	4.2	26
31	Fatigue delamination, initiation, and growth, under mode I and II of fracture in a carbon-fiber epoxy composite. <i>Polymer Composites</i> , 2010, 31, 700-706.	4.6	15
32	Computational models for mode I composite fracture failure: the virtual crack closure technique versus the two-step extension method. <i>Meccanica</i> , 2010, 45, 297-304.	2.0	24
33	Theoretical and experimental analysis of carbon epoxy asymmetric dcb specimens to characterize mixed mode fracture toughness. <i>Polymer Testing</i> , 2010, 29, 766-770.	4.8	39
34	Mixed mode fracture toughness: An empirical formulation for determination in asymmetric DCB specimens. <i>Engineering Structures</i> , 2010, 32, 3699-3703.	5.3	23
35	Fractography and failure mechanisms in static mode I and mode II delamination testing of unidirectional carbon reinforced composites. <i>Polymer Testing</i> , 2009, 28, 612-617.	4.8	69
36	Numerical and experimental validation of computational models for mode I composite fracture failure. <i>Computational Materials Science</i> , 2009, 45, 993-998.	3.0	21

#	ARTICLE	IF	CITATIONS
37	Interlaminar crack initiation and growth rate in a carbon-fibre epoxy composite under mode-I fatigue loading. <i>Composites Science and Technology</i> , 2008, 68, 2325-2331.	7.8	63
38	Influence of weave type and reinforcement in the fracture behavior of woven fabric reinforced thermoplastic composites. <i>Journal of Materials Science</i> , 2005, 40, 2987-2989.	3.7	3
39	The effects of inherent solid particulates on the structure and mechanical properties of coal-tar pitch based C/C composites. <i>Journal of Materials Chemistry</i> , 2000, 10, 2637-2641.	6.7	0