

Giuseppe Penno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3752658/publications.pdf>

Version: 2024-02-01

55
papers

1,883
citations

279487

23
h-index

264894

42
g-index

55
all docs

55
docs citations

55
times ranked

2532
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical significance of nonalbuminuric renal impairment in type 2 diabetes. <i>Journal of Hypertension</i> , 2011, 29, 1802-1809.	0.3	198
2	Impact of age at type 2 diabetes mellitus diagnosis on mortality and vascular complications: systematic review and meta-analyses. <i>Diabetologia</i> , 2021, 64, 275-287.	2.9	140
3	HbA1c Variability as an Independent Correlate of Nephropathy, but Not Retinopathy, in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 2301-2310.	4.3	130
4	Diverging Association of Reduced Glomerular Filtration Rate and Albuminuria With Coronary and Noncoronary Events in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 143-149.	4.3	107
5	Rate and Determinants of Association Between Advanced Retinopathy and Chronic Kidney Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 2317-2323.	4.3	106
6	Diabetic kidney disease: New clinical and therapeutic issues. Joint position statement of the Italian Diabetes Society and the Italian Society of Nephrology on "The natural history of diabetic kidney disease and treatment of hyperglycemia in patients with type 2 diabetes and impaired renal function". <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 1127-1150.	1.1	85
7	Non-albuminuric renal impairment is a strong predictor of mortality in individuals with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian multicentre study. <i>Diabetologia</i> , 2018, 61, 2277-2289.	2.9	83
8	Diabetic kidney disease: new clinical and therapeutic issues. Joint position statement of the Italian Diabetes Society and the Italian Society of Nephrology on "The natural history of diabetic kidney disease and treatment of hyperglycemia in patients with type 2 diabetes and impaired renal function". <i>Journal of Nephrology</i> , 2020, 33, 9-35.	0.9	73
9	Reproducibility of albuminuria in type 2 diabetic subjects. Findings from the Renal Insufficiency And Cardiovascular Events (RIACE) study. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3950-3954.	0.4	65
10	Age, Renal Dysfunction, Cardiovascular Disease, and Antihyperglycemic Treatment in Type 2 Diabetes Mellitus: Findings from the Renal Insufficiency and Cardiovascular Events Italian Multicenter Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1253-1261.	1.3	65
11	Prediction of Declining Renal Function and Albuminuria in Patients With Type 2 Diabetes by Metabolomics. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 696-704.	1.8	62
12	Hemoglobin A1c variability as an independent correlate of cardiovascular disease in patients with type 2 diabetes: a cross-sectional analysis of the Renal Insufficiency and Cardiovascular Events (RIACE) Italian Multicenter Study. <i>Cardiovascular Diabetology</i> , 2013, 12, 98.	2.7	61
13	Haemoglobin A1c variability is a strong, independent predictor of all-cause mortality in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1885-1893.	2.2	45
14	Oxidative stress in response to high glucose levels in endothelial cells and in endothelial progenitor cells. <i>Microvascular Research</i> , 2010, 80, 332-338.	1.1	44
15	Microvascular complications burden (nephropathy, retinopathy and peripheral polyneuropathy) affects risk of major vascular events and all-cause mortality in type 1 diabetes: a 10-year follow-up study. <i>Cardiovascular Diabetology</i> , 2019, 18, 159.	2.7	43
16	Evidence for two distinct phenotypes of chronic kidney disease in individuals with type 1 diabetes mellitus. <i>Diabetologia</i> , 2017, 60, 1102-1113.	2.9	38
17	Defining the contribution of chronic kidney disease to all-cause mortality in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. <i>Acta Diabetologica</i> , 2018, 55, 603-612.	1.2	33
18	Effectiveness of dapagliflozin versus comparators on renal endpoints in the real world: A multicentre retrospective study. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 252-260.	2.2	33

#	ARTICLE	IF	CITATIONS
19	Insulin resistance, diabetic kidney disease, and all-cause mortality in individuals with type 2 diabetes: a prospective cohort study. <i>BMC Medicine</i> , 2021, 19, 66.	2.3	32
20	Metabolic regulation of GLP-1 and PC1/3 in pancreatic β -cell line. <i>PLoS ONE</i> , 2017, 12, e0187836.	1.1	31
21	Hypertriglyceridemia Is Independently Associated with Renal, but Not Retinal Complications in Subjects with Type 2 Diabetes: A Cross-Sectional Analysis of the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. <i>PLoS ONE</i> , 2015, 10, e0125512.	1.1	30
22	High prevalence of advanced retinopathy in patients with type 2 diabetes from the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, 329-337.	1.1	29
23	A Fermented Whole Grain Prevents Lipopolysaccharides-Induced Dysfunction in Human Endothelial Progenitor Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-13.	1.9	29
24	Grain and Bean Lysates Improve Function of Endothelial Progenitor Cells from Human Peripheral Blood: Involvement of the Endogenous Antioxidant Defenses. <i>PLoS ONE</i> , 2014, 9, e109298.	1.1	28
25	Glycaemic control during the lockdown for COVID-19 in adults with type 1 diabetes: A meta-analysis of observational studies. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109066.	1.1	24
26	On the non-linear association between serum uric acid levels and all-cause mortality rate in patients with type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2017, 260, 20-26.	0.4	22
27	Renal hyperfiltration is independently associated with increased all-cause mortality in individuals with type 2 diabetes: a prospective cohort study. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001481.	1.2	22
28	Three-dimensional echographic evaluation of carotid artery disease. <i>Journal of Cardiovascular Echography</i> , 2018, 28, 218.	0.1	17
29	Access to emergency room for hypoglycaemia in people with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 745-751.	1.7	15
30	The metabolic syndrome. <i>Pharmacological Research</i> , 2006, 53, 457-468.	3.1	14
31	Soluble CD40 Ligand Levels in Essential Hypertensive Men: Evidence of a Possible Role of Insulin Resistance. <i>American Journal of Hypertension</i> , 2009, 22, 1007-1013.	1.0	14
32	<i>IRS1</i> G972R Missense Polymorphism Is Associated With Failure to Oral Antidiabetes Drugs in White Patients With Type 2 Diabetes From Italy. <i>Diabetes</i> , 2014, 63, 3135-3140.	0.3	14
33	Albuminuric and non-albuminuric chronic kidney disease in type 1 diabetes: Association with major vascular outcomes risk and all-cause mortality. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 550-557.	1.2	14
34	Estimation of Mortality Risk in Type 2 Diabetic Patients (ENFORCE): An Inexpensive and Parsimonious Prediction Model. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4900-4908.	1.8	14
35	The Synergic Association of hs-CRP and Serum Amyloid P Component in Predicting All-Cause Mortality in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020, 43, 1025-1032.	4.3	14
36	Insulin Resistance and Risk of Major Vascular Events and All-Cause Mortality in Type 1 Diabetes: A 10-Year Follow-up Study. <i>Diabetes Care</i> , 2020, 43, e139-e141.	4.3	13

#	ARTICLE	IF	CITATIONS
37	The rs12917707 polymorphism at theUMODlocus and glomerular filtration rate in individuals with type 2 diabetes: evidence of heterogeneity across two different European populations. <i>Nephrology Dialysis Transplantation</i> , 2016, 32, gfw262.	0.4	10
38	Is resistant hypertension an independent predictor of all-cause mortality in individuals with type 2 diabetes? A prospective cohort study. <i>BMC Medicine</i> , 2019, 17, 83.	2.3	9
39	Indications for renal biopsy in patients with diabetes. Joint position statement of the Italian Society of Nephrology and the Italian Diabetes Society. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2123-2132.	1.1	9
40	Alpha-tocopherol and contrast-induced nephropathy: A meta-analysis of randomized controlled trials. <i>International Journal for Vitamin and Nutrition Research</i> , 2021, 91, 188-196.	0.6	9
41	Independent correlates of urinary albumin excretion within the normoalbuminuric range in patients with type 2 diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicentre Study. <i>Acta Diabetologica</i> , 2015, 52, 971-981.	1.2	8
42	Efficacy of a resveratrol nanoformulation based on a commercially available liposomal platform. <i>International Journal of Pharmaceutics</i> , 2021, 608, 121086.	2.6	8
43	Plasma Homocysteine and Cardiovascular Organ Damage in a Population with a High Prevalence of Risk Factors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e2815-e2824.	1.8	6
44	Independent association of atherogenic dyslipidaemia with all-cause mortality in individuals with type 2 diabetes and modifying effect of gender: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2021, 20, 28.	2.7	6
45	Noninvasive carotid pressure-diameter loops to identify viscoelastic properties in ageing, hypertension and type 2 diabetes. <i>Journal of Hypertension</i> , 2021, Publish Ahead of Print, 2307-2317.	0.3	6
46	Influence of high density lipoprotein cholesterol levels on circulating monocytic angiogenic cells functions in individuals with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2018, 17, 78.	2.7	5
47	A renal genetic risk score (GRS) is associated with kidney dysfunction in people with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 137-143.	1.1	5
48	Contribution of ONECUT1 variants to different forms of non-autoimmune diabetes mellitus in Italian patients. <i>Acta Diabetologica</i> , 2022, 59, 1113-1116.	1.2	4
49	<i>rs7896005</i> polymorphism affects major vascular outcomes, not all-cause mortality, in Caucasians with type 2 diabetes: A 13-year observational study. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3523.	1.7	3
50	Normoalbuminuric chronic kidney disease in type 1 diabetes: is it real and is it serious? Reply to Rigalleau V, Blanco L, Alexandre L et al [letter]. <i>Diabetologia</i> , 2017, 60, 2123-2125.	2.9	2
51	Association between On-Treatment Haemoglobin A1c and All-Cause Mortality in Individuals with Type 2 Diabetes: Importance of Personalized Goals and Type of Anti-Hyperglycaemic Treatment. <i>Journal of Clinical Medicine</i> , 2020, 9, 246.	1.0	2
52	Breaking Therapeutic Inertia With Alirocumab in an 80-Year-Old Patient With Severe Hypercholesterolemia: A Case Report. <i>Frontiers in Medicine</i> , 2021, 8, 699477.	1.2	2
53	Response to Comment on Garofolo et al. Insulin Resistance and Risk of Major Vascular Events and All-Cause Mortality in Type 1 Diabetes: A 10-Year Follow-up Study. <i>Diabetes Care</i> 2020;43:e139-e141. <i>Diabetes Care</i> , 2021, 44, e81-e81.	4.3	1
54	Pathogenic variants of MODY-genes in adult patients with early-onset type 2 diabetes. <i>Acta Diabetologica</i> , 2022, , 1.	1.2	1

#	ARTICLE	IF	CITATIONS
55	LA MALATTIA RENALE CRONICA NON-ALBUMINURICA NEL DIABETE MELLITO TIPO 1. Il Diabete, 2019, 31, .	0.0	0