Giuseppe Penno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3752658/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	<i>SIRT1</i> rs7896005 polymorphism affects major vascular outcomes, not allâ€eause mortality, in Caucasians with type 2 diabetes: A 13â€year observational study. Diabetes/Metabolism Research and Reviews, 2022, 38, e3523.	1.7	3
2	Pathogenic variants of MODY-genes in adult patients with early-onset type 2 diabetes. Acta Diabetologica, 2022, , 1.	1.2	1
3	Contribution of ONECUT1 variants to different forms of non-autoimmune diabetes mellitus in Italian patients. Acta Diabetologica, 2022, 59, 1113-1116.	1.2	4
4	Impact of age at type 2 diabetes mellitus diagnosis on mortality and vascular complications: systematic review and meta-analyses. Diabetologia, 2021, 64, 275-287.	2.9	140
5	Independent association of atherogenic dyslipidaemia with all ause mortality in individuals with type 2 diabetes and modifying effect of gender: a prospective cohort study. Cardiovascular Diabetology, 2021, 20, 28.	2.7	6
6	Alpha-tocopherol and contrast-induced nephropathy: A meta-analysis of randomized controlled trials. International Journal for Vitamin and Nutrition Research, 2021, 91, 188-196.	0.6	9
7	Insulin resistance, diabetic kidney disease, and all-cause mortality in individuals with type 2 diabetes: a prospective cohort study. BMC Medicine, 2021, 19, 66.	2.3	32
8	Response to Comment on Garofolo et al. Insulin Resistance and Risk of Major Vascular Events and All-Cause Mortality in Type 1 Diabetes: A 10-Year Follow-up Study. Diabetes Care 2020;43:e139–e141. Diabetes Care, 2021, 44, e81-e81.	4.3	1
9	Breaking Therapeutic Inertia With Alirocumab in an 80-Year-Old Patient With Severe Hypercholesterolemia: A Case Report. Frontiers in Medicine, 2021, 8, 699477.	1.2	2
10	Noninvasive carotid pressure–diameter loops to identify viscoelastic properties in ageing, hypertension and type 2 diabetes. Journal of Hypertension, 2021, Publish Ahead of Print, 2307-2317.	0.3	6
11	Glycaemic control during the lockdown for COVID-19 in adults with type 1 diabetes: A meta-analysis of observational studies. Diabetes Research and Clinical Practice, 2021, 180, 109066.	1.1	24
12	Efficacy of a resveratrol nanoformulation based on a commercially available liposomal platform. International Journal of Pharmaceutics, 2021, 608, 121086.	2.6	8
13	Diabetic kidney disease: new clinical and therapeutic issues. Joint position statement of the Italian Diabetes Society and the Italian Society of Nephrology on "The natural history of diabetic kidney disease and treatment of hyperglycemia in patients with type 2 diabetes and impaired renal functionâ€.	0.9	73
14	Renal hyperfiltration is independently associated with increased all-cause mortality in individuals with type 2 diabetes: a prospective cohort study. BMJ Open Diabetes Research and Care, 2020, 8, e001481.	1.2	22
15	Indications for renal biopsy in patients with diabetes. Joint position statement of the Italian Society of Nephrology and the Italian Diabetes Society. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2123-2132.	1.1	9
16	Insulin Resistance and Risk of Major Vascular Events and All-Cause Mortality in Type 1 Diabetes: A 10-Year Follow-up Study. Diabetes Care, 2020, 43, e139-e141.	4.3	13
17	Plasma Homocysteine and Cardiovascular Organ Damage in a Population with a High Prevalence of Risk Factors. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e2815-e2824.	1.8	6
18	The Synergic Association of hs-CRP and Serum Amyloid P Component in Predicting All-Cause Mortality in Patients With Type 2 Diabetes. Diabetes Care, 2020, 43, 1025-1032.	4.3	14

GIUSEPPE PENNO

#	Article	IF	CITATIONS
19	Association between On-Treatment Haemoglobin A1c and All-Cause Mortality in Individuals with Type 2 Diabetes: Importance of Personalized Goals and Type of Anti-Hyperglycaemic Treatment. Journal of Clinical Medicine, 2020, 9, 246.	1.0	2
20	Effectiveness of dapagliflozin versus comparators on renal endpoints in the real world: A multicentre retrospective study. Diabetes, Obesity and Metabolism, 2019, 21, 252-260.	2.2	33
21	Estimation of Mortality Risk in Type 2 Diabetic Patients (ENFORCE): An Inexpensive and Parsimonious Prediction Model. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 4900-4908.	1.8	14
22	Diabetic kidney disease: New clinical and therapeutic issues. Joint position statement of the Italian Diabetes Society and the Italian Society of Nephrology on "The natural history of diabetic kidney disease and treatment of hyperglycemia in patients with type 2 diabetes and impaired renal function― Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 1127-1150.	1.1	85
23	ls resistant hypertension an independent predictor of all-cause mortality in individuals with type 2 diabetes? A prospective cohort study. BMC Medicine, 2019, 17, 83.	2.3	9
24	Microvascular complications burden (nephropathy, retinopathy and peripheral polyneuropathy) affects risk of major vascular events and all-cause mortality in type 1 diabetes: a 10-year follow-up study. Cardiovascular Diabetology, 2019, 18, 159.	2.7	43
25	LA MALATTIA RENALE CRONICA NON-ALBUMINURICA NEL DIABETE MELLITO TIPO 1. Il Diabete, 2019, 31, .	0.0	0
26	Haemoglobin A1c variability is a strong, independent predictor of allâ€cause mortality in patients with type 2 diabetes. Diabetes, Obesity and Metabolism, 2018, 20, 1885-1893.	2.2	45
27	Albuminuric and non-albuminuric chronic kidney disease in type 1 diabetes: Association with major vascular outcomes risk and all-cause mortality. Journal of Diabetes and Its Complications, 2018, 32, 550-557.	1.2	14
28	Defining the contribution of chronic kidney disease to all-cause mortality in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. Acta Diabetologica, 2018, 55, 603-612.	1.2	33
29	Influence of high density lipoprotein cholesterol levels on circulating monocytic angiogenic cells functions in individuals with type 2 diabetes mellitus. Cardiovascular Diabetology, 2018, 17, 78.	2.7	5
30	Non-albuminuric renal impairment is a strong predictor of mortality in individuals with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian multicentre study. Diabetologia, 2018, 61, 2277-2289.	2.9	83
31	A renal genetic risk score (GRS) is associated with kidney dysfunction in people with type 2 diabetes. Diabetes Research and Clinical Practice, 2018, 144, 137-143.	1.1	5
32	Three-dimensional echographic evaluation of carotid artery disease. Journal of Cardiovascular Echography, 2018, 28, 218.	0.1	17
33	On the non-linear association between serum uric acid levels and all-cause mortality rate in patients with type 2 diabetes mellitus. Atherosclerosis, 2017, 260, 20-26.	0.4	22
34	Evidence for two distinct phenotypes of chronic kidney disease in individuals with type 1 diabetes mellitus. Diabetologia, 2017, 60, 1102-1113.	2.9	38
35	Normoalbuminuric chronic kidney disease in type 1 diabetes: is it real and is it serious? Reply to Rigalleau V, Blanco L, Alexandre L et al [letter]. Diabetologia, 2017, 60, 2123-2125.	2.9	2
36	A Fermented Whole Grain Prevents Lipopolysaccharides-Induced Dysfunction in Human Endothelial Progenitor Cells. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-13.	1.9	29

GIUSEPPE PENNO

#	Article	IF	CITATIONS
37	Metabolic regulation of GLP-1 and PC1/3 in pancreatic \hat{l} ±-cell line. PLoS ONE, 2017, 12, e0187836.	1.1	31
38	The rs12917707 polymorphism at theUMODlocus and glomerular filtration rate in individuals with type 2 diabetes: evidence of heterogeneity across two different European populations. Nephrology Dialysis Transplantation, 2016, 32, gfw262.	0.4	10
39	Prediction of Declining Renal Function and Albuminuria in Patients With Type 2 Diabetes by Metabolomics. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 696-704.	1.8	62
40	Access to emergency room for hypoglycaemia in people with diabetes. Diabetes/Metabolism Research and Reviews, 2015, 31, 745-751.	1.7	15
41	Independent correlates of urinary albumin excretion within the normoalbuminuric range in patients with type 2 diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicentre Study. Acta Diabetologica, 2015, 52, 971-981.	1.2	8
42	Hypertriglyceridemia Is Independently Associated with Renal, but Not Retinal Complications in Subjects with Type 2 Diabetes: A Cross-Sectional Analysis of the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. PLoS ONE, 2015, 10, e0125512.	1.1	30
43	Grain and Bean Lysates Improve Function of Endothelial Progenitor Cells from Human Peripheral Blood: Involvement of the Endogenous Antioxidant Defenses. PLoS ONE, 2014, 9, e109298.	1.1	28
44	<i>IRS1</i> G972R Missense Polymorphism Is Associated With Failure to Oral Antidiabetes Drugs in White Patients With Type 2 Diabetes From Italy. Diabetes, 2014, 63, 3135-3140.	0.3	14
45	HbA1c Variability as an Independent Correlate of Nephropathy, but Not Retinopathy, in Patients With Type 2 Diabetes. Diabetes Care, 2013, 36, 2301-2310.	4.3	130
46	Hemoglobin A1c variability as an independent correlate of cardiovascular disease in patients with type 2 diabetes: a cross-sectional analysis of the Renal Insufficiency and Cardiovascular Events (RIACE) Italian Multicenter Study. Cardiovascular Diabetology, 2013, 12, 98.	2.7	61
47	Age, Renal Dysfunction, Cardiovascular Disease, and Antihyperglycemic Treatment in Type 2 Diabetes Mellitus: Findings from the Renal Insufficiency and Cardiovascular Events Italian Multicenter Study. Journal of the American Geriatrics Society, 2013, 61, 1253-1261.	1.3	65
48	Diverging Association of Reduced Glomerular Filtration Rate and Albuminuria With Coronary and Noncoronary Events in Patients With Type 2 Diabetes. Diabetes Care, 2012, 35, 143-149.	4.3	107
49	Rate and Determinants of Association Between Advanced Retinopathy and Chronic Kidney Disease in Patients With Type 2 Diabetes. Diabetes Care, 2012, 35, 2317-2323.	4.3	106
50	High prevalence of advanced retinopathy in patients with type 2 diabetes from the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. Diabetes Research and Clinical Practice, 2012, 98, 329-337.	1.1	29
51	Clinical significance of nonalbuminuric renal impairment in type 2 diabetes. Journal of Hypertension, 2011, 29, 1802-1809.	0.3	198
52	Reproducibility of albuminuria in type 2 diabetic subjects. Findings from the Renal Insufficiency And Cardiovascular Events (RIACE) study. Nephrology Dialysis Transplantation, 2011, 26, 3950-3954.	0.4	65
53	Oxidative stress in response to high glucose levels in endothelial cells and in endothelial progenitor cells. Microvascular Research, 2010, 80, 332-338.	1.1	44
54	Soluble CD40 Ligand Levels in Essential Hypertensive Men: Evidence of a Possible Role of Insulin Resistance. American Journal of Hypertension, 2009, 22, 1007-1013.	1.0	14

#	Article	IF	CITATIONS
55	The metabolic syndrome. Pharmacological Research, 2006, 53, 457-468.	3.1	14