

George G Stanley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3752797/publications.pdf>

Version: 2024-02-01

31

papers

797

citations

567281

15

h-index

501196

28

g-index

34

all docs

34

docs citations

34

times ranked

678

citing authors

#	ARTICLE	IF	CITATIONS
1	Highly active cationic cobalt(II) hydroformylation catalysts. <i>Science</i> , 2020, 367, 542-548.	12.6	100
2	The facile reaction of water with a bimetallic nickel tetrachloride tetraphosphine: A tale of two chelates. <i>Polyhedron</i> , 2019, 163, 178-189.	2.2	0
3	Effect of H ₂ Preadsorption on CO Interactions with a Co/Re/Zr/SiO ₂ -Based Catalyst: In Situ DRIFTS Study. <i>Journal of Physical Chemistry C</i> , 2019, 123, 5394-5400.	3.1	5
4	Pyrolysis of Lignin in Gas-Phase Isothermal and cw-CO ₂ Laser Powered Non-Isothermal Reactors. <i>Energy & Fuels</i> , 2018, 32, 12597-12606.	5.1	10
5	Organic Acid Promoted Controlled Ring-Opening Polymerization of $\text{L}\text{-Amino Acid-Derived}$ <i>N</i> -thiocarboxyanhydrides (NTAs) toward Well-defined Polypeptides. <i>ACS Macro Letters</i> , 2018, 7, 1272-1277.	4.8	26
6	Bimetallic Homogeneous Hydroformylation. <i>Topics in Organometallic Chemistry</i> , 2016, , 1-29.	0.7	6
7	Synthesis and Characterization of a New Binucleating Tetraphosphine Ligand Based on 1,2-Phenylene Chelates and the Structures of Dinickel Tetrachloride Complexes of the Ligand. <i>Inorganic Chemistry</i> , 2014, 53, 10036-10038.	4.0	4
8	Improved synthesis of a trisphosphine ligand and crystallographic characterization of the ligand and nickel thiocyanate complex. <i>Polyhedron</i> , 2013, 58, 171-178.	2.2	3
9	In Situ FT-IR Study on the Effect of Cobalt Precursors on CO Adsorption Behavior. <i>Journal of Physical Chemistry C</i> , 2011, 115, 990-998.	3.1	42
10	Dirhodium Tetraphosphine Catalysts. , 2005, , 225-248.		3
11	Polar Phase Hydroformylation: The Dramatic Effect of Water on Mono- and Dirhodium Catalysts. <i>Journal of the American Chemical Society</i> , 2003, 125, 11180-11181.	13.7	50
12	The unusual inhibition of a dirhodium tetraphosphine-based bimetallic hydroformylation catalyst by PPh ₃ . <i>Comptes Rendus Chimie</i> , 2002, 5, 473-480.	0.5	4
13	A Monometallic Rh(III) Tetraphosphine Complex: Reductive Activation of CH ₂ Cl ₂ and Selective Meso to Racemic Tetraphosphine Ligand Isomerization. <i>Inorganic Chemistry</i> , 2001, 40, 5192-5198.	4.0	32
14	Separating the Racemic and Meso Diastereomers of a Binucleating Tetraphosphine Ligand System through the Use of Nickel Chloride. <i>Inorganic Chemistry</i> , 2001, 40, 5036-5041.	4.0	21
15	A binuclear rhodium(I) complex with two tetraphosphine ligands at 100°C. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 546-548.	0.4	5
16	The First Crystallographically Characterized Transition Metal Buckybowl Compound: C ₃₀ H ₁₂ Carbon ²⁺ Carbon Bond Activation by Pt(PPh ₃) ₂ . <i>Journal of the American Chemical Society</i> , 1998, 120, 835-836.	13.7	69
17	Asymmetric hydroformylation by monometallic and bimetallic rhodium complexes. <i>Advances in Catalytic Processes</i> , 1998, , 221-243.	0.6	5
18	Efficient Catalytic Enantioselective Reaction of a Glycine Cation Equivalent with Malonate Anions via Palladium Catalysis. <i>Journal of Organic Chemistry</i> , 1997, 62, 3962-3975.	3.2	35

#	ARTICLE	IF	CITATIONS
19	Bimetallic hydroformylation: a zwitterionic Rh? I Rh I tetraphosphine ligand-based bimetallic complex exhibiting facile CO addition and phosphine ligand rearrangement equilibrium. <i>Chemical Communications</i> , 1996, , 2607.	4.1	35
20	Bimetallic Hydroformylation Catalysis: In Situ Characterization of a Dinuclear Rhodium(II) Dihydrido Complex with the Largest Rh-H NMR Coupling Constant. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 2253-2256.	4.4	107
21	Homogeneous Bimetallic Hydroformylation Catalysis. <i>Advances in Chemistry Series</i> , 1992, , 349-366.	0.6	17
22	The synthesis of heterobimetallic systems based on a hexatertiaryphosphine ligand system: cobalt-nickel and nickel-platinum complexes. <i>Polyhedron</i> , 1990, 9, 1317-1321.	2.2	6
23	Conformational studies and reduction chemistry of a bimetallic cobalt(I) carbonyl complex based on a binucleating hexakis(tertiary phosphine) ligand system. <i>Inorganic Chemistry</i> , 1990, 29, 3363-3371.	4.0	10
24	STRUCTURAL CHARACTERIZATION OF 1,2,4,5-TETRAPHENYLCYCLO-3,6-DICARBA-1,2,4,5-TETRAPHOSPHINE: A HIGHLY FOLDED CHAIR CONFORMATION. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1989, 42, 97-102.	1.6	12
25	Synthesis of binucleating tetratertiary phosphine ligand system and the structural characterization of both meso and racemic diastereomers of [bis[(diethylphosphinoethyl)phenylphosphino]methane]tetrachlorodinickel. <i>Inorganic Chemistry</i> , 1989, 28, 1872-1878.	4.0	39
26	Thermal and photochemical reactivity of group VI open-mode bimetallic complexes based on a binucleating hexaphosphine ligand system. Crystallographic characterization of a novel ditungsten heptacarbonyl pentaphosphine compound. <i>Inorganic Chemistry</i> , 1989, 28, 1878-1884.	4.0	8
27	A ligand-imposed cradle geometry for a dicobalt tetracarbonyl tetratertiary phosphine complex. <i>Inorganic Chemistry</i> , 1989, 28, 1206-1207.	4.0	17
28	A new class of binucleating tetratertiaryphosphine ligands. The synthesis and crystallographic characterization of the chiral diastereomer of a rhodium(I) dimer: Rh ₂ Cl ₂ (CO) ₂ (eLTPP) (eLTPP =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 13.7 54 5585-5586.		
29	Group VI open-mode dimers based on a binucleating hexaphosphine ligand system. Synthesis and conformational studies of fac,fac-M ₂ (CO) ₆ (eHTP) (M = Cr, Mo, W; eHTP =) Tj ETQq1 1 0.784314 rgBT /Overlock 10.8 Tf 50 33.75Td ((Et ₂ PPH ₂) ₂ Cl ₂)		
30	A chiral mononuclear complex of eHTP. Structure and paramagnetically decoupled phosphorus-31 NMR of FeCl(CO)(.eta.4-eHTP)+ [eHTP = (Et ₂ PCH ₂ CH ₂) ₂ PCH ₂ P(CH ₂ CH ₂ PEt ₂) ₂]. <i>Organometallics</i> , 1987, 6, 1370-1372.	2.3	9
31	A new type of transition-metal dimer based on a hexaphosphine ligand system: Co ₂ (CO) ₄ (eHTP) ₂ + (eHTP) Tj ETQq1 1 0.784314 rgBT /Overlock 10.8 Tf 50 33.75Td ((Et ₂ PPH ₂) ₂ Cl ₂)		