

Susanne Singer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/375469/publications.pdf>

Version: 2024-02-01

181
papers

6,303
citations

61857

43
h-index

98622

67
g-index

246
all docs

246
docs citations

246
times ranked

7547
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Prevalence of mental health conditions in cancer patients in acute care—a meta-analysis. <i>Annals of Oncology</i> , 2010, 21, 925-930. | 0.6 | 294 |
| 2 | Hospital anxiety and depression scale cutoff scores for cancer patients in acute care. <i>British Journal of Cancer</i> , 2009, 100, 908-912. | 2.9 | 240 |
| 3 | The European Organization for Research and Treatment of Cancer (EORTC) Quality-of-Life questionnaire cervical cancer module. <i>Cancer</i> , 2006, 107, 1812-1822. | 2.0 | 238 |
| 4 | Incorporating the Patient Voice in Sarcoma Research: How Can We Assess Health-Related Quality of Life in This Heterogeneous Group of Patients? A Study Protocol. <i>Cancers</i> , 2021, 13, 1. | 1.7 | 189 |
| 5 | Function, postoperative morbidity, and quality of life after cervical sentinel node biopsy and after selective neck dissection. <i>Head and Neck</i> , 2009, 31, 503-512. | 0.9 | 175 |
| 6 | Assessment of depression severity with the PHQ-9 in cancer patients and in the general population. <i>BMC Psychiatry</i> , 2016, 16, 22. | 1.1 | 153 |
| 7 | Health-Related Quality of Life During the 10 Years After Diagnosis of Colorectal Cancer: A Population-Based Study. <i>Journal of Clinical Oncology</i> , 2011, 29, 3263-3269. | 0.8 | 145 |
| 8 | An overview of art therapy interventions for cancer patients and the results of research. <i>Complementary Therapies in Medicine</i> , 2010, 18, 160-170. | 1.3 | 128 |
| 9 | International Psychometric Validation of an EORTC Quality of Life Module Measuring Cancer Related Fatigue (EORTC QLQ-FA12). <i>Journal of the National Cancer Institute</i> , 2017, 109, . | 3.0 | 115 |
| 10 | Quality of life in Parkinson's disease patients with motor fluctuations and dyskinesias in five European countries. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 969-974. | 1.1 | 113 |
| 11 | Fatigue in Cancer Survivors — Prevalence and Correlates. <i>Onkologie</i> , 2009, 32, 312-317. | 1.1 | 95 |
| 12 | Quality of Life in Patients with Thyroid Cancer Compared with the General Population. <i>Thyroid</i> , 2012, 22, 117-124. | 2.4 | 93 |
| 13 | Predictors of emotional distress in patients with head and neck cancer. <i>Head and Neck</i> , 2012, 34, 180-187. | 0.9 | 92 |
| 14 | Psychometric validation of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire-Endometrial Cancer Module (EORTC QLQ-EN24). <i>European Journal of Cancer</i> , 2011, 47, 183-190. | 1.3 | 91 |
| 15 | Social withdrawal after laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 593-600. | 0.8 | 80 |
| 16 | Quality of life in patients with muscle invasive and non-muscle invasive bladder cancer. <i>Supportive Care in Cancer</i> , 2013, 21, 1383-1393. | 1.0 | 80 |
| 17 | Validation of the EORTC QLQ-C30 and EORTC QLQ-H&N35 in patients with laryngeal cancer after surgery. <i>Head and Neck</i> , 2009, 31, 64-76. | 0.9 | 77 |
| 18 | Age- and sex-standardised prevalence rates of fatigue in a large hospital-based sample of cancer patients. <i>British Journal of Cancer</i> , 2011, 105, 445-451. | 2.9 | 77 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Prevalence of Symptoms of Anxiety and Depression in German Patients With Cystic Fibrosis. <i>Chest</i> , 2010, 138, 929-936. | 0.4 | 75 |
| 20 | Quality of life in patients with hypoparathyroidism receiving standard treatment: a systematic review. <i>Endocrine</i> , 2017, 58, 14-20. | 1.1 | 74 |
| 21 | Persistent quality of life impairments in differentiated thyroid cancer patients: results from a monitoring programme. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1179-1188. | 3.3 | 69 |
| 22 | International validation of the revised European Organisation for Research and Treatment of Cancer Head and Neck Cancer Module, the EORTC QLQ-H&N43: Phase IV. <i>Head and Neck</i> , 2019, 41, 1725-1737. | 0.9 | 69 |
| 23 | The EORTC CAT Core – The computer adaptive version of the EORTC QLQ-C30 questionnaire. <i>European Journal of Cancer</i> , 2018, 100, 8-16. | 1.3 | 68 |
| 24 | Quality of life characteristics in patients with cervical cancer. <i>European Journal of Cancer</i> , 2012, 48, 3009-3018. | 1.3 | 67 |
| 25 | Performance of the EORTC questionnaire for the assessment of quality of life in head and neck cancer patients EORTC QLQ-H&N35: a methodological review. <i>Quality of Life Research</i> , 2013, 22, 1927-1941. | 1.5 | 66 |
| 26 | Quality of life before and after total laryngectomy: Results of a multicenter prospective cohort study. <i>Head and Neck</i> , 2014, 36, 359-368. | 0.9 | 65 |
| 27 | Measuring quality of life in patients with head and neck cancer: Update of the EORTC QLQ-H&N Module, Phase III. <i>Head and Neck</i> , 2015, 37, 1358-1367. | 0.9 | 65 |
| 28 | Screening for mental disorders in laryngeal cancer patients: a comparison of 6 methods. <i>Psycho-Oncology</i> , 2008, 17, 280-286. | 1.0 | 64 |
| 29 | Development of an EORTC quality of life phase III module measuring cancer-related fatigue (EORTC Tj ETQq1 1 0,784314 rgBT /Overde | 1.0 | 61 |
| 30 | Development of computerised adaptive testing (CAT) for the EORTC QLQ-C30 dimensions – General approach and initial results for physical functioning. <i>European Journal of Cancer</i> , 2010, 46, 1352-1358. | 1.3 | 58 |
| 31 | Results of the Thyroid Cancer Alliance international patient/survivor survey: Psychosocial/informational support needs, treatment side effects and international differences in care. <i>Hormones</i> , 2013, 12, 428-438. | 0.9 | 56 |
| 32 | Psycho-oncological care in certified cancer centres – a nationwide analysis in Germany. <i>Psycho-Oncology</i> , 2013, 22, 1435-1437. | 1.0 | 55 |
| 33 | Co-morbid mental health conditions in cancer patients at working age – prevalence, risk profiles, and care uptake. <i>Psycho-Oncology</i> , 2013, 22, 2291-2297. | 1.0 | 55 |
| 34 | Employment pathways and work-related issues in head and neck cancer survivors. <i>Head and Neck</i> , 2015, 37, 585-593. | 0.9 | 54 |
| 35 | Patients with adenoid cystic carcinomas of the salivary glands treated with lenvatinib: Activity and quality of life. <i>Cancer</i> , 2020, 126, 1888-1894. | 2.0 | 54 |
| 36 | Health-related quality of life issues, including symptoms, in patients with active COVID-19 or post COVID-19; a systematic literature review. <i>Quality of Life Research</i> , 2021, 30, 3367-3381. | 1.5 | 53 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Sexual Problems After Total or Partial Laryngectomy. <i>Laryngoscope</i> , 2008, 118, 2218-2224. | 1.1 | 48 |
| 38 | Quality of Life in NSCLC Survivors – A Multicenter Cross-Sectional Study. <i>Journal of Thoracic Oncology</i> , 2019, 14, 420-435. | 0.5 | 48 |
| 39 | Anxiety and depression in the general population in Colombia: reference values of the Hospital Anxiety and Depression Scale (HADS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 41-49. | 1.6 | 46 |
| 40 | Out-of-pocket-payments and the financial burden of 502 cancer patients of working age in Germany: results from a longitudinal study. <i>Supportive Care in Cancer</i> , 2019, 27, 2221-2228. | 1.0 | 46 |
| 41 | Quality of care and emotional support from the inpatient cancer patient's perspective. <i>Langenbeck's Archives of Surgery</i> , 2009, 394, 723-731. | 0.8 | 45 |
| 42 | Is it useful to calculate sum scores of the quality of life questionnaire EORTC QLQ-C30?. <i>European Journal of Cancer Care</i> , 2012, 21, 677-683. | 0.7 | 44 |
| 43 | Residual deficits in quality of life one year after intensity-modulated radiotherapy for patients with locally advanced head and neck cancer. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 501-510. | 1.0 | 44 |
| 44 | Quality of Life Correlates After Surgery for Laryngeal Carcinoma. <i>Laryngoscope</i> , 2007, 117, 1770-1776. | 1.1 | 43 |
| 45 | Quality-of-Life Priorities in Patients with Thyroid Cancer: A Multinational European Organisation for Research and Treatment of Cancer Phase I Study. <i>Thyroid</i> , 2016, 26, 1605-1613. | 2.4 | 41 |
| 46 | Sense of Coherence as a Predictor of Quality of Life in Adolescents With Congenital Heart Defects: A Register-Based 1-Year Follow-Up Study. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2011, 32, 316-327. | 0.6 | 39 |
| 47 | The National Eye Institute 25-Item Visual Function Questionnaire (NEI VFQ-25) – reference data from the German population-based Gutenberg Health Study (GHS). <i>Health and Quality of Life Outcomes</i> , 2017, 15, 156. | 1.0 | 39 |
| 48 | Economic analyses of fast-track total hip and knee arthroplasty: a systematic review. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 67-74. | 0.6 | 39 |
| 49 | Development of computerized adaptive testing (CAT) for the EORTC QLQ-C30 physical functioning dimension. <i>Quality of Life Research</i> , 2011, 20, 479-490. | 1.5 | 38 |
| 50 | Identifying tumor patients' depression. <i>Supportive Care in Cancer</i> , 2011, 19, 1697-1703. | 1.0 | 35 |
| 51 | Speech rehabilitation during the first year after total laryngectomy. <i>Head and Neck</i> , 2013, 35, 1583-1590. | 0.9 | 35 |
| 52 | Psychosocial Impact of Cancer. <i>Recent Results in Cancer Research</i> , 2018, 210, 1-11. | 1.8 | 35 |
| 53 | Frequency of psycho-oncologic and social service counseling in cancer centers relative to center site and hospital characteristics: Findings from 879 center sites in Germany, Austria, Switzerland, and Italy. <i>Cancer</i> , 2016, 122, 3538-3545. | 2.0 | 34 |
| 54 | The EORTC module for quality of life in patients with thyroid cancer: phase III. <i>Endocrine-Related Cancer</i> , 2017, 24, 197-207. | 1.6 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The EORTC computer-adaptive tests measuring physical functioning and fatigue exhibited high levels of measurement precision and efficiency. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 330-339. | 2.4 | 33 |
| 56 | Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale "Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892. | 1.2 | 33 |
| 57 | Quality of Life in Patients With Hypoparathyroidism After Treatment for Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4652-e4660. | 1.8 | 33 |
| 58 | The Health-Related Quality of Life of Sarcoma Patients and Survivors in Germany"Cross-Sectional Results of a Nationwide Observational Study (PROSa). <i>Cancers</i> , 2020, 12, 3590. | 1.7 | 31 |
| 59 | Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT). <i>Health and Quality of Life Outcomes</i> , 2016, 14, 72. | 1.0 | 29 |
| 60 | Health-related quality of life in Colombia: reference values of the EORTC QLQ-C30. <i>European Journal of Cancer Care</i> , 2012, 21, 829-836. | 0.7 | 28 |
| 61 | Factors associated with supportive care needs in glioma patients in the neuro-oncological outpatient setting. <i>Journal of Neuro-Oncology</i> , 2017, 133, 653-662. | 1.4 | 28 |
| 62 | Minimally important differences for interpreting European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 scores in patients with head and neck cancer. <i>Head and Neck</i> , 2020, 42, 3141-3152. | 0.9 | 28 |
| 63 | Quality of life in patients with head and neck cancer receiving targeted or multimodal therapy "Update of the EORTC QLQ&N35, Phase I. <i>Head and Neck</i> , 2013, 35, 1331-1338. | 0.9 | 27 |
| 64 | The Impact of Age on Quality of Life in Breast Cancer Patients Receiving Adjuvant Chemotherapy: A Comparative Analysis From the Prospective Multicenter Randomized ADEBAR trial. <i>Clinical Breast Cancer</i> , 2017, 17, 100-106. | 1.1 | 27 |
| 65 | Psychosocial Determinants of Successful Voice Rehabilitation After Laryngectomy. <i>Journal of the Chinese Medical Association</i> , 2007, 70, 407-423. | 0.6 | 26 |
| 66 | International field testing of the psychometric properties of an EORTC quality of life module for oral health: the EORTC QLQ-OH15. <i>Supportive Care in Cancer</i> , 2016, 24, 3915-3924. | 1.0 | 26 |
| 67 | Alcohol consumption after laryngectomy. <i>Clinical Otolaryngology</i> , 2011, 36, 336-344. | 0.6 | 25 |
| 68 | Assessing psychological and supportive care needs in glioma patients - feasibility study on the use of the Supportive Care Needs Survey Short Form (SCNS-SF34-G) and the Supportive Care Needs Survey Screening Tool (SCNS-ST9) in clinical practice. <i>European Journal of Cancer Care</i> , 2018, 27, e12598. | 0.7 | 25 |
| 69 | Comorbid Mental Disorders in Laryngectomees. <i>Oncology Research and Treatment</i> , 2005, 28, 631-636. | 0.8 | 24 |
| 70 | Effects of stepped psychooncological care on referral to psychosocial services and emotional well-being in cancer patients: A cluster-randomized phase III trial. <i>Psycho-Oncology</i> , 2017, 26, 1675-1683. | 1.0 | 24 |
| 71 | Longitudinal Analysis of Psychiatric Morbidity in Cancer Patients. <i>Onkologie</i> , 2008, 31, 11-11. | 1.1 | 23 |
| 72 | Breast Cancer Patients' Fear of Treatment: Results from the Multicenter Longitudinal Study BRENDA II. <i>Breast Care</i> , 2015, 10, 95-100. | 0.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Patients' acceptance and psychometric properties of the EORTC QLQ-CX24 after surgery. <i>Gynecologic Oncology</i> , 2010, 116, 82-87. | 0.6 | 22 |
| 74 | Early retirement in cancer patients with or without comorbid mental health conditions: A prospective cohort study. <i>Cancer</i> , 2014, 120, 2199-2206. | 2.0 | 22 |
| 75 | Quality of Life Measurements: Any Value for Clinical Practice?. <i>Current Treatment Options in Oncology</i> , 2017, 18, 30. | 1.3 | 22 |
| 76 | Socio-economic disparities in long-term cancer survivalâ€”10-year follow-up with individual patient data. <i>Supportive Care in Cancer</i> , 2017, 25, 1391-1399. | 1.0 | 22 |
| 77 | Psychological distress in lung cancer survivors at least 1-year after diagnosisâ€”Results of a German multicenter cross-sectional study. <i>Psycho-Oncology</i> , 2018, 27, 2002-2008. | 1.0 | 21 |
| 78 | The EORTC QLQ-OH17: A supplementary module to the EORTC QLQ-C30 for assessment of oral health and quality of life in cancer patients. <i>European Journal of Cancer</i> , 2012, 48, 2203-2211. | 1.3 | 20 |
| 79 | Psychometric Properties of the Fatigue Questionnaire EORTC QLQ-FA12 in a Sample of Female Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 922-928. | 0.6 | 20 |
| 80 | Factors associated with non-participation and dropout among cancer patients in a cluster-randomised controlled trial. <i>European Journal of Cancer Care</i> , 2018, 27, e12645. | 0.7 | 20 |
| 81 | Utilisation of psychosocial and informational services in immigrant and non-immigrant German cancer survivors. <i>Psycho-Oncology</i> , 2015, 24, 919-925. | 1.0 | 19 |
| 82 | Sensitivity to change of the EORTC quality of life module measuring cancer-related fatigue (EORTC Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 1.0 | 19 |
| 83 | Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110256. | 1.2 | 19 |
| 84 | Unravelling the heterogeneity of soft tissue and bone sarcoma patientsâ€™ health-related quality of life: a systematic literature review with focus on tumour location. <i>ESMO Open</i> , 2020, 5, e000914. | 2.0 | 19 |
| 85 | Quality of life during the first year after partial laryngectomy: Longitudinal study. <i>Head and Neck</i> , 2018, 40, 1185-1195. | 0.9 | 18 |
| 86 | Design and development of a disease-specific quality of life tool for patients with aplastic anaemia and/or paroxysmal nocturnal haemoglobinuria (QLQ-AA/PNH)â€”a report on phase III. <i>Annals of Hematology</i> , 2019, 98, 1547-1559. | 0.8 | 18 |
| 87 | Predictors of changes in quality of life in head and neck cancer patients: a prospective study over a 6-month period. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 559-567. | 0.8 | 18 |
| 88 | Response shift in the assessment of anxiety, depression and perceived health in urologic cancer patients: an individual perspective. <i>European Journal of Cancer Care</i> , 2011, 20, 601-609. | 0.7 | 16 |
| 89 | Psychiatric co-morbidity, distress, and use of psycho-social services in adult glioma patientsâ€™ a prospective study. <i>Acta Neurochirurgica</i> , 2018, 160, 1187-1194. | 0.9 | 16 |
| 90 | Health status, health-related quality of life, and socioeconomic outcome in childhood brain tumor survivors: a German cohort study. <i>Neuro-Oncology</i> , 2019, 21, 1069-1081. | 0.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Frequency of stressful life events and associations with mental health and general subjective health in the general population. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2021, 29, 1071-1080. | 0.8 | 16 |
| 92 | Art therapy in psycho-oncologyâ€”recruitment of participants and gender differences in usage. <i>Supportive Care in Cancer</i> , 2012, 20, 679-686. | 1.0 | 15 |
| 93 | Supportive Care Needs in Glioma Patients and Their Caregivers in Clinical Practice: Results of a Multicenter Cross-Sectional Study. <i>Frontiers in Neurology</i> , 2018, 9, 763. | 1.1 | 15 |
| 94 | Assessing and Improving Quality of Life in Patients with Head and Neck Cancer. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2013, 33, e230-e235. | 1.8 | 15 |
| 95 | Clinical relevance of qualityâ€”ofâ€”life data in laryngectomized patients. <i>Laryngoscope</i> , 2012, 122, 1532-1538. | 1.1 | 14 |
| 96 | Effect of a structured psycho-oncological screening and treatment model on mental health in cancer patients (STEPPED CARE): study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2014, 15, 482. | 0.7 | 14 |
| 97 | Impact of socioâ€”economic position on cancer stage at presentation: Findings from a large hospitalâ€”based study in Germany. <i>International Journal of Cancer</i> , 2016, 139, 1696-1702. | 2.3 | 13 |
| 98 | Practice requirements for psychotherapeutic treatment of cancer patients in the outpatient settingâ€”A survey among certified psychotherapists in Germany. <i>Psycho-Oncology</i> , 2017, 26, 1093-1098. | 1.0 | 13 |
| 99 | Patients with soft tissue sarcoma comprise a higher probability of comorbidities than cancer-free individuals. A secondary data analysis. <i>European Journal of Cancer Care</i> , 2017, 26, e12605. | 0.7 | 13 |
| 100 | Compliance with patient-reported outcome assessment in glioma patients: predictors for drop out. <i>Neuro-Oncology Practice</i> , 2018, 5, 129-138. | 1.0 | 13 |
| 101 | The association of socioeconomic status with quality of life in cancer patients over a 6-month period using individual growth models. <i>Supportive Care in Cancer</i> , 2019, 27, 3347-3355. | 1.0 | 13 |
| 102 | Disability-related-distress in primary school learners with vision impairment due to uncorrected refractive error in KwaZulu-Natal Province, South Africa â€” a qualitative study. <i>PLoS ONE</i> , 2020, 15, e0229108. | 1.1 | 13 |
| 103 | Anxiety, depression and impaired health-related quality of life are therapeutic challenges in patients with multiple sclerosis. <i>Mental Illness</i> , 2010, 2, 20-24. | 0.8 | 12 |
| 104 | A non-randomised trial of an art therapy intervention for patients with haematological malignancies to support post-traumatic growth. <i>Journal of Health Psychology</i> , 2013, 18, 939-949. | 1.3 | 12 |
| 105 | Construct validity of the EORTC quality of life questionnaire information module. <i>Quality of Life Research</i> , 2013, 22, 123-129. | 1.5 | 12 |
| 106 | The course of fatigue in patients with gynecologic and breast cancer. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 280. | 1.0 | 12 |
| 107 | The effects of multi-disciplinary psycho-social care on socio-economic problems in cancer patients: a cluster-randomized trial. <i>Supportive Care in Cancer</i> , 2018, 26, 1851-1859. | 1.0 | 12 |
| 108 | Quality of life of patients more than 1 year after surgery for thyroid cancer. <i>Hormones</i> , 2020, 19, 233-243. | 0.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Global quality of life during the acute toxicity phase of multimodality treatment for patients with head and neck cancer: Can we identify patients most at risk of profound quality of life decline?. <i>Oral Oncology</i> , 2012, 48, 898-904. | 0.8 | 11 |
| 110 | Tobacco and alcohol consumption after total laryngectomy and survival: A German multicenter prospective cohort study. <i>Head and Neck</i> , 2016, 38, 1324-1329. | 0.9 | 11 |
| 111 | Health-related quality of life and distress in elderly vs. younger patients with high-grade glioma—results of a multicenter study. <i>Supportive Care in Cancer</i> , 2020, 28, 5165-5175. | 1.0 | 11 |
| 112 | Returning to work in lung cancer survivors—a multi-center cross-sectional study in Germany. <i>Supportive Care in Cancer</i> , 2021, 29, 3753-3765. | 1.0 | 11 |
| 113 | Predictors of post-treatment smoking and drinking behavior of head and neck cancer survivors: results of a population-based survey. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3337-3345. | 0.8 | 10 |
| 114 | The course of psychiatric comorbidity in patients with breast cancer — results from the prospective multicentre BRENDA II study. <i>Psycho-Oncology</i> , 2016, 25, 590-596. | 1.0 | 10 |
| 115 | Following patient pathways to psychooncological treatment: Identification of treatment needs by clinical staff and electronic screening. <i>Psycho-Oncology</i> , 2018, 27, 1312-1319. | 1.0 | 10 |
| 116 | Obtaining Patient-Reported Outcomes Electronically With “OncoFunction” in Head and Neck Cancer Patients During Aftercare. <i>Frontiers in Oncology</i> , 2020, 10, 549915. | 1.3 | 10 |
| 117 | Financial toxicity in sarcoma patients and survivors in Germany: results from the multicenter PROSa study. <i>Supportive Care in Cancer</i> , 2022, 30, 187-196. | 1.0 | 10 |
| 118 | Evaluation of Psycho-social Training for Speech Therapists in Oncology. Impact on General Communication Skills and Empathy. A Qualitative Pilot Study. <i>Journal of Cancer Education</i> , 2011, 26, 294-300. | 0.6 | 9 |
| 119 | Assessing and Improving Quality of Life in Patients with Head and Neck Cancer. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2013, , e230-e235. | 1.8 | 9 |
| 120 | Use of psychosocial services by lung cancer survivors in Germany. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 1018-1027. | 1.0 | 9 |
| 121 | The effects of an art education program on competencies, coping, and well-being in outpatients with cancer—Results of a prospective feasibility study. <i>Arts in Psychotherapy</i> , 2010, 37, 363-369. | 0.6 | 8 |
| 122 | Incidence of lip malignancies in Germany—data from nine population-based cancer registries. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 780-785. | 1.4 | 8 |
| 123 | Ionising radiation and lens opacities in interventional physicians: results of a German pilot study. <i>Journal of Radiological Protection</i> , 2019, 39, 1041-1059. | 0.6 | 8 |
| 124 | Quality of life during and after adjuvant anthracycline-taxane-based chemotherapy with or without Gemcitabine in high-risk early breast cancer: results of the SUCCESS A trial. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 627-635. | 1.1 | 8 |
| 125 | European Organization for Research and Treatment of Cancer Quality of Life Questionnaire—Head and Neck Module, updated version: Preliminary psychometric data from Serbian laryngectomized patients. <i>Head and Neck</i> , 2016, 38, E916-24. | 0.9 | 7 |
| 126 | Long-term quality of life in inoperable non-small cell lung cancer patients treated with conventionally fractionated compared to hyperfractionated accelerated radiotherapy — Results of the randomized CHARTWEL trial. <i>Radiotherapy and Oncology</i> , 2018, 126, 283-290. | 0.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Multicenter prospective study on the use and outcome of rehabilitation after total laryngectomy in Germany. <i>Head and Neck</i> , 2019, 41, 1070-1079. | 0.9 | 7 |
| 128 | Quality of life of GIST patients with and without current tyrosine kinase inhibitor treatment: Cross-sectional results of a German multicentre observational study (PROSa). <i>European Journal of Cancer Care</i> , 2021, 30, e13484. | 0.7 | 7 |
| 129 | The association of Health-Related Quality of Life and 1-year-survival in sarcoma patients—results of a Nationwide Observational Study (PROSa). <i>British Journal of Cancer</i> , 2022, 126, 1346-1354. | 2.9 | 6 |
| 130 | What are predictors of impaired quality of life in patients with hypoparathyroidism?. <i>Clinical Endocrinology</i> , 2022, 97, 268-275. | 1.2 | 6 |
| 131 | Quality of Life of Colorectal Cancer Patients in Certified Centers versus Non-Certified Hospitals. <i>Onkologie</i> , 2012, 35, 162-168. | 1.1 | 5 |
| 132 | Positive family history of colorectal cancer in a general practice setting [FRIDA.Frankfurt]: study protocol of a cross-sectional study. <i>BMC Cancer</i> , 2015, 15, 605. | 1.1 | 5 |
| 133 | Do cancer patients with high levels of distress benefit more than less distressed patients from outpatient art therapy?. <i>European Journal of Oncology Nursing</i> , 2017, 30, 1-7. | 0.9 | 5 |
| 134 | Colorectal cancer stage at diagnosis in migrants and non-migrants: a cross-sectional analysis of the KoMigra Study in Germany. <i>Zeitschrift Fur Gastroenterologie</i> , 2018, 56, 1499-1506. | 0.2 | 5 |
| 135 | Structured multi-disciplinary psychosocial care for cancer patients and the perceived quality of care from the patient perspective: a cluster-randomized trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2845-2854. | 1.2 | 5 |
| 136 | Association between cognitive impairment and guideline adherence for application of chemotherapy in older patients with breast cancer: Results from the prospective multicenter BRENDA II study. <i>Breast Journal</i> , 2019, 25, 386-392. | 0.4 | 5 |
| 137 | Glioma patients in outpatient care—optimization of psychosocial care in neuro-oncological patients (GLIOPT): Protocol for a cluster randomized controlled trial. <i>Trials</i> , 2020, 21, 434. | 0.7 | 5 |
| 138 | Survivors of primary breast cancer 5 years after surgery: follow-up care, long-term problems, and treatment regrets. Results of the prospective BRENDA II-study. <i>Archives of Gynecology and Obstetrics</i> , 2020, 301, 761-767. | 0.8 | 5 |
| 139 | What is considered to be emotional suffering by psychotherapy patients and their therapists in Eastern versus Western Germany? A mixed-methods study. <i>Counselling and Psychotherapy Research</i> , 2021, 21, 448-458. | 1.7 | 5 |
| 140 | Development of screening questions for doctor-patient consultation assessing the quality of life and psychosocial burden of glioma patients: an explorative study. <i>Quality of Life Research</i> , 2021, 30, 1513-1522. | 1.5 | 5 |
| 141 | Self-reported ability to concentrate in patients with painful temporomandibular disorders compared to the general population. <i>Community Dentistry and Oral Epidemiology</i> , 2012, 40, 507-515. | 0.9 | 4 |
| 142 | Motivation as a predictor of speech intelligibility after total laryngectomy. <i>Head and Neck</i> , 2013, 35, 836-846. | 0.9 | 4 |
| 143 | Assessing Preferences in Patients with Head and Neck Squamous Cell Carcinoma: Phase I and II of Questionnaire Development. <i>Cancers</i> , 2020, 12, 3577. | 1.7 | 4 |
| 144 | Treatment patterns in older patients with locally advanced head and neck squamous cell carcinoma: Results from an EORTC led survey. <i>Journal of Geriatric Oncology</i> , 2021, 12, 1261-1265. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | What is the best time for psychosocial counselling from the perspective of cancer patients and their relatives? A multi-centre qualitative study. <i>Counselling and Psychotherapy Research</i> , 2022, 22, 558-568. | 1.7 | 4 |
| 146 | “That was a tip from my physician” Gender-specific pathways of patients and relatives to outpatient psychosocial cancer counselling centres” A qualitative study. <i>Psycho-Oncology</i> , 2022, 31, 1022-1030. | 1.0 | 4 |
| 147 | Awareness, offer, and use of psychosocial services by breast cancer survivors in Germany: a prospective multi-centre study. <i>Archives of Gynecology and Obstetrics</i> , 0, , . | 0.8 | 4 |
| 148 | Evaluation of Posttraumatic Psychological Problems in Cancer Patients. <i>Oncology Research and Treatment</i> , 2003, 26, 66-70. | 0.8 | 3 |
| 149 | Validation of the Scale for the Assessment of Illness Behavior (SAIB) in a community sample of elderly people. <i>Archives of Gerontology and Geriatrics</i> , 2013, 56, 175-180. | 1.4 | 3 |
| 150 | Quality of life after nivolumab treatment for head and neck cancer. <i>Lancet Oncology</i> , The, 2017, 18, 993-994. | 5.1 | 3 |
| 151 | Long-term quality of life in head and neck cancer patients. <i>Onkologe</i> , 2019, 25, 125-131. | 0.7 | 3 |
| 152 | Effectiveness of an air quality intervention: an accountability study in a highly polluted industrial town. <i>Air Quality, Atmosphere and Health</i> , 2020, 13, 289-296. | 1.5 | 3 |
| 153 | Impact of Granulocyte Colony-Stimulating Factor (G-CSF) and Epoetin (EPO) on Hematologic Toxicities and Quality of Life in Patients During Adjuvant Chemotherapy in Early Breast Cancer: Results From the Multi-Center Randomized ADEBAR Trial. <i>Clinical Breast Cancer</i> , 2020, 20, 439-447. | 1.1 | 3 |
| 154 | Long-term toxicity among head and neck cancer patients” A systematic review. <i>Onkologe</i> , 2021, 27, 145-149. | 0.7 | 3 |
| 155 | Methodological approach for determining the Minimal Important Difference and Minimal Important Change scores for the European Organisation for Research and Treatment of Cancer Head and Neck Cancer Module (EORTC QLQ-HN43) exemplified by the Swallowing scale. <i>Quality of Life Research</i> , 2022, 31, 841-853. | 1.5 | 3 |
| 156 | Linguistic barriers in communication between oncologists and cancer patients with migration background in Germany: an explorative analysis based on the perspective of the oncologists from the mixed-methods study POM. , 2022, 1, . | | 3 |
| 157 | Migrants and ethnic minorities with cancer: an umbrella review on their information and supportive care needs. <i>Onkologe</i> , 2021, 27, 133-144. | 0.7 | 2 |
| 158 | Management of thyroid cancer: results from a German and French patient survey. <i>Hormones</i> , 2021, 20, 323-332. | 0.9 | 2 |
| 159 | Predictors of psychiatric comorbidity in cancer patients at the time of their discharge from the hospital. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, , 1. | 1.6 | 2 |
| 160 | Psychosocial Impact of Cancer. <i>Recent Results in Cancer Research</i> , 2014, 197, 1-10. | 1.8 | 2 |
| 161 | Health-Related Quality of Life Issues Experienced by Thoracic and Breast Sarcoma Patients: A Rare and Understudied Group. <i>Journal of Clinical Medicine</i> , 2021, 10, 5334. | 1.0 | 2 |
| 162 | “I thought I had fibroids, and now I don’t”: a mixed method study on health-related quality of life in uterine sarcoma patients. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 65. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Awareness and use of psychosocial care among cancer patients and their relatives—a comparison of people with and without a migration background in Germany. <i>Journal of Cancer Research and Clinical Oncology</i> , 2023, 149, 1733-1745. | 1.2 | 2 |
| 164 | Outcome comparison of integrated psycho-oncological care versus unstructured care—Results of a non-randomised open-label two-arm trial. <i>European Journal of Cancer Care</i> , 2019, 28, e13127. | 0.7 | 1 |
| 165 | Abstract P3-09-06: Frequency of and reasons for deviation from therapy decisions in patients with primary breast cancer initially intended to receive chemotherapy—Results from the German prospective multi-center study BRENDA II. , 2015, , . | | 1 |
| 166 | BEST OF: A phase III study assessing the best of radiotherapy (Intensity Modulated RadioTherapy, IMRT) compared to the best of surgery (Trans-Oral Surgery, TOS) in patients with T1-T2, NO oropharyngeal squamous cell carcinoma (OPSCC).. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS6098-TPS6098. | 0.8 | 1 |
| 167 | Long-term course of psychiatric disorders in cancer patients: a pilot study. <i>Gms Psycho-social-medicine</i> , 2008, 5, Doc03. | 1.2 | 1 |
| 168 | Association of social service counseling in breast cancer patients with financial problems, role functioning and employment—results from the prospective multicenter BRENDA II study. <i>Archives of Gynecology and Obstetrics</i> , 2023, 307, 541-547. | 0.8 | 1 |
| 169 | Quality of life in lung cancer survivors treated with tyrosine-kinase inhibitors (TKI): results from the multi-centre cross-sectional German study LARIS. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 1943-1953. | 1.2 | 1 |
| 170 | In Response to <i>Sexual Problems After Total Or Partial Laryngectomy</i> (<i>Laryngoscope</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 Td | 1.1 | 0 |
| 171 | Reply: Two types of fatigue in cancer patients. <i>British Journal of Cancer</i> , 2012, 106, 425-425. | 2.9 | 0 |
| 172 | Neue Rubrik Psychoonkologie. <i>Onkologie</i> , 2015, 21, 55-56. | 0.7 | 0 |
| 173 | Phase 1 to 3 of the update of the EORTC Quality of Life Gastric module QLQ-STO22. <i>Annals of Oncology</i> , 2019, 30, vi87. | 0.6 | 0 |
| 174 | P-81 phase I-II of the update of the EORTC quality of life gastric module QLQ-STO22. <i>Annals of Oncology</i> , 2020, 31, S116. | 0.6 | 0 |
| 175 | To which extent do breast cancer survivors feel well informed about disease and treatment 5Âyears after diagnosis?. <i>Breast Cancer Research and Treatment</i> , 2021, 185, 677-684. | 1.1 | 0 |
| 176 | Effects of Finding the Speech-Language Pathologist Likeable on Postlaryngectomy Speech Intelligibility Outcomes. <i>Folia Phoniatica Et Logopaedica</i> , 2021, 73, 577-585. | 0.5 | 0 |
| 177 | Course of social support and associations with distress after partial laryngectomy. <i>Journal of Psychosocial Oncology</i> , 2021, , 1-14. | 0.6 | 0 |
| 178 | Am Anfang steht die Venus. <i>Musik- Tanz Und Kunsttherapie</i> , 2011, 22, 23-27. | 0.1 | 0 |
| 179 | Clinical and sociodemographic data of cancer patients seeking out-patient based psycho-oncological psychotherapy.. <i>Journal of Clinical Oncology</i> , 2012, 30, e19610-e19610. | 0.8 | 0 |
| 180 | Quality of Life Issues. , 2017, , 275-280. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Outcome analysis of primary breast cancer patients who declined adjuvant chemotherapyâ€”results from the prospective multi-center BRENDA II study. Breast Cancer, 2022, , 1. | 1.3 | 0 |