

# Susanne Singer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/375469/publications.pdf>

Version: 2024-02-01

181  
papers

6,303  
citations

61857

43  
h-index

98622

67  
g-index

246  
all docs

246  
docs citations

246  
times ranked

7547  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of social service counseling in breast cancer patients with financial problems, role functioning and employmentâ€”results from the prospective multicenter BRENDA II study. Archives of Gynecology and Obstetrics, 2023, 307, 541-547.	0.8	1
2	Awareness and use of psychosocial care among cancer patients and their relativesâ€”a comparison of people with and without a migration background in Germany. Journal of Cancer Research and Clinical Oncology, 2023, 149, 1733-1745.	1.2	2
3	Methodological approach for determining the Minimal Important Difference and Minimal Important Change scores for the European Organisation for Research and Treatment of Cancer Head and Neck Cancer Module (EORTC QLQ-HN43) exemplified by the Swallowing scale. Quality of Life Research, 2022, 31, 841-853.	1.5	3
4	Financial toxicity in sarcoma patients and survivors in Germany: results from the multicenter PROSa study. Supportive Care in Cancer, 2022, 30, 187-196.	1.0	10
5	What is the best time for psychosocial counselling from the perspective of cancer patients and their relatives? A multi-centre qualitative study. Counselling and Psychotherapy Research, 2022, 22, 558-568.	1.7	4
6	The association of Health-Related Quality of Life and 1-year-survival in sarcoma patientsâ€”results of a Nationwide Observational Study (PROSa). British Journal of Cancer, 2022, 126, 1346-1354.	2.9	6
7	â€œThat was a tip from my physicianâ€”Gender-specific pathways of patients and relatives to outpatient psychosocial cancer counselling centresâ€”A qualitative study. Psycho-Oncology, 2022, 31, 1022-1030.	1.0	4
8	Outcome analysis of primary breast cancer patients who declined adjuvant chemotherapyâ€”results from the prospective multi-center BRENDA II study. Breast Cancer, 2022, , 1.	1.3	0
9	What are predictors of impaired quality of life in patients with hypoparathyroidism?. Clinical Endocrinology, 2022, 97, 268-275.	1.2	6
10	â€”I thought I had fibroids, and now I donâ€”a mixed method study on health-related quality of life in uterine sarcoma patients. Health and Quality of Life Outcomes, 2022, 20, 65.	1.0	2
11	Quality of life in lung cancer survivors treated with tyrosine-kinase inhibitors (TKI): results from the multi-centre cross-sectional German study LARIS. Journal of Cancer Research and Clinical Oncology, 2022, 148, 1943-1953.	1.2	1
12	Linguistic barriers in communication between oncologists and cancer patients with migration background in Germany: an explorative analysis based on the perspective of the oncologists from the mixed-methods study POM. , 2022, 1, .		3
13	Migrants and ethnic minorities with cancer: an umbrella review on their information and supportive care needs. Onkologie, 2021, 27, 133-144.	0.7	2
14	Frequency of stressful life events and associations with mental health and general subjective health in the general population. Zeitschrift Fur Gesundheitswissenschaften, 2021, 29, 1071-1080.	0.8	16
15	Management of thyroid cancer: results from a German and French patient survey. Hormones, 2021, 20, 323-332.	0.9	2
16	Returning to work in lung cancer survivorsâ€”a multi-center cross-sectional study in Germany. Supportive Care in Cancer, 2021, 29, 3753-3765.	1.0	11
17	To which extent do breast cancer survivors feel well informed about disease and treatment 5Â½years after diagnosis?. Breast Cancer Research and Treatment, 2021, 185, 677-684.	1.1	0
18	What is considered to be emotional suffering by psychotherapy patients and their therapists in Eastern versus Western Germany? A mixed-methods study. Counselling and Psychotherapy Research, 2021, 21, 448-458.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Development of screening questions for doctorâ€‘patient consultation assessing the quality of life and psychosocial burden of glioma patients: an explorative study. <i>Quality of Life Research</i> , 2021, 30, 1513-1522.	1.5	5
20	Effects of Finding the Speech-Language Pathologist Likeable on Postlaryngectomy Speech Intelligibility Outcomes. <i>Folia Phoniologica Et Logopaedica</i> , 2021, 73, 577-585.	0.5	0
21	Long-term toxicity among head and neck cancer patientsâ€‘A systematic review. <i>Onkologie</i> , 2021, 27, 145-149.	0.7	3
22	Treatment patterns in older patients with locally advanced head and neck squamous cell carcinoma: Results from an EORTC led survey. <i>Journal of Geriatric Oncology</i> , 2021, 12, 1261-1265.	0.5	4
23	Health-related quality of life issues, including symptoms, in patients with active COVID-19 or post COVID-19; a systematic literature review. <i>Quality of Life Research</i> , 2021, 30, 3367-3381.	1.5	53
24	Predictors of psychiatric comorbidity in cancer patients at the time of their discharge from the hospital. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, , 1.	1.6	2
25	Course of social support and associations with distress after partial laryngectomy. <i>Journal of Psychosocial Oncology</i> , 2021, , 1-14.	0.6	0
26	Quality of life of GIST patients with and without current tyrosine kinase inhibitor treatment: Cross-sectional results of a German multicentre observational study (PROSa). <i>European Journal of Cancer Care</i> , 2021, 30, e13484.	0.7	7
27	Incorporating the Patient Voice in Sarcoma Research: How Can We Assess Health-Related Quality of Life in This Heterogeneous Group of Patients? A Study Protocol. <i>Cancers</i> , 2021, 13, 1.	1.7	189
28	Health-Related Quality of Life Issues Experienced by Thoracic and Breast Sarcoma Patients: A Rare and Understudied Group. <i>Journal of Clinical Medicine</i> , 2021, 10, 5334.	1.0	2
29	Predictors of changes in quality of life in head and neck cancer patients: a prospective study over a 6-month period. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 559-567.	0.8	18
30	Economic analyses of fast-track total hip and knee arthroplasty: a systematic review. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 67-74.	0.6	39
31	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale â€‘ Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892.	1.2	33
32	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110256.	1.2	19
33	Minimally important differences for interpreting European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 scores in patients with head and neck cancer. <i>Head and Neck</i> , 2020, 42, 3141-3152.	0.9	28
34	Unravelling the heterogeneity of soft tissue and bone sarcoma patientsâ€™ health-related quality of life: a systematic literature review with focus on tumour location. <i>ESMO Open</i> , 2020, 5, e000914.	2.0	19
35	Quality of Life in Patients With Hypoparathyroidism After Treatment for Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4652-e4660.	1.8	33
36	Obtaining Patient-Reported Outcomes Electronically With â€‘OncoFunctionâ€™ in Head and Neck Cancer Patients During Aftercare. <i>Frontiers in Oncology</i> , 2020, 10, 549915.	1.3	10

#	ARTICLE	IF	CITATIONS
37	Assessing Preferences in Patients with Head and Neck Squamous Cell Carcinoma: Phase I and II of Questionnaire Development. <i>Cancers</i> , 2020, 12, 3577.	1.7	4
38	The Health-Related Quality of Life of Sarcoma Patients and Survivors in Germany—Cross-Sectional Results of a Nationwide Observational Study (PROSa). <i>Cancers</i> , 2020, 12, 3590.	1.7	31
39	Glioma patients in outpatient care—optimization of psychosocial care in neuro-oncological patients (GLIOPT): Protocol for a cluster randomized controlled trial. <i>Trials</i> , 2020, 21, 434.	0.7	5
40	Quality of life of patients more than 1 year after surgery for thyroid cancer. <i>Hormones</i> , 2020, 19, 233-243.	0.9	12
41	Disability-related-distress in primary school learners with vision impairment due to uncorrected refractive error in KwaZulu-Natal Province, South Africa — a qualitative study. <i>PLoS ONE</i> , 2020, 15, e0229108.	1.1	13
42	P-81 phase I-II of the update of the EORTC quality of life gastric module QLQ-STO22. <i>Annals of Oncology</i> , 2020, 31, S116.	0.6	0
43	Patients with adenoid cystic carcinomas of the salivary glands treated with lenvatinib: Activity and quality of life. <i>Cancer</i> , 2020, 126, 1888-1894.	2.0	54
44	Effectiveness of an air quality intervention: an accountability study in a highly polluted industrial town. <i>Air Quality, Atmosphere and Health</i> , 2020, 13, 289-296.	1.5	3
45	Health-related quality of life and distress in elderly vs. younger patients with high-grade glioma—results of a multicenter study. <i>Supportive Care in Cancer</i> , 2020, 28, 5165-5175.	1.0	11
46	Survivors of primary breast cancer 5 years after surgery: follow-up care, long-term problems, and treatment regrets. Results of the prospective BRENDA II-study. <i>Archives of Gynecology and Obstetrics</i> , 2020, 301, 761-767.	0.8	5
47	Impact of Granulocyte Colony-Stimulating Factor (G-CSF) and Epoetin (EPO) on Hematologic Toxicities and Quality of Life in Patients During Adjuvant Chemotherapy in Early Breast Cancer: Results From the Multi-Center Randomized ADEBAR Trial. <i>Clinical Breast Cancer</i> , 2020, 20, 439-447.	1.1	3
48	Use of psychosocial services by lung cancer survivors in Germany. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 1018-1027.	1.0	9
49	Outcome comparison of integrated psycho-oncological care versus unstructured care—Results of a non-randomised open-label two-arm trial. <i>European Journal of Cancer Care</i> , 2019, 28, e13127.	0.7	1
50	Ionising radiation and lens opacities in interventional physicians: results of a German pilot study. <i>Journal of Radiological Protection</i> , 2019, 39, 1041-1059.	0.6	8
51	Phase 1 to 3 of the update of the EORTC Quality of Life Gastric module QLQ-STO22. <i>Annals of Oncology</i> , 2019, 30, vi87.	0.6	0
52	Structured multi-disciplinary psychosocial care for cancer patients and the perceived quality of care from the patient perspective: a cluster-randomized trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2845-2854.	1.2	5
53	Quality of Life in NSCLC Survivors — A Multicenter Cross-Sectional Study. <i>Journal of Thoracic Oncology</i> , 2019, 14, 420-435.	0.5	48
54	Sensitivity to change of the EORTC quality of life module measuring cancer-related fatigue (EORTC Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.0	19

#	ARTICLE	IF	CITATIONS
55	Design and development of a disease-specific quality of life tool for patients with aplastic anaemia and/or paroxysmal nocturnal haemoglobinuria (QLQ-AA/PNH)â€”a report on phase III. <i>Annals of Hematology</i> , 2019, 98, 1547-1559.	0.8	18
56	Health status, health-related quality of life, and socioeconomic outcome in childhood brain tumor survivors: a German cohort study. <i>Neuro-Oncology</i> , 2019, 21, 1069-1081.	0.6	16
57	Quality of life during and after adjuvant anthracycline-taxane-based chemotherapy with or without Gemcitabine in high-risk early breast cancer: results of the SUCCESS A trial. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 627-635.	1.1	8
58	Association between cognitive impairment and guideline adherence for application of chemotherapy in older patients with breast cancer: Results from the prospective multicenter BRENDA II study. <i>Breast Journal</i> , 2019, 25, 386-392.	0.4	5
59	Long-term quality of life in head and neck cancer patients. <i>Onkologe</i> , 2019, 25, 125-131.	0.7	3
60	Multicenter prospective study on the use and outcome of rehabilitation after total laryngectomy in Germany. <i>Head and Neck</i> , 2019, 41, 1070-1079.	0.9	7
61	International validation of the revised European Organisation for Research and Treatment of Cancer Head and Neck Cancer Module, the EORTC QLQâ€”HN43: Phase IV. <i>Head and Neck</i> , 2019, 41, 1725-1737.	0.9	69
62	The association of socioeconomic status with quality of life in cancer patients over a 6-month period using individual growth models. <i>Supportive Care in Cancer</i> , 2019, 27, 3347-3355.	1.0	13
63	Out-of-pocket-payments and the financial burden of 502 cancer patients of working age in Germany: results from a longitudinal study. <i>Supportive Care in Cancer</i> , 2019, 27, 2221-2228.	1.0	46
64	Following patient pathways to psychooncological treatment: Identification of treatment needs by clinical staff and electronic screening. <i>Psycho-Oncology</i> , 2018, 27, 1312-1319.	1.0	10
65	Quality of life during the first year after partial laryngectomy: Longitudinal study. <i>Head and Neck</i> , 2018, 40, 1185-1195.	0.9	18
66	Long-term quality of life in inoperable non-small cell lung cancer patients treated with conventionally fractionated compared to hyperfractionated accelerated radiotherapy â€” Results of the randomized CHARTWEL trial. <i>Radiotherapy and Oncology</i> , 2018, 126, 283-290.	0.3	7
67	The effects of multi-disciplinary psycho-social care on socio-economic problems in cancer patients: a cluster-randomized trial. <i>Supportive Care in Cancer</i> , 2018, 26, 1851-1859.	1.0	12
68	Psychiatric co-morbidity, distress, and use of psycho-social services in adult glioma patientsâ€”a prospective study. <i>Acta Neurochirurgica</i> , 2018, 160, 1187-1194.	0.9	16
69	Assessing psychological and supportive care needs in glioma patients - feasibility study on the use of the Supportive Care Needs Survey Short Form (SCNS-SF34-G) and the Supportive Care Needs Survey Screening Tool (SCNS-ST9) in clinical practice. <i>European Journal of Cancer Care</i> , 2018, 27, e12598.	0.7	25
70	Psychosocial Impact of Cancer. <i>Recent Results in Cancer Research</i> , 2018, 210, 1-11.	1.8	35
71	Factors associated with non-participation and dropout among cancer patients in a cluster-randomised controlled trial. <i>European Journal of Cancer Care</i> , 2018, 27, e12645.	0.7	20
72	Colorectal cancer stage at diagnosis in migrants and non-migrants: a cross-sectional analysis of the KoMigra Study in Germany. <i>Zeitschrift Fur Gastroenterologie</i> , 2018, 56, 1499-1506.	0.2	5

#	ARTICLE	IF	CITATIONS
73	Compliance with patient-reported outcome assessment in glioma patients: predictors for drop out. <i>Neuro-Oncology Practice</i> , 2018, 5, 129-138.	1.0	13
74	Supportive Care Needs in Glioma Patients and Their Caregivers in Clinical Practice: Results of a Multicenter Cross-Sectional Study. <i>Frontiers in Neurology</i> , 2018, 9, 763.	1.1	15
75	Psychological distress in lung cancer survivors at least 1 year after diagnosis—Results of a German multicenter cross-sectional study. <i>Psycho-Oncology</i> , 2018, 27, 2002-2008.	1.0	21
76	The EORTC CAT Core—The computer adaptive version of the EORTC QLQ-C30 questionnaire. <i>European Journal of Cancer</i> , 2018, 100, 8-16.	1.3	68
77	BEST OF: A phase III study assessing the best of radiotherapy (Intensity Modulated Radiotherapy, IMRT) compared to the best of surgery (Trans-Oral Surgery, TOS) in patients with T1-T2, NO oropharyngeal squamous cell carcinoma (OPSCC).. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS6098-TPS6098.	0.8	1
78	The EORTC module for quality of life in patients with thyroid cancer: phase III. <i>Endocrine-Related Cancer</i> , 2017, 24, 197-207.	1.6	34
79	Incidence of lip malignancies in Germany—data from nine population-based cancer registries. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 780-785.	1.4	8
80	Quality of Life Measurements: Any Value for Clinical Practice?. <i>Current Treatment Options in Oncology</i> , 2017, 18, 30.	1.3	22
81	International Psychometric Validation of an EORTC Quality of Life Module Measuring Cancer Related Fatigue (EORTC QLQ-FA12). <i>Journal of the National Cancer Institute</i> , 2017, 109, .	3.0	115
82	Factors associated with supportive care needs in glioma patients in the neuro-oncological outpatient setting. <i>Journal of Neuro-Oncology</i> , 2017, 133, 653-662.	1.4	28
83	Practice requirements for psychotherapeutic treatment of cancer patients in the outpatient setting—A survey among certified psychotherapists in Germany. <i>Psycho-Oncology</i> , 2017, 26, 1093-1098.	1.0	13
84	Socio-economic disparities in long-term cancer survival—10 year follow-up with individual patient data. <i>Supportive Care in Cancer</i> , 2017, 25, 1391-1399.	1.0	22
85	Patients with soft tissue sarcoma comprise a higher probability of comorbidities than cancer-free individuals. A secondary data analysis. <i>European Journal of Cancer Care</i> , 2017, 26, e12605.	0.7	13
86	Quality of life in patients with hypoparathyroidism receiving standard treatment: a systematic review. <i>Endocrine</i> , 2017, 58, 14-20.	1.1	74
87	Effects of stepped psychooncological care on referral to psychosocial services and emotional well-being in cancer patients: A cluster-randomized phase III trial. <i>Psycho-Oncology</i> , 2017, 26, 1675-1683.	1.0	24
88	Do cancer patients with high levels of distress benefit more than less distressed patients from outpatient art therapy?. <i>European Journal of Oncology Nursing</i> , 2017, 30, 1-7.	0.9	5
89	Psychometric Properties of the Fatigue Questionnaire EORTC QLQ-FA12 in a Sample of Female Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 922-928.	0.6	20
90	Quality of life after nivolumab treatment for head and neck cancer. <i>Lancet Oncology</i> , The, 2017, 18, 993-994.	5.1	3

#	ARTICLE	IF	CITATIONS
91	The Impact of Age on Quality of Life in Breast Cancer Patients Receiving Adjuvant Chemotherapy: A Comparative Analysis From the Prospective Multicenter Randomized ADEBAR trial. <i>Clinical Breast Cancer</i> , 2017, 17, 100-106.	1.1	27
92	The National Eye Institute 25-Item Visual Function Questionnaire (NEI VFQ-25) – reference data from the German population-based Gutenberg Health Study (GHS). <i>Health and Quality of Life Outcomes</i> , 2017, 15, 156.	1.0	39
93	Quality of Life Issues. , 2017, , 275-280.		0
94	Impact of socio-economic position on cancer stage at presentation: Findings from a large hospital-based study in Germany. <i>International Journal of Cancer</i> , 2016, 139, 1696-1702.	2.3	13
95	European Organization for Research and Treatment of Cancer Quality of Life Questionnaire – Head and Neck Module, updated version: Preliminary psychometric data from Serbian laryngectomized patients. <i>Head and Neck</i> , 2016, 38, E916-24.	0.9	7
96	International field testing of the psychometric properties of an EORTC quality of life module for oral health: the EORTC QLQ-OH15. <i>Supportive Care in Cancer</i> , 2016, 24, 3915-3924.	1.0	26
97	Quality-of-Life Priorities in Patients with Thyroid Cancer: A Multinational European Organisation for Research and Treatment of Cancer Phase I Study. <i>Thyroid</i> , 2016, 26, 1605-1613.	2.4	41
98	Frequency of psycho-oncologic and social service counseling in cancer centers relative to center site and hospital characteristics: Findings from 879 center sites in Germany, Austria, Switzerland, and Italy. <i>Cancer</i> , 2016, 122, 3538-3545.	2.0	34
99	Tobacco and alcohol consumption after total laryngectomy and survival: A German multicenter prospective cohort study. <i>Head and Neck</i> , 2016, 38, 1324-1329.	0.9	11
100	Predictors of post-treatment smoking and drinking behavior of head and neck cancer survivors: results of a population-based survey. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3337-3345.	0.8	10
101	Assessment of depression severity with the PHQ-9 in cancer patients and in the general population. <i>BMC Psychiatry</i> , 2016, 16, 22.	1.1	153
102	Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT). <i>Health and Quality of Life Outcomes</i> , 2016, 14, 72.	1.0	29
103	The course of psychiatric comorbidity in patients with breast cancer – results from the prospective multicentre BRENDA II study. <i>Psycho-Oncology</i> , 2016, 25, 590-596.	1.0	10
104	Employment pathways and work-related issues in head and neck cancer survivors. <i>Head and Neck</i> , 2015, 37, 585-593.	0.9	54
105	Measuring quality of life in patients with head and neck cancer: Update of the EORTC QLQ-H&N Module, Phase III. <i>Head and Neck</i> , 2015, 37, 1358-1367.	0.9	65
106	Utilisation of psychosocial and informational services in immigrant and non-immigrant German cancer survivors. <i>Psycho-Oncology</i> , 2015, 24, 919-925.	1.0	19
107	Breast Cancer Patients' Fear of Treatment: Results from the Multicenter Longitudinal Study BRENDA II. <i>Breast Care</i> , 2015, 10, 95-100.	0.8	23
108	Residual deficits in quality of life one year after intensity-modulated radiotherapy for patients with locally advanced head and neck cancer. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 501-510.	1.0	44

#	ARTICLE	IF	CITATIONS
109	Persistent quality of life impairments in differentiated thyroid cancer patients: results from a monitoring programme. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1179-1188.	3.3	69
110	Neue Rubrik Psychoonkologie. <i>Onkologe</i> , 2015, 21, 55-56.	0.7	0
111	Positive family history of colorectal cancer in a general practice setting [FRIDA.Frankfurt]: study protocol of a of a cross-sectional study. <i>BMC Cancer</i> , 2015, 15, 605.	1.1	5
112	Abstract P3-09-06: Frequency of and reasons for deviation from therapy decisions in patients with primary breast cancer initially intended to receive chemotherapy – Results from the German prospective multi-center study BRENDA II. , 2015, , .		1
113	Effect of a structured psycho-oncological screening and treatment model on mental health in cancer patients (STEPPED CARE): study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2014, 15, 482.	0.7	14
114	Early retirement in cancer patients with or without comorbid mental health conditions: A prospective cohort study. <i>Cancer</i> , 2014, 120, 2199-2206.	2.0	22
115	Quality of life before and after total laryngectomy: Results of a multicenter prospective cohort study. <i>Head and Neck</i> , 2014, 36, 359-368.	0.9	65
116	Anxiety and depression in the general population in Colombia: reference values of the Hospital Anxiety and Depression Scale (HADS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 41-49.	1.6	46
117	Quality of life in Parkinson's disease patients with motor fluctuations and dyskinesias in five European countries. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 969-974.	1.1	113
118	Psychosocial Impact of Cancer. <i>Recent Results in Cancer Research</i> , 2014, 197, 1-10.	1.8	2
119	Motivation as a predictor of speech intelligibility after total laryngectomy. <i>Head and Neck</i> , 2013, 35, 836-846.	0.9	4
120	Development of an EORTC quality of life phase III module measuring cancer-related fatigue (EORTC Tj ETQq0 0 0,rgBT /Overlock 10 TF	1.8	61
121	Psycho-oncological care in certified cancer centres – a nationwide analysis in Germany. <i>Psycho-Oncology</i> , 2013, 22, 1435-1437.	1.0	55
122	Performance of the EORTC questionnaire for the assessment of quality of life in head and neck cancer patients EORTC QLQ-H&N35: a methodological review. <i>Quality of Life Research</i> , 2013, 22, 1927-1941.	1.5	66
123	The EORTC computer-adaptive tests measuring physical functioning and fatigue exhibited high levels of measurement precision and efficiency. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 330-339.	2.4	33
124	A non-randomised trial of an art therapy intervention for patients with haematological malignancies to support post-traumatic growth. <i>Journal of Health Psychology</i> , 2013, 18, 939-949.	1.3	12
125	Speech rehabilitation during the first year after total laryngectomy. <i>Head and Neck</i> , 2013, 35, 1583-1590.	0.9	35
126	Validation of the Scale for the Assessment of Illness Behavior (SAIB) in a community sample of elderly people. <i>Archives of Gerontology and Geriatrics</i> , 2013, 56, 175-180.	1.4	3



#	ARTICLE	IF	CITATIONS
127	Construct validity of the EORTC quality of life questionnaire information module. Quality of Life Research, 2013, 22, 123-129.	1.5	12
128	Quality of life in patients with muscle invasive and non-muscle invasive bladder cancer. Supportive Care in Cancer, 2013, 21, 1383-1393.	1.0	80
129	Quality of life in patients with head and neck cancer receiving targeted or multimodal therapy â€” Update of the EORTC QLQâ€”N35, Phase I. Head and Neck, 2013, 35, 1331-1338.	0.9	27
130	Coâ€”morbid mental health conditions in cancer patients at working age â€” prevalence, risk profiles, and care uptake. Psycho-Oncology, 2013, 22, 2291-2297.	1.0	55
131	Results of the Thyroid Cancer Alliance international patient/survivor survey: Psychosocial/informational support needs, treatment side effects and international differences in care. Hormones, 2013, 12, 428-438.	0.9	56
132	The course of fatigue in patients with gynecologic and breast cancer. Journal of Gynecologic Oncology, 2013, 24, 280.	1.0	12
133	Assessing and Improving Quality of Life in Patients with Head and Neck Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2013, , e230-e235.	1.8	9
134	Assessing and Improving Quality of Life in Patients with Head and Neck Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2013, 33, e230-e235.	1.8	15
135	Reply: Two types of fatigue in cancer patients. British Journal of Cancer, 2012, 106, 425-425.	2.9	0
136	Quality of Life of Colorectal Cancer Patients in Certified Centers versus Non-Certified Hospitals. Onkologie, 2012, 35, 162-168.	1.1	5
137	Health-related quality of life in Colombia: reference values of the EORTC QLQ-C30. European Journal of Cancer Care, 2012, 21, 829-836.	0.7	28
138	Predictors of emotional distress in patients with head and neck cancer. Head and Neck, 2012, 34, 180-187.	0.9	92
139	Quality of Life in Patients with Thyroid Cancer Compared with the General Population. Thyroid, 2012, 22, 117-124.	2.4	93
140	The EORTC QLQ-OH17: A supplementary module to the EORTC QLQ-C30 for assessment of oral health and quality of life in cancer patients. European Journal of Cancer, 2012, 48, 2203-2211.	1.3	20
141	Quality of life characteristics in patients with cervical cancer. European Journal of Cancer, 2012, 48, 3009-3018.	1.3	67
142	Global quality of life during the acute toxicity phase of multimodality treatment for patients with head and neck cancer: Can we identify patients most at risk of profound quality of life decline?. Oral Oncology, 2012, 48, 898-904.	0.8	11
143	Clinical relevance of qualityâ€”ofâ€”life data in laryngectomized patients. Laryngoscope, 2012, 122, 1532-1538.	1.1	14
144	Art therapy in psycho-oncologyâ€”recruitment of participants and gender differences in usage. Supportive Care in Cancer, 2012, 20, 679-686.	1.0	15

#	ARTICLE	IF	CITATIONS
145	Self-reported ability to concentrate in patients with painful temporomandibular disorders compared to the general population. <i>Community Dentistry and Oral Epidemiology</i> , 2012, 40, 507-515.	0.9	4
146	Is it useful to calculate sum scores of the quality of life questionnaire EORTC QLQ-C30?. <i>European Journal of Cancer Care</i> , 2012, 21, 677-683.	0.7	44
147	Clinical and sociodemographic data of cancer patients seeking out-patient based psycho-oncological psychotherapy.. <i>Journal of Clinical Oncology</i> , 2012, 30, e19610-e19610.	0.8	0
148	Health-Related Quality of Life During the 10 Years After Diagnosis of Colorectal Cancer: A Population-Based Study. <i>Journal of Clinical Oncology</i> , 2011, 29, 3263-3269.	0.8	145
149	Psychometric validation of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire-Endometrial Cancer Module (EORTC QLQ-EN24). <i>European Journal of Cancer</i> , 2011, 47, 183-190.	1.3	91
150	Sense of Coherence as a Predictor of Quality of Life in Adolescents With Congenital Heart Defects: A Register-Based 1-Year Follow-Up Study. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2011, 32, 316-327.	0.6	39
151	Response shift in the assessment of anxiety, depression and perceived health in urologic cancer patients: an individual perspective. <i>European Journal of Cancer Care</i> , 2011, 20, 601-609.	0.7	16
152	Alcohol consumption after laryngectomy. <i>Clinical Otolaryngology</i> , 2011, 36, 336-344.	0.6	25
153	Development of computerized adaptive testing (CAT) for the EORTC QLQ-C30 physical functioning dimension. <i>Quality of Life Research</i> , 2011, 20, 479-490.	1.5	38
154	Identifying tumor patients' depression. <i>Supportive Care in Cancer</i> , 2011, 19, 1697-1703.	1.0	35
155	Evaluation of Psycho-social Training for Speech Therapists in Oncology. Impact on General Communication Skills and Empathy. A Qualitative Pilot Study. <i>Journal of Cancer Education</i> , 2011, 26, 294-300.	0.6	9
156	Age- and sex-standardised prevalence rates of fatigue in a large hospital-based sample of cancer patients. <i>British Journal of Cancer</i> , 2011, 105, 445-451.	2.9	77
157	Am Anfang steht die Venus. <i>Musik- Tanz Und Kunsttherapie</i> , 2011, 22, 23-27.	0.1	0
158	Prevalence of Symptoms of Anxiety and Depression in German Patients With Cystic Fibrosis. <i>Chest</i> , 2010, 138, 929-936.	0.4	75
159	The effects of an art education program on competencies, coping, and well-being in outpatients with cancer—Results of a prospective feasibility study. <i>Arts in Psychotherapy</i> , 2010, 37, 363-369.	0.6	8
160	Social withdrawal after laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 593-600.	0.8	80
161	Patients' acceptance and psychometric properties of the EORTC QLQ-CX24 after surgery. <i>Gynecologic Oncology</i> , 2010, 116, 82-87.	0.6	22
162	Prevalence of mental health conditions in cancer patients in acute care—a meta-analysis. <i>Annals of Oncology</i> , 2010, 21, 925-930.	0.6	294

#	ARTICLE	IF	CITATIONS
163	Anxiety, depression and impaired health-related quality of life are therapeutic challenges in patients with multiple sclerosis. <i>Mental Illness</i> , 2010, 2, 20-24.	0.8	12
164	An overview of art therapy interventions for cancer patients and the results of research. <i>Complementary Therapies in Medicine</i> , 2010, 18, 160-170.	1.3	128
165	Development of computerised adaptive testing (CAT) for the EORTC QLQ-C30 dimensions – General approach and initial results for physical functioning. <i>European Journal of Cancer</i> , 2010, 46, 1352-1358.	1.3	58
166	Hospital anxiety and depression scale cutoff scores for cancer patients in acute care. <i>British Journal of Cancer</i> , 2009, 100, 908-912.	2.9	240
167	Fatigue in Cancer Survivors – Prevalence and Correlates. <i>Onkologie</i> , 2009, 32, 312-317.	1.1	95
168	Validation of the EORTC QLQ-C30 and EORTC QLQ-H&N35 in patients with laryngeal cancer after surgery. <i>Head and Neck</i> , 2009, 31, 64-76.	0.9	77
169	Function, postoperative morbidity, and quality of life after cervical sentinel node biopsy and after selective neck dissection. <i>Head and Neck</i> , 2009, 31, 503-512.	0.9	175
170	In Response to <i>Sexual Problems After Total Or Partial Laryngectomy</i> (Laryngoscope) Tj ETQq0 0 0 rgBT /Overlock 10 Tf50 462 Td	1.1	6
171	Quality of care and emotional support from the inpatient cancer patient's perspective. <i>Langenbeck's Archives of Surgery</i> , 2009, 394, 723-731.	0.8	45
172	Screening for mental disorders in laryngeal cancer patients: a comparison of 6 methods. <i>Psycho-Oncology</i> , 2008, 17, 280-286.	1.0	64
173	Sexual Problems After Total or Partial Laryngectomy. <i>Laryngoscope</i> , 2008, 118, 2218-2224.	1.1	48
174	Longitudinal Analysis of Psychiatric Morbidity in Cancer Patients. <i>Onkologie</i> , 2008, 31, 11-11.	1.1	23
175	Long-term course of psychiatric disorders in cancer patients: a pilot study. <i>Gms Psycho-social-medicine</i> , 2008, 5, Doc03.	1.2	1
176	Psychosocial Determinants of Successful Voice Rehabilitation After Laryngectomy. <i>Journal of the Chinese Medical Association</i> , 2007, 70, 407-423.	0.6	26
177	Quality of Life Correlates After Surgery for Laryngeal Carcinoma. <i>Laryngoscope</i> , 2007, 117, 1770-1776.	1.1	43
178	The European Organization for Research and Treatment of Cancer (EORTC) Quality-of-Life questionnaire cervical cancer module. <i>Cancer</i> , 2006, 107, 1812-1822.	2.0	238
179	Comorbid Mental Disorders in Laryngectomees. <i>Oncology Research and Treatment</i> , 2005, 28, 631-636.	0.8	24
180	Evaluation of Posttraumatic Psychological Problems in Cancer Patients. <i>Oncology Research and Treatment</i> , 2003, 26, 66-70.	0.8	3

#	ARTICLE	IF	CITATIONS
181	Awareness, offer, and use of psychosocial services by breast cancer survivors in Germany: a prospective multi-centre study. Archives of Gynecology and Obstetrics, 0, , .	0.8	4