


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3754944/publications.pdf Version: 2024-02-01



HE VIN

#	Article	IF	CITATIONS
1	Forest phenoclusters for Argentina based on vegetation phenology and climate. Ecological Applications, 2022, 32, e2526.	3.8	9
2	Off-Season Agriculture Encroachment in the Uplands of Northern Pakistan: Need for Sustainable Land Management. Land, 2022, 11, 520.	2.9	4
3	Integrated topographic corrections improve forest mapping using Landsat imagery. International Journal of Applied Earth Observation and Geoinformation, 2022, 108, 102716.	2.8	3
4	Rural land abandonment is too ephemeral to provide major benefits for biodiversity and climate. Science Advances, 2022, 8, .	10.3	36
5	Integrating coarse-resolution images and agricultural statistics to generate sub-pixel crop type maps and reconciled area estimates. Remote Sensing of Environment, 2021, 258, 112365.	11.0	27
6	Land use mapping using Sentinel-1 and Sentinel-2 time series in a heterogeneous landscape in Niger, Sahel. ISPRS Journal of Photogrammetry and Remote Sensing, 2021, 178, 97-111.	11.1	59
7	Changes in the grasslands of the Caucasus based on Cumulative Endmember Fractions from the full 1987–2019 Landsat record. Science of Remote Sensing, 2021, 4, 100035.	4.8	5
8	Land-cover change in the Caucasus Mountains since 1987 based on the topographic correction of multi-temporal Landsat composites. Remote Sensing of Environment, 2020, 248, 111967.	11.0	49
9	Monitoring cropland abandonment with Landsat time series. Remote Sensing of Environment, 2020, 246, 111873.	11.0	93
10	A phenology-based spectral and temporal feature selection method for crop mapping from satellite time series. International Journal of Applied Earth Observation and Geoinformation, 2019, 80, 218-229.	2.8	38
11	Agricultural abandonment and re-cultivation during and after the Chechen Wars in the northern Caucasus. Global Environmental Change, 2019, 55, 149-159.	7.8	43
12	Mapping agricultural land abandonment from spatial and temporal segmentation of Landsat time series. Remote Sensing of Environment, 2018, 210, 12-24.	11.0	163
13	Land use and land cover change in Inner Mongolia - understanding the effects of China's re-vegetation programs. Remote Sensing of Environment, 2018, 204, 918-930.	11.0	165
14	Prey abundance and urbanization influence the establishment of avian predators in a metropolitan landscape. Proceedings of the Royal Society B: Biological Sciences, 2018, 285, 20182120.	2.6	17
15	Impacts of urbanization on water use and energy-related CO2 emissions of residential consumption in China: A spatio-temporal analysis during 2003–2012. Journal of Cleaner Production, 2018, 194, 23-33.	9.3	30
16	Measuring the soil water retention capacity with an integrated vegetation and drought index in southwest China. Journal of Applied Remote Sensing, 2018, 12, 1.	1.3	2
17	Forest cover mapping in post-Soviet Central Asia using multi-resolution remote sensing imagery. Scientific Reports, 2017, 7, 1375.	3.3	39
18	China's water resources vulnerability: A spatio-temporal analysis during 2003–2013. Journal of Cleaner Production, 2017, 142, 2901-2910.	9.3	85

He Yin

#	Article	IF	CITATIONS
19	Impacts of industrial transition on water use intensity and energy-related carbon intensity in China: A spatio-temporal analysis during 2003–2012. Applied Energy, 2016, 183, 1112-1122.	10.1	38
20	Linkages between Quaternary climate change and sedimentary processes in Hala Lake, northern Tibetan Plateau, China. Journal of Asian Earth Sciences, 2015, 107, 140-150.	2.3	26
21	Mapping Annual Land Use and Land Cover Changes Using MODIS Time Series. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2014, 7, 3421-3427.	4.9	38
22	Response of maize phenology to climate warming in Northeast China between 1990 and 2012. Regional Environmental Change, 2014, 14, 39-48.	2.9	68
23	Assessing vulnerability to drought based on exposure, sensitivity and adaptive capacity: A case study in middle Inner Mongolia of China. Chinese Geographical Science, 2013, 23, 13-25.	3.0	66
24	How Normalized Difference Vegetation Index (NDVI) Trendsfrom Advanced Very High Resolution Radiometer (AVHRR) and SystŠme Probatoire d'Observation de la Terre VEGETATION (SPOT VGT) Time Series Differ in Agricultural Areas: An Inner Mongolian Case Study. Remote Sensing, 2012, 4, 3364-3389.	4.0	84
25	Correlation of precipitation to temperature variation in the Huanghe River (Yellow River) basin during 1957–2006. Journal of Hydrology, 2009, 372, 1-8.	5.4	73
26	Rural Land Use Change during 1986–2002 in Lijiang, China, Based on Remote Sensing and GIS Data. Sensors, 2008, 8, 8201-8223.	3.8	58