

# Marta Jimnez-Garca

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3755331/marta-jimenez-garcia-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12  
papers

84  
citations

5  
h-index

9  
g-index

15  
ext. papers

139  
ext. citations

4.1  
avg, IF

2.97  
L-index

#	Paper	IF	Citations
12	Computer aided diagnosis for suspect keratoconus detection. <i>Computers in Biology and Medicine</i> , <b>2019</b> , 109, 33-42	7	36
11	Repeatability of the Pentacam HR in Various Grades of Keratoconus. <i>American Journal of Ophthalmology</i> , <b>2020</b> , 219, 154-162	4.9	12
10	Logistic index for keratoconus detection and severity scoring (Logik). <i>Computers in Biology and Medicine</i> , <b>2020</b> , 122, 103809	7	12
9	Scheimpflug Densitometry in Keratoconus: A New Method of Visualizing the Cone. <i>Cornea</i> , <b>2021</b> , 40, 194-202	3.1	8
8	Age-Related Corneal Transparency Changes Evaluated With an Alternative Method to Corneal Densitometry. <i>Cornea</i> , <b>2021</b> , 40, 215-222	3.1	5
7	Baseline Findings in the Retrospective Digital Computer Analysis of Keratoconus Evolution (REDCAKE) Project. <i>Cornea</i> , <b>2021</b> , 40, 156-167	3.1	4
6	Determining the Most Suitable Tomography-Based Parameters to Describe Progression in Keratoconus. The Retrospective Digital Computer Analysis of Keratoconus Evolution Project. <i>Eye and Contact Lens</i> , <b>2021</b> , 47, 486-493	3.2	2
5	Detection of Subclinical Keratoconus With a Validated Alternative Method to Corneal Densitometry. <i>Translational Vision Science and Technology</i> , <b>2021</b> , 10, 32	3.3	2
4	Forecasting Progressive Trends in Keratoconus by Means of a Time Delay Neural Network. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
3	Densitometry marks delineating the affected area in keratoconus: clinical suitability of a new descriptive system based on its repeatability and reproducibility. <i>Ophthalmic and Physiological Optics</i> , <b>2021</b> , 41, 748-756	4.1	
2	Reply to Comment on: Repeatability of the Pentacam HR in Various Grades of Keratoconus. <i>American Journal of Ophthalmology</i> , <b>2021</b> , 225, 206-207	4.9	
1	What can visual caregivers expect with patients treated for SARS-CoV-2? An analysis of ongoing clinical trials and ocular side effects. <i>European Journal of Ophthalmology</i> , <b>2021</b> , 31, 291-303	1.9	