

# Steven K Clinton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3755617/publications.pdf>

Version: 2024-02-01

161  
papers

7,827  
citations

46918

47  
h-index

54797

84  
g-index

162  
all docs

162  
docs citations

162  
times ranked

8947  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lycopene: Chemistry, Biology, and Implications for Human Health and Disease. <i>Nutrition Reviews</i> , 1998, 56, 35-51.	2.6	724
2	The World Cancer Research Fund/American Institute for Cancer Research Third Expert Report on Diet, Nutrition, Physical Activity, and Cancer: Impact and Future Directions. <i>Journal of Nutrition</i> , 2020, 150, 663-671.	1.3	386
3	Soybean Phytochemicals Inhibit the Growth of Transplantable Human Prostate Carcinoma and Tumor Angiogenesis in Mice. <i>Journal of Nutrition</i> , 1999, 129, 1628-1635.	1.3	301
4	Prostate Carcinogenesis in N-methyl-N-nitrosourea (NNU)-Testosterone-Treated Rats Fed Tomato Powder, Lycopene, or Energy-Restricted Diets. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1578-1586.	3.0	295
5	Carotenoid Absorption from Salad and Salsa by Humans Is Enhanced by Entry Addition of Avocado or Avocado Oil. <i>Journal of Nutrition</i> , 2005, 135, 431-436.	1.3	246
6	Energy Intake and Prostate Tumor Growth, Angiogenesis, and Vascular Endothelial Growth Factor Expression. <i>Journal of the National Cancer Institute</i> , 1999, 91, 512-523.	3.0	240
7	The 2015 Dietary Guidelines Advisory Committee Scientific Report: Development and Major Conclusions. <i>Advances in Nutrition</i> , 2016, 7, 438-444.	2.9	224
8	Lycopene from heat-induced cis-isomer-rich tomato sauce is more bioavailable than from all-trans-rich tomato sauce in human subjects. <i>British Journal of Nutrition</i> , 2007, 98, 140-146.	1.2	196
9	Dietary Lycopene, Angiogenesis, and Prostate Cancer: A Prospective Study in the Prostate-Specific Antigen Era. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt430-djt430.	3.0	174
10	Enhanced bioavailability of lycopene when consumed as cis-isomers from tangerine compared to red tomato juice, a randomized, crossover clinical trial. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 658-669.	1.5	163
11	Identification and Quantification of Apo-lycopenals in Fruits, Vegetables, and Human Plasma. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 3290-3296.	2.4	155
12	Hyperlipidemia and Atherosclerotic Lesion Development in LDL Receptor-Deficient Mice Fed Defined Semipurified Diets With and Without Cholate. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1938-1944.	1.1	152
13	Exercise, Diet, and Weight Management During Cancer Treatment: ASCO Guideline. <i>Journal of Clinical Oncology</i> , 2022, 40, 2491-2507.	0.8	152
14	DIET, NUTRITION, AND PROSTATE CANCER. <i>Annual Review of Nutrition</i> , 1998, 18, 413-440.	4.3	149
15	Combinations of Tomato and Broccoli Enhance Antitumor Activity in Dunning R3327-H Prostate Adenocarcinomas. <i>Cancer Research</i> , 2007, 67, 836-843.	0.4	143
16	Tomatoes, Lycopene, and Prostate Cancer: Progress and Promise. <i>Experimental Biology and Medicine</i> , 2002, 227, 869-880.	1.1	135
17	Diverse AR-V7 cistromes in castration-resistant prostate cancer are governed by HoxB13. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 6810-6815.	3.3	120
18	Association between plasma cholesterol and prostate cancer in the PSA era. <i>International Journal of Cancer</i> , 2008, 123, 1693-1698.	2.3	117

#	ARTICLE	IF	CITATIONS
19	Tomato and Soy Polyphenols Reduce Insulin-Like Growth Factor- $\alpha$ Stimulated Rat Prostate Cancer Cell Proliferation and Apoptotic Resistance In Vitro via Inhibition of Intracellular Signaling Pathways Involving Tyrosine Kinase. <i>Journal of Nutrition</i> , 2003, 133, 2367-2376.	1.3	115
20	Cruciferous Vegetables, Isothiocyanates, and Bladder Cancer Prevention. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800079.	1.5	105
21	Suppression of VEGF-mediated autocrine and paracrine interactions between prostate cancer cells and vascular endothelial cells by soy isoflavones. <i>Journal of Nutritional Biochemistry</i> , 2007, 18, 408-417.	1.9	97
22	Nutritional Aspects of Phytoene and Phytofluene, Carotenoid Precursors to Lycopene. <i>Advances in Nutrition</i> , 2011, 2, 51-61.	2.9	93
23	Tissue Lycopene Concentrations and Isomer Patterns Are Affected by Androgen Status and Dietary Lycopene Concentration in Male F344 Rats. <i>Journal of Nutrition</i> , 2000, 130, 1613-1618.	1.3	88
24	Tomato-based food products for prostate cancer prevention: what have we learned?. <i>Cancer and Metastasis Reviews</i> , 2010, 29, 553-568.	2.7	87
25	Definition of a FoxA1 Cistrome That Is Crucial for G1 to S-Phase Cell-Cycle Transit in Castration-Resistant Prostate Cancer. <i>Cancer Research</i> , 2011, 71, 6738-6748.	0.4	87
26	Carotenoid Absorption in Humans Consuming Tomato Sauces Obtained from Tangerine or High- $\beta$ -Carotene Varieties of Tomatoes. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 1597-1603.	2.4	84
27	A Combination of Tomato and Soy Products for Men With Recurring Prostate Cancer and Rising Prostate Specific Antigen. <i>Nutrition and Cancer</i> , 2008, 60, 145-154.	0.9	84
28	Tomato products, lycopene, and prostate cancer risk. <i>Urologic Clinics of North America</i> , 2002, 29, 83-93.	0.8	81
29	Complex interactions between dietary and genetic factors impact lycopene metabolism and distribution. <i>Archives of Biochemistry and Biophysics</i> , 2013, 539, 171-180.	1.4	80
30	Avocado Consumption Enhances Human Postprandial Provitamin A Absorption and Conversion from a Novel High- $\beta$ -Carotene Tomato Sauce and from Carrots. <i>Journal of Nutrition</i> , 2014, 144, 1158-1166.	1.3	76
31	Agonist and antagonist switch $\langle \text{sc} \rangle \text{DNA} \langle / \text{sc} \rangle$ motifs recognized by human androgen receptor in prostate cancer. <i>EMBO Journal</i> , 2015, 34, 502-516.	3.5	74
32	Ligand-dependent genomic function of glucocorticoid receptor in triple-negative breast cancer. <i>Nature Communications</i> , 2015, 6, 8323.	5.8	74
33	Oncologists' Attitudes and Practice of Addressing Diet, Physical Activity, and Weight Management With Patients With Cancer: Findings of an ASCO Survey of the Oncology Workforce. <i>Journal of Oncology Practice</i> , 2019, 15, e520-e528.	2.5	69
34	Consumption of Soy Isoflavone Enriched Bread in Men with Prostate Cancer Is Associated with Reduced Proinflammatory Cytokines and Immunosuppressive Cells. <i>Cancer Prevention Research</i> , 2015, 8, 1036-1044.	0.7	68
35	A Review of the Existing Grading Schemes and a Proposal for a Modified Grading Scheme for Prostatic Lesions in TRAMP Mice. <i>Toxicologic Pathology</i> , 2012, 40, 5-17.	0.9	65
36	Strawberry Phytochemicals Inhibit Azoxymethane/Dextran Sodium Sulfate-Induced Colorectal Carcinogenesis in Crj: CD-1 Mice. <i>Nutrients</i> , 2015, 7, 1696-1715.	1.7	64

#	ARTICLE	IF	CITATIONS
37	Changes in Plasma and Oral Mucosal Lycopene Isomer Concentrations in Healthy Adults Consuming Standard Servings of Processed Tomato Products. <i>Nutrition and Cancer</i> , 2003, 47, 48-56.	0.9	61
38	Xanthones in Mangosteen Juice Are Absorbed and Partially Conjugated by Healthy Adults. <i>Journal of Nutrition</i> , 2012, 142, 675-680.	1.3	61
39	Anti-tumorogenicity of dietary mangostin in an HT29 colon cell xenograft model and the tissue distribution of xanthones and their phase II metabolites. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 203-211.	1.5	60
40	Dietary Tomato and Lycopene Impact Androgen Signaling- and Carcinogenesis-Related Gene Expression during Early TRAMP Prostate Carcinogenesis. <i>Cancer Prevention Research</i> , 2014, 7, 1228-1239.	0.7	60
41	Cancer and Leukemia Group B 90203 (Alliance): Radical Prostatectomy With or Without Neoadjuvant Chemohormonal Therapy in Localized, High-Risk Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2020, 38, 3042-3050.	0.8	60
42	Î±-Tocopherol bioavailability is lower in adults with metabolic syndrome regardless of dairy fat co-ingestion: a randomized, double-blind, crossover trial. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1070-1080.	2.2	59
43	Dietary Black Raspberries Impact the Colonic Microbiome and Phytochemical Metabolites in Mice. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1800636.	1.5	56
44	Variations in Plasma Lycopene and Specific Isomers over Time in a Cohort of U.S. Men. <i>Journal of Nutrition</i> , 2003, 133, 1930-1936.	1.3	55
45	Lack of private health insurance is associated with higher mortality from cancer and other chronic diseases, poor diet quality, and inflammatory biomarkers in the United States. <i>Preventive Medicine</i> , 2015, 81, 420-426.	1.6	54
46	Growth of Dunning Transplantable Prostate Adenocarcinomas in Rats Fed Diets with Various Fat Contents. <i>Journal of Nutrition</i> , 1988, 118, 908-914.	1.3	50
47	Suppression of Proinflammatory and Prosurvival Biomarkers in Oral Cancer Patients Consuming a Black Raspberry Phytochemical-Rich Troche. <i>Cancer Prevention Research</i> , 2016, 9, 159-171.	0.7	50
48	Long-Term Change in both Dietary Insulinemic and Inflammatory Potential Is Associated with Weight Gain in Adult Women and Men. <i>Journal of Nutrition</i> , 2019, 149, 804-815.	1.3	50
49	The impact of cruciferous vegetable isothiocyanates on histone acetylation and histone phosphorylation in bladder cancer. <i>Journal of Proteomics</i> , 2017, 156, 94-103.	1.2	49
50	Loss of Carotene-9,10'-Monooxygenase Expression Increases Serum and Tissue Lycopene Concentrations in Lycopene-Fed Mice. <i>Journal of Nutrition</i> , 2010, 140, 2134-2138.	1.3	47
51	Compartmental and noncompartmental modeling of 13C-lycopene absorption, isomerization, and distribution kinetics in healthy adults. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1436-1449.	2.2	47
52	Î²-Carotene 9,10'-Oxygenase Modulates the Anticancer Activity of Dietary Tomato or Lycopene on Prostate Carcinogenesis in the TRAMP Model. <i>Cancer Prevention Research</i> , 2017, 10, 161-169.	0.7	47
53	The Combined Effects of Dietary Protein and Fat on 7,12-Dimethylbenz(a)anthracene-Induced Breast Cancer in Rats. <i>Journal of Nutrition</i> , 1984, 114, 1213-1223.	1.3	44
54	Bioavailability of Phytochemical Constituents From a Novel Soy Fortified Lycopene Rich Tomato Juice Developed for Targeted Cancer Prevention Trials. <i>Nutrition and Cancer</i> , 2013, 65, 919-929.	0.9	43

#	ARTICLE	IF	CITATIONS
55	Opposite association of two PPARC variants with cancer: overrepresentation of H449H in endometrial carcinoma cases and underrepresentation of P12A in renal cell carcinoma cases. <i>Human Genetics</i> , 2001, 109, 146-151.	1.8	42
56	Soy isoflavones and their metabolites modulate cytokine-induced natural killer cell function. <i>Scientific Reports</i> , 2019, 9, 5068.	1.6	40
57	Interrelationships between dietary restriction, the IGF1 axis, and expression of vascular endothelial growth factor by prostate adenocarcinoma in rats. <i>Molecular Carcinogenesis</i> , 2008, 47, 458-465.	1.3	38
58	The Interactions of Dietary Tomato Powder and Soy Germ on Prostate Carcinogenesis in the TRAMP Model. <i>Cancer Prevention Research</i> , 2013, 6, 548-557.	0.7	38
59	Integrative analysis identifies targetable CREB1/FoxA1 transcriptional co-regulation as a predictor of prostate cancer recurrence. <i>Nucleic Acids Research</i> , 2016, 44, 4105-4122.	6.5	38
60	Tomato Consumption Increases Lycopene Isomer Concentrations in Breast Milk and Plasma of Lactating Women. <i>Journal of the American Dietetic Association</i> , 2002, 102, 1257-1262.	1.3	37
61	Dietary $\beta$ -mangostin, a xanthone from mangosteen fruit, exacerbates experimental colitis and promotes dysbiosis in mice. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 1226-1238.	1.5	37
62	Characterization of Black Raspberry Functional Food Products for Cancer Prevention Human Clinical Trials. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 3997-4006.	2.4	36
63	Differential Bioavailability, Clearance, and Tissue Distribution of the Acyclic Tomato Carotenoids Lycopene and Phytoene in Mongolian Gerbils. <i>Journal of Nutrition</i> , 2013, 143, 1920-1926.	1.3	35
64	Single Nucleotide Polymorphisms in $\beta$ -Carotene Oxygenase 1 are Associated with Plasma Lycopene Responses to a Tomato-Soy Juice Intervention in Men with Prostate Cancer. <i>Journal of Nutrition</i> , 2019, 149, 381-397.	1.3	35
65	$\beta$ -Carotene-9,10-Oxygenase Status Modulates the Impact of Dietary Tomato and Lycopene on Hepatic Nuclear Receptor $\alpha$ , Stress-, and Metabolism-Related Gene Expression in Mice. <i>Journal of Nutrition</i> , 2014, 144, 431-439.	1.3	34
66	Suppression of Oxidative Stress and NF $\kappa$ B/MAPK Signaling by Lyophilized Black Raspberries for Esophageal Cancer Prevention in Rats. <i>Nutrients</i> , 2017, 9, 413.	1.7	34
67	Overexpression of human $\beta$ -defensin 2 promotes growth and invasion during esophageal carcinogenesis. <i>Oncotarget</i> , 2014, 5, 11333-11344.	0.8	34
68	Dietary Fat and Protein Intake Differ in Modulation of Prostate Tumor Growth, Prolactin Secretion and Metabolism, and Prostate Gland Prolactin Binding Capacity in Rats. <i>Journal of Nutrition</i> , 1997, 127, 225-237.	1.3	32
69	Chemopreventive and Bioenergetic Signaling Effects of PDK1/Akt Pathway Inhibition in a Transgenic Mouse Model of Prostate Cancer. <i>Toxicologic Pathology</i> , 2007, 35, 549-561.	0.9	32
70	Isoflavone Pharmacokinetics and Metabolism after Consumption of a Standardized Soy and Soy-Almond Bread in Men with Asymptomatic Prostate Cancer. <i>Cancer Prevention Research</i> , 2015, 8, 1045-1054.	0.7	30
71	Insulinemic and Inflammatory Dietary Patterns Show Enhanced Predictive Potential for Type 2 Diabetes Risk in Postmenopausal Women. <i>Diabetes Care</i> , 2021, 44, 707-714.	4.3	30
72	Interrelationships among angiogenesis, proliferation, and apoptosis in the tumor microenvironment during N-methyl-N-nitrosourea androgen-induced prostate carcinogenesis in rats. <i>Carcinogenesis</i> , 2002, 23, 1701-1712.	1.3	29

#	ARTICLE	IF	CITATIONS
73	Impact of food matrix on isoflavone metabolism and cardiovascular biomarkers in adults with hypercholesterolemia. <i>Food and Function</i> , 2012, 3, 1051.	2.1	27
74	Enhancement of Broccoli Indole Glucosinolates by Methyl Jasmonate Treatment and Effects on Prostate Carcinogenesis. <i>Journal of Medicinal Food</i> , 2014, 17, 1177-1182.	0.8	25
75	A comparison of plasma and prostate lycopene in response to typical servings of tomato soup, sauce or juice in men before prostatectomy. <i>British Journal of Nutrition</i> , 2015, 114, 596-607.	1.2	25
76	Increased phospho-AKT is associated with loss of the androgen receptor during the progression of N-methyl-N-nitrosourea-induced prostate carcinogenesis in rats. <i>Prostate</i> , 2005, 64, 186-199.	1.2	24
77	The dietary antioxidant network and prostate carcinoma. , 1999, 86, 1629-1631.		23
78	Incorporation of eicosapentaenoic and docosahexaenoic acids into breast adipose tissue of women at high risk of breast cancer: A randomized clinical trial of dietary fish and n-3 fatty acid capsules. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 1780-1790.	1.5	23
79	A Novel Tomato-Soy Juice Induces a Dose-Response Increase in Urinary and Plasma Phytochemical Biomarkers in Men with Prostate Cancer. <i>Journal of Nutrition</i> , 2019, 149, 26-35.	1.3	23
80	Absorption and Distribution Kinetics of the <sup>13</sup> C-Labeled Tomato Carotenoid Phytoene in Healthy Adults. <i>Journal of Nutrition</i> , 2016, 146, 368-376.	1.3	22
81	Insulinemic and Inflammatory Dietary Patterns and Risk of Prostate Cancer. <i>European Urology</i> , 2021, 79, 405-412.	0.9	22
82	Intestinal Microbial Dysbiosis and Colonic Epithelial Cell Hyperproliferation by Dietary $\gamma$ -Mangostin is Independent of Mouse Strain. <i>Nutrients</i> , 2015, 7, 764-784.	1.7	19
83	Inflammatory and Insulinemic Dietary Patterns: Influence on Circulating Biomarkers and Prostate Cancer Risk. <i>Cancer Prevention Research</i> , 2020, 13, 841-852.	0.7	19
84	Proteomic profiling identifies specific histone species associated with leukemic and cancer cells. <i>Clinical Proteomics</i> , 2015, 12, 22.	1.1	18
85	The Impact of Dietary Energy Intake Early in Life on the Colonic Microbiota of Adult Mice. <i>Scientific Reports</i> , 2016, 6, 19083.	1.6	18
86	An interaction between carotene 15,15-monooxygenase expression and consumption of a tomato or lycopene-containing diet impacts serum and testicular testosterone. <i>International Journal of Cancer</i> , 2012, 131, E143-8.	2.3	17
87	Plasma Metabolomics Reveals Steroidal Alkaloids as Novel Biomarkers of Tomato Intake in Mice. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1700241.	1.5	17
88	Statin users have an elevated risk of dysglycemia and new-onset diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3189.	1.7	17
89	The Combined Effects of Dietary Protein and Fat Intake during the Promotion Phase of 7,12-Dimethylbenz(a)anthracene-Induced Breast Cancer in Rats. <i>Journal of Nutrition</i> , 1988, 118, 1577-1585.	1.3	16
90	Alterations of DNA damage response genes correlate with response and overall survival in anti-PD-1/PD-L1-treated advanced urothelial cancer. <i>Cancer Medicine</i> , 2020, 9, 9365-9372.	1.3	16

#	ARTICLE	IF	CITATIONS
91	Post-diagnosis dietary insulinemic potential and survival outcomes among colorectal cancer patients. <i>BMC Cancer</i> , 2020, 20, 817.	1.1	16
92	Biosynthesis of highly enriched <sup>13</sup> C-lycopene for human metabolic studies using repeated batch tomato cell culturing with <sup>13</sup> C-glucose. <i>Food Chemistry</i> , 2013, 139, 631-639.	4.2	15
93	Identifying Metabolomic Profiles of Insulinemic Dietary Patterns. <i>Metabolites</i> , 2019, 9, 120.	1.3	15
94	Prior Bariatric Surgery Is Linked to Improved Colorectal Cancer Surgery Outcomes and Costs: A Propensity-Matched Analysis. <i>Obesity Surgery</i> , 2017, 27, 1047-1055.	1.1	14
95	Tomatoes, Lycopene, and Prostate Cancer: What Have We Learned from Experimental Models?. <i>Journal of Nutrition</i> , 2022, 152, 1381-1403.	1.3	14
96	Efficacy comparison of lyophilised black raspberries and combination of celecoxib and PBIT in prevention of carcinogen-induced oesophageal cancer in rats. <i>Journal of Functional Foods</i> , 2016, 27, 84-94.	1.6	13
97	Tele-Motivational Interviewing for Cancer Survivors: Feasibility, Preliminary Efficacy, and Lessons Learned. <i>Journal of Nutrition Education and Behavior</i> , 2018, 50, 19-32.e1.	0.3	13
98	Dietary Tomato or Lycopene Do Not Reduce Castration-Resistant Prostate Cancer Progression in a Murine Model. <i>Journal of Nutrition</i> , 2020, 150, 1808-1817.	1.3	11
99	Dose-Dependent Increases in Ellagitannin Metabolites as Biomarkers of Intake in Humans Consuming Standardized Black Raspberry Food Products Designed for Clinical Trials. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e1900800.	1.5	11
100	Increased bleeding risk associated with concurrent vascular endothelial growth factor receptor tyrosine kinase inhibitors and low-molecular-weight heparin. <i>Cancer</i> , 2021, 127, 938-945.	2.0	11
101	Dietary protein and chronic toxicity of 1,2-dimethylhydrazine fed to mice. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1991, 32, 383-413.	1.1	10
102	An Evaluation of Reach for a Work Site Implementation of the National Diabetes Prevention Program Focusing on Diet and Exercise. <i>American Journal of Health Promotion</i> , 2018, 32, 1417-1424.	0.9	10
103	Diverticulitis in Morbidly Obese Adults: A Rise in Hospitalizations with Worse Outcomes According to National US Data. <i>Digestive Diseases and Sciences</i> , 2020, 65, 2644-2653.	1.1	10
104	Suppression of Prostate Epithelial Proliferation and Intraprostatic Progrowth Signaling in Transgenic Mice by a New Energy Restriction-Mimetic Agent. <i>Cancer Prevention Research</i> , 2013, 6, 232-241.	0.7	9
105	Comparative effectiveness of surgery versus external beam radiation with/without brachytherapy in high-risk localized prostate cancer. <i>Cancer Medicine</i> , 2020, 9, 27-34.	1.3	9
106	Associations of Dairy Intake with Circulating Biomarkers of Inflammation, Insulin Response, and Dyslipidemia among Postmenopausal Women. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021, 121, 1984-2002.	0.4	9
107	Identification of an Epoxide Metabolite of Lycopene in Human Plasma Using <sup>13</sup> C-Labeling and QTOF-MS. <i>Metabolites</i> , 2018, 8, 24.	1.3	8
108	Prostate Cancer Cell Phenotypes Remain Stable Following PDE5 Inhibition in the Clinically Relevant Range. <i>Translational Oncology</i> , 2020, 13, 100797.	1.7	8



#	ARTICLE	IF	CITATIONS
109	Plasma Amino Acids and Excretion of Protein End Products by Mice Fed 10 or 40% Soybean Protein Diets with or without Dietary 2-Acetylaminofluorene or N,N-Dinitrosopiperazine. <i>Journal of Nutrition</i> , 1984, 114, 555-564.	1.3	7
110	Prostate Cancer and Li-Fraumeni Syndrome: Implications for Screening and Therapy. <i>Urology Case Reports</i> , 2015, 3, 21-23.	0.1	7
111	Application of a low polyphenol or low ellagitannin dietary intervention and its impact on ellagitannin metabolism in men. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600224.	1.5	7
112	Dietary Patterns of Insulinemia, Inflammation and Glycemia, and Pancreatic Cancer Risk: Findings from the Women's Health Initiative. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1229-1240.	1.1	7
113	Î²-Carotene Oxygenase 2 Genotype Modulates the Impact of Dietary Lycopene on Gene Expression during Early TRAMP Prostate Carcinogenesis. <i>Journal of Nutrition</i> , 2022, 152, 950-960.	1.3	7
114	Energy balance alters dunning R3327-H prostate tumor architecture, androgen receptor expression, and nuclear morphometry in rats. <i>Prostate</i> , 2006, 66, 945-953.	1.2	6
115	Extra-prostatic Transgene-associated Neoplastic Lesions in Transgenic Adenocarcinoma of the Mouse Prostate (TRAMP) Mice. <i>Toxicologic Pathology</i> , 2015, 43, 186-197.	0.9	6
116	<i>In Vitro</i> Imaging of Lycopene Delivery to Prostate Cancer Cells. <i>Analytical Chemistry</i> , 2022, 94, 5106-5112.	3.2	6
117	Vascular morphology differentiates prostate cancer mortality risk among men with higher Gleason grade. <i>Cancer Causes and Control</i> , 2016, 27, 1043-1047.	0.8	5
118	Dietary omega-3 fatty acid intake impacts peripheral blood DNA methylation -anti-inflammatory effects and individual variability in a pilot study. <i>Journal of Nutritional Biochemistry</i> , 2022, 99, 108839.	1.9	5
119	Mice lacking Î²-carotene-15,15- <sup>o</sup> -dioxygenase exhibit reduced serum testosterone, prostatic androgen receptor signaling, and prostatic cellular proliferation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R1135-R1148.	0.9	4
120	Aspirin use and prostate tumor angiogenesis. <i>Cancer Causes and Control</i> , 2022, 33, 149-151.	0.8	4
121	Longitudinal trajectories of lifetime body shape and prostate cancer angiogenesis. <i>European Journal of Epidemiology</i> , 2022, 37, 261-270.	2.5	4
122	Effects of a lifestyle intervention on body composition in prostate cancer patients on androgen deprivation therapy. <i>JCSM Clinical Reports</i> , 2020, 5, 52-60.	0.5	4
123	Dietary Tomato, but Not Lycopene Supplementation, Impacts Molecular Outcomes of Castration-resistant Prostate Cancer in the TRAMP Model (P05-015-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz030.P05-015-19.	0.1	2
124	Considerations for Use of the Phenol-Explorer Database to Estimate Dietary (Poly)phenol Intake. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021, 121, 833-834.	0.4	2
125	Alpha-mangostin reduces HT-29 colon cancer cell proliferation in vitro and inhibits transplantable tumorigenesis in vivo. <i>FASEB Journal</i> , 2010, 24, 928.10.	0.2	2
126	Methyl jasmonate-treated broccoli and prostate carcinogenesis in TRAMP mice. <i>FASEB Journal</i> , 2011, 25, 977.8.	0.2	2



#	ARTICLE	IF	CITATIONS
127	Increased carotenoid bioavailability from a unique, cislycopene containing tangerine-type tomato. <i>FASEB Journal</i> , 2013, 27, 38.1.	0.2	2
128	Phosphorylated MED1 links transcription recycling and cancer growth. <i>Nucleic Acids Research</i> , 2022, 50, 4450-4463.	6.5	2
129	Assessment of dietary carotenoid intake and biologic measurement of exposure in humans. <i>Methods in Enzymology</i> , 2022, , 255-295.	0.4	2
130	Dietary Tomato Varieties Similarly Inhibit Prostate Carcinogenesis in the TRAMP Model in Association with Distinct Transcriptomic and Metabolomic Profiles. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa044_025.	0.1	1
131	The Insulinemic, Inflammatory, and Glycemic Potential of the Diet in Relation to Risk of Type 2 Diabetes. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa061_048.	0.1	1
132	Not So Fast: Deintensification Therapy for Locally Advanced Oral Cavity Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 926-927.	0.4	1
133	Risk Factors for Emergency Room and Hospital Care Among Patients With Solid Tumors on Immune Checkpoint Inhibitor Therapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2021, 44, 114-120.	0.6	1
134	Effects of diets containing lycopene, tomato, and/or broccoli upon tumor growth and biomarkers in the Dunning R3327 prostate adenocarcinoma model. <i>FASEB Journal</i> , 2006, 20, A150.	0.2	1
135	Tomato powder or lycopene reduces serum and testicular testosterone and enzymes controlling androgen and estrogen metabolism in mice lacking carotene 15,15-monooxygenase. <i>FASEB Journal</i> , 2011, 25, 975.6.	0.2	1
136	The effect of tomato powder, soy germ, or a combination on prostate carcinogenesis in TRAMP mice. <i>FASEB Journal</i> , 2012, 26, 376.4.	0.2	1
137	Pharmacokinetics of <sup>13</sup> C-lycopene in Healthy Adults. <i>FASEB Journal</i> , 2013, 27, 38.6.	0.2	1
138	Dietary Tomato Reduces Castration-Resistant Prostate Cancer Burden in the TRAMP Model. <i>FASEB Journal</i> , 2016, 30, 147.1.	0.2	1
139	Willard J Visek, MD, PhD (1922-2014),. <i>Journal of Nutrition</i> , 2015, 145, 381-384.	1.3	0
140	Tomato and Lycopene Feeding Impact Expression of Lipid and Cholesterol Metabolism Genes in Early TRAMP Mouse Model Prostate Carcinogenesis (OR05-05-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz029.OR05-05-19.	0.1	0
141	Identifying Metabolomic Profiles of Insulinemic Dietary Patterns (OR31-03-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz037.OR31-03-19.	0.1	0
142	Mechanisms behind Anti-tumor Activity in Dunning R3327 Prostate Adenocarcinomas as a result of Tomato & Broccoli Consumption.. <i>FASEB Journal</i> , 2007, 21, A59.	0.2	0
143	Vitamin D-induced changes in the gene expression profile of the RWPE1 human prostate epithelial cell (PEC) line relevant to cancer prevention. <i>FASEB Journal</i> , 2008, 22, 294.8.	0.2	0
144	Low dietary vitamin D (VD) and high dietary calcium (Ca) increase prostate carcinogenesis in APT121 transgenic mice. <i>FASEB Journal</i> , 2010, 24, 217.3.	0.2	0

#	ARTICLE	IF	CITATIONS
145	Disrupting vitamin D (VD) signaling increases androgen dependent proliferation and reduces apoptosis in mouse prostate. FASEB Journal, 2010, 24, 928.12.	0.2	0
146	Varying dietary calcium (Ca), but not vitamin D (VD), influences bone and calcium metabolism in mature mice. FASEB Journal, 2010, 24, 946.1.	0.2	0
147	Genotype and diet alter carotenoid bioaccumulation and the expression of carotenoid cleavage enzymes in CMO $\beta$ KO, CMO $\beta$ KO, and wild-type mice. FASEB Journal, 2010, 24, 539.7.	0.2	0
148	Bioactive tomato components inhibit cancer promoting activity of testosterone in the mouse prostate epithelium. FASEB Journal, 2012, 26, 1023.4.	0.2	0
149	Effects of dietary carotenoids on steroid hormone status in male mice lacking carotene $\beta$ 15,15 $\beta$ monooxygenase (CMO $\beta$ ) or carotene $\beta$ 9 $\beta$ ,10 $\beta$ monooxygenase (CMO $\beta$ ). FASEB Journal, 2012, 26, 640.4.	0.2	0
150	Absorption and biotransformation of Î±-mangostin by nude mice without and with HT $\beta$ 29 colon cancer xenograft. FASEB Journal, 2012, 26, 646.18.	0.2	0
151	Plant cell culture strategies to increase <sup>13</sup> C-enrichment of lycopene for human metabolic tracing studies. FASEB Journal, 2012, 26, 27.4.	0.2	0
152	Provitamin A Absorption and Conversion from a Unique High Beta-Carotene Tomato is Higher when Consumed with Avocado. FASEB Journal, 2012, 26, 31.5.	0.2	0
153	The interaction of tomato powder and soy germ on prostate carcinogenesis in the TRAMP model. FASEB Journal, 2013, 27, 235.1.	0.2	0
154	Dietary carotenoids may reduce testicular steroidogenesis through HMG-CoA reductase in mice with altered carotenoid metabolism. FASEB Journal, 2013, 27, 32.6.	0.2	0
155	Dietary Î±-mangostin exacerbates colitis and adversely alters the gut microbiota in mice (134.7). FASEB Journal, 2014, 28, .	0.2	0
156	<sup>13</sup> C-phytoene from tomato cell suspension cultures for pharmacokinetic studies in healthy adults (645.15). FASEB Journal, 2014, 28, 645.15.	0.2	0
157	A role for BCMO1 beyond carotenoid metabolism: regulation of androgen status and signaling (645.4). FASEB Journal, 2014, 28, 645.4.	0.2	0
158	Meeting Dietary Goals for Cancer Prevention by Age, Gender and Food Insecurity: Is Anyone Listening?. FASEB Journal, 2015, 29, 406.3.	0.2	0
159	A Role for BCO1 Beyond Carotenoid Metabolism: Effects on Androgen Status and Prostatic Homeostasis. FASEB Journal, 2015, 29, 32.2.	0.2	0
160	Green Tea Extract Protects Against Diethylnitrosamine-Mediated Liver Injury And Cell Proliferation By Attenuating STAT3 And iNOS Expression In High Fat-Induced Obese Mice With Nonalcoholic Steatohepatitis. FASEB Journal, 2017, 31, 435.8.	0.2	0
161	Social cognitive outcomes are associated with improvements in mobility performance following lifestyle intervention in prostate cancer patients undergoing androgen deprivation therapy. PLoS ONE, 2022, 17, e0263136.	1.1	0