

Steven K Clinton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3755617/steven-k-clinton-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155
papers

6,059
citations

43
h-index

75
g-index

162
ext. papers

7,063
ext. citations

4.3
avg, IF

5.87
L-index

#	Paper	IF	Citations
155	Social cognitive outcomes are associated with improvements in mobility performance following lifestyle intervention in prostate cancer patients undergoing androgen deprivation therapy.. <i>PLoS ONE</i> , 2022 , 17, e0263136	3.7	0
154	Longitudinal trajectories of lifetime body shape and prostate cancer angiogenesis.. <i>European Journal of Epidemiology</i> , 2022 , 1	12.1	0
153	Dietary omega-3 fatty acid intake impacts peripheral blood DNA methylation -anti-inflammatory effects and individual variability in a pilot study. <i>Journal of Nutritional Biochemistry</i> , 2022 , 99, 108839	6.3	0
152	Exercise, Diet, and Weight Management During Cancer Treatment: ASCO Guideline.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2200687	2.2	5
151	Assessment of dietary carotenoid intake and biologic measurement of exposure in humans. <i>Methods in Enzymology</i> , 2022 ,	1.7	0
150	Aspirin use and prostate tumor angiogenesis. <i>Cancer Causes and Control</i> , 2021 , 1	2.8	1
149	Insulinemic and Inflammatory Dietary Patterns and Risk of Prostate Cancer. <i>European Urology</i> , 2021 , 79, 405-412	10.2	5
148	Dietary Patterns of Insulinemia, Inflammation and Glycemia, and Pancreatic Cancer Risk: Findings from the Women@ Health Initiative. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1229-1240	12.0	2
147	Considerations for Use of the Phenol-Explorer Database to Estimate Dietary (Poly)phenol Intake. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021 , 121, 833-834	3.9	2
146	Increased bleeding risk associated with concurrent vascular endothelial growth factor receptor tyrosine kinase inhibitors and low-molecular-weight heparin. <i>Cancer</i> , 2021 , 127, 938-945	6.4	5
145	Insulinemic and Inflammatory Dietary Patterns Show Enhanced Predictive Potential for Type 2 Diabetes Risk in Postmenopausal Women. <i>Diabetes Care</i> , 2021 , 44, 707-714	14.6	8
144	Risk Factors for Emergency Room and Hospital Care Among Patients With Solid Tumors on Immune Checkpoint Inhibitor Therapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2021 , 44, 114-120	2.7	0
143	Associations of Dairy Intake with Circulating Biomarkers of Inflammation, Insulin Response, and Dyslipidemia among Postmenopausal Women. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021 , 121, 1984-2002	3.9	1
142	Dietary Tomato or Lycopene Do Not Reduce Castration-Resistant Prostate Cancer Progression in a Murine Model. <i>Journal of Nutrition</i> , 2020 , 150, 1808-1817	4.1	7
141	Prostate Cancer Cell Phenotypes Remain Stable Following PDE5 Inhibition in the Clinically Relevant Range. <i>Translational Oncology</i> , 2020 , 13, 100797	4.9	3
140	The Insulinemic, Inflammatory, and Glycemic Potential of the Diet in Relation to Risk of Type 2 Diabetes. <i>Current Developments in Nutrition</i> , 2020 , 4, 1420-1420	0.4	1
139	Dose-Dependent Increases in Ellagitannin Metabolites as Biomarkers of Intake in Humans Consuming Standardized Black Raspberry Food Products Designed for Clinical Trials. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900800	5.9	6

138	Comparative effectiveness of surgery versus external beam radiation with/without brachytherapy in high-risk localized prostate cancer. <i>Cancer Medicine</i> , 2020 , 9, 27-34	4.8	6
137	Diverticulitis in Morbidly Obese Adults: A Rise in Hospitalizations with Worse Outcomes According to National US Data. <i>Digestive Diseases and Sciences</i> , 2020 , 65, 2644-2653	4	7
136	The World Cancer Research Fund/American Institute for Cancer Research Third Expert Report on Diet, Nutrition, Physical Activity, and Cancer: Impact and Future Directions. <i>Journal of Nutrition</i> , 2020 , 150, 663-671	4.1	115
135	Cancer and Leukemia Group B 90203 (Alliance): Radical Prostatectomy With or Without Neoadjuvant Chemohormonal Therapy in Localized, High-Risk Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3042-3050	2.2	17
134	Inflammatory and Insulinemic Dietary Patterns: Influence on Circulating Biomarkers and Prostate Cancer Risk. <i>Cancer Prevention Research</i> , 2020 , 13, 841-852	3.2	7
133	Alterations of DNA damage response genes correlate with response and overall survival in anti-PD-1/PD-L1-treated advanced urothelial cancer. <i>Cancer Medicine</i> , 2020 , 9, 9365-9372	4.8	6
132	Dietary Tomato Varieties Similarly Inhibit Prostate Carcinogenesis in the TRAMP Model in Association with Distinct Transcriptomic and Metabolomic Profiles. <i>Current Developments in Nutrition</i> , 2020 , 4, 326-326	0.4	78
131	Post-diagnosis dietary insulinemic potential and survival outcomes among colorectal cancer patients. <i>BMC Cancer</i> , 2020 , 20, 817	4.8	6
130	Effects of a lifestyle intervention on body composition in prostate cancer patients on androgen deprivation therapy. <i>JCSM Clinical Reports</i> , 2020 , 5, 52-60	1.5	1
129	Statin users have an elevated risk of dysglycemia and new-onset-diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3189	7.5	9
128	Identifying Metabolomic Profiles of Insulinemic Dietary Patterns. <i>Metabolites</i> , 2019 , 9,	5.6	8
127	Oncologists' Attitudes and Practice of Addressing Diet, Physical Activity, and Weight Management With Patients With Cancer: Findings of an ASCO Survey of the Oncology Workforce. <i>Journal of Oncology Practice</i> , 2019 , 15, e520-e528	3.1	40
126	Long-Term Change in both Dietary Insulinemic and Inflammatory Potential Is Associated with Weight Gain in Adult Women and Men. <i>Journal of Nutrition</i> , 2019 , 149, 804-815	4.1	26
125	Soy isoflavones and their metabolites modulate cytokine-induced natural killer cell function. <i>Scientific Reports</i> , 2019 , 9, 5068	4.9	24
124	Single Nucleotide Polymorphisms in β -Carotene Oxygenase 1 are Associated with Plasma Lycopene Responses to a Tomato-Soy Juice Intervention in Men with Prostate Cancer. <i>Journal of Nutrition</i> , 2019 , 149, 381-397	4.1	20
123	Tomato and Lycopene Feeding Impact Expression of Lipid and Cholesterol Metabolism Genes in Early TRAMP Mouse Model Prostate Carcinogenesis (OR05-05-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	78
122	Identifying Metabolomic Profiles of Insulinemic Dietary Patterns (OR31-03-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	78
121	Dietary Tomato, but Not Lycopene Supplementation, Impacts Molecular Outcomes of Castration-resistant Prostate Cancer in the TRAMP Model (P05-015-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	2

120	Dietary Black Raspberries Impact the Colonic Microbiome and Phytochemical Metabolites in Mice. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1800636	5.9	32
119	A Novel Tomato-Soy Juice Induces a Dose-Response Increase in Urinary and Plasma Phytochemical Biomarkers in Men with Prostate Cancer. <i>Journal of Nutrition</i> , 2019 , 149, 26-35	4.1	16
118	Tele-Motivational Interviewing for Cancer Survivors: Feasibility, Preliminary Efficacy, and Lessons Learned. <i>Journal of Nutrition Education and Behavior</i> , 2018 , 50, 19-32.e1	2	8
117	An Evaluation of Reach for a Work Site Implementation of the National Diabetes Prevention Program Focusing on Diet and Exercise. <i>American Journal of Health Promotion</i> , 2018 , 32, 1417-1424	2.5	8
116	Cruciferous Vegetables, Isothiocyanates, and Bladder Cancer Prevention. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800079	5.9	66
115	Identification of an Epoxide Metabolite of Lycopene in Human Plasma Using C-Labeling and QTOF-MS. <i>Metabolites</i> , 2018 , 8,	5.6	7
114	Diverse AR-V7 cistromes in castration-resistant prostate cancer are governed by HoxB13. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 6810-6815	11.5	71
113	The impact of cruciferous vegetable isothiocyanates on histone acetylation and histone phosphorylation in bladder cancer. <i>Journal of Proteomics</i> , 2017 , 156, 94-103	3.9	40
112	Diet and Nutrition in the Etiology and Prevention of Cancer 2017 , 1-21		1
111	β-Carotene 9Q10Qxygenase Modulates the Anticancer Activity of Dietary Tomato or Lycopene on Prostate Carcinogenesis in the TRAMP Model. <i>Cancer Prevention Research</i> , 2017 , 10, 161-169	3.2	39
110	Plasma Metabolomics Reveals Steroidal Alkaloids as Novel Biomarkers of Tomato Intake in Mice. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1700241	5.9	11
109	Application of a low polyphenol or low ellagitannin dietary intervention and its impact on ellagitannin metabolism in men. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600224	5.9	6
108	Prior Bariatric Surgery Is Linked to Improved Colorectal Cancer Surgery Outcomes and Costs: A Propensity-Matched Analysis. <i>Obesity Surgery</i> , 2017 , 27, 1047-1055	3.7	11
107	Suppression of Oxidative Stress and NFB/MAPK Signaling by Lyophilized Black Raspberries for Esophageal Cancer Prevention in Rats. <i>Nutrients</i> , 2017 , 9,	6.7	23
106	Green Tea Extract Protects Against Diethylnitrosamine-Mediated Liver Injury And Cell Proliferation By Attenuating STAT3 And iNOS Expression In High Fat-Induced Obese Mice With Nonalcoholic Steatohepatitis. <i>FASEB Journal</i> , 2017 , 31, 435.8	0.9	
105	The Impact of Dietary Energy Intake Early in Life on the Colonic Microbiota of Adult Mice. <i>Scientific Reports</i> , 2016 , 6, 19083	4.9	15
104	Integrative analysis identifies targetable CREB1/FoxA1 transcriptional co-regulation as a predictor of prostate cancer recurrence. <i>Nucleic Acids Research</i> , 2016 , 44, 4105-22	20.1	23
103	Absorption and Distribution Kinetics of the 13C-Labeled Tomato Carotenoid Phytoene in Healthy Adults. <i>Journal of Nutrition</i> , 2016 , 146, 368-76	4.1	20

102	Suppression of Proinflammatory and Prosurvival Biomarkers in Oral Cancer Patients Consuming a Black Raspberry Phytochemical-Rich Troche. <i>Cancer Prevention Research</i> , 2016 , 9, 159-71	3.2	36
101	Dietary Tomato Reduces Castration-Resistant Prostate Cancer Burden in the TRAMP Model. <i>FASEB Journal</i> , 2016 , 30, 147.1	0.9	1
100	Vascular morphology differentiates prostate cancer mortality risk among men with higher Gleason grade. <i>Cancer Causes and Control</i> , 2016 , 27, 1043-7	2.8	4
99	Mice lacking β -carotene-15,15'-dioxygenase exhibit reduced serum testosterone, prostatic androgen receptor signaling, and prostatic cellular proliferation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 311, R1135-R1148	3.2	3
98	The 2015 Dietary Guidelines Advisory Committee Scientific Report: Development and Major Conclusions. <i>Advances in Nutrition</i> , 2016 , 7, 438-44	10	171
97	Efficacy comparison of lyophilised black raspberries and combination of celecoxib and PBIT in prevention of carcinogen-induced oesophageal cancer in rats. <i>Journal of Functional Foods</i> , 2016 , 27, 84-94	5.1	8
96	Extra-prostatic transgene-associated neoplastic lesions in transgenic adenocarcinoma of the mouse prostate (TRAMP) mice. <i>Toxicologic Pathology</i> , 2015 , 43, 186-97	2.1	6
95	Ligand-dependent genomic function of glucocorticoid receptor in triple-negative breast cancer. <i>Nature Communications</i> , 2015 , 6, 8323	17.4	59
94	Lack of private health insurance is associated with higher mortality from cancer and other chronic diseases, poor diet quality, and inflammatory biomarkers in the United States. <i>Preventive Medicine</i> , 2015 , 81, 420-6	4.3	39
93	Consumption of soy isoflavone enriched bread in men with prostate cancer is associated with reduced proinflammatory cytokines and immunosuppressive cells. <i>Cancer Prevention Research</i> , 2015 , 8, 1036-44	3.2	54
92	Incorporation of eicosapentaenoic and docosahexaenoic acids into breast adipose tissue of women at high risk of breast cancer: a randomized clinical trial of dietary fish and n-3 fatty acid capsules. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 1780-90	5.9	20
91	Tocopherol bioavailability is lower in adults with metabolic syndrome regardless of dairy fat co-ingestion: a randomized, double-blind, crossover trial. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1070-80	7	48
90	Compartmental and noncompartmental modeling of ^{14}C -lycopene absorption, isomerization, and distribution kinetics in healthy adults. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1436-49	7	38
89	Willard J Visek, MD, PhD (1922-2014). <i>Journal of Nutrition</i> , 2015 , 145, 381-4	4.1	
88	A comparison of plasma and prostate lycopene in response to typical servings of tomato soup, sauce or juice in men before prostatectomy. <i>British Journal of Nutrition</i> , 2015 , 114, 596-607	3.6	18
87	Prostate Cancer and Li-Fraumeni Syndrome: Implications for Screening and Therapy. <i>Urology Case Reports</i> , 2015 , 3, 21-3	0.5	4
86	Proteomic profiling identifies specific histone species associated with leukemic and cancer cells. <i>Clinical Proteomics</i> , 2015 , 12, 22	5	15
85	Intestinal microbial dysbiosis and colonic epithelial cell hyperproliferation by dietary β -mangostin is independent of mouse strain. <i>Nutrients</i> , 2015 , 7, 764-84	6.7	17

84	Strawberry phytochemicals inhibit azoxymethane/dextran sodium sulfate-induced colorectal carcinogenesis in Crj: CD-1 mice. <i>Nutrients</i> , 2015 , 7, 1696-715	6.7	54
83	Enhanced bioavailability of lycopene when consumed as cis-isomers from tangerine compared to red tomato juice, a randomized, cross-over clinical trial. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 658-69	5.9	135
82	Isoflavone pharmacokinetics and metabolism after consumption of a standardized soy and soy-almond bread in men with asymptomatic prostate cancer. <i>Cancer Prevention Research</i> , 2015 , 8, 1045-54	3.2	22
81	Agonist and antagonist switch DNA motifs recognized by human androgen receptor in prostate cancer. <i>EMBO Journal</i> , 2015 , 34, 502-16	13	57
80	Meeting Dietary Goals for Cancer Prevention by Age, Gender and Food Insecurity: Is Anyone Listening?. <i>FASEB Journal</i> , 2015 , 29, 406.3	0.9	
79	A Role for BCO1 Beyond Carotenoid Metabolism: Effects on Androgen Status and Prostatic Homeostasis. <i>FASEB Journal</i> , 2015 , 29, 32.2	0.9	
78	Dietary tomato and lycopene impact androgen signaling- and carcinogenesis-related gene expression during early TRAMP prostate carcinogenesis. <i>Cancer Prevention Research</i> , 2014 , 7, 1228-39	3.2	47
77	Characterization of black raspberry functional food products for cancer prevention human clinical trials. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 3997-4006	5.7	28
76	Dietary lycopene, angiogenesis, and prostate cancer: a prospective study in the prostate-specific antigen era. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt430	9.7	137
75	Enhancement of broccoli indole glucosinolates by methyl jasmonate treatment and effects on prostate carcinogenesis. <i>Journal of Medicinal Food</i> , 2014 , 17, 1177-82	2.8	23
74	Dietary Mangostin, a xanthone from mangosteen fruit, exacerbates experimental colitis and promotes dysbiosis in mice. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 1226-38	5.9	32
73	Avocado consumption enhances human postprandial provitamin A absorption and conversion from a novel high-lycopene tomato sauce and from carrots. <i>Journal of Nutrition</i> , 2014 , 144, 1158-66	4.1	59
72	Carotenoid oxygenase status modulates the impact of dietary tomato and lycopene on hepatic nuclear receptor-, stress-, and metabolism-related gene expression in mice. <i>Journal of Nutrition</i> , 2014 , 144, 431-9	4.1	27
71	Overexpression of human defensin 2 promotes growth and invasion during esophageal carcinogenesis. <i>Oncotarget</i> , 2014 , 5, 11333-44	3.3	23
70	¹³ C-phytoene from tomato cell suspension cultures for pharmacokinetic studies in healthy adults (645.15). <i>FASEB Journal</i> , 2014 , 28, 645.15	0.9	
69	A role for BCMO1 beyond carotenoid metabolism: regulation of androgen status and signaling (645.4). <i>FASEB Journal</i> , 2014 , 28, 645.4	0.9	
68	Anti-tumorigenicity of dietary Mangostin in an HT-29 colon cell xenograft model and the tissue distribution of xanthones and their phase II metabolites. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 203-11	5.9	46
67	Biosynthesis of highly enriched ¹³ C-lycopene for human metabolic studies using repeated batch tomato cell culturing with ¹³ C-glucose. <i>Food Chemistry</i> , 2013 , 139, 631-9	8.5	13

66	Complex interactions between dietary and genetic factors impact lycopene metabolism and distribution. <i>Archives of Biochemistry and Biophysics</i> , 2013 , 539, 171-80	4.1	65
65	Suppression of prostate epithelial proliferation and intraprostatic progrowth signaling in transgenic mice by a new energy restriction-mimetic agent. <i>Cancer Prevention Research</i> , 2013 , 6, 232-41	3.2	8
64	The interactions of dietary tomato powder and soy germ on prostate carcinogenesis in the TRAMP model. <i>Cancer Prevention Research</i> , 2013 , 6, 548-57	3.2	29
63	Differential bioavailability, clearance, and tissue distribution of the acyclic tomato carotenoids lycopene and phytoene in mongolian gerbils. <i>Journal of Nutrition</i> , 2013 , 143, 1920-6	4.1	30
62	Bioavailability of phytochemical constituents from a novel soy fortified lycopene rich tomato juice developed for targeted cancer prevention trials. <i>Nutrition and Cancer</i> , 2013 , 65, 919-29	2.8	35
61	The interaction of tomato powder and soy germ on prostate carcinogenesis in the TRAMP model. <i>FASEB Journal</i> , 2013 , 27, 235.1	0.9	
60	Increased carotenoid bioavailability from a unique, cislycopene containing tangerine-type tomato. <i>FASEB Journal</i> , 2013 , 27, 38.1	0.9	1
59	Dietary carotenoids may reduce testicular steroidogenesis through HMG-CoA reductase in mice with altered carotenoid metabolism. <i>FASEB Journal</i> , 2013 , 27, 32.6	0.9	
58	Pharmacokinetics of ¹³ C-Lycopene in Healthy Adults. <i>FASEB Journal</i> , 2013 , 27, 38.6	0.9	1
57	Impact of food matrix on isoflavone metabolism and cardiovascular biomarkers in adults with hypercholesterolemia. <i>Food and Function</i> , 2012 , 3, 1051-8	6.1	23
56	Xanthenes in mangosteen juice are absorbed and partially conjugated by healthy adults. <i>Journal of Nutrition</i> , 2012 , 142, 675-80	4.1	47
55	An interaction between carotene-15,15 α -monooxygenase expression and consumption of a tomato or lycopene-containing diet impacts serum and testicular testosterone. <i>International Journal of Cancer</i> , 2012 , 131, E143-8	7.5	14
54	A review of the existing grading schemes and a proposal for a modified grading scheme for prostatic lesions in TRAMP mice. <i>Toxicologic Pathology</i> , 2012 , 40, 5-17	2.1	42
53	Bioactive tomato components inhibit cancer promoting activity of testosterone in the mouse prostate epithelium. <i>FASEB Journal</i> , 2012 , 26, 1023.4	0.9	
52	The effect of tomato powder, soy germ, or a combination on prostate carcinogenesis in TRAMP mice. <i>FASEB Journal</i> , 2012 , 26, 376.4	0.9	1
51	Effects of dietary carotenoids on steroid hormone status in male mice lacking carotene-15,15 α -monooxygenase (CMO-I) or carotene-9 β ,10 β -monooxygenase (CMO-II). <i>FASEB Journal</i> , 2012 , 26, 640.4	0.9	
50	Absorption and biotransformation of β -mangostin by nude mice without and with HT-29 colon cancer xenograft. <i>FASEB Journal</i> , 2012 , 26, 646.18	0.9	
49	Plant cell culture strategies to increase ¹³ C-enrichment of lycopene for human metabolic tracing studies. <i>FASEB Journal</i> , 2012 , 26, 27.4	0.9	

48	Provitamin A Absorption and Conversion from a Unique High Beta-Carotene Tomato is Higher when Consumed with Avocado. <i>FASEB Journal</i> , 2012 , 26, 31.5	0.9	
47	Definition of a FoxA1 Cistrome that is crucial for G1 to S-phase cell-cycle transit in castration-resistant prostate cancer. <i>Cancer Research</i> , 2011 , 71, 6738-6748	10.1	71
46	Nutritional aspects of phytoene and phytofluene, carotenoid precursors to lycopene. <i>Advances in Nutrition</i> , 2011 , 2, 51-61	10	71
45	Methyl jasmonate-treated broccoli and prostate carcinogenesis in TRAMP mice. <i>FASEB Journal</i> , 2011 , 25, 977.8	0.9	
44	Tomato powder or lycopene reduces serum and testicular testosterone and enzymes controlling androgen and estrogen metabolism in mice lacking carotene-15,15'-monooxygenase. <i>FASEB Journal</i> , 2011 , 25, 975.6	0.9	1
43	Loss of carotene-9Q10Qmonooxygenase expression increases serum and tissue lycopene concentrations in lycopene-fed mice. <i>Journal of Nutrition</i> , 2010 , 140, 2134-8	4.1	41
42	Identification and quantification of apo-lycopenals in fruits, vegetables, and human plasma. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 3290-6	5.7	136
41	Tomato-based food products for prostate cancer prevention: what have we learned?. <i>Cancer and Metastasis Reviews</i> , 2010 , 29, 553-68	9.6	73
40	Low dietary vitamin D (VD) and high dietary calcium (Ca) increase prostate carcinogenesis in APT121 transgenic mice. <i>FASEB Journal</i> , 2010 , 24, 217.3	0.9	
39	Alpha-mangostin reduces HT-29 colon cancer cell proliferation in vitro and inhibits transplantable tumorigenesis in vivo.. <i>FASEB Journal</i> , 2010 , 24, 928.10	0.9	2
38	Disrupting vitamin D (VD) signaling increases androgen dependent proliferation and reduces apoptosis in mouse prostate. <i>FASEB Journal</i> , 2010 , 24, 928.12	0.9	
37	Varying dietary calcium (Ca), but not vitamin D (VD), influences bone and calcium metabolism in mature mice. <i>FASEB Journal</i> , 2010 , 24, 946.1	0.9	
36	Genotype and diet alter carotenoid bioaccumulation and the expression of carotenoid cleavage enzymes in CMO-I KO, CMO-II KO, and wild-type mice. <i>FASEB Journal</i> , 2010 , 24, 539.7	0.9	
35	A combination of tomato and soy products for men with recurring prostate cancer and rising prostate specific antigen. <i>Nutrition and Cancer</i> , 2008 , 60, 145-54	2.8	67
34	Interrelationships between dietary restriction, the IGF-I axis, and expression of vascular endothelial growth factor by prostate adenocarcinoma in rats. <i>Molecular Carcinogenesis</i> , 2008 , 47, 458-65	5	33
33	Association between plasma cholesterol and prostate cancer in the PSA era. <i>International Journal of Cancer</i> , 2008 , 123, 1693-8	7.5	100
32	Vitamin D-induced changes in the gene expression profile of the RWPE1 human prostate epithelial cell (PEC) line relevant to cancer prevention. <i>FASEB Journal</i> , 2008 , 22, 294.8	0.9	
31	Carotenoid absorption in humans consuming tomato sauces obtained from tangerine or high-beta-carotene varieties of tomatoes. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 1597-603	5.7	75

30	Suppression of VEGF-mediated autocrine and paracrine interactions between prostate cancer cells and vascular endothelial cells by soy isoflavones. <i>Journal of Nutritional Biochemistry</i> , 2007 , 18, 408-17	6.3	80
29	Chemopreventive and bioenergetic signaling effects of PDK1/Akt pathway inhibition in a transgenic mouse model of prostate cancer. <i>Toxicologic Pathology</i> , 2007 , 35, 549-61	2.1	32
28	Combinations of tomato and broccoli enhance antitumor activity in dunning r3327-h prostate adenocarcinomas. <i>Cancer Research</i> , 2007 , 67, 836-43	10.1	119
27	Lycopene from heat-induced cis-isomer-rich tomato sauce is more bioavailable than from all-trans-rich tomato sauce in human subjects. <i>British Journal of Nutrition</i> , 2007 , 98, 140-6	3.6	175
26	Mechanisms behind Anti-tumor Activity in Dunning R3327-H Prostate Adenocarcinomas as a result of Tomato & Broccoli Consumption.. <i>FASEB Journal</i> , 2007 , 21, A59	0.9	
25	Energy balance alters dunning R3327-H prostate tumor architecture, androgen receptor expression, and nuclear morphometry in rats. <i>Prostate</i> , 2006 , 66, 945-53	4.2	5
24	Effects of diets containing lycopene, tomato, and/or broccoli upon tumor growth and biomarkers in the Dunning R3327-H prostate adenocarcinoma model. <i>FASEB Journal</i> , 2006 , 20, A150	0.9	1
23	Carotenoid absorption from salad and salsa by humans is enhanced by the addition of avocado or avocado oil. <i>Journal of Nutrition</i> , 2005 , 135, 431-6	4.1	199
22	Increased phospho-AKT is associated with loss of the androgen receptor during the progression of N-methyl-N-nitrosourea-induced prostate carcinogenesis in rats. <i>Prostate</i> , 2005 , 64, 186-99	4.2	21
21	Prostate carcinogenesis in N-methyl-N-nitrosourea (NMU)-testosterone-treated rats fed tomato powder, lycopene, or energy-restricted diets. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1578-86	9.7	247
20	Changes in plasma and oral mucosal lycopene isomer concentrations in healthy adults consuming standard servings of processed tomato products. <i>Nutrition and Cancer</i> , 2003 , 47, 48-56	2.8	60
19	Variations in plasma lycopene and specific isomers over time in a cohort of U.S. men. <i>Journal of Nutrition</i> , 2003 , 133, 1930-6	4.1	47
18	Tomato and soy polyphenols reduce insulin-like growth factor-I-stimulated rat prostate cancer cell proliferation and apoptotic resistance in vitro via inhibition of intracellular signaling pathways involving tyrosine kinase. <i>Journal of Nutrition</i> , 2003 , 133, 2367-76	4.1	91
17	Tomato consumption increases lycopene isomer concentrations in breast milk and plasma of lactating women. <i>Journal of the American Dietetic Association</i> , 2002 , 102, 1257-62		33
16	Interrelationships among angiogenesis, proliferation, and apoptosis in the tumor microenvironment during N-methyl-N-nitrosourea androgen-induced prostate carcinogenesis in rats. <i>Carcinogenesis</i> , 2002 , 23, 1701-11	4.6	28
15	Tomatoes, lycopene, and prostate cancer: progress and promise. <i>Experimental Biology and Medicine</i> , 2002 , 227, 869-80	3.7	109
14	Tomato products, lycopene, and prostate cancer risk. <i>Urologic Clinics of North America</i> , 2002 , 29, 83-93	2.9	62
13	Opposite association of two PPARG variants with cancer: overrepresentation of H449H in endometrial carcinoma cases and underrepresentation of P12A in renal cell carcinoma cases. <i>Human Genetics</i> , 2001 , 109, 146-51	6.3	36

12	Tissue lycopene concentrations and isomer patterns are affected by androgen status and dietary lycopene concentration in male F344 rats. <i>Journal of Nutrition</i> , 2000 , 130, 1613-8	4.1	79
11	Soybean phytochemicals inhibit the growth of transplantable human prostate carcinoma and tumor angiogenesis in mice. <i>Journal of Nutrition</i> , 1999 , 129, 1628-35	4.1	247
10	Hyperlipidemia and atherosclerotic lesion development in LDL receptor-deficient mice fed defined semipurified diets with and without cholate. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 1938-44	9.4	134
9	Energy intake and prostate tumor growth, angiogenesis, and vascular endothelial growth factor expression. <i>Journal of the National Cancer Institute</i> , 1999 , 91, 512-23	9.7	201
8	Lycopene: chemistry, biology, and implications for human health and disease. <i>Nutrition Reviews</i> , 1998 , 56, 35-51	6.4	579
7	Diet, nutrition, and prostate cancer. <i>Annual Review of Nutrition</i> , 1998 , 18, 413-40	9.9	130
6	Dietary fat and protein intake differ in modulation of prostate tumor growth, prolactin secretion and metabolism, and prostate gland prolactin binding capacity in rats. <i>Journal of Nutrition</i> , 1997 , 127, 225-37	4.1	29
5	Dietary protein and chronic toxicity of 1,2-dimethylhydrazine fed to mice. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1991 , 32, 383-413	3.2	9
4	The combined effects of dietary protein and fat intake during the promotion phase of 7,12-dimethylbenz(a)anthracene-induced breast cancer in rats. <i>Journal of Nutrition</i> , 1988 , 118, 1577-85	4.1	14
3	Growth of Dunning transplantable prostate adenocarcinomas in rats fed diets with various fat contents. <i>Journal of Nutrition</i> , 1988 , 118, 908-14	4.1	44
2	Plasma amino acids and excretion of protein end products by mice fed 10 or 40% soybean protein diets with or without dietary 2-acetylaminofluorene or N,N-dinitrosopiperazine. <i>Journal of Nutrition</i> , 1984 , 114, 555-64	4.1	7
1	The combined effects of dietary protein and fat on 7,12-dimethylbenz(a)anthracene-induced breast cancer in rats. <i>Journal of Nutrition</i> , 1984 , 114, 1213-23	4.1	37