

Bin Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/375692/publications.pdf>

Version: 2024-02-01

49
papers

1,427
citations

304368

22
h-index

329751

37
g-index

50
all docs

50
docs citations

50
times ranked

2229
citing authors

#	ARTICLE	IF	CITATIONS
1	Cohort Profile: The Guangzhou Biobank Cohort Study, a Guangzhou-Hong Kong-Birmingham collaboration. <i>International Journal of Epidemiology</i> , 2006, 35, 844-852.	0.9	194
2	Short or Long Sleep Duration Is Associated with Memory Impairment in Older Chinese: the Guangzhou Biobank Cohort Study. <i>Sleep</i> , 2011, 34, 575-580.	0.6	142
3	A functional polymorphism at microRNA-629-binding site in the 3'-untranslated region of NBS1 gene confers an increased risk of lung cancer in Southern and Eastern Chinese population. <i>Carcinogenesis</i> , 2012, 33, 338-347.	1.3	80
4	A Functional Copy-Number Variation in MAPKAPK2 Predicts Risk and Prognosis of Lung Cancer. <i>American Journal of Human Genetics</i> , 2012, 91, 384-390.	2.6	61
5	The polymorphism and haplotypes of PIN1 gene are associated with the risk of lung cancer in southern and eastern chinese populations. <i>Human Mutation</i> , 2011, 32, 1299-1308.	1.1	59
6	A functional copy number variation in the WWOX gene is associated with lung cancer risk in Chinese. <i>Human Molecular Genetics</i> , 2013, 22, 1886-1894.	1.4	58
7	Genetically predicted testosterone and cardiovascular risk factors in men: a Mendelian randomization analysis in the Guangzhou Biobank Cohort Study. <i>International Journal of Epidemiology</i> , 2014, 43, 140-148.	0.9	48
8	Perinatal Antibiotic Exposure Affects the Transmission between Maternal and Neonatal Microbiota and Is Associated with Early-Onset Sepsis. <i>MSphere</i> , 2020, 5, .	1.3	47
9	Moderate Alcohol Use and Cardiovascular Disease from Mendelian Randomization. <i>PLoS ONE</i> , 2013, 8, e68054.	1.1	44
10	A functional variant (1304T>G) in the MKK4 promoter contributes to a decreased risk of lung cancer by increasing the promoter activity. <i>Carcinogenesis</i> , 2010, 31, 1405-1411.	1.3	40
11	Association between polymorphisms in SOD1 and noise-induced hearing loss in Chinese workers. <i>Acta Oto-Laryngologica</i> , 2010, 130, 477-486.	0.3	37
12	Uric acid levels, even in the normal range, are associated with increased cardiovascular risk: The Guangzhou Biobank Cohort Study. <i>International Journal of Cardiology</i> , 2013, 168, 2238-2241.	0.8	37
13	Is aldehyde dehydrogenase 2 a credible genetic instrument for alcohol use in Mendelian randomization analysis in Southern Chinese men?. <i>International Journal of Epidemiology</i> , 2013, 42, 318-328.	0.9	36
14	Interleukin-6 Receptor Gene Polymorphism Modulates Interleukin-6 Levels and the Metabolic Syndrome: GBCS-CVD. <i>Obesity</i> , 2010, 18, 1969-1974.	1.5	33
15	SOD2 V16A SNP in the Mitochondrial Targeting Sequence is Associated with Noise Induced Hearing Loss in Chinese Workers. <i>Disease Markers</i> , 2010, 28, 137-147.	0.6	32
16	The protective role of polymorphism MKK4 1304 T>G in nasopharyngeal carcinoma is modulated by Epstein-Barr virus' infection status. <i>International Journal of Cancer</i> , 2012, 130, 1981-1990.	2.3	32
17	Association of a genetic variant in the apolipoprotein A5 gene with the metabolic syndrome in Chinese. <i>Clinical Endocrinology</i> , 2011, 74, 206-213.	1.2	30
18	WWOX, the FRA16D gene: A target of and a contributor to genomic instability. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 324-338.	1.5	28

#	ARTICLE	IF	CITATIONS
19	Smoking, smoking cessation and aortic arch calcification in older Chinese: The Guangzhou Biobank Cohort Study. <i>Atherosclerosis</i> , 2009, 202, 529-534.	0.4	27
20	A single nucleotide polymorphism in APOA5 determines triglyceride levels in Hong Kong and Guangzhou Chinese. <i>European Journal of Human Genetics</i> , 2010, 18, 1255-1260.	1.4	27
21	Effect of alcohol and aldehyde dehydrogenase gene polymorphisms on alcohol-associated hypertension: the Guangzhou Biobank Cohort Study. <i>Hypertension Research</i> , 2013, 36, 741-746.	1.5	27
22	Brachial-ankle pulse wave velocity and cardiovascular risk factors in the non-diabetic and newly diagnosed diabetic Chinese: Guangzhou Biobank Cohort Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 133-139.	1.7	24
23	A Common Genetic Variant (97906C>A) of DAB2IP/AIP1 Is Associated with an Increased Risk and Early Onset of Lung Cancer in Chinese Males. <i>PLoS ONE</i> , 2011, 6, e26944.	1.1	21
24	Functional genetic variants of <i>c-Jun</i> and their interaction with smoking and drinking increase the susceptibility to lung cancer in southern and eastern Chinese. <i>International Journal of Cancer</i> , 2012, 131, E744-58.	2.3	19
25	The Metabolic syndrome is associated with subclinical atherosclerosis independent of insulin resistance: the Guangzhou Biobank Cohort Study. <i>Clinical Endocrinology</i> , 2010, 73, 181-188.	1.2	17
26	A polymorphism in transforming growth factor- β 1 is associated with carotid plaques and increased carotid intima-media thickness in older Chinese men: The Guangzhou Biobank Cohort Study-Cardiovascular Disease Subcohort. <i>Atherosclerosis</i> , 2011, 214, 391-396.	0.4	17
27	Significance of increasing adhesion of cord blood hematopoietic cells and a new method: Platelet microparticles. <i>American Journal of Hematology</i> , 2003, 74, 216-217.	2.0	15
28	Alcohol consumption and electrocardiographic left ventricular hypertrophy and mediation by elevated blood pressure in older Chinese men: The Guangzhou Biobank Cohort Study. <i>Alcohol</i> , 2013, 47, 473-480.	0.8	15
29	The effect of functional <i>MAPKAPK2</i> copy number variation CNV-30450 on elevating nasopharyngeal carcinoma risk is modulated by EBV infection. <i>Carcinogenesis</i> , 2014, 35, 46-52.	1.3	15
30	Influence of Alzheimer's disease genes on cognitive decline: the Guangzhou Biobank Cohort Study. <i>Neurobiology of Aging</i> , 2014, 35, 2422.e3-2422.e8.	1.5	15
31	<i>Sipa1</i> promoter polymorphism predicts risk and metastasis of lung cancer in Chinese. <i>Molecular Carcinogenesis</i> , 2013, 52, 110-117.	1.3	14
32	Alcohol sensitivity, alcohol use and hypertension in an older Chinese population: the Guangzhou Biobank Cohort Study. <i>Hypertension Research</i> , 2009, 32, 741-747.	1.5	13
33	Functional variant (A>G) in the <i>MKK4</i> promoter is associated with decreased risk of acute myeloid leukemia in a southern Chinese population. <i>Cancer Science</i> , 2011, 102, 1462-1468.	1.7	13
34	A Mendelian randomization study of testosterone and cognition in men. <i>Scientific Reports</i> , 2016, 6, 21306.	1.6	13
35	Genetically predicted testosterone and electrocardiographic QT interval duration in Chinese: a Mendelian randomization analysis in the Guangzhou Biobank Cohort Study. <i>International Journal of Epidemiology</i> , 2015, 44, 613-620.	0.9	12
36	Genetic Polymorphism of ADORA2A Is Associated With the Risk of Epilepsy and Predisposition to Neurologic Comorbidity in Chinese Southern Children. <i>Frontiers in Neuroscience</i> , 2020, 14, 590605.	1.4	12

#	ARTICLE	IF	CITATIONS
37	Free DNA, a reason for severe COVID-19 infection?. <i>Medical Hypotheses</i> , 2020, 142, 109812.	0.8	12
38	Evaluation of Moderate Alcohol Use With QT Interval and Heart Rate Using Mendelian Randomization Analysis Among Older Southern Chinese Men in the Guangzhou Biobank Cohort Study. <i>American Journal of Epidemiology</i> , 2015, 182, 320-327.	1.6	11
39	Genetically Predicted Testosterone and Systemic Inflammation in Men: A Separate-Sample Mendelian Randomization Analysis in Older Chinese Men. <i>PLoS ONE</i> , 2015, 10, e0126442.	1.1	7
40	Characteristics of Peripheral Immune Function in Reproductive Females with Uterine Leiomyoma. <i>Journal of Oncology</i> , 2019, 2019, 1-12.	0.6	7
41	Alcohol sensitivity, alcohol use and high-sensitivity C-reactive protein in older Chinese men: The Guangzhou Biobank Cohort Study. <i>Alcohol</i> , 2016, 57, 41-48.	0.8	6
42	The risk of endometriosis by early menarche is recently increased: a meta-analysis of literature published from 2000 to 2020. <i>Archives of Gynecology and Obstetrics</i> , 2023, 307, 59-69.	0.8	6
43	XPC rs873601 G>A contributes to uterine leiomyoma susceptibility in a Southern Chinese population. <i>Bioscience Reports</i> , 2018, 38, .	1.1	5
44	Circulating PD1+VÎ1+Î3Î T Cell Predicts Fertility in Endometrial Polyp Patients of Reproductive-Age. <i>Frontiers in Immunology</i> , 2021, 12, 639221.	2.2	5
45	Association of the Dusp6 (Mkp3) Gene With Mouse Brain Weight and Forebrain Structure. <i>Journal of Child Neurology</i> , 2008, 23, 624-627.	0.7	3
46	Aldehyde dehydrogenase 2â€”a potential genetic risk factor for lung function among southern Chinese: evidence from the Guangzhou Biobank Cohort Study. <i>Annals of Epidemiology</i> , 2014, 24, 606-611.	0.9	3
47	Polymorphisms in XPC Gene and Risk of Uterine Leiomyoma in Reproductive Women. <i>Pathology and Oncology Research</i> , 2020, 26, 1459-1464.	0.9	3
48	Circulating CD56+ NKG2D+ NK cells and postoperative fertility in ovarian endometrioma. <i>Scientific Reports</i> , 2020, 10, 18598.	1.6	3
49	LIN28B Polymorphisms Confer a Higher Postoperative Recurrence Risk in Reproductive-Age Women with Endometrial Polyps. <i>Disease Markers</i> , 2022, 2022, 1-9.	0.6	1