

Bin Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/375692/publications.pdf>

Version: 2024-02-01

49
papers

1,427
citations

304368

22
h-index

329751

37
g-index

50
all docs

50
docs citations

50
times ranked

2229
citing authors

#	ARTICLE	IF	CITATIONS
1	The risk of endometriosis by early menarche is recently increased: a meta-analysis of literature published from 2000 to 2020. Archives of Gynecology and Obstetrics, 2023, 307, 59-69.	0.8	6
2	LIN28B Polymorphisms Confer a Higher Postoperative Recurrence Risk in Reproductive-Age Women with Endometrial Polyps. Disease Markers, 2022, 2022, 1-9.	0.6	1
3	Circulating PD1+VÎ1+Î³Î T Cell Predicts Fertility in Endometrial Polyp Patients of Reproductive-Age. Frontiers in Immunology, 2021, 12, 639221.	2.2	5
4	Polymorphisms in XPC Gene and Risk of Uterine Leiomyoma in Reproductive Women. Pathology and Oncology Research, 2020, 26, 1459-1464.	0.9	3
5	Circulating CD56+ NKG2D+ NK cells and postoperative fertility in ovarian endometrioma. Scientific Reports, 2020, 10, 18598.	1.6	3
6	Genetic Polymorphism of ADORA2A Is Associated With the Risk of Epilepsy and Predisposition to Neurologic Comorbidity in Chinese Southern Children. Frontiers in Neuroscience, 2020, 14, 590605.	1.4	12
7	Free DNA, a reason for severe COVID-19 infection?. Medical Hypotheses, 2020, 142, 109812.	0.8	12
8	Perinatal Antibiotic Exposure Affects the Transmission between Maternal and Neonatal Microbiota and Is Associated with Early-Onset Sepsis. MSphere, 2020, 5, .	1.3	47
9	Characteristics of Peripheral Immune Function in Reproductive Females with Uterine Leiomyoma. Journal of Oncology, 2019, 2019, 1-12.	0.6	7
10	WWOX, the FRA16D gene: A target of and a contributor to genomic instability. Genes Chromosomes and Cancer, 2019, 58, 324-338.	1.5	28
11	XPG rs873601 G>A contributes to uterine leiomyoma susceptibility in a Southern Chinese population. Bioscience Reports, 2018, 38, .	1.1	5
12	A Mendelian randomization study of testosterone and cognition in men. Scientific Reports, 2016, 6, 21306.	1.6	13
13	Alcohol sensitivity, alcohol use and high-sensitivity C-reactive protein in older Chinese men: The Guangzhou Biobank Cohort Study. Alcohol, 2016, 57, 41-48.	0.8	6
14	Genetically Predicted Testosterone and Systemic Inflammation in Men: A Separate-Sample Mendelian Randomization Analysis in Older Chinese Men. PLoS ONE, 2015, 10, e0126442.	1.1	7
15	Genetically predicted testosterone and electrocardiographic QT interval duration in Chinese: a Mendelian randomization analysis in the Guangzhou Biobank Cohort Study. International Journal of Epidemiology, 2015, 44, 613-620.	0.9	12
16	Evaluation of Moderate Alcohol Use With QT Interval and Heart Rate Using Mendelian Randomization Analysis Among Older Southern Chinese Men in the Guangzhou Biobank Cohort Study. American Journal of Epidemiology, 2015, 182, 320-327.	1.6	11
17	Genetically predicted testosterone and cardiovascular risk factors in men: a Mendelian randomization analysis in the Guangzhou Biobank Cohort Study. International Journal of Epidemiology, 2014, 43, 140-148.	0.9	48
18	The effect of functional<i>MAPKAPK2</i> copy number variation CNV-30450 on elevating nasopharyngeal carcinoma risk is modulated by EBV infection. Carcinogenesis, 2014, 35, 46-52.	1.3	15

#	ARTICLE	IF	CITATIONS
19	Influence of Alzheimer's disease genes on cognitive decline: the Guangzhou Biobank Cohort Study. <i>Neurobiology of Aging</i> , 2014, 35, 2422.e3-2422.e8.	1.5	15
20	Aldehyde dehydrogenase 2â€”a potential genetic risk factor for lung function among southern Chinese: evidence from the Guangzhou Biobank Cohort Study. <i>Annals of Epidemiology</i> , 2014, 24, 606-611.	0.9	3
21	<i>Sipa1</i> promoter polymorphism predicts risk and metastasis of lung cancer in Chinese. <i>Molecular Carcinogenesis</i> , 2013, 52, 110-117.	1.3	14
22	Uric acid levels, even in the normal range, are associated with increased cardiovascular risk: The Guangzhou Biobank Cohort Study. <i>International Journal of Cardiology</i> , 2013, 168, 2238-2241.	0.8	37
23	Alcohol consumption and electrocardiographic left ventricular hypertrophy and mediation by elevated blood pressure in older Chinese men: The Guangzhou Biobank Cohort Study. <i>Alcohol</i> , 2013, 47, 473-480.	0.8	15
24	A functional copy number variation in the <i>WWOX</i> gene is associated with lung cancer risk in Chinese. <i>Human Molecular Genetics</i> , 2013, 22, 1886-1894.	1.4	58
25	Is aldehyde dehydrogenase 2 a credible genetic instrument for alcohol use in Mendelian randomization analysis in Southern Chinese men?. <i>International Journal of Epidemiology</i> , 2013, 42, 318-328.	0.9	36
26	Effect of alcohol and aldehyde dehydrogenase gene polymorphisms on alcohol-associated hypertension: the Guangzhou Biobank Cohort Study. <i>Hypertension Research</i> , 2013, 36, 741-746.	1.5	27
27	Moderate Alcohol Use and Cardiovascular Disease from Mendelian Randomization. <i>PLoS ONE</i> , 2013, 8, e68054.	1.1	44
28	A functional polymorphism at microRNA-629-binding site in the 3â€²-untranslated region of <i>NBS1</i> gene confers an increased risk of lung cancer in Southern and Eastern Chinese population. <i>Carcinogenesis</i> , 2012, 33, 338-347.	1.3	80
29	A Functional Copy-Number Variation in <i>MAPKAPK2</i> Predicts Risk and Prognosis of Lung Cancer. <i>American Journal of Human Genetics</i> , 2012, 91, 384-390.	2.6	61
30	Functional genetic variants of <i>c-Jun</i> and their interaction with smoking and drinking increase the susceptibility to lung cancer in southern and eastern Chinese. <i>International Journal of Cancer</i> , 2012, 131, E744-58.	2.3	19
31	The protective role of polymorphism <i>MKK4</i> 1304 T>C in nasopharyngeal carcinoma is modulated by Epsteinâ€”Barr virus' infection status. <i>International Journal of Cancer</i> , 2012, 130, 1981-1990.	2.3	32
32	A polymorphism in transforming growth factor- β 1 is associated with carotid plaques and increased carotid intima-media thickness in older Chinese men: The Guangzhou Biobank Cohort Study-Cardiovascular Disease Subcohort. <i>Atherosclerosis</i> , 2011, 214, 391-396.	0.4	17
33	Short or Long Sleep Duration Is Associated with Memory Impairment in Older Chinese: the Guangzhou Biobank Cohort Study. <i>Sleep</i> , 2011, 34, 575-580.	0.6	142
34	A Common Genetic Variant (97906C>A) of <i>DAB2IP/AIP1</i> Is Associated with an Increased Risk and Early Onset of Lung Cancer in Chinese Males. <i>PLoS ONE</i> , 2011, 6, e26944.	1.1	21
35	Functional variant (\sim 1304T>C) in the <i>MKK4</i> promoter is associated with decreased risk of acute myeloid leukemia in a southern Chinese population. <i>Cancer Science</i> , 2011, 102, 1462-1468.	1.7	13
36	Association of a genetic variant in the apolipoprotein A5 gene with the metabolic syndrome in Chinese. <i>Clinical Endocrinology</i> , 2011, 74, 206-213.	1.2	30

#	ARTICLE	IF	CITATIONS
37	The polymorphism and haplotypes of PIN1 gene are associated with the risk of lung cancer in southern and eastern Chinese populations. <i>Human Mutation</i> , 2011, 32, 1299-1308.	1.1	59
38	The Metabolic syndrome is associated with subclinical atherosclerosis independent of insulin resistance: the Guangzhou Biobank Cohort Study. <i>Clinical Endocrinology</i> , 2010, 73, 181-188.	1.2	17
39	Brachial-ankle pulse wave velocity and cardiovascular risk factors in the non-diabetic and newly diagnosed diabetic Chinese: Guangzhou Biobank Cohort Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 133-139.	1.7	24
40	Interleukin-6 Receptor Gene Polymorphism Modulates Interleukin-6 Levels and the Metabolic Syndrome: GBCS. <i>Obesity</i> , 2010, 18, 1969-1974.	1.5	33
41	A single nucleotide polymorphism in APOA5 determines triglyceride levels in Hong Kong and Guangzhou Chinese. <i>European Journal of Human Genetics</i> , 2010, 18, 1255-1260.	1.4	27
42	SOD2 V16A SNP in the Mitochondrial Targeting Sequence is Associated with Noise Induced Hearing Loss in Chinese Workers. <i>Disease Markers</i> , 2010, 28, 137-147.	0.6	32
43	Association between polymorphisms in SOD1 and noise-induced hearing loss in Chinese workers. <i>Acta Oto-Laryngologica</i> , 2010, 130, 477-486.	0.3	37
44	A functional variant ($\sim 1304T>G$) in the MKK4 promoter contributes to a decreased risk of lung cancer by increasing the promoter activity. <i>Carcinogenesis</i> , 2010, 31, 1405-1411.	1.3	40
45	Alcohol sensitivity, alcohol use and hypertension in an older Chinese population: the Guangzhou Biobank Cohort Study. <i>Hypertension Research</i> , 2009, 32, 741-747.	1.5	13
46	Smoking, smoking cessation and aortic arch calcification in older Chinese: The Guangzhou Biobank Cohort Study. <i>Atherosclerosis</i> , 2009, 202, 529-534.	0.4	27
47	Association of the Dusp6 (Mkp3) Gene With Mouse Brain Weight and Forebrain Structure. <i>Journal of Child Neurology</i> , 2008, 23, 624-627.	0.7	3
48	Cohort Profile: The Guangzhou Biobank Cohort Study, a Guangzhou-Hong Kong-Birmingham collaboration. <i>International Journal of Epidemiology</i> , 2006, 35, 844-852.	0.9	194
49	Significance of increasing adhesion of cord blood hematopoietic cells and a new method: Platelet microparticles. <i>American Journal of Hematology</i> , 2003, 74, 216-217.	2.0	15