Domenica Tonelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3757715/publications.pdf

Version: 2024-02-01

82 papers

2,262 citations

186265 28 h-index 254184 43 g-index

82 all docs 82 docs citations

82 times ranked 2824 citing authors

| # | Article | IF | Citations |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Electrosynthesis of Ni/Al layered double hydroxide and reduced graphene oxide composites for the development of hybrid capacitors. Electrochimica Acta, 2021, 365, 137294. | 5.2 | 19 |
| 2 | Electrosynthesis and characterization of Layered Double Hydroxides on different supports. Applied Clay Science, 2021, 202, 105949. | 5.2 | 5 |
| 3 | Synthesis and Characterization of Layered Double Hydroxides as Materials for Electrocatalytic Applications. Nanomaterials, 2021, 11, 725. | 4.1 | 28 |
| 4 | Advanced Wound Dressing for Real-Time pH Monitoring. ACS Sensors, 2021, 6, 2366-2377. | 7.8 | 54 |
| 5 | Cyclopentadienone–NHC iron(0) complexes as low valent electrocatalysts for water oxidation. Catalysis Science and Technology, 2021, 11, 1407-1418. | 4.1 | 4 |
| 6 | A Wearable Electrochemical Gas Sensor for Ammonia Detection. Sensors, 2021, 21, 7905. | 3.8 | 21 |
| 7 | Nanostructured Copper-Based Electrodes Electrochemically Synthesized on a Carbonaceous Gas Diffusion Membrane with Catalytic Activity for the Electroreduction of CO ₂ . ACS Applied Materials & Activity Interfaces, 2021, 13, 57451-57461. | 8.0 | 5 |
| 8 | Detailing the Self-Discharge of a Cathode Based on a Prussian Blue Analogue. Energies, 2020, 13, 4027. | 3.1 | 6 |
| 9 | Different Electrochemical Sensor Designs Based on Diazonium Salts and Gold Nanoparticles for Pico Molar Detection of Metals. Molecules, 2020, 25, 3903. | 3.8 | 17 |
| 10 | Design of an electrochemically gated organic semiconductor for pH sensing. Electrochemistry Communications, 2020, 116, 106763. | 4.7 | 17 |
| 11 | Needle-type organic electrochemical transistor for spatially resolved detection of dopamine. Mikrochimica Acta, 2020, 187, 378. | 5.0 | 10 |
| 12 | Layered Double Hydroxide-Modified Organic Electrochemical Transistor for Glucose and Lactate Biosensing. Sensors, 2020, 20, 3453. | 3.8 | 39 |
| 13 | Electrochemical Approach for the Production of Layered Double Hydroxides with a Wellâ€Defined Co/Me ^{III} Ratio. Chemistry - A European Journal, 2019, 25, 16301-16310. | 3.3 | 7 |
| 14 | SKPFM investigations of intermetallic compounds of innovative Er―and Zr ontaining Al–Si–Mg alloys and their influence on corrosion localization in saline solution. Materials and Corrosion - Werkstoffe Und Korrosion, 2019, 70, 1570-1577. | 1.5 | 1 |
| 15 | Electrochemical Deposition of Nanomaterials for Electrochemical Sensing. Sensors, 2019, 19, 1186. | 3.8 | 119 |
| 16 | Newly developed electrochemical synthesis of Co-based layered double hydroxides: toward noble metal-free electro-catalysis. Journal of Materials Chemistry A, 2019, 7, 11241-11249. | 10.3 | 34 |
| 17 | Organic Electrochemical Transistors as Versatile Analytical Potentiometric Sensors. Frontiers in Bioengineering and Biotechnology, 2019, 7, 354. | 4.1 | 17 |
| 18 | Ni/Al Layered Double Hydroxide and Carbon Nanomaterial Composites for Glucose Sensing. ACS Applied Nano Materials, 2019, 2, 143-155. | 5.0 | 29 |

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Effect of metal nitrate concentration on the electrodeposition of hydrotalcite-like compounds on open-cell foams. Applied Clay Science, 2018, 151, 109-117. | 5.2 | 8 |
| 20 | Hydrotalcite-Type Materials Electrodeposited on Open-Cell Metallic Foams as Structured Catalysts. Inorganics, 2018, 6, 74. | 2.7 | 1 |
| 21 | Nanoparticle gated semiconducting polymer for a new generation of electrochemical sensors. Sensors and Actuators B: Chemical, 2018, 273, 834-841. | 7.8 | 24 |
| 22 | Copper-cobalt hexacyanoferrate modified glassy carbon electrode for an indirect electrochemical determination of mercury. Sensors and Actuators B: Chemical, 2017, 238, 9-15. | 7.8 | 18 |
| 23 | Electrochemically synthesized cobalt redox active layered double hydroxides for supercapacitors development. Applied Clay Science, 2017, 143, 151-158. | 5.2 | 24 |
| 24 | Electrochemical behavior of reduced graphene oxide and multi-walled carbon nanotubes composites for catechol and dopamine oxidation. Electrochimica Acta, 2017, 246, 415-423. | 5.2 | 28 |
| 25 | Amperometric biosensors based on reduced GO and MWCNTs composite for polyphenols detection in fruit juices. Journal of Electroanalytical Chemistry, 2017, 799, 285-292. | 3.8 | 50 |
| 26 | Analytical profiling of selected antioxidants and total antioxidant capacity of goji (Lycium spp.) berries. Journal of Pharmaceutical and Biomedical Analysis, 2017, 143, 252-260. | 2.8 | 42 |
| 27 | Effect of the Synthesis Route and Fe Presence on the Redox Activity of Ni in Layered Double Hydroxides. ChemElectroChem, 2016, 3, 1320-1328. | 3.4 | 14 |
| 28 | Role of Fe in the oxidation of methanol electrocatalyzed by Ni based layered double hydroxides: X-ray spectroscopic and electrochemical studies. RSC Advances, 2016, 6, 110976-110985. | 3.6 | 24 |
| 29 | Reactions involved in the electrodeposition of hydrotalcite-type compounds on FeCrAlloy foams and plates. Electrochimica Acta, 2016, 222, 1335-1344. | 5.2 | 15 |
| 30 | Selective detection of dopamine with an all PEDOT:PSS Organic Electrochemical Transistor. Scientific Reports, 2016, 6, 35419. | 3.3 | 125 |
| 31 | Speciation of Gold Nanoparticles by Ex Situ Extended X-ray Absorption Fine Structure and X-ray Absorption Near Edge Structure. Analytical Chemistry, 2016, 88, 6873-6880. | 6.5 | 9 |
| 32 | Iron vs Aluminum Based Layered Double Hydroxides as Water Splitting Catalysts. Electrochimica Acta, 2016, 188, 653-660. | 5.2 | 49 |
| 33 | Electrocatalytic determination of thiols using hybrid copper cobalt hexacyanoferrate modified glassy carbon electrode. Sensors and Actuators B: Chemical, 2016, 228, 16-24. | 7.8 | 17 |
| 34 | Assessment of the Antioxidant Capacity of Standard Compounds and Fruit Juices by a Newly Developed Electrochemical Method: Comparative Study with Results from Other Analytical Methods. Electroanalysis, 2015, 27, 1906-1914. | 2.9 | 7 |
| 35 | Optically active, regioregular, head-to-head/tail-to-tail poly(3-alkyl)thiophene by inherently regiospecific oxidative synthesis from $3,3\hat{a}\in^2$ -dialkyl $2,2\hat{a}\in^2$ -bithiophene monomer. Synthetic Metals, 2015, 202, 169-176. | 3.9 | 2 |
| 36 | Improvement in the coating homogeneity in electrosynthesized Rh structured catalysts for the partial oxidation of methane. Catalysis Today, 2015, 246, 154-164. | 4.4 | 22 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Co/Al layered double hydroxide coated electrode for in flow amperometric detection of sugars. Electrochimica Acta, 2015, 173, 67-75. | 5.2 | 29 |
| 38 | Electrodeposition of PEDOT perchlorate as an alternative route to PEDOT:PSS for the development of bulk heterojunction solar cells. Journal of Solid State Electrochemistry, 2015, 19, 1685-1693. | 2.5 | 20 |
| 39 | Electrodeposition of Layered Double Hydroxides on platinum: Insights into the reactions sequence. Electrochimica Acta, 2015, 152, 75-83. | 5.2 | 35 |
| 40 | Copper hexacyanoferrate modified electrodes for hydrogen peroxide detection as studied by X-ray absorption spectroscopy. Journal of Solid State Electrochemistry, 2014, 18, 965-973. | 2.5 | 18 |
| 41 | Electrochemically deposited thiophene-based polymers as protective agents for Prussian Blue thin films. Journal of Solid State Electrochemistry, 2014, 18, 2731-2742. | 2.5 | 4 |
| 42 | Analytical performances of Ni LDH films electrochemically deposited on Pt surfaces: Phenol and glucose detection. Journal of Electroanalytical Chemistry, 2014, 722-723, 15-22. | 3.8 | 26 |
| 43 | A Polypyrrole Based Sensor for the Electrochemical Detection of OH Radicals. Electroanalysis, 2014, 26, 1544-1550. | 2.9 | 14 |
| 44 | Pure copper vs. mixed copper and palladium hexacyanoferrates for glucose biosensing applications. Journal of Solid State Electrochemistry, 2013, 17, 2805-2814. | 2.5 | 8 |
| 45 | Dendritic silver nanostructures obtained via one-step electrosynthesis: effect of nonanesulfonic acid and polyvinylpyrrolidone as additives on the analytical performance for hydrogen peroxide sensing. Journal of Nanoparticle Research, 2013, 15, 1. | 1.9 | 11 |
| 46 | Electrosynthesis of Ni/Al and Mg/Al Layered Double Hydroxides on Pt and FeCrAlloy supports: Study and control of the pH near the electrode surface. Electrochimica Acta, 2013, 108, 596-604. | 5.2 | 22 |
| 47 | Layered-double-hydroxide-modified electrodes: electroanalytical applications. Analytical and Bioanalytical Chemistry, 2013, 405, 603-614. | 3.7 | 97 |
| 48 | A new electrochemical sensor for OH radicals detection. Talanta, 2013, 115, 779-786. | 5.5 | 19 |
| 49 | Structural characterization of electrodeposited copper hexacyanoferrate films by using a spectroscopic multi-technique approach. Physical Chemistry Chemical Physics, 2012, 14, 5527. | 2.8 | 68 |
| 50 | Synthesis Route to Supported Gold Nanoparticle Layered Double Hydroxides as Efficient Catalysts in the Electrooxidation of Methanol. Langmuir, 2012, 28, 15065-15074. | 3.5 | 38 |
| 51 | An insight into the electrochemical behavior of Co/Al layered double hydroxide thin films prepared by electrodeposition. Journal of Power Sources, 2012, 201, 360-367. | 7.8 | 35 |
| 52 | An XPS investigation on glucose oxidase and Ni/Al hydrotalcite interaction. Surface and Interface Analysis, 2011, 43, 816-822. | 1.8 | 16 |
| 53 | Electrocatalytic oxidation of salicylic acid by a cobalt hydrotalcite-like compound modified Pt electrode. Biosensors and Bioelectronics, 2011, 26, 3200-3206. | 10.1 | 56 |
| 54 | Electrosynthesis and characterization of a conductive polythiophene deriving from a terthiophene monomer. Electrochimica Acta, 2011, 56, 6976-6981. | 5.2 | 9 |

| # | Article | IF | Citations |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 55 | A novel potentiometric sensor for l-ascorbic acid based on molecularly imprinted polypyrrole. Electrochimica Acta, 2011, 56, 7149-7154. | 5.2 | 61 |
| 56 | Electrocatalytic Performances of Pure and Mixed Hexacyanoferrates of Cu and Pd for the Reduction of Hydrogen Peroxide. Electroanalysis, 2010, 22, 1695-1701. | 2.9 | 17 |
| 57 | Ni(OH)2 versus Ni/Al layered double hydroxides as matrices to immobilize glucose oxidase. Electrochimica Acta, 2010, 55, 1217-1220. | 5.2 | 22 |
| 58 | Effects of different additives on bimetallic Au–Pt nanoparticles electrodeposited onto indium tin oxide electrodes. Electrochimica Acta, 2010, 55, 6789-6795. | 5.2 | 11 |
| 59 | Ion Chromatographic Analysis of Hydroxyapatite. Analytical Letters, 2009, 42, 483-491. | 1.8 | 2 |
| 60 | Lactate Biosensor Based on Hydrotalcite‣ike Compounds: Performances and Application to Serum Samples. Electroanalysis, 2009, 21, 2401-2409. | 2.9 | 8 |
| 61 | Glyphosate and glufosinate detection at electrogenerated NiAl-LDH thin films. Analytica Chimica Acta, 2009, 654, 97-102. | 5.4 | 88 |
| 62 | Comparative study of protective membranes for glucose biosensors based on electrodeposited hydrotalcites. Sensors and Actuators B: Chemical, 2009, 136, 196-202. | 7.8 | 11 |
| 63 | Electrochemical synthesis of novel structured catalysts for H2 production. Applied Catalysis B: Environmental, 2009, 91, 563-572. | 20.2 | 46 |
| 64 | Amperometric Glucose Biosensors Based on Glassy Carbon and SWCNTâ€Modified Glassy Carbon Electrodes. Electroanalysis, 2008, 20, 84-90. | 2.9 | 9 |
| 65 | Antiâ€Interferent Properties of Oxidized Nickel Based on Layered Double Hydroxide in Glucose Amperometric Biosensors. Electroanalysis, 2008, 20, 2199-2204. | 2.9 | 21 |
| 66 | Direct quantification of test bacteria in synthetic water-polluted samples by square wave voltammetry and chemometric methods. Biosensors and Bioelectronics, 2008, 23, 959-964. | 10.1 | 9 |
| 67 | Electrosynthesis of Thin Films of Ni, Al Hydrotalcite Like Compounds. Chemistry of Materials, 2007, 19, 4523-4529. | 6.7 | 100 |
| 68 | Electrodeposition of a nickel-based hydrotalcite on Pt nanoparticles for ethanol and glucose sensing. Electrochemistry Communications, 2007, 9, 2838-2842. | 4.7 | 46 |
| 69 | Microscopy techniques for the characterization of modified electrodes in the development of glucose biosensors. Sensors and Actuators B: Chemical, 2007, 126, 492-498. | 7.8 | 14 |
| 70 | Intercalation of Iron(III) Hexacyano Complex in a Ni,Al Hydrotalcite-like Compound. Journal of Physical Chemistry B, 2006, 110, 7265-7269. | 2.6 | 35 |
| 71 | Electrodeposited glucose oxidase/anionic clay for glucose biosensors design. Analytica Chimica Acta, 2006, 577, 98-106. | 5.4 | 49 |
| 72 | A new approach for the synthesis of K+-free nickel hexacyanoferrate. Journal of Solid State Chemistry, 2006, 179, 3981-3988. | 2.9 | 18 |

| # | Article | IF | CITATIONS |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Novel Poly(ethylene glycol)s Bearing Tributyltin Carboxylate End Groups as Ionophores in the Development of Chloride Ion-Selective Electrodes. Electroanalysis, 2006, 18, 1055-1062. | 2.9 | 1 |
| 74 | Electrooxidation of Aliphatic and Aromatic Amines at a Ni,Al Based Hydrotalcite Modified Electrode. Electroanalysis, 2006, 18, 2421-2425. | 2.9 | 18 |
| 7 5 | Amperometric Sensors Based on Synthetic Hydrotalcites and Their Application for Ethanol Detection in Beer. Electroanalysis, 2005, 17, 363-370. | 2.9 | 20 |
| 76 | Study on the intercalation of hexacyanoferrate(II) in a Ni, Al based hydrotalcite. Solid State Ionics, 2004, 168, 167-175. | 2.7 | 41 |
| 77 | Electrochemical sensor for indirect detection of bacterial population. Sensors and Actuators B: Chemical, 2004, 102, 331-335. | 7.8 | 15 |
| 78 | Nickel hexacyanoferrate membrane as a coated wire cation-selective electrode. Analyst, The, 2001, 126, 2168-2171. | 3.5 | 36 |
| 79 | Sulfate-selective electrodes based on hydrotalcites. Analytica Chimica Acta, 2001, 439, 265-272. | 5.4 | 62 |
| 80 | Anionic Clay Modified Electrode for Detection of Alcohols. An Electrocatalytic Amperometric Sensor. Electroanalysis, 2000, 12, 434-441. | 2.9 | 32 |
| 81 | Hydrotalcite-like compounds as ionophores for the development of anion potentiometric sensors. Journal of Electroanalytical Chemistry, 2000, 492, 7-14. | 3.8 | 34 |
| 82 | All PEDOT:PSS devices as low cost wearable chemical sensors. , 0, , . | | 0 |