Jos Manuel Nogueira

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/375890/jose-manuel-nogueira-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers5,876
citations44
h-index71
g-index159
ext. papers6,459
ext. citations4.5
avg, IF6.02
L-index

#	Paper	IF	Citations
156	Simple Analytical Strategy for Screening Three Synthetic Cathinones (PVT, PVP, and MDPV) in Oral Fluids. <i>Analytica Journal of Analytical Chemistry and Chemical Analysis</i> , 2022 , 3, 14-23	1.4	
155	Evaluation of Growing Wild in Tunisia for Its Potential as a Dietary Supplement. Foods, 2021, 10,	4.9	1
154	enzyme inhibitory and anti-oxidant properties, cytotoxicity and chemical composition of the halophyte (L.) R.Br. (Brassicaceae). <i>Natural Product Research</i> , 2021 , 35, 4753-4756	2.3	1
153	Seasonal Variations of the Nutritive Value and Phytotherapeutic Potential of L. (Pohl.) Targeting Ruminant's Production. <i>Plants</i> , 2021 , 10,	4.5	2
152	Application of Microextraction-Based Techniques for Screening-Controlled Drugs in Forensic Context-A Review. <i>Molecules</i> , 2021 , 26,	4.8	3
151	Atmospheric Trends of CO and CH4 from Extreme Wildfires in Portugal Using Sentinel-5P TROPOMI Level-2 Data. <i>Fire</i> , 2021 , 4, 25	2.4	4
150	Application of Bar Adsorptive Microextraction for the Determination of Levels of Tricyclic Antidepressants in Urine Samples. <i>Molecules</i> , 2021 , 26,	4.8	3
149	Supercritical Carbon Dioxide Extraction, Antioxidant Activity, and Fatty Acid Composition of Bran Oil from Rice Varieties Cultivated in Portugal. <i>Separations</i> , 2021 , 8, 115	3.1	2
148	Photocatalytic degradation of acetaminophen and caffeine using magnetite-hematite combined nanoparticles: kinetics and mechanisms. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 17228-	17243	4
147	Bar Adsorptive Microextraction Coated with Carbon-based Phase Mixtures for Performance-Enhancement to Monitor Selected Benzotriazoles, Benzothiazoles, and Benzenesulfonamides in Environmental Water Matrices. <i>Molecules</i> , 2020 , 25,	4.8	3
146	Carbon-Based Sorbent Coatings for the Determination of Pharmaceutical Compounds by Bar Adsorptive Microextraction <i>ACS Applied Bio Materials</i> , 2020 , 3, 2078-2091	4.1	4
145	A Fast and Validated High Throughput Bar Adsorptive Microextraction (HT-BAµ́E) Method for the Determination of Ketamine and Norketamine in Urine Samples. <i>Molecules</i> , 2020 , 25,	4.8	4
144	Lipid composition and some bioactivities of 3 newly isolated microalgae (Tetraselmis sp. IMP3, Tetraselmis sp. CTP4, and Skeletonema sp.). <i>Aquaculture International</i> , 2020 , 28, 711-727	2.6	15
143	High throughput bar adsorptive microextraction: A simple and effective analytical approach for the determination of nicotine and cotinine in urine samples. <i>Journal of Chromatography A</i> , 2020 , 1615, 4607	.50 5	3
142	Wild vs cultivated halophytes: Nutritional and functional differences. <i>Food Chemistry</i> , 2020 , 333, 127536	58.5	16
141	Dual-hollow fiber microextraction (dual-HFE) - application for monitoring trace levels of organochlorine pesticides in real matrices. <i>International Journal of Environmental Analytical Chemistry</i> , 2020 , 100, 1402-1414	1.8	
140	High throughput bar adsorptive microextraction: A novel cost-effective tool for monitoring benzodiazepines in large number of biological samples. <i>Talanta</i> , 2019 , 199, 195-202	6.2	14

(2017-2019)

139	Bar adsorptive microextraction coated with multi-walled carbon nanotube phases - Application for trace analysis of pharmaceuticals in environmental waters. <i>Journal of Chromatography A</i> , 2019 , 1600, 17-22	4.5	10
138	Multi-Spheres Adsorptive Microextraction (MSAE)-Application of a Novel Analytical Approach for Monitoring Chemical Anthropogenic Markers in Environmental Water Matrices. <i>Molecules</i> , 2019 , 24,	4.8	1
137	Exploring Caralluma europaea (Guss.) N.E.Br. as a potential source of bioactive molecules: In vitro antioxidant and antidiabetic properties, and phenolic profile of crude extracts and fractions. <i>Industrial Crops and Products</i> , 2019 , 139, 111527	5.9	7
136	Monitoring traces of organochlorine pesticides in herbal matrices by bar adsorptive microextraction [Application to black tea and tobacco. <i>International Journal of Environmental Analytical Chemistry</i> , 2019 , 1-15	1.8	2
135	An Overview on the Properties of Ximenia Oil Used as Cosmetic in Angola. <i>Biomolecules</i> , 2019 , 10,	5.9	4
134	Determination of Hydrophilic UV Filters in Real Matrices Using New-Generation Bar Adsorptive Microextraction Devices. <i>Separations</i> , 2019 , 6, 45	3.1	4
133	A comparative study of the in vitro enzyme inhibitory and antioxidant activities of Butea monosperma (Lam.) Taub. and Sesbania grandiflora (L.) Poiret from Pakistan: New sources of natural products for public health problems. <i>South African Journal of Botany</i> , 2019 , 120, 146-156	2.9	9
132	Coupling sea lavender (Limonium algarvense Erben) and green tea (Camellia sinensis (L.) Kuntze) to produce an innovative herbal beverage with enhanced enzymatic inhibitory properties. <i>South African Journal of Botany</i> , 2019 , 120, 87-94	2.9	12
131	New-generation bar adsorptive microextraction (BAE) devices for a better eco-user-friendly analytical approach-Application for the determination of antidepressant pharmaceuticals in biological fluids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 153, 126-134	3.5	20
130	Insight into the biological properties and phytochemical composition of Ballota macrodonta Boiss. et Balansa, Lan endemic medicinal plant from Turkey. <i>Industrial Crops and Products</i> , 2018 , 113, 422-428	5.9	12
129	Hollow fiber microextraction: a new hybrid microextraction technique for trace analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 2911-2920	4.4	11
128	First report of the in vitro antileishmanial properties of extremophile plants from the Algarve Coast. <i>Natural Product Research</i> , 2018 , 32, 600-604	2.3	7
127	Novel in vitro and in silico insights of the multi-biological activities and chemical composition of Bidens tripartita L. <i>Food and Chemical Toxicology</i> , 2018 , 111, 525-536	4.7	23
126	Sea rose (Armeria pungens (Link) Hoffmanns. & Link) as a potential source of innovative industrial products for anti-ageing applications. <i>Industrial Crops and Products</i> , 2018 , 121, 250-257	5.9	12
125	Application of polyurethane-based devices as sorption-desorption phases for microextraction analysis - The all-in-one microextraction concept. <i>Journal of Chromatography A</i> , 2017 , 1485, 1-7	4.5	3
124	Bar adsorptive microextraction technique - application for the determination of pharmaceuticals in real matrices. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2093-2106	4.4	8
123	Searching for new sources of innovative products for the food industry within halophyte aromatic plants: In vitro antioxidant activity and phenolic and mineral contents of infusions and decoctions of Crithmum maritimum L. <i>Food and Chemical Toxicology</i> , 2017 , 107, 581-589	4.7	41
122	Application of bar adsorptive microextraction to determine trace organic micro-pollutants in environmental water matrices. <i>International Journal of Environmental Analytical Chemistry</i> , 2017 , 97, 484-498	1.8	12

121	Biochemical profile and in vitro neuroprotective properties of Carpobrotus edulis L., a medicinal and edible halophyte native to the coast of South Africa. <i>South African Journal of Botany</i> , 2017 , 111, 22	2 -2 31	27
120	Unlocking the in vitro anti-inflammatory and antidiabetic potential of Polygonum maritimum. <i>Pharmaceutical Biology</i> , 2017 , 55, 1348-1357	3.8	19
119	Euphorbia denticulata Lam.: A promising source of phyto-pharmaceuticals for the development of novel functional formulations. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 87, 27-36	7.5	64
118	Stir Bar Sorptive Extraction. Comprehensive Analytical Chemistry, 2017, 76, 463-481	1.9	1
117	Profiling of antioxidant potential and phytoconstituents of Plantago coronopus. <i>Brazilian Journal of Biology</i> , 2017 , 77, 632-641	1.5	15
116	Monitoring trace levels of hydroxy aromatic compounds in urine matrices by bar adsorptive microextraction (BAE). <i>Analytical Methods</i> , 2017 , 9, 5260-5265	3.2	4
115	Enhancement for trace analysis of sulfonamide antibiotics in water matrices using bar adsorptive microextraction (BAE). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 129, 593-599	3.5	21
114	Determination of trace levels of triazines in corn matrices by bar adsorptive microextraction with a molecularly imprinted polymer. <i>Journal of Separation Science</i> , 2016 , 39, 756-61	3.4	11
113	Determination of Trace Levels of Irgarol in Estuarine Water Matrices by Bar Adsorptive Microextraction. <i>Journal of Chromatographic Science</i> , 2016 , 54, 1453-9	1.4	
112	In vitro antioxidant and anti-inflammatory properties of Limonium algarvense flowersTinfusions and decoctions: A comparison with green tea (Camellia sinensis). <i>Food Chemistry</i> , 2016 , 200, 322-9	8.5	59
111	Bar adsorptive microextraction (BAE) coated with mixed sorbent phases-Enhanced selectivity for the determination of non-steroidal anti-inflammatory drugs in real matrices in combination with capillary electrophoresis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical</i>	3.2	24
110	Isololiolide, a carotenoid metabolite isolated from the brown alga Cystoseira tamariscifolia, is cytotoxic and able to induce apoptosis in hepatocarcinoma cells through caspase-3 activation, decreased Bcl-2 levels, increased p53 expression and PARP cleavage. <i>Phytomedicine</i> , 2016 , 23, 550-7	6.5	43
109	Stir-bar sorptive extraction: 15 years making sample preparation more environment-friendly. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 71, 214-223	14.6	102
108	Determination of mitragynine in urine matrices by bar adsorptive microextraction and HPLC analysis. <i>Talanta</i> , 2015 , 144, 105-9	6.2	14
107	Unravelling the antioxidant potential and the phenolic composition of different anatomical organs of the marine halophyte Limonium algarvense. <i>Industrial Crops and Products</i> , 2015 , 77, 315-322	5.9	47
106	Phenolic composition, antioxidant potential and in vitro inhibitory activity of leaves and acorns of Quercus suber on key enzymes relevant for hyperglycemia and Alzheimer disease. <i>Industrial Crops and Products</i> , 2015 , 64, 45-51	5.9	69
105	Novel insights for permeant lead structures through in vitro skin diffusion assays of Prunus lusitanica L., the Portugal Laurel. <i>Journal of Molecular Structure</i> , 2015 , 1079, 327-336	3.4	2
104	Biological Activities and Chemical Composition of Methanolic Extracts of Selected Autochthonous Microalgae Strains from the Red Sea. <i>Marine Drugs</i> , 2015 , 13, 3531-49	6	31

103	In vitro antioxidant and inhibitory activity of water decoctions of carob tree (Ceratonia siliqua L.) on cholinesterases, Eamylase and Eglucosidase. <i>Natural Product Research</i> , 2015 , 29, 2155-9	2.3	21
102	Determination of steroid sex hormones in real matrices by bar adsorptive microextraction (BAE). Talanta, 2015, 136, 145-54	5.2	32
101	In vitro antitumoral activity of compounds isolated from Artemisia gorgonum Webb. <i>Phytotherapy Research</i> , 2014 , 28, 1329-34	5.7	12
100	Determination of trace levels of parabens in real matrices by bar adsorptive microextraction using selective sorbent phases. <i>Journal of Chromatography A</i> , 2014 , 1348, 17-26	4.5	44
99	Improvements on bar adsorptive microextraction (BAE) techniqueapplication for the determination of insecticide repellents in environmental water matrices. <i>Talanta</i> , 2014 , 120, 126-34	5.2	27
98	Chemical composition of essential oil of Psidium guajava L. growing in Tunisia. <i>Industrial Crops and Products</i> , 2014 , 52, 29-31	5.9	30
97	Chemical Variability of Two Essential Oils of Tunisian Rue: Ruta montana and Ruta chalepensis. Journal of Essential Oil-bearing Plants: JEOP, 2014 , 17, 445-451	1.7	6
96	Application of bar adsorptive microextraction (BAE) for anti-doping control screening of anabolic steroids in urine matrices. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 969, 35-41	3.2	17
95	Determination of phenol compounds in surface water matrices by bar adsorptive microextraction-high performance liquid chromatography-diode array detection. <i>Molecules</i> , 2014 , 19, 9369-79	4.8	10
94	Combining bar adsorptive microextraction with capillary electrophoresisapplication for the determination of phenolic acids in food matrices. <i>Electrophoresis</i> , 2014 , 35, 2488-94	3.6	10
93	Determination of tributyltin in environmental water matrices using stir bar sorptive extraction with in-situ derivatisation and large volume injection-gas chromatography-mass spectrometry. <i>Talanta</i> , 2014 , 126, 8-11	5.2	21
92	Extracts from Quercus sp. acorns exhibit in vitro neuroprotective features through inhibition of cholinesterase and protection of the human dopaminergic cell line SH-SY5Y from hydrogen peroxide-induced cytotoxicity. <i>Industrial Crops and Products</i> , 2013 , 45, 114-120	5.9	25
91	Determination of trace levels of benzophenone-type ultra-violet filters in real matrices by bar adsorptive micro-extraction using selective sorbent phases. <i>Journal of Chromatography A</i> , 2013 , 1311, 1-10	4.5	45
90	Chemical composition and antibacterial and antioxidant properties of commercial essential oils. Industrial Crops and Products, 2013, 43, 587-595	5.9	273
89	Chemical composition and bioactivity of different oregano (Origanum vulgare) extracts and essential oil. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 2707-14	4.3	159
88	Metabolic profile and biological activities of Lavandula pedunculata subsp. lusitanica (Chaytor) Franco: studies on the essential oil and polar extracts. <i>Food Chemistry</i> , 2013 , 141, 2501-6	8.5	29
87	Microextraß adsortiva em barra (BAµ́E): Um conceito anallico inovador para microextraß estlica. <i>Scientia Chromatographica</i> , 2013 , 5, 275-283	ſ	6
86	Recovery of high purity plumbagin from Drosera intermedia. <i>Industrial Crops and Products</i> , 2012 , 35, 257	2 60	11

85	European pennyroyal (Mentha pulegium) from Portugal: Chemical composition of essential oil and antioxidant and antimicrobial properties of extracts and essential oil. <i>Industrial Crops and Products</i> , 2012 , 36, 81-87	5.9	120
84	Combining stir-bar sorptive extraction and large volume injection-gas chromatography-mass spectrometry for the determination of benzotriazole UV stabilizers in wastewater matrices. <i>Journal of Separation Science</i> , 2012 , 35, 459-67	3.4	43
83	Development of a bar adsorptive micro-extraction-large-volume injection-gas chromatography-mass spectrometric method for pharmaceuticals and personal care products in environmental water matrices. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 1355-64	4.4	37
82	Comparison of the selectivity of different sorbent phases for bar adsorptive microextractionapplication to trace level analysis of fungicides in real matrices. <i>Journal of Chromatography A</i> , 2012 , 1265, 7-16	4.5	48
81	An Oligosilsesquioxane Cage Functionalized with Molybdenum(II) Organometallic Fragments. <i>Organometallics</i> , 2012 , 31, 4495-4503	3.8	27
80	Static headspace analysis using polyurethane phasesapplication to roasted coffee volatiles characterization. <i>Talanta</i> , 2012 , 89, 521-5	6.2	10
79	Anti-acetylcholinesterase and antioxidant activity of essential oils from Hedychium gardnerianum Sheppard ex Ker-Gawl. <i>Molecules</i> , 2012 , 17, 3082-92	4.8	40
78	Antioxidant and antibacterial activity of essential oil and extracts of bay laurel Laurus nobilis Linnaeus (Lauraceae) from Portugal. <i>Natural Product Research</i> , 2012 , 26, 518-29	2.3	55
77	Novel sorption-based methodologies for static microextraction analysis: A review on SBSE and related techniques. <i>Analytica Chimica Acta</i> , 2012 , 757, 1-10	6.6	103
76	Phenol electrooxidation on Fe-Co3O4 thin film electrodes in alkaline medium. <i>Chemosphere</i> , 2012 , 86, 341-7	8.4	13
75	Non-toxic Salvia sclareoides Brot. extracts as a source of functional food ingredients: Phenolic profile, antioxidant activity and prion binding properties. <i>Food Chemistry</i> , 2012 , 132, 1930-1935	8.5	33
74	Development of a powdered activated carbon in bar adsorptive micro-extraction for the analysis of morphine and codeine in human urine. <i>Journal of Chromatographic Science</i> , 2012 , 50, 574-81	1.4	15
73	Extraß Sortiva em Barra de Agitaß (SBSE): Uma metodologia inovadora para microextraß estEica. <i>Scientia Chromatographica</i> , 2012 , 4, 259-269	1	3
7 ²	Antioxidant and cytotoxic activities of carob tree fruit pulps are strongly influenced by gender and cultivar. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 7005-12	5.7	43
71	Influence of salt stress on essential oil yield and composition of lemon grass (Cymbopogon schoenanthus L. Spreng. ssp. Laniger (Hook) Maire et Weil). <i>Natural Product Research</i> , 2011 , 25, 108-17	2.3	7
70	Powdered activated carbons as effective phases for bar adsorptive micro-extraction (BA E) to monitor levels of triazinic herbicides in environmental water matrices. <i>Talanta</i> , 2011 , 83, 1643-9	6.2	42
69	Cork-based activated carbons as supported adsorbent materials for trace level analysis of ibuprofen and clofibric acid in environmental and biological matrices. <i>Journal of Chromatography A</i> , 2011 , 1218, 6263-70	4.5	37
68	Phytochemical profile, antioxidant and cytotoxic activities of the carob tree (Ceratonia siliqua L.) germ flour extracts. <i>Plant Foods for Human Nutrition</i> , 2011 , 66, 78-84	3.9	47

67	Antioxidant and antimicrobial activity of Satureja montana L. extracts. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 1554-60	4.3	61
66	Isotopes as tracers of the Hawaiian coffee-producing regions. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10239-46	5.7	45
65	Development and application of stir bar sorptive extraction with polyurethane foams for the determination of testosterone and methenolone in urine matrices. <i>Journal of Chromatographic Science</i> , 2011 , 49, 297-302	1.4	17
64	Stir-bar-sorptive extraction and liquid desorption combined with large-volume injection gas chromatography-mass spectrometry for ultra-trace analysis of musk compounds in environmental water matrices. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 1853-62	4.4	38
63	Determination of short-chain carbonyl compounds in drinking water matrices by bar adsorptive micro-extraction (BAE) with in situ derivatization. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 3155-63	4.4	27
62	Phenolic composition and antioxidant activity of Rocha pear and other pear cultivars A comparative study. <i>Journal of Functional Foods</i> , 2010 , 2, 153-157	5.1	76
61	Adsorptive micro-extraction techniquesnovel analytical tools for trace levels of polar solutes in aqueous media. <i>Journal of Chromatography A</i> , 2010 , 1217, 7303-10	4.5	85
60	Determination of organochlorine pesticides in vegetable matrices by stir bar sorptive extraction with liquid desorption and large volume injection-gas chromatography-mass spectrometry towards compliance with European Union directives. <i>Journal of Chromatography A</i> , 2010 , 1217, 119-26	4.5	59
59	Potentialities of polyurethane foams for trace level analysis of triazinic metabolites in water matrices by stir bar sorptive extraction. <i>Journal of Chromatography A</i> , 2010 , 1217, 3707-10	4.5	22
58	Effect of solution pH on the removal of clofibric acid by cork-based activated carbons. <i>Carbon</i> , 2010 , 48, 972-980	10.4	49
57	Quantification approach for assessment of sparkling wine volatiles from different soils, ripening stages, and varieties by stir bar sorptive extraction with liquid desorption. <i>Analytica Chimica Acta</i> , 2009 , 635, 214-21	6.6	84
56	Waste-derived activated carbons for removal of ibuprofen from solution: role of surface chemistry and pore structure. <i>Bioresource Technology</i> , 2009 , 100, 1720-6	11	179
55	Stable isotope analysis for green coffee bean: A possible method for geographic origin discrimination. <i>Journal of Food Composition and Analysis</i> , 2009 , 22, 463-471	4.1	62
54	Photosensitization of TiO2 by Ag2S and its catalytic activity on phenol photodegradation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009 , 204, 168-173	4.7	95
53	Plant extracts with anti-inflammatory propertiesa new approach for characterization of their bioactive compounds and establishment of structure-antioxidant activity relationships. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 1876-83	3.4	73
52	Phytochemical profile and anticholinesterase and antimicrobial activities of supercritical versus conventional extracts of Satureja montana. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 11557-	63 ⁷	48
51	Potentialities of two solventless extraction approachesstir bar sorptive extraction and headspace solid-phase microextraction for determination of higher alcohol acetates, isoamyl esters and ethyl esters in wines. <i>Talanta</i> , 2009 , 80, 622-30	6.2	36
50	Antimicrobial activity of Drosophyllum lusitanicum, an endemic Mediterranean insectivorous plant. Natural Product Research, 2009 , 23, 219-29	2.3	4

49	New approach on trace analysis of triclosan in personal care products, biological and environmental matrices. <i>Talanta</i> , 2008 , 74, 1498-504	6.2	69
48	Optimization of Polyurethane Foams for Enhanced Stir Bar Sorptive Extraction of Triazinic Herbicides in Water Matrices. <i>Talanta</i> , 2008 , 77, 765-773	6.2	75
47	Insecticidal activity of leaf extracts from Drosophyllum lusitanicum against Liriomyza trifolii (Burgess) (Diptera: Agromyzidae). <i>Journal of Horticultural Science and Biotechnology</i> , 2008 , 83, 653-657	1.9	5
46	Analysis of Chemical Constituents of Tithonia Rotundifolia Leaf Essential Oil Found in Nigeria. Natural Product Communications, 2008 , 3, 1934578X0800300	0.9	
45	Optimisation of stir bar sorptive extraction and liquid desorption combined with large volume injection-gas chromatography-quadrupole mass spectrometry for the determination of volatile compounds in wines. <i>Analytica Chimica Acta</i> , 2008 , 624, 79-89	6.6	51
44	Headspace-SPME of in vitro shoot-cultures and micropropagated plants of Lavandula viridis. <i>Biologia Plantarum</i> , 2008 , 52, 133-136	2.1	16
43	Plumbagin recovery from field specimens of Drosophyllum lusitanicum (L.) link. <i>Phytochemical Analysis</i> , 2008 , 19, 229-35	3.4	14
42	Nitrogen donor ligands bearing NH groups: Effect on catalytic and cytotoxic activity of molybdenum B-allyldicarbonyl complexes. <i>Journal of Organometallic Chemistry</i> , 2008 , 693, 3411-3418	2.3	31
41	Advances in stir bar sorptive extraction for the determination of acidic pharmaceuticals in environmental water matrices Comparison between polyurethane and polydimethylsiloxane polymeric phases. <i>Journal of Chromatography A</i> , 2008 , 1209, 10-6	4.5	120
40	Antioxidant and antiacetylcholinesterase activities of essential oils from Cymbopogon schoenanthus L. Spreng. Determination of chemical composition by GChass spectrometry and 13C NMR. <i>Food Chemistry</i> , 2008 , 109, 630-637	8.5	61
39	Activated carbons for the adsorption of ibuprofen. <i>Carbon</i> , 2007 , 45, 1979-1988	10.4	271
38	Use of experimental design in the optimization of stir bar sorptive extraction for the determination of polybrominated diphenyl ethers in environmental matrices. <i>Journal of Chromatography A</i> , 2007 , 1141, 259-70	4.5	72
37	Development, optimisation and application of polyurethane foams as new polymeric phases for stir bar sorptive extraction. <i>Journal of Chromatography A</i> , 2007 , 1171, 8-14	4.5	89
36	Determination of glyoxal and methylglyoxal in environmental and biological matrices by stir bar sorptive extraction with in-situ derivatization. <i>Journal of Chromatography A</i> , 2007 , 1169, 47-52	4.5	43
35	Antioxidant and antiacetylcholinesterase activities of five plants used as Portuguese food spices. <i>Food Chemistry</i> , 2007 , 103, 778-786	8.5	254
34	Down-regulation of fatty acid synthase increases the resistance of Saccharomyces cerevisiae cells to H2O2. <i>Free Radical Biology and Medicine</i> , 2007 , 43, 1458-65	7.8	25
33	New strategies to screen for endocrine-disrupting chemicals in the Portuguese marine environment utilizing large volume injection-capillary gas chromatography-mass spectrometry combined with retention time locking libraries (LVI-GC-MS-RTL). <i>Analytical and Bioanalytical</i>	4.4	31
32	Chemistry, 2007, 387, 2569-83 The Mutual Effect of Iron(III) and Silver(I) Species in Concentrated Chloride Medium. Separation Science and Technology, 2007, 42, 1267-1282	2.5	4

(2003-2006)

31	Combining stir bar sorptive extraction and MEKC for the determination of polynuclear aromatic hydrocarbons in environmental and biological matrices. <i>Electrophoresis</i> , 2006 , 27, 4694-702	3.6	31
30	Considerations on ultra-trace analysis of phthalates in drinking water. <i>Water Research</i> , 2006 , 40, 2572-8	2 12.5	157
29	Determination of steroid sex hormones in water and urine matrices by stir bar sorptive extraction and liquid chromatography with diode array detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 1303-11	3.5	168
28	Analysis of the volatiles emitted by whole flowers and isolated flower organs of the carob tree using HS-SPME-GC/MS. <i>Journal of Chemical Ecology</i> , 2006 , 32, 929-42	2.7	24
27	Preparation of lead and tin oxide thin films by spin coating and their application on the electrodegradation of organic pollutants. <i>Journal of Solid State Electrochemistry</i> , 2006 , 10, 41-47	2.6	10
26	Characterization of the aroma profile of Madeira wine by sorptive extraction techniques. <i>Analytica Chimica Acta</i> , 2005 , 546, 11-21	6.6	144
25	Organotin speciation in environmental matrices by automated on-line hydride generation-programmed temperature vaporization-capillary gas chromatography-mass spectrometry detection. <i>Journal of Chromatography A</i> , 2005 , 1094, 130-7	4.5	19
24	Analysis of methylglyoxal in water and biological matrices by capillary zone electrophoresis with diode array detection. <i>Electrophoresis</i> , 2005 , 26, 1760-7	3.6	15
23	Development of a stir-bar-sorptive extraction-liquid desorption-large-volume injection capillary gas chromatographic-mass spectrometric method for pyrethroid pesticides in water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 1141-51	4.4	81
22	An amperometric biosensor for polyphenolic compounds in red wine. <i>Biosensors and Bioelectronics</i> , 2004 , 20, 1211-6	11.8	95
21	Multiresidue screening of neutral pesticides in water samples by high performance liquid chromatographyBlectrospray mass spectrometry. <i>Analytica Chimica Acta</i> , 2004 , 505, 209-215	6.6	75
20	Multi-residue screening of endocrine disrupters chemicals in water samples by stir bar sorptive extraction-liquid desorption-capillary gas chromatographyhass spectrometry detection. <i>Analytica Chimica Acta</i> , 2004 , 517, 21-32	6.6	110
19	Base-metals and organic content in stream sediments in the vicinity of a landfill. <i>Applied Geochemistry</i> , 2004 , 19, 137-151	3.5	17
18	Sex and developmental stage of carob flowers affects composition of volatiles. <i>Journal of Horticultural Science and Biotechnology</i> , 2004 , 79, 689-692	1.9	9
17	In vitro mass clonal propagation of Dittrichia viscosa subsp. revoluta and analysis of its secondary metabolites. <i>Journal of Horticultural Science and Biotechnology</i> , 2003 , 78, 310-314	1.9	
16	Determination of the expiration date of chemical solutions. <i>Accreditation and Quality Assurance</i> , 2003 , 8, 231-234	0.7	1
15	Levels of tributyltin in sediments from Tagus estuary nature reserve. Estuaries and Coasts, 2003, 26, 798	3-802	15
14	Considerations on ultra trace analysis of carbamates in water samples. <i>Journal of Chromatography A</i> , 2003 , 996, 133-40	4.5	66

13	Photoactive extracts from Thevetia peruviana with antifungal properties against Cladosporium cucumerinum. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2003 , 70, 51-4	7	29
12	Composition of volatiles of banana cultivars from Madeira Island. <i>Phytochemical Analysis</i> , 2003 , 14, 87-90 _{3.2}	1	57
11	Essential oils from micropropagated plants of Lavandula viridis. <i>Phytochemical Analysis</i> , 2002 , 13, 4-7 3.4	4	53
10	EPTIS: The new European database of proficiency testing schemes for analytical laboratories. <i>TrAC</i> - <i>Trends in Analytical Chemistry</i> , 2001 , 20, 457-461	6	6
9	Crude tall-oil sodium salts micellization in aqueous solutions studied by static and dynamic light scattering. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2001 , 191, 263-268	Ĺ	3
8	Optimization and validation by SPE-CGC-MSD of the analysis of tributyltin in environmental samples. <i>Journal of Separation Science</i> , 2001 , 13, 48-53		5
7	Microscale gas generator of methane for the dead time determination of capillary columns. <i>FreseniuspJournal of Analytical Chemistry</i> , 2000 , 368, 389-391		
6	Analytical characterization of madeira wine. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 566-75 ₅₋₇	7	24
5	Continuous Extraction of Crude Tall Oil. Separation Science and Technology, 1997 , 32, 2807-2820 2.3	5	4
4	Refining and Separation of Crude Tall-Oil Components. <i>Separation Science and Technology</i> , 1996 , 31, 2307-2316	5	20
3	Fatty and Resinic Acids Extraction from Crude Tall Oil. Separation Science and Technology, 1996 , 31, 2685 ₂ 2	7 03	2
2	Chromatographic methods for the analysis of crude tall-oil. <i>Journal of High Resolution Chromatography</i> , 1995 , 18, 425-432		8
1	Comparison of quantitative methods for analysis of resinic acids in crude Tall-Oil. <i>FreseniuspJournal of Analytical Chemistry</i> , 1994 , 350, 379-383		5