
Antonius Schneider

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3759069/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. Journal of Affective Disorders, 2010, 122, 86-95.	2.0	1,581
2	Effectiveness of Psychological Treatments for Depressive Disorders in Primary Care: Systematic Review and Meta-Analysis. Annals of Family Medicine, 2015, 13, 56-68.	0.9	157
3	Accuracy of FE _{NO} for diagnosing asthma: a systematic review. Thorax, 2017, 72, 109-116.	2.7	126
4	Efficacy and Acceptability of Pharmacological Treatments for Depressive Disorders in Primary Care: Systematic Review and Network Meta-Analysis. Annals of Family Medicine, 2015, 13, 69-79.	0.9	124
5	Impact of age, health locus of control and psychological co-morbidity on patients' preferences for shared decision making in general practice. Patient Education and Counseling, 2006, 61, 292-298.	1.0	115
6	Diagnostic accuracy of spirometry in primary care. BMC Pulmonary Medicine, 2009, 9, 31.	0.8	87
7	Incidence of irritable bowel syndrome and chronic fatigue following GI infection: a population-level study using routinely collected claims data. Gut, 2018, 67, 1078-1086.	6.1	57
8	Depression and panic disorder as predictors of health outcomes for patients with asthma in primary care. Respiratory Medicine, 2008, 102, 359-366.	1.3	51
9	Diagnosing asthma in general practice with portable exhaled nitric oxide measurement – results of a prospective diagnostic study. Respiratory Research, 2009, 10, 15.	1.4	47
10	FENO measurement and sputum analysis for diagnosing asthma in clinical practice. Respiratory Medicine, 2013, 107, 209-216.	1.3	44
11	How often do general practitioners use placebos and non-specific interventions? Systematic review and meta-analysis of surveys. PLoS ONE, 2018, 13, e0202211.	1.1	44
12	Effects of a general practice guided web-based weight reduction program - results of a cluster-randomized controlled trial. BMC Family Practice, 2013, 14, 76.	2.9	42
13	Comparative effectiveness of psychological treatments for depressive disorders in primary care: network meta-analysis. BMC Family Practice, 2015, 16, 103.	2.9	41
14	How do primary care doctors deal with uncertainty in making diagnostic decisions?. Journal of Evaluation in Clinical Practice, 2010, 16, 431-437.	0.9	36
15	A Systematic Assessment of Prevalence, Incidence and Regional Distribution of Multiple Sclerosis in Bavaria From 2006 to 2015. Frontiers in Neurology, 2018, 9, 871.	1.1	33
16	Higher preference for participation in treatment decisions is associated with lower medication adherence in asthma patients. Patient Education and Counseling, 2007, 67, 57-62.	1.0	31
17	Association of the average rate of change in HbA1c with severe adverse events: a longitudinal evaluation of audit data from the Bavarian Disease Management Program for patients with type 2 diabetes mellitus. Diabetologia, 2016, 59, 286-293.	2.9	27
18	Validity of the Somatic Symptom Disorder–B Criteria Scale (SSD-12) in primary care. Family Practice, 2018, 35, 342-347.	0.8	27

ANTONIUS SCHNEIDER

#	Article	IF	CITATIONS
19	Communicating and Dealing with Uncertainty in General Practice: The Association with Neuroticism. PLoS ONE, 2014, 9, e102780.	1.1	25
20	Costs of coordinated versus uncoordinated care in Germany: results of a routine data analysis in Bavaria. BMJ Open, 2016, 6, e011621.	0.8	24
21	The Use of Placebo and Non-Specific Therapies and Their Relation to Basic Professional Attitudes and the Use of Complementary Therapies among German Physicians – A Cross-Sectional Survey. PLoS ONE, 2014, 9, e92938.	1.1	22
22	Belief in and use of complementary therapies among family physicians, internists and orthopaedists in Germany – cross-sectional survey. Family Practice, 2015, 32, 62-68.	0.8	22
23	Family physician–patient relationship and frequent attendance of primary and specialist health care: Results from a German population-based cohort study. Patient Education and Counseling, 2016, 99, 1213-1219.	1.0	22
24	Perception of Bodily Sensation as a Predictor of Treatment Response to Acupuncture for Postoperative Nausea and Vomiting Prophylaxis. Journal of Alternative and Complementary Medicine, 2005, 11, 119-125.	2.1	21
25	Diagnostic accuracy of clinical symptoms in obstructive airway diseases varied within different health care sectors. Journal of Clinical Epidemiology, 2012, 65, 846-854.	2.4	21
26	The development of general practice as an academic discipline in Germany - an analysis of research output between 2000 and 2010. BMC Family Practice, 2012, 13, 58.	2.9	21
27	Disease Management Programs for Patients With Asthma in Germany: A Longitudinal Population-Based Study. Respiratory Care, 2013, 58, 1170-1177.	0.8	21
28	Influence of the practice setting on diagnostic prediction rules using FENO measurement in combination with clinical signs and symptoms of asthma. BMJ Open, 2015, 5, e009676.	0.8	21
29	Questionable assumptions hampered interpretation of a network meta-analysis of primary care depression treatments. Journal of Clinical Epidemiology, 2016, 71, 86-96.	2.4	21
30	Disease Management Programs for Patients With COPD in Germany: A Longitudinal Evaluation of Routinely Collected Patient Records. Respiratory Care, 2014, 59, 1123-1132.	0.8	20
31	Systematic Assessment of Medical Diagnoses Preceding the First Diagnosis of Multiple Sclerosis. Neurology, 2021, 96, .	1.5	20
32	Unlimited access to health care - impact of psychosomatic co-morbidity on utilisation in German general practices. BMC Family Practice, 2011, 12, 51.	2.9	18
33	The impact of psychosomatic co-morbidity on discordance with respect to reasons for encounter in general practice. Journal of Psychosomatic Research, 2013, 74, 82-85.	1.2	18
34	A novel statistical model for analyzing data of a systematic review generates optimal cutoff values for fractional exhaled nitric oxide for asthma diagnosis. Journal of Clinical Epidemiology, 2017, 92, 69-78.	2.4	18
35	Identifying important health system factors that influence primary care practitioners' referrals for cancer suspicion: a European cross-sectional survey. BMJ Open, 2018, 8, e022904.	0.8	17
36	Comorbidities of Patients with Functional Somatic Syndromes Before, During and After First Diagnosis: A Population-based Study using Bavarian Routine Data. Scientific Reports, 2020, 10, 9810.	1.6	17

ANTONIUS SCHNEIDER

#	Article	IF	CITATIONS
37	Validation and cultural adaptation of a German version of the Physicians' Reactions to Uncertainty scales. BMC Health Services Research, 2007, 7, 81.	0.9	16
38	Whole-Body Plethysmography in Suspected Asthma. Deutsches Ärzteblatt International, 2015, 112, 405-11.	0.6	16
39	Treatment of depressive disorders in primary care - protocol of a multiple treatment systematic review of randomized controlled trials. BMC Family Practice, 2011, 12, 127.	2.9	15
40	How European primary care practitioners think the timeliness of cancer diagnosis can be improved: a thematic analysis. BMJ Open, 2019, 9, e030169.	0.8	15
41	Asthma patients with low perceived burden of illness: a challenge for guideline adherence. Journal of Evaluation in Clinical Practice, 2007, 13, 070728052316004-???.	0.9	14
42	Impact of regional socioeconomic variation on coordination and cost of ambulatory care: investigation of claims data from Bavaria, Germany. BMJ Open, 2017, 7, e016218.	0.8	14
43	Self-help guidebook improved quality of life for patients with irritable bowel syndrome. PLoS ONE, 2017, 12, e0181764.	1.1	14
44	Impact of COVID-19 on patient health and self-care practices: a mixed-methods survey with German patients. BMJ Open, 2021, 11, e051167.	0.8	13
45	Effects of a Guided Web-Based Smoking Cessation Program With Telephone Counseling: A Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e218.	2.1	13
46	The Effect of Mental Comorbidity on Service Delivery Planning in Primary Care. Deutsches Ärzteblatt International, 2013, 110, 653-9.	0.6	13
47	Prognostic value of bronchial provocation and FENO measurement for asthma diagnosis– Results of a delayed type ofÂdiagnostic study. Respiratory Medicine, 2014, 108, 34-40.	1.3	11
48	Diagnostic accuracy of capnovolumetry for the identification of airway obstruction – results of a diagnostic study in ambulatory care. Respiratory Research, 2019, 20, 92.	1.4	11
49	COVID-19 vaccine hesitancy in people with migratory backgrounds: a cross-sectional study among Turkish- and German-speaking citizens in Munich. BMC Infectious Diseases, 2021, 21, 1214.	1.3	11
50	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. BMJ Open, 2020, 10, e035973.	0.8	10
51	Specialized post-inpatient psychotherapy for sustained recovery in anorexia nervosa via videoconference – study protocol of the randomized controlled SUSTAIN trial. Journal of Eating Disorders, 2021, 9, 61.	1.3	10
52	Effects of a Web-Based Intervention for Stress Reduction in Primary Care: A Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e27.	2.1	10
53	How do medical students engaging in elective courses on acupuncture and homeopathy differ from unselected students? A survey. BMC Complementary and Alternative Medicine, 2017, 17, 148.	3.7	9
54	On the edges of medicine – a qualitative study on the function of complementary, alternative, and non-specific therapies in handling therapeutically indeterminate situations. BMC Family Practice, 2019, 20, 55.	2.9	9

#	Article	IF	CITATIONS
55	Effect of a combined brief narrative exposure therapy with case management versus treatment as usual in primary care for patients with traumatic stress sequelae following intensive care medicine: study protocol for a multicenter randomized controlled trial (PICTURE). Trials, 2018, 19, 480.	0.7	8
56	Do general practice patients with and without appointment differ? Cross-sectional study. BMC Family Practice, 2018, 19, 101.	2.9	8
57	Patients with somatoform disorders are prone to expensive and potentially harmful medical procedures. Deutsches Ärzteblatt International, 2021, 118, 425-431.	0.6	8
58	The Implications of Psychological Symptoms for Length of Sick Leave. Deutsches Ärzteblatt International, 2017, 114, 291-297.	0.6	8
59	An Internet-Based Asthma Self-Management Program Increases Knowledge About Asthma. Deutsches Ärzteblatt International, 2020, 117, 64-71.	0.6	8
60	Weekly self-measurement of FEV1 and PEF and its impact on ACQ (asthma control) Tj ETQq0 0 0 rgBT /Overlock Medicine, 2017, 27, 64.	10 Tf 50 5 1.1	47 Td (quest 7
61	Defining high probability when making a diagnosis of asthma in primary care: mixed-methods consensus workshop. BMJ Open, 2020, 10, e034559.	0.8	7
62	Prediction of lung emphysema in COPD by spirometry and clinical symptoms: results from COSYCONET. Respiratory Research, 2021, 22, 242.	1.4	7
63	SARS-CoV-2 infection and cardiovascular or pulmonary complications in ambulatory care: A risk assessment based on routine data. PLoS ONE, 2021, 16, e0258914.	1.1	7
64	Health literacy and eHealth among adult asthma patients – results of a cross sectional survey. Journal of Asthma, 2021, 58, 262-270.	0.9	6
65	Participation factors for asthma education programs - a cross sectional survey. BMC Pulmonary Medicine, 2019, 19, 256.	0.8	5
66	Impact of the abolition of copayments on the GP-centred coordination of care in Bavaria, Germany: analysis of routinely collected claims data. BMJ Open, 2020, 10, e035575.	0.8	5
67	Diagnostic accuracy of FeNO in asthma and predictive value for inhaled corticosteroid responsiveness: A prospective, multicentre study. EClinicalMedicine, 2022, 50, 101533.	3.2	5
68	Increased professionalization and lower burnout scores were associated with structured residency training program: results of a cross sectional survey. Medical Education Online, 2021, 26, 1959284.	1.1	4
69	The diversity of opinion among general practitioners regarding the threat and measures against COVID-19 – Cross-sectional survey. European Journal of General Practice, 2021, 27, 176-183.	0.9	4
70	Physicians perceived usefulness of high-cost diagnostic imaging studies: results of a referral study in a German medical quality network. BMC Family Practice, 2005, 6, 22.	2.9	3
71	Prospective observational study validating the German version of the Control of Allergic Rhinitis and Asthma Test (CARAT10). Npj Primary Care Respiratory Medicine, 2018, 28, 45.	1.1	3
72	Evaluation of the diagnostic accuracy of fractional exhaled nitric oxide (FeNO) in patients with suspected asthma: study protocol for a prospective diagnostic study. BMJ Open, 2021, 11, e045420.	0.8	3

ANTONIUS SCHNEIDER

#	Article	IF	CITATIONS
73	COVID-19 assessment in family practice—A clinical decision rule based on self-rated symptoms and contact history. Npj Primary Care Respiratory Medicine, 2021, 31, 46.	1.1	3
74	HbA1c Variability and Cardiovascular Events. Current Cardiovascular Risk Reports, 2016, 10, 1.	0.8	2
75	Diagnostic accuracy of FeNO [fractional exhaled nitric oxide] and asthma symptoms increased when evaluated with a superior reference standard. Journal of Clinical Epidemiology, 2021, 129, 86-96.	2.4	2
76	Educational Intervention Reduced Family Medicine Residents' Intention to Request Diagnostic Tests: Results of a Controlled Trial. Medical Decision Making, 2021, 41, 329-339.	1.2	2
77	Implementation of an internet-based asthma patient education program in primary care: results of a single-arm trial. Journal of Asthma, 2023, 60, 195-202.	0.9	2
78	Association of pregnancies with risk of multiple sclerosis. Multiple Sclerosis Journal, 2022, 28, 1630-1640.	1.4	2
79	The "General practitioner learning stationsâ€â€"development, implementation and optimization of an innovative format for sustainable teaching in general practice. BMC Medical Education, 2021, 21, 622.	1.0	2
80	Reasons for encounters and psychiatric comorbidity in an urban Bavarian primary care out-of-hour service - results of a cross sectional study. BMC Health Services Research, 2017, 17, 783.	0.9	1
81	Ambulatory specialist costs and morbidity of coordinated and uncoordinated patients before and after abolition of copayment: A cohort analysis. PLoS ONE, 2021, 16, e0253919.	1.1	1
82	Modern Education, Modern Media. Deutsches Ärzteblatt International, 2014, 111, 605-6.	0.6	0
83	Quantity, topics, methods and findings of randomised controlled trials published by German university departments of general practice $\hat{a} \in $ systematic review. Trials, 2016, 17, 211.	0.7	Ο
84	The role of clinical signs and spirometry in the diagnosis of obstructive airway diseases: a systematic analysis adapted to general practice settings. Journal of Thoracic Disease, 2021, 13, 3369-3382.	0.6	0
85	How Effective Are Care Plans in Primary Care?. Deutsches Ärzteblatt International, 2016, 113, 789-790.	0.6	0