

Frances Kay Huebner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3759207/publications.pdf>

Version: 2024-02-01

104
papers

6,824
citations

61984

43
h-index

62596

80
g-index

106
all docs

106
docs citations

106
times ranked

5365
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Interaction of Wwox with Brca1 and associated complex proteins prevents premature resection at double-strand breaks and aberrant homologous recombination. DNA Repair, 2022, 110, 103264. | 2.8 | 4 |
| 2 | Wwox Binding to the Murine Brca1-BRCT Domain Regulates Timing of Brip1 and CtIP Phospho-Protein Interactions with This Domain at DNA Double-Strand Breaks, and Repair Pathway Choice. International Journal of Molecular Sciences, 2022, 23, 3729. | 4.1 | 2 |
| 3 | Abrogation of esophageal carcinoma development in miR-31 knockout rats. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 6075-6085. | 7.1 | 19 |
| 4 | <i>FHIT</i> , a Novel Modifier Gene in Pulmonary Arterial Hypertension. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 83-98. | 5.6 | 39 |
| 5 | Fhit-Fdxr interaction in the mitochondria: modulation of reactive oxygen species generation and apoptosis in cancer cells. Cell Death and Disease, 2019, 10, 147. | 6.3 | 35 |
| 6 | PREFACE. Genes Chromosomes and Cancer, 2019, 58, 257-259. | 2.8 | 0 |
| 7 | Loss of fragile histidine triad (Fhit) protein expression alters the translation of cancer-associated mRNAs. BMC Research Notes, 2018, 11, 178. | 1.4 | 4 |
| 8 | Human-like hyperplastic prostate with low ZIP1 induced solely by Zn deficiency in rats. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E11091-E11100. | 7.1 | 19 |
| 9 | Identification of Fhit as a post-transcriptional effector of Thymidine Kinase 1 expression. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2017, 1860, 374-382. | 1.9 | 10 |
| 10 | Nit1 is a metabolite repair enzyme that hydrolyzes deaminated glutathione. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E3233-E3242. | 7.1 | 32 |
| 11 | Fhit down-regulation is an early event in pancreatic carcinogenesis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 470, 647-653. | 2.8 | 5 |
| 12 | Fhit and Wwox loss-associated genome instability: A genome caretaker one-two punch. Advances in Biological Regulation, 2017, 63, 167-176. | 2.3 | 13 |
| 13 | Impact of FHIT loss on the translation of cancer-associated mRNAs. Molecular Cancer, 2017, 16, 179. | 19.2 | 20 |
| 14 | The ubiquitous "cancer mutational signature" 5 occurs specifically in cancers with deleted <i>FHIT</i> alleles. Oncotarget, 2017, 8, 102199-102211. | 1.8 | 17 |
| 15 | WWOX. , 2017, , 4863-4867. | | 0 |
| 16 | Fragile Genes That Are Frequently Altered in Cancer: Players Not Passengers. Cytogenetic and Genome Research, 2016, 150, 208-216. | 1.1 | 31 |
| 17 | Fhit loss-associated initiation and progression of neoplasia <i>in vitro</i> . Cancer Science, 2016, 107, 1590-1598. | 3.9 | 8 |
| 18 | Reduction in squamous cell carcinomas in mouse skin by dietary zinc supplementation. Cancer Medicine, 2016, 5, 2032-2042. | 2.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Exome-wide single-base substitutions in tissues and derived cell lines of the constitutive Fhit knockout mouse. <i>Cancer Science</i> , 2016, 107, 528-535. | 3.9 | 14 |
| 20 | <i>FHIT</i> loss-induced DNA damage creates optimal APOBEC substrates: Insights into APOBEC-mediated mutagenesis. <i>Oncotarget</i> , 2015, 6, 3409-3419. | 1.8 | 27 |
| 21 | <i>WWOX</i> : A fragile tumor suppressor. <i>Experimental Biology and Medicine</i> , 2015, 240, 296-304. | 2.4 | 55 |
| 22 | Twist1-Induced miR-424 Reversibly Drives Mesenchymal Programming while Inhibiting Tumor Initiation. <i>Cancer Research</i> , 2015, 75, 1908-1921. | 0.9 | 56 |
| 23 | Replicative Stress and the FHIT Gene: Roles in Tumor Suppression, Genome Stability and Prevention of Carcinogenesis. <i>Cancers</i> , 2014, 6, 1208-1219. | 3.7 | 23 |
| 24 | FHIT Suppresses Epithelial-Mesenchymal Transition (EMT) and Metastasis in Lung Cancer through Modulation of MicroRNAs. <i>PLoS Genetics</i> , 2014, 10, e1004652. | 3.5 | 56 |
| 25 | The FHIT gene product: tumor suppressor and genome "caretaker". <i>Cellular and Molecular Life Sciences</i> , 2014, 71, 4577-4587. | 5.4 | 88 |
| 26 | Androgen Receptor Status Is a Prognostic Marker in Non-Basal Triple Negative Breast Cancers and Determines Novel Therapeutic Options. <i>PLoS ONE</i> , 2014, 9, e88525. | 2.5 | 79 |
| 27 | Characterization of the role of Fhit in suppression of DNA damage. <i>Advances in Biological Regulation</i> , 2013, 53, 77-85. | 2.3 | 20 |
| 28 | Common chromosome fragile sites in human and murine epithelial cells and <i>FHIT/FRA3B</i> loss-induced global genome instability. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 1017-1029. | 2.8 | 54 |
| 29 | Integrated MicroRNA and mRNA Signatures Associated with Survival in Triple Negative Breast Cancer. <i>PLoS ONE</i> , 2013, 8, e55910. | 2.5 | 158 |
| 30 | Fhit Deficiency-Induced Global Genome Instability Promotes Mutation and Clonal Expansion. <i>PLoS ONE</i> , 2013, 8, e80730. | 2.5 | 27 |
| 31 | Initiation of Genome Instability and Preneoplastic Processes through Loss of Fhit Expression. <i>PLoS Genetics</i> , 2012, 8, e1003077. | 3.5 | 84 |
| 32 | Stem cell-related markers in primary breast cancers and associated metastatic lesions. <i>Modern Pathology</i> , 2012, 25, 949-955. | 5.5 | 33 |
| 33 | Hits, Fhits and Nits: Beyond enzymatic function. <i>Advances in Enzyme Regulation</i> , 2011, 51, 208-217. | 2.6 | 30 |
| 34 | Response of subtype-specific human breast cancer-derived cells to poly(ADP-ribose) polymerase and checkpoint kinase 1 inhibition. <i>Cancer Science</i> , 2011, 102, 1882-1888. | 3.9 | 19 |
| 35 | DNA fragility put into context. <i>Nature</i> , 2011, 470, 46-47. | 27.8 | 5 |
| 36 | Aberrant expression of DNA damage response proteins is associated with breast cancer subtype and clinical features. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 421-432. | 2.5 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Zinc supplementation suppresses 4-nitroquinoline 1-oxide-induced rat oral carcinogenesis. <i>Carcinogenesis</i> , 2011, 32, 554-560. | 2.8 | 30 |
| 38 | Effect of zinc supplementation on N-nitrosomethylbenzylamine-induced forestomach tumor development and progression in tumor suppressor-deficient mouse strains. <i>Carcinogenesis</i> , 2011, 32, 351-358. | 2.8 | 18 |
| 39 | Common Fragile Site Tumor Suppressor Genes and Corresponding Mouse Models of Cancer. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-10. | 3.0 | 19 |
| 40 | Study of FHIT and WWOX expression in mucoepidermoid carcinoma and adenoid cystic carcinoma of salivary gland. <i>Oral Oncology</i> , 2010, 46, 195-199. | 1.5 | 7 |
| 41 | Pathology and biology associated with the fragile <i>FHIT</i> gene and gene product. <i>Journal of Cellular Biochemistry</i> , 2010, 109, 858-865. | 2.6 | 42 |
| 42 | <i>WWOX</i> gene and gene product: tumor suppression through specific protein interactions. <i>Future Oncology</i> , 2010, 6, 249-259. | 2.4 | 96 |
| 43 | Fhit loss in lung preneoplasia: Relation to DNA damage response checkpoint activation. <i>Cancer Letters</i> , 2010, 291, 230-236. | 7.2 | 8 |
| 44 | Correlation of Fragile Histidine Triad (Fhit) Protein Structural Features with Effector Interactions and Biological Functions. <i>Journal of Biological Chemistry</i> , 2009, 284, 1040-1049. | 3.4 | 25 |
| 45 | Intramitochondrial calcium regulation by the FHIT gene product sensitizes to apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12753-12758. | 7.1 | 58 |
| 46 | Fragile histidine triad protein, WW domain-containing oxidoreductase protein Wwox, and activator protein 2 ^β expression levels correlate with basal phenotype in breast cancer. <i>Cancer</i> , 2009, 115, 899-908. | 4.1 | 41 |
| 47 | Nit1 and Fhit tumor suppressor activities are additive. <i>Journal of Cellular Biochemistry</i> , 2009, 107, 1097-1106. | 2.6 | 24 |
| 48 | Fragile gene product, Fhit, in oxidative and replicative stress responses. <i>Cancer Science</i> , 2009, 100, 1145-1150. | 3.9 | 32 |
| 49 | Identification of the putative tumor suppressor Nit2 as γ-amidase, an enzyme metabolically linked to glutamine and asparagine transamination. <i>Biochimie</i> , 2009, 91, 1072-1080. | 2.6 | 48 |
| 50 | Molecular parameters of genome instability: Roles of fragile genes at common fragile sites. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 1525-1533. | 2.6 | 33 |
| 51 | Role of the <i>WWOX</i> gene, encompassing fragile region <i>FRA16D</i> , in suppression of pancreatic carcinoma cells. <i>Cancer Science</i> , 2008, 99, 1370-1376. | 3.9 | 44 |
| 52 | Fhit-Deficient Hematopoietic Stem Cells Survive Hydroquinone Exposure Carrying Precancerous Changes. <i>Cancer Research</i> , 2008, 68, 3662-3670. | 0.9 | 14 |
| 53 | Fhit Interaction with Ferredoxin Reductase Triggers Generation of Reactive Oxygen Species and Apoptosis of Cancer Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 13736-13744. | 3.4 | 64 |
| 54 | Fhit tumor suppressor: guardian of the preneoplastic genome. <i>Future Oncology</i> , 2008, 4, 815-824. | 2.4 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Inhibition of Breast Cancer Cell Growth In vitro and In vivo: Effect of Restoration of Wwox Expression. Clinical Cancer Research, 2007, 13, 268-274. | 7.0 | 86 |
| 56 | Wwox and Ap21 ³ Expression Levels Predict Tamoxifen Response. Clinical Cancer Research, 2007, 13, 6115-6121. | 7.0 | 61 |
| 57 | A Fhit-ing Role in the DNA Damage Checkpoint Response. Cell Cycle, 2007, 6, 1044-1048. | 2.6 | 40 |
| 58 | Epigenetic modulation of endogenous tumor suppressor expression in lung cancer xenografts suppresses tumorigenicity. International Journal of Cancer, 2007, 120, 24-31. | 5.1 | 55 |
| 59 | Roles of FHIT and WWOX fragile genes in cancer. Cancer Letters, 2006, 232, 27-36. | 7.2 | 84 |
| 60 | Biological Functions of Mammalian Nit1, the Counterpart of the Invertebrate NitFhit Rosetta Stone Protein, a Possible Tumor Suppressor. Journal of Biological Chemistry, 2006, 281, 28244-28253. | 3.4 | 43 |
| 61 | A Role for the WWOX Gene in Prostate Cancer. Cancer Research, 2006, 66, 6477-6481. | 0.9 | 92 |
| 62 | Fhit Modulates the DNA Damage Checkpoint Response. Cancer Research, 2006, 66, 11287-11292. | 0.9 | 35 |
| 63 | Fragile genes as biomarkers: epigenetic control of WWOX and FHIT in lung, breast and bladder cancer. Oncogene, 2005, 24, 1625-1633. | 5.9 | 164 |
| 64 | Concordant loss of fragile gene expression early in breast cancer development. Pathology International, 2005, 55, 471-478. | 1.3 | 66 |
| 65 | Involvement of theFhit gene in the ionizing radiation-activated ATR/CHK1 pathway. Journal of Cellular Physiology, 2005, 202, 518-523. | 4.1 | 47 |
| 66 | Hypermethylation patterns in theFhit regulatory region are tissue specific. Molecular Carcinogenesis, 2005, 43, 175-181. | 2.7 | 9 |
| 67 | Lung Cancer Susceptibility in Fhit-Deficient Mice Is Increased by Vhl Haploinsufficiency. Cancer Research, 2005, 65, 6576-6582. | 0.9 | 29 |
| 68 | WWOX gene restoration prevents lung cancer growth in vitro and in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 15611-15616. | 7.1 | 128 |
| 69 | Fhit and CHK1 Have Opposing Effects on Homologous Recombination Repair. Cancer Research, 2005, 65, 8613-8616. | 0.9 | 46 |
| 70 | Cancer Prevention and Therapy in a Preclinical Mouse Model: Impact of FHIT Viruses. Current Gene Therapy, 2004, 4, 53-63. | 2.0 | 13 |
| 71 | Loss of <i>WWOX</i> Expression in Gastric Carcinoma. Clinical Cancer Research, 2004, 10, 3053-3058. | 7.0 | 117 |
| 72 | Fhit is a physiological target of the protein kinase Src. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 3775-3779. | 7.1 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Functional association between Wwox tumor suppressor protein and p73, a p53 homolog. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 4401-4406. | 7.1 | 222 |
| 74 | The fragile genes <i>FHIT</i> and <i>WWOX</i> are inactivated coordinately in invasive breast carcinoma. Cancer, 2004, 100, 1605-1614. | 4.1 | 126 |
| 75 | Designed FHIT alleles establish that Fhit-induced apoptosis in cancer cells is limited by substrate binding. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 1592-1597. | 7.1 | 76 |
| 76 | Fragile site orthologs FHIT/FRA3B and Fhit/Fra14A2: Evolutionarily conserved but highly recombinogenic. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 14988-14993. | 7.1 | 49 |
| 77 | Regression of upper gastric cancer in mice by FHIT gene delivery. FASEB Journal, 2003, 17, 1768-1770. | 0.5 | 53 |
| 78 | WW domain containing oxidoreductase gene expression is altered in non-small cell lung cancer. Cancer Research, 2003, 63, 878-81. | 0.9 | 87 |
| 79 | Expression of FRA16D/WWOX and FRA3B/FHIT genes in hematopoietic malignancies. Molecular Cancer Research, 2003, 1, 940-7. | 3.4 | 60 |
| 80 | The fragile histidine triad/common chromosome fragile site 3B locus and repair-deficient cancers. Cancer Research, 2002, 62, 4054-60. | 0.9 | 46 |
| 81 | FRA3B and other common fragile sites: the weakest links. Nature Reviews Cancer, 2001, 1, 214-221. | 28.4 | 167 |
| 82 | Potential Cancer Therapy With the Fragile Histidine Triad Gene. JAMA - Journal of the American Medical Association, 2001, 286, 2441. | 7.4 | 57 |
| 83 | Fhit expression in gastric adenocarcinoma. , 2000, 88, 24-34. | | 46 |
| 84 | Expression of fhit protein during mouse development. The Anatomical Record, 2000, 260, 208-211. | 1.8 | 4 |
| 85 | Primary cervical carcinomas show 2 common regions of deletion at 3P, 1 within theFHIT gene: Evaluation of allelic imbalance atFHIT, RB1 andTP53 in relation to survival. International Journal of Cancer, 2000, 88, 217-222. | 5.1 | 16 |
| 86 | Fhit expression in gastric adenocarcinoma. Cancer, 2000, 88, 24-34. | 4.1 | 3 |
| 87 | Expression of fhit protein during mouse development. , 2000, 260, 208. | | 1 |
| 88 | Role of <i>FHIT</i> in Human Cancer. Journal of Clinical Oncology, 1999, 17, 1618-1618. | 1.6 | 161 |
| 89 | The histidine triad superfamily of nucleotide-binding proteins. Journal of Cellular Physiology, 1999, 181, 179-187. | 4.1 | 108 |
| 90 | Molecular alterations to human chromosome 3p loci in neuroendocrine lung tumors. Cancer, 1998, 83, 1109-1117. | 4.1 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | THE ROLE OF THE <i>FHIT/FRA3B</i> LOCUS IN CANCER. Annual Review of Genetics, 1998, 32, 7-31. | 7.6 | 167 |
| 92 | Receptor Protein Tyrosine Phosphatase Gamma, Ptp ¹³ , Regulates Hematopoietic Differentiation. Blood, 1997, 90, 49-57. | 1.4 | 22 |
| 93 | Receptor Protein Tyrosine Phosphatase Gamma, Ptp ¹³ , Regulates Hematopoietic Differentiation. Blood, 1997, 90, 49-57. | 1.4 | 13 |
| 94 | Fhit, a Putative Tumor Suppressor in Humans, Is a Dinucleoside 5'-,5'-P ₁ ,P ₃ -Triphosphate Hydrolase. Biochemistry, 1996, 35, 11529-11535. | 2.5 | 344 |
| 95 | Losses at 3p common deletion sites in subtypes of kidney tumours: histopathological correlations. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1996, 429, 37-42. | 2.8 | 24 |
| 96 | The FHIT Gene, Spanning the Chromosome 3p14.2 Fragile Site and Renal Carcinoma-Associated t(3;8) Breakpoint, Is Abnormal in Digestive Tract Cancers. Cell, 1996, 84, 587-597. | 28.9 | 950 |
| 97 | The FHIT Gene at 3p14.2 Is Abnormal in Lung Cancer. Cell, 1996, 85, 17-26. | 28.9 | 529 |
| 98 | Deletion mapping of chromosome region 9p21-p22 surrounding the CDKN2 locus in melanoma. , 1996, 65, 762-767. | | 76 |
| 99 | Familial uveal melanoma: absence of germline mutations involving the cyclin-dependent kinase-4 inhibitor gene (p16). Ophthalmic Genetics, 1996, 17, 39-40. | 1.2 | 27 |
| 100 | Cloning, Characterization, and Chromosomal Localization of a Human 5-HT ₆ Serotonin Receptor. Journal of Neurochemistry, 1996, 66, 47-56. | 3.9 | 329 |
| 101 | Deletion mapping of chromosome region 9p21-p22 surrounding the CDKN2 locus in melanoma. International Journal of Cancer, 1996, 65, 762-767. | 5.1 | 3 |
| 102 | Characterization of human bone marrow-derived closed circular DNA clones. Genes Chromosomes and Cancer, 1993, 7, 15-27. | 2.8 | 7 |
| 103 | FLT4 Receptor Tyrosine Kinase Gene Mapping to Chromosome Band 5q35 in Relation to the t(2;5), t(5;6), and t(3;5) Translocations. Genes Chromosomes and Cancer, 1993, 7, 144-151. | 2.8 | 18 |
| 104 | Chromosomal localization of four human zinc finger cDNAs. Human Genetics, 1993, 91, 217-222. | 3.8 | 10 |