Richard J Pugh

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3759350/richard-j-pugh-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23 301 9 17 g-index

27 404 4.3 3.33 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
23	The Use of Different Sepsis Risk Stratification Tools on the Wards and in Emergency Departments Uncovers Different Mortality Risks: Results of the Three Welsh National Multicenter Point-Prevalence Studies 2021 , 3, e0558		O
22	Long-term trends in critical care admissions in Wales*. <i>Anaesthesia</i> , 2021 , 76, 1316-1325	6.6	4
21	Frailty assessed by administrative tools and mortality in patients with pneumonia admitted to the hospital and ICU in Wales. <i>Scientific Reports</i> , 2021 , 11, 13407	4.9	6
20	Four consecutive yearly point-prevalence studies in Wales indicate lack of improvement in sepsis care on the wards. <i>Scientific Reports</i> , 2021 , 11, 16222	4.9	1
19	Prevalence and Outcomes of Acute Hypoxaemic Respiratory Failure in Wales: The PANDORA-WALES Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
18	Understanding and responding to COVID-19 in Wales: protocol for a privacy-protecting data platform for enhanced epidemiology and evaluation of interventions. <i>BMJ Open</i> , 2020 , 10, e043010	3	17
17	Nurse and allied health professional experiences and attitudes toward critical care research: A national questionnaire study. <i>Journal of the Intensive Care Society</i> , 2020 , 175114372096865	1.6	
16	Reliability of frailty assessment in the critically ill: a multicentre prospective observational study. <i>Anaesthesia</i> , 2019 , 74, 758-764	6.6	25
15	Risk Factors for 1-Year Mortality and Hospital Utilization Patterns in Critical Care Survivors: A Retrospective, Observational, Population-Based Data Linkage Study. <i>Critical Care Medicine</i> , 2019 , 47, 15-22	1.4	30
14	Incidence and risk factors for alopecia in survivors of critical illness: A multi-centre observational study. <i>Journal of Critical Care</i> , 2019 , 50, 31-35	4	4
13	Feasibility and reliability of frailty assessment in the critically ill: a systematic review. <i>Critical Care</i> , 2018 , 22, 49	10.8	51
12	Red-flag sepsis and SOFA identifies different patient population at risk of sepsis-related deaths on the general ward. <i>Medicine (United States)</i> , 2018 , 97, e13238	1.8	18
11	A multicentre prospective evaluation of alcohol-related admissions to intensive care units in Wales. Journal of the Intensive Care Society, 2017 , 18, 193-197	1.6	3
10	Ventilator-associated events [perhaps not the answer. <i>Journal of the Intensive Care Society</i> , 2017 , 18, 263-264	1.6	
9	A critical age: can we reliably measure frailty in critical care?. <i>Critical Care</i> , 2017 , 21, 121	10.8	13
8	Is HELICS the Right Way? Lack of Chest Radiography Limits Ventilator-Associated Pneumonia Surveillance in Wales. <i>Frontiers in Microbiology</i> , 2016 , 7, 1271	5.7	4
7	Short-course versus prolonged-course antibiotic therapy for hospital-acquired pneumonia in critically ill adults. <i>The Cochrane Library</i> , 2015 , CD007577	5.2	55

LIST OF PUBLICATIONS

6	Short-course versus prolonged-course antibiotic therapy for hospital-acquired pneumonia in critically ill adults. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD007577		43
5	Short course antibiotic therapy for Gram-negative hospital-acquired pneumonia in the critically ill. <i>Journal of Hospital Infection</i> , 2010 , 74, 337-43	6.9	14
4	Short course versus prolonged course antibiotic therapy for hospital-acquired pneumonia in critically ill adults 2009 ,		4
3	The Impact of Noise in the Intensive Care Unit 2007 , 942-949		1
2	Seat belt injury to the common carotid artery. <i>Injury Extra</i> , 2006 , 37, 196-199		
1	Use of recombinant factor VIIa for major haemorrhage. <i>European Journal of Anaesthesiology</i> , 2005 , 22, 548-50	2.3	2