Steven E Schild

List of Publications by Citations

Source: https://exaly.com/author-pdf/3760281/steven-e-schild-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 490 20,225 131 h-index g-index citations papers 6.47 23,385 507 3.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
490	Non-Small Cell Lung Cancer: Epidemiology, Risk Factors, Treatment, and Survivorship. <i>Mayo Clinic Proceedings</i> , 2008 , 83, 584-594	6.4	1919
489	Non-small cell lung cancer: epidemiology, risk factors, treatment, and survivorship. <i>Mayo Clinic Proceedings</i> , 2008 , 83, 584-94	6.4	1313
488	Standard-dose versus high-dose conformal radiotherapy with concurrent and consolidation carboplatin plus paclitaxel with or without cetuximab for patients with stage IIIA or IIIB non-small-cell lung cancer (RTOG 0617): a randomised, two-by-two factorial phase 3 study. <i>Lancet</i>	21.7	1200
487	Non-Small Cell Lung Cancer, Version 5.2017, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017 , 15, 504-535	7.3	729
486	Impact of Intensity-Modulated Radiation Therapy Technique for Locally Advanced Non-Small-Cell Lung Cancer: A Secondary Analysis of the NRG Oncology RTOG 0617 Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2017 , 35, 56-62	2.2	373
485	NCCN Guidelines Insights: Non-Small Cell Lung Cancer, Version 1.2020. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 1464-1472	7.3	324
484	Malignant peripheral nerve sheath tumor: analysis of treatment outcome. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998 , 42, 351-60	4	315
483	NCCN Guidelines Insights: Non-Small Cell Lung Cancer, Version 5.2018. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018 , 16, 807-821	7-3	314
482	NCCN Guidelines Insights: Non-Small Cell Lung Cancer, Version 4.2016. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016 , 14, 255-64	7-3	272
481	Malignant melanoma in the 21st century, part 1: epidemiology, risk factors, screening, prevention, and diagnosis. <i>Mayo Clinic Proceedings</i> , 2007 , 82, 364-80	6.4	270
480	Non-Small Cell Lung Cancer, Version 6.2015. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 515-24	7-3	268
479	Phase III trial of prophylactic cranial irradiation compared with observation in patients with locally advanced non-small-cell lung cancer: neurocognitive and quality-of-life analysis. <i>Journal of Clinical Oncology</i> , 2011 , 29, 279-86	2.2	267
478	Evaluation of five radiation schedules and prognostic factors for metastatic spinal cord compression. <i>Journal of Clinical Oncology</i> , 2005 , 23, 3366-75	2.2	267
477	Prognostic factors for local control and survival after radiotherapy of metastatic spinal cord compression. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3388-93	2.2	252
476	Malignant Melanoma in the 21st Century, Part 1: Epidemiology, Risk Factors, Screening, Prevention, and Diagnosis. <i>Mayo Clinic Proceedings</i> , 2007 , 82, 364-380	6.4	248
475	Phase III comparison of prophylactic cranial irradiation versus observation in patients with locally advanced non-small-cell lung cancer: primary analysis of radiation therapy oncology group study RTOG 0214. <i>Journal of Clinical Oncology</i> , 2011 , 29, 272-8	2.2	228
474	Treatment of small cell lung cancer: Diagnosis and management of lung cancer, 3rd ed: American College of Chest Physicians evidence-based clinical practice guidelines. <i>Chest</i> , 2013 , 143, e400S-e419S	5.3	223

(2007-1993)

473	Pineal parenchymal tumors. Clinical, pathologic, and therapeutic aspects. <i>Cancer</i> , 1993 , 72, 870-80	6.4	198
472	The outcome of combined-modality therapy for stage III non-small-cell lung cancer in the elderly. <i>Journal of Clinical Oncology</i> , 2003 , 21, 3201-6	2.2	194
471	Hyperfractionated or accelerated radiotherapy in lung cancer: an individual patient data meta-analysis. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2788-97	2.2	185
47°	RADIOTHERAPY FOR ISOLATED SERUM PROSTATE SPECIFIC ANTIGEN ELEVATION AFTER PROSTATECTOMY FOR PROSTATE CANCER. <i>Journal of Urology</i> , 2000 , 163, 845-850	2.5	173
469	The results of radiotherapy for ependymomas: the Mayo Clinic experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998 , 42, 953-8	4	150
468	Surrogate endpoints for overall survival in chemotherapy and radiotherapy trials in operable and locally advanced lung cancer: a re-analysis of meta-analyses of individual patients' data. <i>Lancet Oncology, The,</i> 2013 , 14, 619-26	21.7	141
467	Final results of a prospective study comparing the local control of short-course and long-course radiotherapy for metastatic spinal cord compression. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 524-30	4	139
466	Charged particle therapy versus photon therapy for paranasal sinus and nasal cavity malignant diseases: a systematic review and meta-analysis. <i>Lancet Oncology, The</i> , 2014 , 15, 1027-38	21.7	137
465	Central neurocytomas. <i>Cancer</i> , 1997 , 79, 790-5	6.4	131
464	Non-small cell lung cancer, version 1.2015. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014 , 12, 1738-61	7.3	130
463	Long-term results of a phase III trial comparing once-daily radiotherapy with twice-daily radiotherapy in limited-stage small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 59, 943-51	4	129
462	Adjuvant external beam radiation therapy with concurrent chemotherapy in the management of gallbladder carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 52, 167-75	4	129
461	Malignant pineal parenchymal tumors in adult patients: patterns of care and prognostic factors. <i>Neurosurgery</i> , 2002 , 51, 44-55; discussion 55-6	3.2	124
460	Histologically confirmed pineal tumors and other germ cell tumors of the brain. <i>Cancer</i> , 1996 , 78, 2564	-76.4	122
459	Matched pair analysis comparing surgery followed by radiotherapy and radiotherapy alone for metastatic spinal cord compression. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3597-604	2.2	119
458	Treatment of non-small cell lung cancer, stage IIIB: ACCP evidence-based clinical practice guidelines (2nd edition). <i>Chest</i> , 2007 , 132, 266S-276S	5.3	119
457	Analysis of outcome in patients reirradiated for brain metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 1996 , 34, 585-90	4	117
456	Lung cancer in the elderly. <i>Journal of Clinical Oncology</i> , 2007 , 25, 1898-907	2.2	116

455	The Use of Radiotherapy for Patients with Isolated Elevation of Serum Prostate Specific Antigen Following Radical Prostatectomy. <i>Journal of Urology</i> , 1996 , 156, 1725-1729	2.5	109
454	Central neurocytoma: management recommendations based on a 35-year experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 1145-54	4	106
453	The first score predicting overall survival in patients with metastatic spinal cord compression. <i>Cancer</i> , 2008 , 112, 157-61	6.4	106
452	Practice recommendations for lung cancer radiotherapy during the COVID-19 pandemic: An ESTRO-ASTRO consensus statement. <i>Radiotherapy and Oncology</i> , 2020 , 146, 223-229	5.3	105
451	Malignant melanoma in the 21st century, part 2: staging, prognosis, and treatment. <i>Mayo Clinic Proceedings</i> , 2007 , 82, 490-513	6.4	105
450	Radiation therapy for histologically confirmed primary central nervous system germinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 1997 , 38, 915-23	4	104
449	Analysis of biochemical control and prognostic factors in patients treated with either low-dose three-dimensional conformal radiation therapy or high-dose intensity-modulated radiotherapy for localized prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 68, 1053-8	4	102
448	Results of a Phase I trial of concurrent chemotherapy and escalating doses of radiation for unresectable non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 1106-11	4	102
447	Should elderly non-small-cell lung cancer patients be offered elderly-specific trials? Results of a pooled analysis from the North Central Cancer Treatment Group. <i>Journal of Clinical Oncology</i> , 2005 , 23, 9113-9	2.2	101
446	Consensus Statement on Proton Therapy in Early-Stage and Locally Advanced Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 95, 505-516	4	99
445	Primary non-Hodgkin lymphoma of the breast: The Mayo Clinic Experience. <i>Journal of Surgical Oncology</i> , 2002 , 80, 19-25; discussion 26	2.8	99
444	A prognostic model for advanced stage nonsmall cell lung cancer. Pooled analysis of North Central Cancer Treatment Group trials. <i>Cancer</i> , 2006 , 107, 781-92	6.4	91
443	Salvage radiotherapy for isolated prostate specific antigen increase after radical prostatectomy: evaluation of prognostic factors and creation of a prognostic scoring system. <i>Journal of Urology</i> , 2006 , 176, 985-90	2.5	91
442	A new scoring system to predicting the survival of patients treated with whole-brain radiotherapy for brain metastases. <i>Strahlentherapie Und Onkologie</i> , 2008 , 184, 251-5	4.3	90
441	Salvage radiotherapy for rising prostate-specific antigen levels after radical prostatectomy for prostate cancer: dose-response analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 735-40	4	88
440	Prognostic factors differ by tumor stage for small cell lung cancer: a pooled analysis of North Central Cancer Treatment Group trials. <i>Cancer</i> , 2009 , 115, 2721-31	6.4	87
439	Phase III trial comparing chemotherapy plus once-daily or twice-daily radiotherapy in Stage III non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 54, 370-8	4	87
438	Stereotactic radiosurgery alone versus resection plus whole-brain radiotherapy for 1 or 2 brain metastases in recursive partitioning analysis class 1 and 2 patients. <i>Cancer</i> , 2007 , 109, 2515-21	6.4	85

(2008-2011)

437	Tumor response and progression-free survival as potential surrogate endpoints for overall survival in extensive stage small-cell lung cancer: findings on the basis of North Central Cancer Treatment Group trials. <i>Cancer</i> , 2011 , 117, 1262-71	6.4	83
436	Preliminary results of spinal cord compression recurrence evaluation (score-1) study comparing short-course versus long-course radiotherapy for local control of malignant epidural spinal cord compression. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 73, 228-34	4	82
435	Movements of the prostate due to rectal and bladder distension: implications for radiotherapy. <i>Medical Dosimetry</i> , 1993 , 18, 13-5	1.3	82
434	Exploratory Study of 4D versus 3D Robust Optimization in Intensity Modulated Proton Therapy for Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 95, 523-533	4	78
433	EMBR-03. PINEOBLASTOMA: A POOLED OUTCOME STUDY OF NORTH AMERICAN AND AUSTRALIAN THERAPEUTIC DATA. <i>Neuro-Oncology</i> , 2021 , 23, i6-i6	1	78
432	Phase II trial of pemetrexed plus bevacizumab for second-line therapy of patients with advanced non-small-cell lung cancer: NCCTG and SWOG study N0426. <i>Journal of Clinical Oncology</i> , 2010 , 28, 614-9	2.2	77
431	Stereotactic radiosurgery for glomus jugulare tumors: a preliminary report. <i>International Journal of Radiation Oncology Biology Physics</i> , 1997 , 38, 491-5	4	76
430	A prospective evaluation of two radiotherapy schedules with 10 versus 20 fractions for the treatment of metastatic spinal cord compression: final results of a multicenter study. <i>Cancer</i> , 2004 , 101, 2687-92	6.4	76
429	Treatment of atypical neurocytomas. <i>Cancer</i> , 2004 , 100, 814-7	6.4	75
428	The result of radical retropubic prostatectomy and adjuvant therapy for pathologic stage C prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 1996 , 34, 535-41	4	75
427	Outcome after radiotherapy alone for metastatic spinal cord compression in patients with oligometastases. <i>Journal of Clinical Oncology</i> , 2007 , 25, 50-6	2.2	74
426	Whole-brain radiotherapy versus stereotactic radiosurgery for patients in recursive partitioning analysis classes 1 and 2 with 1 to 3 brain metastases. <i>Cancer</i> , 2007 , 110, 2285-92	6.4	72
425	Charged particle radiation therapy for uveal melanoma: a systematic review and meta-analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 86, 18-26	4	69
424	Radiotherapy With 4 Gy Lb Versus 3 Gy Lb 0 for Metastatic Epidural Spinal Cord Compression: Final Results of the SCORE-2 Trial (ARO 2009/01). <i>Journal of Clinical Oncology</i> , 2016 , 34, 597-602	2.2	68
423	Prognostic value of the MIB-1 labeling index for central neurocytomas. <i>Neurology</i> , 2004 , 62, 987-9	6.5	68
422	Surgery followed by radiotherapy versus radiotherapy alone for metastatic spinal cord compression from unfavorable tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, e861-8	4	65
421	Validation and simplification of a score predicting survival in patients irradiated for metastatic spinal cord compression. <i>Cancer</i> , 2010 , 116, 3670-3	6.4	65
420	A score predicting posttreatment ambulatory status in patients irradiated for metastatic spinal cord compression. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 905-8	4	65

419	Therapy of meningeal melanocytomas. <i>Cancer</i> , 2004 , 100, 2442-7	6.4	65
418	Prognostic factors for functional outcome and survival after reirradiation for in-field recurrences of metastatic spinal cord compression. <i>Cancer</i> , 2008 , 113, 1090-6	6.4	64
417	Combined prostate brachytherapy and short-term androgen deprivation therapy as salvage therapy for locally recurrent prostate cancer after external beam irradiation. <i>Journal of Urology</i> , 2006 , 176, 2020) 2 4 ⁵	64
416	Treatment recommendations for the various subgroups of neurocytomas. <i>Journal of Neuro-Oncology</i> , 2006 , 77, 305-9	4.8	64
415	Randomized phase II trial of three schedules of pemetrexed and gemcitabine as front-line therapy for advanced non-small-cell lung cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 5929-37	2.2	64
414	Whole brain radiotherapy plus stereotactic radiosurgery (WBRT+SRS) versus surgery plus whole brain radiotherapy (OP+WBRT) for 1-3 brain metastases: results of a matched pair analysis. <i>European Journal of Cancer</i> , 2009 , 45, 400-4	7.5	63
413	Results of radiotherapy for chemodectomas. <i>Mayo Clinic Proceedings</i> , 1992 , 67, 537-40	6.4	63
412	Radiotherapy for isolated increases in serum prostate-specific antigen levels after radical prostatectomy. <i>Mayo Clinic Proceedings</i> , 1994 , 69, 613-9	6.4	62
411	A higher radiotherapy dose is associated with more durable palliation and longer survival in patients with metastatic melanoma. <i>Cancer</i> , 2007 , 110, 1791-5	6.4	61
410	Results of combined-modality therapy for limited-stage small cell lung carcinoma in the elderly. <i>Cancer</i> , 2005 , 103, 2349-54	6.4	61
409	Locally advanced stage IV squamous cell carcinoma of the head and neck: impact of pre-radiotherapy hemoglobin level and interruptions during radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1108-14	4	60
408	Well-differentiated neurocytoma: what is the best available treatment?. <i>Neuro-Oncology</i> , 2005 , 7, 77-83	1	60
407	Postoperative adjuvant therapy of rectal cancer: an analysis of disease control, survival, and prognostic factors. <i>International Journal of Radiation Oncology Biology Physics</i> , 1989 , 17, 55-62	4	59
406	Dose escalation of radiotherapy for metastatic spinal cord compression (MSCC) in patients with relatively favorable survival prognosis. <i>Strahlentherapie Und Onkologie</i> , 2011 , 187, 729-35	4.3	55
405	Radiotherapy for men with isolated increase in serum prostate specific antigen after radical prostatectomy. <i>Journal of Urology</i> , 2003 , 170, 1833-7	2.5	55
404	Impact of respiratory motion on worst-case scenario optimized intensity modulated proton therapy for lung cancers. <i>Practical Radiation Oncology</i> , 2015 , 5, e77-86	2.8	54
403	Prognostic factors predicting functional outcomes, recurrence-free survival, and overall survival after radiotherapy for metastatic spinal cord compression in breast cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 182-8	4	54
402	Long-term survival and patterns of failure after postoperative radiation therapy for subtotally resected rectal adenocarcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 1989 , 16, 459-63	4	54

401	Nongerminomatous germ cell tumors of the brain. <i>International Journal of Radiation Oncology Biology Physics</i> , 1996 , 36, 557-63	4	53
400	Results of a phase II study of high-dose thoracic radiation therapy with concurrent cisplatin and etoposide in limited-stage small-cell lung cancer (NCCTG 95-20-53). <i>Journal of Clinical Oncology</i> , 2007 , 25, 3124-9	2.2	52
399	Pretreatment quality of life is an independent prognostic factor for overall survival in patients with advanced stage non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 1075-82	8.9	50
398	Short-course radiotherapy is not optimal for spinal cord compression due to myeloma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 1452-7	4	50
397	Metastatic ependymoma: a multi-institutional retrospective analysis of prognostic factors. <i>Pediatric Blood and Cancer</i> , 2008 , 50, 231-5	3	49
396	Pooled Analysis of Individual Patient Data on Concurrent Chemoradiotherapy for Stage III Non-Small-Cell Lung Cancer in Elderly Patients Compared With Younger Patients Who Participated in US National Cancer Institute Cooperative Group Studies. <i>Journal of Clinical Oncology</i> , 2017 , 35, 2885-	2.2 2892	48
395	The role of postoperative radiotherapy for the treatment of gangliogliomas. <i>Cancer</i> , 2010 , 116, 432-42	6.4	48
394	The value of combined-modality therapy in elderly patients with stage III nonsmall cell lung cancer. <i>Cancer</i> , 2007 , 110, 363-8	6.4	48
393	Comparison of stereotactic radiosurgery (SRS) alone and whole brain radiotherapy (WBRT) plus a stereotactic boost (WBRT+SRS) for one to three brain metastases. <i>Strahlentherapie Und Onkologie</i> , 2008 , 184, 655-62	4.3	47
392	Breast-conserving therapy and sentinel lymph node biopsy are feasible in cancer patients with previous implant breast augmentation. <i>American Journal of Surgery</i> , 2004 , 188, 122-5	2.7	46
391	A score to identify patients with metastatic spinal cord compression who may be candidates for best supportive care. <i>Cancer</i> , 2013 , 119, 897-903	6.4	45
390	Value of postoperative stereotactic radiosurgery and conventional radiotherapy for incompletely resected typical neurocytomas. <i>Cancer</i> , 2006 , 106, 1140-3	6.4	45
389	Comparison of short-course versus long-course whole-brain radiotherapy in the treatment of brain metastases. <i>Strahlentherapie Und Onkologie</i> , 2008 , 184, 30-5	4.3	43
388	Phase I trial of sirolimus combined with radiation and cisplatin in non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 751-7	8.9	43
387	Scoring systems to estimate intracerebral control and survival rates of patients irradiated for brain metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1122-7	4	42
386	Treatment of painful bone metastases. <i>Nature Reviews Clinical Oncology</i> , 2010 , 7, 220-9	19.4	42
385	Single vs multiple fraction palliative radiation therapy for bone metastases: Cumulative meta-analysis. <i>Radiotherapy and Oncology</i> , 2019 , 141, 56-61	5.3	41
384	Brief report: a phase II "window-of-opportunity" frontline study of the MTOR inhibitor, temsirolimus given as a single agent in patients with advanced NSCLC, an NCCTG study. <i>Journal of Thoracic Opeology</i> 2012 , 7, 919-22	8.9	41

383	Radiochemotherapy including cisplatin alone versus cisplatin + 5-fluorouracil for locally advanced unresectable stage IV squamous cell carcinoma of the head and neck. <i>Strahlentherapie Und Onkologie</i> , 2009 , 185, 675-81	4.3	41
382	Surgical resection followed by whole brain radiotherapy versus whole brain radiotherapy alone for single brain metastasis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1319-24	4	41
381	Risk of radiation retinopathy in patients with orbital and ocular lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, 1145-50	4	40
380	A randomized phase II study of gemcitabine and carboplatin with or without cediranib as first-line therapy in advanced non-small-cell lung cancer: North Central Cancer Treatment Group Study N0528. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 79-88	8.9	40
379	Salvage radiotherapy for men with isolated rising PSA or locally palpable recurrence after radical prostatectomy: do outcomes differ?. <i>Urology</i> , 2004 , 64, 760-4	1.6	39
378	Metastatic spinal cord compression in patients with colorectal cancer. <i>Journal of Neuro-Oncology</i> , 1999 , 44, 175-80	4.8	39
377	Tonsil cancer. Patterns of failure after surgery alone and surgery combined with postoperative radiation therapy. <i>Cancer</i> , 1994 , 73, 2638-47	6.4	39
376	The prognostic impact of tumor cell expression of estrogen receptor-progesterone receptor, and androgen receptor in patients irradiated for nonsmall cell lung cancer. <i>Cancer</i> , 2012 , 118, 157-63	6.4	38
375	The clinical case for proton beam therapy. <i>Radiation Oncology</i> , 2012 , 7, 174	4.2	37
374	Escalation of radiation dose beyond 30 Gy in 10 fractions for metastatic spinal cord compression. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 525-31	4	37
373	Dose-response relationship for fractionated irradiation in the treatment of spinal meningeal melanocytomas: a review of the literature. <i>Journal of Neuro-Oncology</i> , 2006 , 77, 311-4	4.8	37
372	Radiation dose escalation for localized prostate cancer: intensity-modulated radiotherapy versus permanent transperineal brachytherapy. <i>Cancer</i> , 2009 , 115, 5596-606	6.4	36
371	Reduction of overall treatment time in patients irradiated for more than three brain metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, 1509-13	4	36
370	Results of irradiation or chemoirradiation following resection of gastric adenocarcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000 , 46, 589-98	4	36
369	Factors Associated With Survival Following Radium-223 Treatment for Metastatic Castration-resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e969-e975	3.3	35
368	Outcome and toxicity for patients treated with intensity modulated radiation therapy for localized prostate cancer. <i>Journal of Urology</i> , 2013 , 190, 521-6	2.5	35
367	A validated survival score for patients with metastatic spinal cord compression from non-small cell lung cancer. <i>BMC Cancer</i> , 2012 , 12, 302	4.8	35
366	Validation of a score predicting post-treatment ambulatory status after radiotherapy for metastatic spinal cord compression. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 1503-6	4	35

(2003-2007)

Dose escalation beyond 30 grays in 10 fractions for patients with multiple brain metastases. <i>Cancer</i> , 2007 , 110, 1345-50	6.4	35
Dose-escalation of whole-brain radiotherapy for brain metastasis in patients with a favorable survival prognosis. <i>Cancer</i> , 2012 , 118, 3852-9	6.4	34
A pooled analysis of limited-stage small-cell lung cancer patients treated with induction chemotherapy followed by concurrent platinum-based chemotherapy and 70 Gy daily radiotherapy: CALGB 30904. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 1043-9	8.9	34
A front-line window of opportunity phase 2 study of sorafenib in patients with advanced nonsmall cell lung cancer: North Central Cancer Treatment Group Study N0326. <i>Cancer</i> , 2010 , 116, 5686-93	6.4	34
A boost in addition to whole-brain radiotherapy improves patient outcome after resection of 1 or 2 brain metastases in recursive partitioning analysis class 1 and 2 patients. <i>Cancer</i> , 2007 , 110, 1551-9	6.4	34
Radiotherapy of metastatic spinal cord compression in very elderly patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 256-63	4	34
Multitrial Evaluation of Progression-Free Survival as a Surrogate End Point for Overall Survival in First-Line Extensive-Stage Small-Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 1099-106	8.9	33
Evaluation of B7-H3 expression as a biomarker of biochemical recurrence after salvage radiation therapy for recurrent prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 1343-9	4	33
The treatment of locally advanced colon cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 1997 , 37, 51-8	4	33
Functional outcome and survival after radiotherapy of metastatic spinal cord compression in patients with cancer of unknown primary. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 532-7	4	33
Robust intensity-modulated proton therapy to reduce high linear energy transfer in organs at risk. <i>Medical Physics</i> , 2017 , 44, 6138-6147	4.4	32
A new survival score for patients with brain metastases who received whole-brain radiotherapy (WBRT) alone. <i>Radiotherapy and Oncology</i> , 2013 , 108, 123-7	5.3	32
Prognostic factors (including HPV status) for irradiation of locally advanced squamous cell carcinoma of the head and neck (SCCHN). <i>Strahlentherapie Und Onkologie</i> , 2011 , 187, 626-32	4.3	32
Endpoints in phase II trials for advanced non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 3-9	8.9	32
Prognostic factors in head-and-neck cancer patients treated with surgery followed by intensity-modulated radiotherapy (IMRT), 3D-conformal radiotherapy, or conventional radiotherapy. <i>Oral Oncology</i> , 2007 , 43, 535-43	4.4	32
Toxicity of two cisplatin-based radiochemotherapy regimens for the treatment of patients with stage III/IV head and neck cancer. <i>Head and Neck</i> , 2008 , 30, 235-41	4.2	32
Evaluation of 2 whole-brain radiotherapy schedules and prognostic factors for brain metastases in breast cancer patients. <i>Cancer</i> , 2007 , 110, 2587-92	6.4	31
Defining the optimal dose of radiation after incomplete resection of central neurocytomas. International Journal of Radiation Oncology Biology Physics, 2003, 55, 373-7	4	31
	Dose-escalation of whole-brain radiotherapy for brain metastasis in patients with a favorable survival prognosis. <i>Cancer</i> , 2012, 118, 3852-9 A pooled analysis of limited-stage small-cell lung cancer patients treated with induction chemotherapy followed by concurrent platinum-based chemotherapy and 70 Gy daily radiotherapy: CALGB 30904. <i>Journal of Thoracic Oncology</i> , 2013, 8, 1043-9 A front-line window of opportunity phase 2 study of sorafenib in patients with advanced nonsmall cell lung cancer: North Central Cancer Treatment Group Study N0326. <i>Cancer</i> , 2010, 116, 5686-93 A boost in addition to whole-brain radiotherapy improves patient outcome after resection of 1 or 2 brain metastases in recursive partitioning analysis class 1 and 2 patients. <i>Cancer</i> , 2007, 110, 1551-9 Radiotherapy of metastatic spinal cord compression in very elderly patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 256-63 Multitrial Evaluation of Progression-Free Survival as a Surrogate End Point for Overall Survival in First-Line Extensive-Stage Small-Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1099-106 Evaluation of B7-H3 expression as a biomarker of biochemical recurrence after salvage radiation therapy for recurrent prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 1343-9 The treatment of locally advanced colon cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 1997, 37, 51-8 Functional outcome and survival after radiotherapy of metastatic spinal cord compression in patients with cancer of unknown primary. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 532-7 Robust intensity-modulated proton therapy to reduce high linear energy transfer in organs at risk. <i>Medical Physics</i> , 2007, 67, 532-7 Robust intensity-modulated proton therapy to reduce high linear energy transfer in organs at risk. <i>Medical Physics</i> , 2007, 64, 6138-6147 A new survival score for patients with brain metastases who receive	Dose-escalation of whole-brain radiotherapy for brain metastasis in patients with a favorable survival prognosis. Cancer, 2012, 118, 3852-9 A pooled analysis of limited-stage small-cell lung cancer patients treated with induction chemotherapy followed by concurrent platinum-based chemotherapy and 70 Gy daily radiotherapy: CALGB 30904. Journal of Thoracic Oncology, 2013, 8, 1043-9 A front-line window of opportunity phase 2 study of sorafenib in patients with advanced nonsmall cell lung cancer. North Central Cancer Treatment Group Study N0326. Cancer, 2010, 116, 5686-93 A boost in addition to whole-brain radiotherapy improves patient outcome after resection of 1 or 2 brain metastases in recursive partitioning analysis class 1 and 2 patients. Cancer, 2007, 110, 1551-9 Radiotherapy of metastatic spinal cord compression in very elderly patients. International Journal of Radiation Oncology Biology Physics, 2007, 67, 256-63 Multitrial Evaluation of Progression-Free Survival as a Surrogate End Point for Overall Survival in First-Line Extensive-Stage Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2015, 10, 1099-106 Evaluation of B7-H3 expression as a biomarker of biochemical recurrence after salvage radiation therapy for recurrent prostate cancer. International Journal of Radiation Oncology Biology Physics, 2011, 79, 1343-9 The treatment of locally advanced colon cancer. International Journal of Radiation Oncology Biology Physics, 2017, 91, 37, 51-8 Functional outcome and survival after radiotherapy of metastatic spinal cord compression in patients with cancer of unknown primary. International Journal of Radiation Oncology Biology Physics, 2007, 67, 532-7 Prognostic factors (including HPV status) for irradiation of locally advanced squamous cell carcinoma of the head and neck (SCCHN). Strahlentherapie Und Onkologie, 2011, 187, 626-32 Endpoints in phase II trials for advanced non-small cell lung cancer. Journal of Thoracic Oncology, 2007, 5, 3-9 Prognostic factors (including HPV status) for irradiation

347	Endocavitary radiotherapy of rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 1996 , 34, 677-82	4	31
346	Effect of smoking during radiotherapy, respiratory insufficiency, and hemoglobin levels on outcome in patients irradiated for non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 1134-42	4	30
345	Exploratory study of the association of volumetric modulated arc therapy (VMAT) plan robustness with local failure in head and neck cancer. <i>Journal of Applied Clinical Medical Physics</i> , 2017 , 18, 76-83	2.3	29
344	Prophylactic cranial irradiation in elderly patients with small cell lung cancer: findings from a North Central Cancer Treatment Group pooled analysis. <i>Journal of Geriatric Oncology</i> , 2015 , 6, 119-26	3.6	29
343	A matched-pair analysis comparing whole-brain radiotherapy plus stereotactic radiosurgery versus surgery plus whole-brain radiotherapy and a boost to the metastatic site for one or two brain metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 73, 1077-81	4	29
342	Radiotherapy for oligometastatic disease in patients with spinal cord compression (MSCC) from relatively radioresistant tumors. <i>Strahlentherapie Und Onkologie</i> , 2010 , 186, 218-23	4.3	29
341	Radiation therapy after prostatectomy: now or later?. Seminars in Radiation Oncology, 1998, 8, 132-9	5.5	29
340	Results of irradiation or chemoirradiation for primary unresectable, locally recurrent, or grossly incomplete resection of gastric adenocarcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000 , 46, 109-18	4	29
339	The results of radiotherapy for isolated elevation of serum PSA levels following radical prostatectomy. <i>International Journal of Radiation Oncology Biology Physics</i> , 1992 , 23, 141-5	4	29
338	Neutrophil-to-Lymphocyte Ratio Predicts Outcome in Limited Disease Small-cell Lung Cancer. <i>Lung</i> , 2017 , 195, 217-224	2.9	28
338 337		2.9	28
	2017, 195, 217-224 Acute and chronic results of adjuvant radiotherapy after mastectomy and Transverse Rectus Abdominis Myocutaneous (TRAM) flap reconstruction for breast cancer. <i>American Journal of Clinical</i>		
337	2017, 195, 217-224 Acute and chronic results of adjuvant radiotherapy after mastectomy and Transverse Rectus Abdominis Myocutaneous (TRAM) flap reconstruction for breast cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2004, 27, 389-94 Comparison of four cisplatin-based radiochemotherapy regimens for nonmetastatic stage III/IV squamous cell carcinoma of the head and neck. International Journal of Radiation Oncology Biology	2.7	28
337	Acute and chronic results of adjuvant radiotherapy after mastectomy and Transverse Rectus Abdominis Myocutaneous (TRAM) flap reconstruction for breast cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2004, 27, 389-94 Comparison of four cisplatin-based radiochemotherapy regimens for nonmetastatic stage III/IV squamous cell carcinoma of the head and neck. International Journal of Radiation Oncology Biology Physics, 2011, 80, 1037-44 Correlation between polymorphisms of the reduced folate carrier gene (SLC19A1) and survival after pemetrexed-based therapy in non-small cell lung cancer: a North Central Cancer Treatment	2.7 4	28
337 336 335	Acute and chronic results of adjuvant radiotherapy after mastectomy and Transverse Rectus Abdominis Myocutaneous (TRAM) flap reconstruction for breast cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2004, 27, 389-94 Comparison of four cisplatin-based radiochemotherapy regimens for nonmetastatic stage III/IV squamous cell carcinoma of the head and neck. International Journal of Radiation Oncology Biology Physics, 2011, 80, 1037-44 Correlation between polymorphisms of the reduced folate carrier gene (SLC19A1) and survival after pemetrexed-based therapy in non-small cell lung cancer: a North Central Cancer Treatment Group-based exploratory study. Journal of Thoracic Oncology, 2010, 5, 1346-53 Prognostic factors for outcomes after whole-brain irradiation of brain metastases from relatively	2.7	28 27 27
337 336 335 334	Acute and chronic results of adjuvant radiotherapy after mastectomy and Transverse Rectus Abdominis Myocutaneous (TRAM) flap reconstruction for breast cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2004, 27, 389-94 Comparison of four cisplatin-based radiochemotherapy regimens for nonmetastatic stage III/IV squamous cell carcinoma of the head and neck. International Journal of Radiation Oncology Biology Physics, 2011, 80, 1037-44 Correlation between polymorphisms of the reduced folate carrier gene (SLC19A1) and survival after pemetrexed-based therapy in non-small cell lung cancer: a North Central Cancer Treatment Group-based exploratory study. Journal of Thoracic Oncology, 2010, 5, 1346-53 Prognostic factors for outcomes after whole-brain irradiation of brain metastases from relatively radioresistant tumors: a retrospective analysis. BMC Cancer, 2010, 10, 582	2.7 4 8.9 4.8	28 27 27 27
337336335334333	Acute and chronic results of adjuvant radiotherapy after mastectomy and Transverse Rectus Abdominis Myocutaneous (TRAM) flap reconstruction for breast cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2004, 27, 389-94 Comparison of four cisplatin-based radiochemotherapy regimens for nonmetastatic stage III/IV squamous cell carcinoma of the head and neck. International Journal of Radiation Oncology Biology Physics, 2011, 80, 1037-44 Correlation between polymorphisms of the reduced folate carrier gene (SLC19A1) and survival after pemetrexed-based therapy in non-small cell lung cancer: a North Central Cancer Treatment Group-based exploratory study. Journal of Thoracic Oncology, 2010, 5, 1346-53 Prognostic factors for outcomes after whole-brain irradiation of brain metastases from relatively radioresistant tumors: a retrospective analysis. BMC Cancer, 2010, 10, 582 Dose escalation of whole-brain radiotherapy for brain metastases from melanoma. International Journal of Radiation Oncology Biology Physics, 2010, 77, 537-41 Practice Recommendations for Lung Cancer Radiotherapy During the COVID-19 Pandemic: An ESTRO-ASTRO Consensus Statement. International Journal of Radiation Oncology Biology Physics,	2.7 4 8.9 4.8	28 27 27 27 27

329	Radiation therapy (RT) after prostatectomy: The case for salvage therapy as opposed to adjuvant therapy. <i>International Journal of Cancer</i> , 2001 , 96, 94-8	7.5	26
328	Laparoscopic radical parametrectomy and pelvic and aortic lymphadenectomy for vaginal carcinoma: A case report. <i>Gynecologic Oncology</i> , 1999 , 75, 514-6	4.9	26
327	Association of percent positive prostate biopsies and perineural invasion with biochemical outcome after external beam radiotherapy for localized prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 24-9	4	25
326	Radiochemotherapy versus surgery plus radio(chemo)therapy for stage T3/T4 larynx and hypopharynx cancer - results of a matched-pair analysis. <i>European Journal of Cancer</i> , 2011 , 47, 2729-34	7.5	24
325	Evaluation of prognostic factors and two radiation techniques in patients treated with surgery followed by radio(chemo)therapy or definitive radio(chemo)therapy for locally advanced head-and-neck cancer. <i>Strahlentherapie Und Onkologie</i> , 2008 , 184, 198-205	4.3	24
324	Comparison of different treatment approaches for one to two brain metastases in elderly patients. <i>Strahlentherapie Und Onkologie</i> , 2008 , 184, 565-71	4.3	24
323	Epoetin alfa improves survival after chemoradiation for stage III esophageal cancer: final results of a prospective observational study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 459-65	4	24
322	Whole-brain radiotherapy with 20 Gy in 5 fractions for brain metastases in patients with cancer of unknown primary (CUP). <i>Strahlentherapie Und Onkologie</i> , 2007 , 183, 631-6	4.3	23
321	Phase 1 Study of Accelerated Hypofractionated Radiation Therapy With Concurrent Chemotherapy for Stage III Non-Small Cell Lung Cancer: CALGB 31102 (Alliance). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 177-185	4	22
320	Dose escalation for metastatic spinal cord compression in patients with relatively radioresistant tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1492-7	4	22
319	Prostate brachytherapy seed embolization to the right renal artery. <i>Brachytherapy</i> , 2009 , 8, 309-12	2.4	22
318	Defining the best available treatment for neurocytomas in children. <i>Cancer</i> , 2004 , 101, 2629-32	6.4	22
317	In regard to the radiotherapy of myxopapillary ependymomas. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 53, 787	4	22
316	Prognostic factors in the nonsurgical treatment of esophageal carcinoma with radiotherapy or radiochemotherapy: the importance of pretreatment hemoglobin levels. <i>Cancer</i> , 2005 , 103, 1740-6	6.4	22
315	A new scoring system for predicting survival in patients with non-small cell lung cancer. <i>Cancer Medicine</i> , 2015 , 4, 1334-43	4.8	21
314	Radioactive EGFR antibody cetuximab in multimodal cancer treatment: stability and synergistic effects with radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 1226-31	4	21
313	Dose escalation in patients receiving whole-brain radiotherapy for brain metastases from colorectal cancer. <i>Strahlentherapie Und Onkologie</i> , 2010 , 186, 70-75	4.3	21
312	The results of radiotherapy for brainstem tumors. <i>Journal of Neuro-Oncology</i> , 1998 , 40, 171-7	4.8	21

311	Salvage radiotherapy for palpable, locally recurrent prostate cancer after radical prostatectomy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 58, 1530-5	4	21
310	Malignant epidural spinal cord compression: the role of external beam radiotherapy. <i>Current Opinion in Supportive and Palliative Care</i> , 2012 , 6, 103-8	2.6	20
309	Defining the appropriate radiotherapy regimen for metastatic spinal cord compression in non-small cell lung cancer patients. <i>European Journal of Cancer</i> , 2006 , 42, 1052-6	7·5	20
308	The first survival score for patients with brain metastases from small cell lung cancer (SCLC). <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 2029-32	2	19
307	Single brain metastasis: resection followed by whole-brain irradiation and a boost to the metastatic site compared to whole-brain irradiation plus radiosurgery. <i>Clinical Neurology and Neurosurgery</i> , 2012 , 114, 326-30	2	19
306	Single brain metastasis: radiosurgery alone compared with radiosurgery plus up-front whole-brain radiotherapy. <i>Cancer</i> , 2012 , 118, 2980-5	6.4	19
305	Radiolabeled cetuximab plus whole-brain irradiation (WBI) for the treatment of brain metastases from non-small cell lung cancer (NSCLC). <i>Strahlentherapie Und Onkologie</i> , 2010 , 186, 458-62	4.3	19
304	Prognostic factors affecting locally recurrent rectal cancer and clinical significance of hemoglobin. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1087-93	4	19
303	Short-course radiotherapy (RT) for metastatic spinal cord compression (MSCC) due to renal cell carcinoma: results of a retrospective multi-center study. <i>European Urology</i> , 2006 , 49, 846-52; discussion 852	10.2	19
302	D7-07: A phase II NCCTG Window of Opportunity Front-lineIstudy of the mTOR Inhibitor, CCI-779 (Temsirolimus) given as a single agent in patients with advanced NSCLC. <i>Journal of Thoracic Oncology</i> , 2007 , 2, S413	8.9	19
301	Small-spot intensity-modulated proton therapy and volumetric-modulated arc therapies for patients with locally advanced non-small-cell lung cancer: A dosimetric comparative study. <i>Journal of Applied Clinical Medical Physics</i> , 2018 , 19, 140-148	2.3	19
300	Robust treatment planning with conditional value at risk chance constraints in intensity-modulated proton therapy. <i>Medical Physics</i> , 2017 , 44, 28-36	4.4	18
299	A new prognostic instrument to predict the probability of developing new cerebral metastases after radiosurgery alone. <i>Radiation Oncology</i> , 2014 , 9, 215	4.2	18
298	Prognostic factors for different outcomes in patients with metastatic spinal cord compression from cancer of unknown primary. <i>BMC Cancer</i> , 2012 , 12, 261	4.8	18
297	Shorter-course whole-brain radiotherapy for brain metastases in elderly patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, e469-73	4	18
296	Do patients receiving whole-brain radiotherapy for brain metastases from renal cell carcinoma benefit from escalation of the radiation dose?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 398-403	4	18
295	The impact of tumor expression of erythropoietin receptors and erythropoietin on clinical outcome of esophageal cancer patients treated with chemoradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 152-9	4	18
294	Image-guided radiotherapy for prostate cancer: a prospective trial of concomitant boost using indium-111-capromab pendetide (ProstaScint) imaging. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, e423-9	4	17

(2008-2009)

293	Evaluation of ki-67 staining levels as an independent biomarker of biochemical recurrence after salvage radiation therapy for prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 1364-70	4	17	
292	Endocavitary radiation therapy for rectal adenocarcinoma: 10-year results. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2003 , 26, 508-12	2.7	17	
291	Comparison of weekly administration of cisplatin versus three courses of cisplatin 100 mg/m(2) for definitive radiochemotherapy of locally advanced head-and-neck cancers. <i>BMC Cancer</i> , 2016 , 16, 437	4.8	16	
290	Radio(chemo)therapy plus resection versus radio(chemo)therapy alone for the treatment of stage III esophageal cancer. <i>Strahlentherapie Und Onkologie</i> , 2007 , 183, 10-6	4.3	16	
289	Robust Optimization for Intensity Modulated Proton Therapy to Redistribute High Linear Energy Transfer from Nearby Critical Organs to Tumors in Head and Neck Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 181-193	4	15	
288	Single brain metastasis: whole-brain irradiation plus either radiosurgery or neurosurgical resection. <i>Cancer</i> , 2012 , 118, 1138-44	6.4	15	
287	Photon and Proton Radiation Therapy Utilization in a Population of More Than 100 Million Commercially Insured Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 1078-1082	4	15	
286	Single-Fraction Versus 5-Fraction Radiation Therapy for Metastatic Epidural Spinal Cord Compression in Patients With Limited Survival Prognoses: Results of a Matched-Pair Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 93, 368-72	4	15	
285	Fibroblast growth factor 2a predictor of outcome for patients irradiated for stage II-III non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, 442-7	4	15	
284	Comparison of radiochemotherapy alone to surgery plus radio(chemo)therapy for non-metastatic stage III/IV squamous cell carcinoma of the head and neck: A matched-pair analysis. Strahlentherapie Und Onkologie, 2011, 187, 541-7	4.3	15	
283	Brain metastases from melanoma: is there a role for concurrent temozolomide in addition to whole brain radiation therapy?. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2010 , 33, 633-6	2.7	15	
282	Factors associated with the frequency of self-intermittent catheterization after prostate brachytherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 60-3	4	15	
281	Proton beam therapy for locally advanced lung cancer: A review. <i>World Journal of Clinical Oncology</i> , 2014 , 5, 568-75	2.5	15	
2 80	Prophylactic Cranial Irradiation for Extensive Small-Cell Lung Cancer. <i>Journal of Oncology Practice</i> , 2017 , 13, 732-738	3.1	14	
279	Results of NCCTG N0275 (Alliance) - a phase II trial evaluating resection followed by adjuvant radiation therapy for patients with desmoplastic melanoma. <i>Cancer Medicine</i> , 2016 , 5, 1890-6	4.8	14	
278	A new score predicting the survival of patients with spinal cord compression from myeloma. <i>BMC Cancer</i> , 2012 , 12, 425	4.8	14	
277	Prognostic impact of VEGF and VEGF receptor 1 (FLT1) expression in patients irradiated for stage II/III non-small cell lung cancer (NSCLC). <i>Strahlentherapie Und Onkologie</i> , 2010 , 186, 307-14	4.3	14	
276	Impact of VEGF and VEGF receptor 1 (FLT1) expression on the prognosis of stage III esophageal cancer patients after radiochemotherapy. <i>Strahlentherapie Und Onkologie</i> , 2008 , 184, 416-20	4.3	14	

275	Evaluation of serum prostate-specific antigen levels after postoperative radiation therapy for pathologic stage T3, N0 prostate cancer. <i>Mayo Clinic Proceedings</i> , 1996 , 71, 242-8	6.4	14
274	Radiotherapy treatment planning for prostate cancer in patients with prosthetic hips. <i>Medical Dosimetry</i> , 1992 , 17, 83-6	1.3	14
273	Excellent outcomes after radiotherapy alone for malignant spinal cord compression from myeloma. <i>Radiology and Oncology</i> , 2016 , 50, 337-40	3.8	14
272	Experiences with a new high-dose-rate brachytherapy (HDR-BT) boost technique for T3b prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2007 , 183, 398-402	4.3	13
271	The long-term results of a pilot study of three times a day radiotherapy and escalating doses of daily cisplatin for locally advanced non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 62, 1432-7	4	13
270	Statins and Metformin Use Is Associated with Lower PSA Levels in Prostate Cancer Patients Presenting for Radiation Therapy. <i>Journal of Cancer Therapy</i> , 2017 , 8, 73-85	0.2	13
269	Long-Term Results of a Trial of Concurrent Chemotherapy and Escalating Doses of Radiation for Unresectable Non-Small Cell Lung Cancer: NCCTG N0028 (Alliance). <i>Journal of Thoracic Oncology</i> , 2017 , 12, 697-703	8.9	12
268	Prognostic role of the number of involved extraspinal organs in patients with metastatic spinal cord compression. <i>Clinical Neurology and Neurosurgery</i> , 2014 , 118, 12-5	2	12
267	Impact of disease progression date determination on progression-free survival estimates in advanced lung cancer. <i>Cancer</i> , 2012 , 118, 5358-65	6.4	12
266	Prognostic impact of erythropoietin expression and erythropoietin receptor expression on locoregional control and survival of patients irradiated for stage II/III non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 499-505	4	12
265	Is 50 Gy sufficient to achieve long-term local control after incomplete resection of typical neurocytomas?. <i>Strahlentherapie Und Onkologie</i> , 2006 , 182, 415-8	4.3	12
264	Rectal cancer: Preoperative versus postoperative irradiation as a component of adjuvant treatment. <i>Seminars in Radiation Oncology</i> , 2003 , 13, 419-32	5.5	12
263	Proton beam therapy for localized prostate cancer 101: basics, controversies, and facts. <i>Reviews in Urology</i> , 2014 , 16, 67-75	1	12
262	Impact of stereotactic radiosurgery dose on control of cerebral metastases from renal cell carcinoma. <i>Anticancer Research</i> , 2015 , 35, 3571-4	2.3	12
261	Stereotactic Body Radiotherapy for Medically Inoperable Stage I-II Non-Small Cell Lung Cancer: The Mayo Clinic Experience. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2018 , 2, 40-48	3.1	11
260	An Instrument for Estimating the 6-Month Survival Probability After Whole-brain Irradiation Alone for Cerebral Metastases from Gynecological Cancer. <i>Anticancer Research</i> , 2018 , 38, 3753-3756	2.3	11
259	Phase I North Central Cancer Treatment Group Trial-N9923 of escalating doses of twice-daily thoracic radiation therapy with amifostine and with alternating chemotherapy in limited stage small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 995-1001	4	11
258	Improved posttreatment functional outcome is associated with better survival in patients irradiated for metastatic spinal cord compression. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 1506-9	4	11

257	Epoetin-alpha during radiotherapy for stage III esophageal carcinoma. <i>Cancer</i> , 2005 , 103, 2274-9	6.4	11
256	Simplified Comorbidity Score and Eastern Cooperative Oncology Group Performance Score Predicts Survival in Patients Receiving Organ-preserving Treatment for Bladder Cancer. <i>Anticancer Research</i> , 2017 , 37, 2693-2696	2.3	11
255	Impact of Pretreatment Factors on Adverse Events: A Pooled Analysis of North Central Cancer Treatment Group Advanced Stage Non-small Cell Lung Cancer Trials. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 556-563	8.9	11
254	Hybrid 3D analytical linear energy transfer calculation algorithm based on precalculated data from Monte Carlo simulations. <i>Medical Physics</i> , 2020 , 47, 745-752	4.4	11
253	Robust optimization in IMPT using quadratic objective functions to account for the minimum MU constraint. <i>Medical Physics</i> , 2018 , 45, 460-469	4.4	11
252	A Specific Survival Score for Patients Receiving Local Therapy for Single Brain Metastasis from a Gynecological Malignancy. <i>In Vivo</i> , 2018 , 32, 825-828	2.3	11
251	Radiosurgery with 20 Gy provides better local contol of 1-3 brain metastases from breast cancer than with lower doses. <i>Anticancer Research</i> , 2015 , 35, 333-6	2.3	11
250	Daily Lisinopril vs Placebo for Prevention of Chemoradiation-Induced Pulmonary Distress in Patients With Lung Cancer (Alliance MC1221): A Pilot Double-Blind Randomized Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 103, 686-696	4	10
249	Small-cell Lung Cancer in Very Elderly (IBO Years) Patients. Clinical Lung Cancer, 2019, 20, 313-321	4.9	10
248	A Survival Score for Patients Receiving Palliative Irradiation for Locally Advanced Lung Cancer. <i>Clinical Lung Cancer</i> , 2016 , 17, 558-562	4.9	10
247	Stereotactic radiosurgery for newly diagnosed brain metastases: comparison of three dose levels. <i>Strahlentherapie Und Onkologie</i> , 2014 , 190, 786-91	4.3	10
246	Do bladder cancer patients with metastatic spinal cord compression benefit from radiotherapy alone?. <i>Urology</i> , 2007 , 69, 1081-5	1.6	10
245	Robustness quantification methods comparison in volumetric modulated arc therapy to treat head and neck cancer. <i>Practical Radiation Oncology</i> , 2016 , 6, e269-e275	2.8	10
244	Toxicity Related to Radiotherapy Dose and Targeting Strategy: A Pooled Analysis of Cooperative Group Trials of Combined Modality Therapy for Locally Advanced Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 298-303	8.9	10
243	Exploring Radiotherapy Targeting Strategy and Dose: A Pooled Analysis of Cooperative Group Trials of Combined Modality Therapy for Stage III INSCLC. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1171-1	89 182	9
242	A matched-pair analysis comparing whole-brain radiotherapy with and without a stereotactic boost for intracerebral control and overall survival in patients with one to three cerebral metastases. <i>Radiation Oncology</i> , 2017 , 12, 69	4.2	9
241	Early Outcome of Prostate Intensity Modulated Radiation Therapy (IMRT) Incorporating a Simultaneous Intra-Prostatic MRI Directed Boost. <i>OMICS Journal of Radiology</i> , 2014 , 3,	0	9
240	Short-course whole-brain radiotherapy (WBRT) for brain metastases due to small-cell lung cancer (SCLC). <i>Clinical Neurology and Neurosurgery</i> , 2010 , 112, 183-7	2	9

239	Role of radiation therapy in the treatment of melanoma. <i>Expert Review of Anticancer Therapy</i> , 2009 , 9, 583-6	3.5	9
238	Innovations in the Radiotherapy of NonBmall Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 85-92	8.9	9
237	Clinical Validation of a Ray-Casting Analytical Dose Engine for Spot Scanning Proton Delivery Systems. <i>Technology in Cancer Research and Treatment</i> , 2019 , 18, 1533033819887182	2.7	9
236	A pooled analysis of individual patient data from National Clinical Trials Network clinical trials of concurrent chemoradiotherapy for limited-stage small cell lung cancer in elderly patients versus younger patients. <i>Cancer</i> , 2019 , 125, 382-390	6.4	9
235	Fatal Radiation Pneumonitis in Patients With Subclinical Interstitial Lung Disease. <i>Clinical Lung Cancer</i> , 2018 , 19, e417-e420	4.9	8
234	Chemoradiation of locally advanced squamous cell carcinoma of the head-and-neck (LASCCHN): Is 20mg/m(2) cisplatin on five days every four weeks an alternative to 100mg/m(2) cisplatin every three weeks?. <i>Oral Oncology</i> , 2016 , 59, 67-72	4.4	8
233	Prophylactic Cranial Irradiation Following Surgical Resection of Early-Stage Small-Cell Lung Cancer: A Review of the Literature. <i>Frontiers in Oncology</i> , 2017 , 7, 228	5.3	8
232	Multimodality therapy improves survival in elderly patients with locally advanced non-small cell lung cancer retrospective analysis. <i>Journal of Geriatric Oncology</i> , 2012 , 3, 104-110	3.6	8
231	Radiation therapy modalities for prostate cancer. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 450-1; author reply 451-2	27.4	8
230	Hypofractionated whole-brain radiotherapy for multiple brain metastases from transitional cell carcinoma of the bladder. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 404-8	4	8
229	Dose-effect relationship for radiotherapy after incomplete resection of atypical neurocytomas. <i>Radiotherapy and Oncology</i> , 2005 , 74, 67-9	5.3	8
228	Precision Radiation Therapy for Metastatic Spinal Cord Compression: Final Results of the PRE-MODE Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 106, 780-789	4	8
227	Do we need 5-FU in addition to cisplatin for chemoradiation of locally advanced head-and-neck cancer?. <i>Oral Oncology</i> , 2016 , 57, 40-5	4.4	8
226	Early Outcomes of Patients With Locally Advanced Non-small Cell Lung Cancer Treated With Intensity-Modulated Proton Therapy Versus Intensity-Modulated Radiation Therapy: The Mayo Clinic Experience. <i>Advances in Radiation Oncology</i> , 2020 , 5, 450-458	3.3	8
225	Radiosurgery alone for 1-3 newly-diagnosed brain metastases from melanoma: impact of dose on treatment outcomes. <i>Anticancer Research</i> , 2014 , 34, 5079-82	2.3	8
224	A matched-pair study comparing whole-brain irradiation alone to radiosurgery or fractionated stereotactic radiotherapy alone in patients irradiated for up to three brain metastases. <i>BMC Cancer</i> , 2017 , 17, 30	4.8	7
223	GATA2 expression and biochemical recurrence following salvage radiation therapy for relapsing prostate cancer. <i>British Journal of Radiology</i> , 2017 , 90, 20170174	3.4	7
222	Technical Note: Treatment planning system (TPS) approximations matter - comparing intensity-modulated proton therapy (IMPT) plan quality and robustness between a commercial and an in-house developed TPS for nonsmall cell lung cancer (NSCLC). <i>Medical Physics</i> , 2019 , 46, 4755-4762	4.4	7

221	A new tool predicting survival after radiosurgery alone for one or two cerebral metastases from lung cancer. <i>Lung</i> , 2015 , 193, 299-302	2.9	7
220	Positive Interaction between Prophylactic Cranial Irradiation and Maintenance Sunitinib for Untreated Extensive-Stage Small Cell Lung Cancer Patients After Standard Chemotherapy: A Secondary Analysis of CALGB 30504 (ALLIANCE). <i>Journal of Thoracic Oncology</i> , 2016 , 11, 361-9	8.9	7
219	Value of Comorbidity Scales for Predicting Survival After Radiochemotherapy of Small Cell Lung Cancer. <i>Lung</i> , 2016 , 194, 295-8	2.9	7
218	A Tool to Predict the Probability of Intracerebral Recurrence or New Cerebral Metastases After Whole-brain Irradiation in Patients with Head-and-Neck Cancer. <i>Anticancer Research</i> , 2018 , 38, 4199-420	2 .3	7
217	Evaluation of MDM2, p16, and p53 staining levels as biomarkers of biochemical recurrence following salvage radiation therapy for recurrent prostate cancer. <i>Prostate</i> , 2012 , 72, 1757-66	4.2	7
216	Validation of a Survival Score for Patients Receiving Radiosurgery or Fractionated Stereotactic Radiotherapy for 1 to 3 Brain Metastases. <i>In Vivo</i> , 2018 , 32, 381-384	2.3	7
215	A Prospective Trial of Intensity Modulated Radiation Therapy (IMRT) Incorporating a Simultaneous Integrated Boost for Prostate Cancer: Long-term Outcomes Compared With Standard Image Guided IMRT. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 1021-1025	4	6
214	The Search for Optimal Stereotactic Body Radiotherapy Dose in Inoperable, Centrally Located Non-Small-Cell Lung Cancer Continues. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2697-2699	2.2	6
213	A randomized trial (RAREST-01) comparing Mepitel Film and standard care for prevention of radiation dermatitis in patients irradiated for locally advanced squamous cell carcinoma of the head-and-neck (SCCHN). <i>Radiotherapy and Oncology</i> , 2019 , 139, 79-82	5.3	6
212	A New Diagnosis-Specific Survival Score for Patients to be Irradiated for Brain Metastases from Non-small Cell Lung Cancer. <i>Lung</i> , 2019 , 197, 321-326	2.9	6
211	1x8 Gy versus 5x4 Gy for metastatic epidural spinal cord compression: a matched-pair study of three prognostic patient subgroups. <i>Radiation Oncology</i> , 2018 , 13, 21	4.2	6
210	A validated score estimating ambulatory status following radiotherapy of elderly patients for metastatic spinal cord compression. <i>BMC Cancer</i> , 2014 , 14, 589	4.8	6
209	The number of involved extracranial organs: a new predictor of survival in breast cancer patients with brain metastasis. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 2108-10	2	6
208	A New Scoring Tool to Assess Overall Survival in Patients With Intracerebral Metastases From Gynecological Cancers. <i>International Journal of Gynecological Cancer</i> , 2017 , 27, 597-602	3.5	6
207	Comparing two lower-dose cisplatin programs for radio-chemotherapy of locally advanced head-and-neck cancers. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 1021-1027	3.5	6
206	A new instrument for estimation of survival in elderly patients irradiated for metastatic spinal cord compression from breast cancer. <i>Radiation Oncology</i> , 2015 , 10, 173	4.2	6
205	Prognostic factors for survival and intracerebral control after irradiation for brain metastases from gynecological cancer. <i>Gynecologic Oncology</i> , 2009 , 114, 506-8	4.9	6
204	Is surgery necessary following chemoradiation for patients with locally advanced cancer of the esophagus?. <i>Nature Clinical Practice Oncology</i> , 2007 , 4, 506-7		6

203	Innovations in the Radiotherapy of Non???Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 85-92	8.9	6
202	O-238 The survival of patients treated for stage III non-small cell lung cancer in North America has increased during the past 25 years. <i>Lung Cancer</i> , 2003 , 41, S70	5.9	6
201	The role of radiotherapy after radical prostatectomy. <i>Urologic Clinics of North America</i> , 2001 , 28, 629-37, x	2.9	6
200	A New Score for Estimating Survival After Definitive Radiochemotherapy of Limited Disease Small Cell Lung Cancers. <i>Lung</i> , 2016 , 194, 625-9	2.9	6
199	Comparison of Diagnosis-Specific Survival Scores for Patients with Small-Cell Lung Cancer Irradiated for Brain Metastases. <i>Cancers</i> , 2019 , 11,	6.6	6
198	A novel and individualized robust optimization method using normalized dose interval volume constraints (NDIVC) for intensity-modulated proton radiotherapy. <i>Medical Physics</i> , 2019 , 46, 382-393	4.4	6
197	Impact of the Radiation Dose and Completion of Palliative Radiotherapy on Survival in Patients Treated for Locally Advanced Lung Cancer. <i>Anticancer Research</i> , 2016 , 36, 1825-8	2.3	6
196	Outcomes After Irradiation of Epidural Spinal Cord Compression Due to Metastatic Thyroid Cancer. <i>Anticancer Research</i> , 2016 , 36, 2035-9	2.3	6
195	Predictors of Outcomes and a Scoring System for Estimating Survival in Patients Treated With Radiotherapy for Metastatic Spinal Cord Compression From Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2019 , 20, 322-329	4.9	5
194	A predictive tool particularly designed for elderly myeloma patients presenting with spinal cord compression. <i>BMC Cancer</i> , 2016 , 16, 292	4.8	5
193	Metastatic spinal cord compression: a validated survival score for elderly patients. <i>Strahlentherapie Und Onkologie</i> , 2014 , 190, 919-24	4.3	5
192	Mixed integer programming with dose-volume constraints in intensity-modulated proton therapy. Journal of Applied Clinical Medical Physics, 2017 , 18, 29-35	2.3	5
191	Do patients with very few brain metastases from breast cancer benefit from whole-brain radiotherapy in addition to radiosurgery?. <i>Radiation Oncology</i> , 2014 , 9, 267	4.2	5
190	Acute toxicity of three versus two courses of cisplatin for radiochemotherapy of locally advanced squamous cell carcinoma of the head and neck (SCCHN): a matched pair analysis. <i>Oral Oncology</i> , 2010 , 46, 549-52	4.4	5
189	The role of retrograde urethrography in the planning of prostate cancer radiotherapy. <i>Medical Dosimetry</i> , 1997 , 22, 83-6	1.3	5
188	Treatment planning for dose escalation in non-small cell lung cancer (NSCLC). <i>Medical Dosimetry</i> , 2004 , 29, 196-203	1.3	5
187	Phase I study of hyperfractionated accelerated radiotherapy and escalating doses of daily cisplatin for patients with locally advanced non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 54, 729-34	4	5
186	Stereotactic Radiosurgery Alone for One to Two Brain Metastases from Cancer of Unknown Primary. <i>Anticancer Research</i> , 2018 , 38, 565-567	2.3	5

(2021-2016)

185	Comparison of 20½ Gy and 12½ Gy for Whole-brain Irradiation of Multiple Brain Metastases from Malignant Melanoma. <i>In Vivo</i> , 2016 , 30, 917-919	2.3	5
184	Predicting Survival After Whole-brain Irradiation for Cerebral Metastases in Patients with Cancer of the Bladder. <i>In Vivo</i> , 2018 , 32, 633-636	2.3	5
183	A Score to Identify Patients with Brain Metastases from Colorectal Cancer Who May Benefit from Whole-brain Radiotherapy in Addition to Stereotactic Radiosurgery/Radiotherapy. <i>Anticancer Research</i> , 2018 , 38, 3111-3114	2.3	5
182	Innovations in the radiotherapy of non-small cell lung cancer. Journal of Thoracic Oncology, 2006, 1, 85-	98 .9	5
181	Metastatic spinal cord compression from pancreatic cancer. <i>Anticancer Research</i> , 2014 , 34, 3727-30	2.3	5
180	Predicting Survival After Irradiation of Metastases from Pancreatic Cancer. <i>Anticancer Research</i> , 2015 , 35, 4105-8	2.3	5
179	Estimating Survival of Patients With Metastatic Renal Cell Carcinoma Receiving Whole-brain Radiotherapy With a New Tool. <i>Anticancer Research</i> , 2019 , 39, 2091-2095	2.3	4
178	Predicting the survival probability of gastric cancer patients developing metastatic epidural spinal cord compression (MESCC). <i>Gastric Cancer</i> , 2015 , 18, 881-4	7.6	4
177	Radiochemotherapy for locally advanced squamous cell carcinoma of the head and neck: Higher-dose cisplatin every 3 weeks versus cisplatin/5-fluorouracil every 4 weeks. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 1436-40	3.6	4
176	A Prognostic Instrument to Estimate the Survival of Elderly Patients Irradiated for Metastatic Epidural Spinal Cord Compression From Lung Cancer. <i>Clinical Lung Cancer</i> , 2016 , 17, 279-84	4.9	4
175	Is stereotactic radiosurgery the best treatment option for patients with spinal metastases?. <i>Nature Clinical Practice Oncology</i> , 2007 , 4, 400-1		4
174	Impact of Pretreatment Factors on Adverse Events: A Pooled Analysis of North Central Cancer Treatment Group Advanced Stage Non-small Cell Lung Cancer Trials. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 556-563	8.9	4
173	International survey of the treatment of metastatic spinal cord compression. <i>Journal of Radiosurgery and SBRT</i> , 2015 , 3, 237-245	0.4	4
172	Development of a Survival Score for Patients with Cerebral Metastases from Melanoma. <i>Anticancer Research</i> , 2017 , 37, 249-252	2.3	4
171	Predictive Factors for Local Control and Survival in Patients with Cancer of Unknown Primary (CUP) Irradiated for Cerebral Metastases. <i>Anticancer Research</i> , 2018 , 38, 2415-2418	2.3	4
170	Beam angle comparison for distal esophageal carcinoma patients treated with intensity-modulated proton therapy. <i>Journal of Applied Clinical Medical Physics</i> , 2020 , 21, 141-152	2.3	4
169	Consensus Statement on Proton Therapy in Mesothelioma. <i>Practical Radiation Oncology</i> , 2021 , 11, 119-	13.38	4
168	Exploratory Investigation of Dose-Linear Energy Transfer (LET) Volume Histogram (DLVH) for Adverse Events Study in Intensity Modulated Proton Therapy (IMPT). <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 1189-1199	4	4

167	Role of Neoadjuvant Radio-chemotherapy for the Treatment of High Rectal Cancer. <i>Anticancer Research</i> , 2018 , 38, 5371-5377	2.3	4
166	Identifying melanoma patients with 1-3 brain metastases who may benefit from whole-brain irradiation in addition to radiosurgery. <i>Anticancer Research</i> , 2014 , 34, 5589-92	2.3	4
165	Higher Radiation Dose to the Immune Cells Correlates with Worse Tumor Control and Overall Survival in Patients with Stage III NSCLC: A Secondary Analysis of RTOG0617 <i>Cancers</i> , 2021 , 13,	6.6	4
164	Diagnosis-specific WBRT-30-CRC Score for Estimating Survival of Patients Irradiated for Brain Metastases from Colorectal Cancer. <i>Anticancer Research</i> , 2019 , 39, 2569-2574	2.3	3
163	Comparison of Diagnosis-specific Survival Scores for Patients With Cerebral Metastases from Malignant Melanoma Including the New WBRT-30-MM. <i>Anticancer Research</i> , 2019 , 39, 1501-1505	2.3	3
162	Patient Specific Characteristics Are an Important Factor That Determines the Risk of Acute Grade 2 Rectal Toxicity in Patients Treated for Prostate Cancer with IMRT and Daily Image Guidance Based on Implanted Gold Markers. <i>OMICS Journal of Radiology</i> , 2016 , 5,	Ο	3
161	Re-Irradiation for Recurrent Glioblastoma Multiforme. Anticancer Research, 2020, 40, 7077-7081	2.3	3
160	Radiochemotherapy with or without cetuximab for unresectable esophageal cancer: final results of alrandomized phasel2 trial (LEOPARD-2). <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 795-804	4.3	3
159	Seizures Prior to Radiotherapy of Gliomas: Prevalence, Risk Factors and Survival Prognosis. <i>Anticancer Research</i> , 2020 , 40, 3961-3965	2.3	3
158	Prognostic Role of Pre-Treatment Symptoms for Survival of Patients Irradiated for Brain Metastases. <i>Anticancer Research</i> , 2019 , 39, 4273-4277	2.3	3
157	Evaluation of the prognostic role of tumor cell podoplanin expression in locally advanced squamous cell carcinoma of the head and neck. <i>Strahlentherapie Und Onkologie</i> , 2014 , 190, 1021-7	4.3	3
156	Results of a multicenter study investigating the potential impact of the overall treatment time on outcomes of radiation therapy alone with 5½ Gy for metastatic epidural spinal cord compression. <i>Practical Radiation Oncology</i> , 2017 , 7, 137-144	2.8	3
155	Number of cerebral lesions predicts freedom from new brain metastases after radiosurgery alone in lung cancer patients. <i>Oncology Letters</i> , 2015 , 10, 1109-1112	2.6	3
154	Benign central neurocytoma: a double misnomer?. <i>Cancer</i> , 2002 , 94, 284	6.4	3
153	Local Therapies Can Improve Intracerebral Control in Patients with Cerebral Metastasis from Gynecological Cancers. <i>Anticancer Research</i> , 2016 , 36, 4777-80	2.3	3
152	Concurrent Chemotherapy Improves the Overall Survival of Patients Irradiated for Locally Recurrent Bladder Cancer. <i>Anticancer Research</i> , 2017 , 37, 1485-1488	2.3	3
151	A new instrument for predicting survival of patients with cerebral metastases from breast cancer developed in a homogeneously treated cohort. <i>Radiology and Oncology</i> , 2019 , 53, 219-224	3.8	3
150	Predicting the Risk of Developing New Cerebral Lesions After Stereotactic Radiosurgery or Fractionated Stereotactic Radiotherapy for Brain Metastases from Renal Cell Carcinoma. <i>Anticancer Research</i> , 2018 , 38, 2973-2976	2.3	3

(2016-2000)

149	RADIOTHERAPY FOR ISOLATED SERUM PROSTATE SPECIFIC ANTIGEN ELEVATION AFTER PROSTATECTOMY FOR PROSTATE CANCER. <i>Journal of Urology</i> , 2000 , 845	2.5	3
148	Radiochemotherapy with Paclitaxel for Recurrent Previously Irradiated Squamous Cell Carcinoma of the Head and Neck. <i>Anticancer Research</i> , 2016 , 36, 5463-5468	2.3	3
147	A Survival Score for Patients Assigned to Palliative Radiotherapy for Metastatic Bladder Cancer. <i>Anticancer Research</i> , 2017 , 37, 1481-1484	2.3	3
146	Intensity-modulated proton therapy (IMPT) interplay effect evaluation of asymmetric breathing with simultaneous uncertainty considerations in patients with non-small cell lung cancer. <i>Medical Physics</i> , 2020 , 47, 5428-5440	4.4	3
145	Three-Dimensionally Printed On-Skin Radiation Shields Using High-Density Filament. <i>Practical Radiation Oncology</i> , 2020 , 10, e543-e550	2.8	3
144	Comparison of 5 IbIGy and 10 IbIGy for metastatic spinal cord compression using data from three prospective trials. <i>Radiation Oncology</i> , 2021 , 16, 7	4.2	3
143	A scoring system to predict local progression-free survival in patients irradiated with 20 Gy in 5 fractions for malignant spinal cord compression. <i>Radiation Oncology</i> , 2018 , 13, 257	4.2	3
142	A Matched-Pair Study Comparing Surgery Plus Neoadjuvant Radio-Chemotherapy and Surgery Alone for High Rectal Cancers. <i>Anticancer Research</i> , 2018 , 38, 6877-6880	2.3	3
141	Whole-Brain Radiotherapy (WBRT) for Brain Metastases: Does the Interval Between Imaging and Treatment Matter?. <i>Anticancer Research</i> , 2018 , 38, 6835-6840	2.3	3
140	Outcomes After Radiotherapy Alone for Metastatic Spinal Cord Compression in Patients with Oligo-metastatic Breast Cancer. <i>Anticancer Research</i> , 2018 , 38, 6897-6903	2.3	3
139	Sleep Disorders Before and During the COVID-19 Pandemic in Patients Assigned to Adjuvant Radiotherapy for Breast Cancer. <i>In Vivo</i> , 2021 , 35, 2253-2260	2.3	3
138	Prognostic role of vascular endothelial growth factor and its receptor-1 in patients with esophageal cancer. <i>Anticancer Research</i> , 2014 , 34, 5221-6	2.3	3
137	Predicting survival of patients with metastatic epidural spinal cord compression from cancer of the head-and-neck. <i>Anticancer Research</i> , 2015 , 35, 385-8	2.3	3
136	A Tool to Estimate Survival of Elderly Patients Presenting with Metastatic Epidural Spinal Cord Compression (MESCC) from Cancer of Unknown Primary. <i>Anticancer Research</i> , 2015 , 35, 6219-22	2.3	3
135	Predicting the Risk of New Cerebral Lesions After Stereotactic Radiosurgery (SRS) for Brain Metastases from Breast Cancer. <i>Anticancer Research</i> , 2015 , 35, 6793-7	2.3	3
134	Karnosky Performance Score and Radiation Dose Predict Survival of Patients Re-irradiated for a Locoregional Recurrence of Small Cell Lung Cancer. <i>Anticancer Research</i> , 2016 , 36, 803-5	2.3	3
133	A Survival Score for Patients Receiving Stereotactic Radiosurgery Alone for Brain Metastases from Breast Cancer. <i>Anticancer Research</i> , 2016 , 36, 1073-6	2.3	3
132	A Total Radiation Dose of 70 Gy Is Required After Macroscopically Incomplete Resection of Squamous Cell Carcinoma of the Head and Neck. <i>Anticancer Research</i> , 2016 , 36, 2989-92	2.3	3

131	Patient-Reported Outcomes-Secondary Analysis of the SCORE-2 Trial Comparing 4 Gy 🗈 to 3 Gy 🛭 10 for Metastatic Epidural Spinal Cord Compression. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, 760-764	4	2
130	Potential Impact of the Interval Between Imaging and Whole-brain Radiotherapy in Patients With Relatively Favorable Survival Prognoses. <i>Anticancer Research</i> , 2019 , 39, 1343-1346	2.3	2
129	Nuclear expression of p65 (RelA) in patients receiving post-operative radiotherapy for locally advanced squamous cell carcinoma of the head and neck. <i>BMC Cancer</i> , 2015 , 15, 102	4.8	2
128	A matched-pair analysis comparing 5x4 Gy and 10x3 Gy for metastatic spinal cord compression (MSCC) in patients with favorable survival prognoses. <i>Radiation Oncology</i> , 2015 , 10, 90	4.2	2
127	Proposed prognostic scoring system evaluating risk factors for biochemical recurrence of prostate cancer after salvage radiation therapy. <i>BJU International</i> , 2016 , 118, 236-42	5.6	2
126	Estimating survival of patients receiving radiosurgery alone for cerebral metastasis from melanoma. <i>Journal of Dermatology</i> , 2014 , 41, 918-21	1.6	2
125	Defining the role of hemithorax irradiation for thymomas is difficult. <i>Journal of Thoracic Oncology</i> , 2008 , 3, 1-2	8.9	2
124	Radiotherapy for a rising PSA following radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2004 , 22, 57-61	2.8	2
123	An Instrument to Guide Physicians when Estimating the Survival of Elderly Patients With Brain Metastasis from Gynecological Cancer. <i>Anticancer Research</i> , 2020 , 40, 2257-2260	2.3	2
122	Factors Impacting the Overall Survival of Patients Irradiated for Invasive Carcinoma of the Urinary Bladder. <i>In Vivo</i> , 2017 , 31, 741-744	2.3	2
121	Comparison of Two Radiotherapy Regimens for Metastatic Spinal Cord Compression: Subgroup Analyses from a Randomized Trial. <i>Anticancer Research</i> , 2018 , 38, 1009-1015	2.3	2
120	Performance Status and Number of Metastatic Extra-cerebral Sites Predict Survival After Radiotherapy of Brain Metastases from Thyroid Cancer. <i>Anticancer Research</i> , 2018 , 38, 2391-2394	2.3	2
119	Clinical Factors Asssociated with Treatment Outcomes following Whole-brain Irradiation in Patients with Prostate Cancer. <i>In Vivo</i> , 2017 , 31, 35-38	2.3	2
118	A New Prognostic Instrument Specifically Designed for Patients Irradiated for Recurrent Carcinoma of the Bladder. <i>In Vivo</i> , 2017 , 31, 435-438	2.3	2
117	Radiotherapy of Primary or Recurrent Bladder Cancer in the Very Elderly. <i>Anticancer Research</i> , 2017 , 37, 3287-3290	2.3	2
116	A New Prognostic Tool for Patients Undergoing Radiotherapy plus Upfront Transurethral Resection for Bladder Cancer. <i>In Vivo</i> , 2017 , 31, 745-748	2.3	2
115	A Survival Score Based on Symptoms and Performance Status for Patients with High-grade Gliomas Receiving Radiochemotherapy. <i>In Vivo</i> , 2017 , 31, 689-693	2.3	2
114	Radiosurgery with a Rotating Gamma System: A Very Effective Treatment for Symptomatic Cerebral Cavernomas. <i>Anticancer Research</i> , 2017 , 37, 3729-3733	2.3	2

(2020-2020)

113	An easy-to-use scoring system to estimate the survival of patients irradiated for bone metastases from lung cancer. <i>Translational Lung Cancer Research</i> , 2020 , 9, 1067-1073	4.4	2	
112	Linear accelerator-based single-fraction stereotactic body radiotherapy for symptomatic vertebral body hemangiomas: The Mayo Clinic experience. <i>Journal of Clinical Neuroscience</i> , 2020 , 80, 74-78	2.2	2	
111	Detecting spatial susceptibility to cardiac toxicity of radiation therapy for lung cancer. <i>IISE Transactions on Healthcare Systems Engineering</i> , 2020 , 10, 243-250	1.3	2	
110	The effect of low hemoglobin levels on outcomes of radiotherapy following microscopically complete resection of locally advanced SCCHN: Implications for the future. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 1441-4	3.6	2	
109	Prognostic factors and a new scoring system for survival of patients irradiated for bone metastases. <i>BMC Cancer</i> , 2019 , 19, 1156	4.8	2	
108	Palliative Radiotherapy of Primary Glioblastoma. <i>In Vivo</i> , 2021 , 35, 483-487	2.3	2	
107	Potential Prognostic Factors of Downstaging Following Preoperative Chemoradiation for High Rectal Cancer. <i>In Vivo</i> , 2018 , 32, 1481-1484	2.3	2	
106	Prognostic Factors and a Survival Score in Patients Irradiated for Metastatic Epidural Spinal Cord Compression from Urothelial Carcinoma Cancer of the Bladder. <i>Anticancer Research</i> , 2018 , 38, 6841-68	4 2 .3	2	
105	Comparison of two dose levels of stereotactic radiosurgery for 1-3 brain metastases from non-small cell lung cancer. <i>Anticancer Research</i> , 2014 , 34, 7309-13	2.3	2	
104	Personalized Radiotherapeutic Approaches for Elderly Patients with Epidural Cord Compression from Gastric Cancer. <i>In Vivo</i> , 2016 , 30, 69-72	2.3	2	
103	Forecasting Survival Probabilities After Radiotherapy of Metastatic Epidural Spinal Cord Compression from Colorectal Cancer in the Elderly. <i>Anticancer Research</i> , 2016 , 36, 1829-33	2.3	2	
102	Prognostic Factors After Definitive Radio(Chemo)Therapy of Locally Advanced Head and Neck Cancer. <i>Anticancer Research</i> , 2016 , 36, 2523-6	2.3	2	
101	Impact of planned dose reporting methods on Gamma pass rates for IROC lung and liver motion phantoms treated with pencil beam scanning protons. <i>Radiation Oncology</i> , 2019 , 14, 108	4.2	1	
100	Prognostic Factors of Local Control and Survival in Patients Irradiated for Glioblastoma Multiforme (GBM). <i>Anticancer Research</i> , 2020 , 40, 7025-7030	2.3	1	
99	Clinical Prognostic Factors for Local Control and Survival After Irradiation of Grade II Gliomas. <i>In Vivo</i> , 2020 , 34, 3719-3722	2.3	1	
98	Remaining Lifespan of Patients Aged B 5 Years Receiving Whole-brain Irradiation for Metastases from Cancer of Unknown Primary. <i>Anticancer Research</i> , 2020 , 40, 2261-2264	2.3	1	
97	Elderly Patients With Single Brain Metastasis - Overall Survival After Surgery Plus Whole-Brain Irradiation and a Radiation Boost. <i>In Vivo</i> , 2020 , 34, 1421-1425	2.3	1	
96	A Scoring Tool to Estimate the Survival of Elderly Patients With Brain Metastases from Esophageal Cancer Receiving Whole-brain Irradiation. <i>Anticancer Research</i> , 2020 , 40, 1661-1664	2.3	1	

95	Seizures Prior to Whole-brain Irradiation for Metastatic Disease: Prevalence, Risk Factors and Association With Survival. <i>Anticancer Research</i> , 2020 , 40, 3429-3434	2.3	1
94	Extra-cerebral Metastasis - An Independent Predictor of Survival in Older Patients With Brain Metastases Receiving a Local Therapy Plus Whole-Brain Radiotherapy (WBRT). <i>Anticancer Research</i> , 2020 , 40, 2841-2845	2.3	1
93	Survival After Stereotactic Radiosurgery (SRS) or Fractionated Stereotactic Radiotherapy (FSRT) for Cerebral Metastases in the Elderly. <i>In Vivo</i> , 2020 , 34, 1909-1913	2.3	1
92	Eastern Cooperative Oncology Group Performance Score Is Associated With Survival After Radiotherapy of Bone Metastases from Prostate Cancer. <i>In Vivo</i> , 2020 , 34, 679-682	2.3	1
91	A Disease-specific Score for Estimating Survival After Irradiation of Bone Metastases from Colorectal Cancer. <i>Anticancer Research</i> , 2020 , 40, 287-291	2.3	1
90	Individualisation of Radiation Therapy for Older Persons With Secondary Brain Lesions from Carcinoma of the Breast. <i>Anticancer Research</i> , 2020 , 40, 2271-2274	2.3	1
89	An Easy-To-Use Survival Score Compared to Existing Tools for Older Patients with Cerebral Metastases from Colorectal Cancer. <i>Cancers</i> , 2020 , 12,	6.6	1
88	Data collection of patient outcomes: one institution's experience. <i>Journal of Radiation Research</i> , 2018 , 59, i19-i24	2.4	1
87	Clinical evaluation of fitness to drive in patients with brain metastases. <i>Neuro-Oncology Practice</i> , 2019 , 6, 484-489	2.2	1
86	Role of the overall treatment time of radiotherapy with 10 IB Gy for outcomes in patients with metastatic spinal cord compression. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2017 , 61, 388-3	19 ¹ 3 ⁷	1
85	Oropharyngeal cancer biology and treatment: insights from messenger RNA sequence analysis and transoral robotic surgery. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 1132; author reply 1132-3	6.4	1
84	Re: Proton vs intensity-modulated radiotherapy for prostate cancer: patterns of care and early toxicity. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 748	9.7	1
83	Reply to the Role of postoperative radiotherapy for the treatment of gangliogliomas. <i>Cancer</i> , 2010 , 116, 3071-3072	6.4	1
82	A comparison of chemotherapy plus surgery with surgery alone for localized esophageal cancer. <i>Nature Clinical Practice Oncology</i> , 2008 , 5, 190-1		1
81	Spinal cord compression. European Journal of Cancer, Supplement, 2007, 5, 359-370	1.6	1
80	An Examination of the Association between FOXA1 Staining Level and Biochemical Recurrence following Salvage Radiation Therapy for Recurrent Prostate Cancer. <i>PLoS ONE</i> , 2016 , 11, e0151785	3.7	1
79	Re-Evaluation of Prognostic Factors for Survival After Radiotherapy of Cerebral Gliomas: A Supplementary Analysis to a Previous Study. <i>Anticancer Research</i> , 2020 , 40, 6513-6515	2.3	1
78	Overall Survival After Whole-Brain Radiation Therapy for Intracerebral Metastases from Testicular Cancer. <i>Anticancer Research</i> , 2016 , 36, 4817-9	2.3	1

(2021-2016)

77	A Scoring Instrument to Predict the Survival Prognoses of Patients with Metastatic Epidural Spinal Cord Compression from Gynecological Malignancies. <i>Anticancer Research</i> , 2016 , 36, 5469-5472	2.3	1
76	Survival Following Palliative External-beam Radiotherapy of Locally Advanced and Metastatic Liver Cancer. <i>Anticancer Research</i> , 2017 , 37, 203-206	2.3	1
75	Evaluation of Five Survival Scores in a Cohort of Elderly Patients With Cerebral Metastasis from Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2020 , 40, 2847-2851	2.3	1
74	Occurrence of Seizures Prior to Single-fraction Radiosurgery or Multi-fraction Stereotactic Radiotherapy in Patients With Very Few Brain Metastases. <i>Anticancer Research</i> , 2020 , 40, 3499-3504	2.3	1
73	Small Cell Lung Cancer 2012 , 795-804		1
72	Prognostic Factors in Patients Irradiated for Recurrent Head-and-Neck Cancer. <i>Anticancer Research</i> , 2016 , 36, 6547-6550	2.3	1
71	Outcomes After Radio(chemo)therapy for Non-Metastatic Bile Duct Cancer. <i>In Vivo</i> , 2017 , 31, 117-120	2.3	1
70	Performance Status Is Associated With Survival in Elderly Patients Irradiated for Cerebral Metastases from Prostate Cancer. <i>Anticancer Research</i> , 2020 , 40, 1665-1668	2.3	1
69	Estimating the Lifespan of Elderly Patients With Cerebral Metastases from Kidney Cancer. <i>In Vivo</i> , 2020 , 34, 1321-1324	2.3	1
68	Pre-operative Seizures in Patients With Single Brain Metastasis Treated With Resection Plus Whole-Brain Irradiation and a Boost. <i>In Vivo</i> , 2020 , 34, 2705-2709	2.3	1
67	A Simple Implement for Assessing the Survival of Elderly Patients With Melanoma Irradiated for Cerebral Metastases. <i>In Vivo</i> , 2020 , 34, 1361-1364	2.3	1
66	Comparison of Conventional Fractionation and Accelerated Fractionation With Concomitant Boost for Radiotherapy of Non-metastatic Stage IV Head-and-Neck Cancer. <i>In Vivo</i> , 2021 , 35, 411-415	2.3	1
65	A New Survival Score for Patients Receiving Radiotherapy for Newly Diagnosed Glioblastoma Multiforme. <i>Anticancer Research</i> , 2021 , 41, 379-384	2.3	1
64	Using Novel Statistical Techniques to Accurately Determine the Predictive Dose Range in a Study of Overall Survival after Definitive Radiotherapy for Stage III Non-Small Cell Lung Cancer in Association with Heart Dose. <i>Journal of Cancer Therapy</i> , 2021 , 12, 505-529	0.2	1
63	Proton beam radiotherapy for patients with early-stage and advanced lung cancer: a narrative review with contemporary clinical recommendations. <i>Journal of Thoracic Disease</i> , 2021 , 13, 1270-1285	2.6	1
62	Frequency and Risk Factors of Sleep Disturbances in Patients With Prostate Cancer Assigned to Local or Loco-regional Radiotherapy. <i>Anticancer Research</i> , 2021 , 41, 5165-5169	2.3	1
61	Sleep Disorders Prior to Adjuvant Radiation Therapy for Gynecological Malignancies. <i>Anticancer Research</i> , 2021 , 41, 4407-4410	2.3	1
60	Evaluation of Pre-radiotherapy Sleep Disorders in Patients With Rectal or Anal Cancer. <i>Anticancer Research</i> , 2021 , 41, 4439-4442	2.3	1

59	Risk Factors for Sleep Disturbances in Patients Scheduled for Radiotherapy of Head-and-Neck Cancer. <i>Anticancer Research</i> , 2021 , 41, 5065-5069	2.3	1
58	Emotional Problems Prior to Adjuvant Radiation Therapy for Breast Cancer. <i>In Vivo</i> , 2021 , 35, 2763-277	02.3	1
57	Estimating the Survival of Elderly Patients with Renal Cell Carcinoma Presenting with Malignant Spinal Cord Compression. <i>Anticancer Research</i> , 2016 , 36, 409-13	2.3	1
56	Importance of Chemotherapy and Radiation Dose After Microscopically Incomplete Resection of Stage III/IV Head and Neck Cancer. <i>Anticancer Research</i> , 2016 , 36, 2487-91	2.3	1
55	Potential Impact of the Overall Treatment Time on Outcomes after Whole-brain Irradiation with 10B Gy for Brain Metastases. <i>Anticancer Research</i> , 2016 , 36, 3071-4	2.3	1
54	Radiation Therapy Alone Provides Excellent Outcomes for Spinal Cord Compression from Vertebral Lymphoma. <i>Anticancer Research</i> , 2016 , 36, 3081-3	2.3	1
53	Gastroesophageal reflux disease and paraneoplastic neurological syndrome associated with long-term survival in limited stage small-cell lung cancer <i>Thoracic Cancer</i> , 2022 ,	3.2	1
52	Empirical Relative Biological Effectiveness (RBE) for Mandible Osteoradionecrosis (ORN) in Head and Neck Cancer Patients Treated With Pencil-Beam-Scanning Proton Therapy (PBSPT): A Retrospective, Case-Matched Cohort Study <i>Frontiers in Oncology</i> , 2022 , 12, 843175	5.3	1
51	Hyperfractionated or Accelerated Hyperfractionated Re-irradiation with \$\mathbb{Q}\$2 Gy in Combination with Paclitaxel for Secondary/Recurrent Head-and-Neck Cancer. <i>Anticancer Research</i> , 2018 , 38, 3653-36	55 ² 6 ³	O
50	Pre-Treatment Seizures in Patients With 1-3 Cerebral Metastases Receiving Local Therapies Plus Whole-brain Radiotherapy. <i>In Vivo</i> , 2020 , 34, 2727-2731	2.3	O
49	Karnofsky Performance Score - An Independent Prognostic Factor of Survival After Palliative Irradiation for Sino-nasal Cancer. <i>Anticancer Research</i> , 2021 , 41, 2495-2499	2.3	О
48	Technical Note: 4D robust optimization in small spot intensity-modulated proton therapy (IMPT) for distal esophageal carcinoma. <i>Medical Physics</i> , 2021 , 48, 4636-4647	4.4	O
47	A New Survival Score for Patients Scheduled for Palliative Irradiation of Locally Advanced Carcinoma of the Head-and-Neck. <i>Anticancer Research</i> , 2021 , 41, 3055-3058	2.3	O
46	Technical Note: Multiple energy extraction techniques for synchrotron-based proton delivery systems may exacerbate motion interplay effects in lung cancer treatments. <i>Medical Physics</i> , 2021 , 48, 4812-4823	4.4	O
45	Results of Tri-Modality Therapy for Rectal Cancer in Elderly Patients. <i>Anticancer Research</i> , 2019 , 39, 62	1726322	20
44	Accelerated Fractionation Plus Chemotherapy Conventionally Fractionated Radiochemotherapy for Unresectable Head-and-Neck Cancer. <i>Anticancer Research</i> , 2021 , 41, 877-884	2.3	O
43	Palliative Radiotherapy for Cutaneous Squamous Cell Carcinoma of the Head-and-Neck Region. <i>In Vivo</i> , 2021 , 35, 2283-2288	2.3	0
42	Risk Factors for Sleep Problems Prior to Radiochemotherapy for Malignant Gliomas <i>In Vivo</i> , 2022 , 36, 325-329	2.3	O

41	Prognostic Value of Preclinical Markers after Radiotherapy of Metastatic Spinal Cord Compression An Additional Analysis of Patients from Two Prospective Trials. <i>Cancers</i> , 2022 , 14, 2547	6.6	О
40	Small Cell Lung Cancer 2016 , 798-808.e2		
39	Rational radiotherapy: The role in node-negative squamous cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2019 ,	4.5	
38	Regarding Small Cell, Big Dilemma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 865	4	
37	Interval Between Cancer Diagnosis and Radiotherapy - An Independent Prognostic Factor of Survival in Patients Irradiated for Bone Metastases from Kidney Cancer. <i>In Vivo</i> , 2020 , 34, 767-770	2.3	
36	Lung cancer: Best supportive care - a reasonable option for patients with brain metastases?. <i>Nature Reviews Clinical Oncology</i> , 2016 , 13, 722-724	19.4	
35	Reply to D.E. Spratt and N. Szerlip. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2677-8	2.2	
34	RE: Prevalence and Predictors of Inappropriate Delivery of Palliative Thoracic Radiotherapy for Metastatic Lung Cancer. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	
33	Lack of Association between COX-2 Staining Level and Biochemical Recurrence Following Salvage Radiation Therapy for Recurrent Prostate Cancer. <i>Journal of Radiation Oncology</i> , 2013 , 2, 309-314	0.7	
32	Utilization of PSA measurement at three months following salvage radiation therapy to predict future biochemical outcome. <i>Journal of Radiation Oncology</i> , 2014 , 3, 81-87	0.7	
31	In Reply to Dr. Stojkovski. International Journal of Radiation Oncology Biology Physics, 2009, 73, 1605	4	
30	In Reply to Belderbos et al International Journal of Radiation Oncology Biology Physics, 2009, 74, 322-32	2]	
29	Response to the comments on Acute toxicity of three versus two courses of cisplatin for radiochemotherapy of locally advanced squamous cell carcinoma of the head and neck (SCCHN): A matched pair analysis (Oral Oncology, 2010, 46, 889-890)	4.4	
28	In response to Drs. Kopelson et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 55, 282	4	
27	In response to Dr. Beitler. International Journal of Radiation Oncology Biology Physics, 2003, 55, 1460-140	641	
26	Salvage radiotherapy for elevated PSA levels following prostatectomy. <i>Cancer Journal (Sudbury, Mass)</i> , 2002 , 8, 234-5	2.2	
25	Regarding postoperative radiotherapy for pathologic stage C prostate cancer: In response to Dr. Lawrence and Mr. Collins. <i>International Journal of Radiation Oncology Biology Physics</i> , 1996 , 36, 757-758	4	
24	Sleep Disturbances in Lung Cancer Patients Assigned to Definitive or Adjuvant Irradiation. <i>In Vivo</i> , 2021 , 35, 3333-3337	2.3	

23 Pineal Tumors: Fractionated Radiation Therapy Perspective **2008**, 371-376

22	Metastatic Epidural Spinal Cord Compression: Conventional Radiotherapy 2018 , 159-176	
21	A New Scoring-system for Estimating Overall Survival After Radiotherapy of Recurrent Head and Neck Cancers. <i>Anticancer Research</i> , 2018 , 38, 1611-1613	2.3
20	Pineal Tumors: Viewpoint E ractionated Radiation Therapy 2015 , 469-476	
19	Validation of a Score Developed to Estimate the 6-month Survival of Patients Treated with Palliative Local Radiotherapy for Advanced Lung Cancer. <i>Anticancer Research</i> , 2017 , 37, 2537-2540	2.3
18	Locally Advanced Non-Small Cell Lung Cancer in the Elderly: What Combination of Therapy Is Best? 2013 , 173-183	
17	Use of thoracic radiation therapy for small-cell lung cancer 2013 , 114-128	
16	A Simple Clinical Instrument to Predict the Survival Probability of Breast Cancer Patients Receiving Radiotherapy for Bone Metastases. <i>Anticancer Research</i> , 2020 , 40, 367-371	2.3
15	The Results of Whole-brain Radiotherapy for Elderly Patients With Brain Metastases from Urinary Bladder Cancer. <i>In Vivo</i> , 2020 , 34, 1317-1320	2.3
14	Radiotherapy of Grade III Gliomas: Identification of Clinical Prognostic Factors for Local Tumor Control and Survival. <i>In Vivo</i> , 2020 , 34, 3627-3630	2.3
13	Development of a multivariable prediction model to estimate the remaining lifespan of elderly patients with cerebral metastases from small-cell lung cancer. <i>Translational Lung Cancer Research</i> , 2020 , 9, 1433-1440	4.4
12	Predicting the Risk of Subsequent Distant Brain Metastases After Stereotactic Radiosurgery or Fractionated Stereotactic Radiotherapy in Elderly Patients. <i>Anticancer Research</i> , 2020 , 40, 4081-4086	2.3
11	Palliative Local Radiotherapy for Advanced Squamous Cell Carcinoma of the Head-and-Neck: Prognostic Factors of Survival. <i>Anticancer Research</i> , 2021 , 41, 3205-3210	2.3
10	Dose-volume histogram parameters and patient-reported EPIC-Bowel domain in prostate cancer proton therapy. <i>Radiation Oncology Journal</i> , 2021 , 39, 122-128	2.5
9	Impact of Cardiac Dose on Overall Survival in Lung Stereotactic Body Radiotherapy (SBRT) Compared to Conventionally Fractionated Radiotherapy for Locally Advanced Non-Small Cell Lung Cancer (LA-NSCLC). <i>Journal of Cancer Therapy</i> , 2021 , 12, 409-423	0.2
8	Biologically Effective Dose and Rectal Bleeding in Definitive Proton Therapy for Prostate Cancer <i>International Journal of Particle Therapy</i> , 2022 , 8, 37-46	1.5
7	Accelerated Fractionation With Concomitant Boost . Conventional Radio-chemotherapy for Definitive Treatment of Locally Advanced Squamous Cell Carcinoma of the Head-and-Neck (SCCHN). <i>Anticancer Research</i> , 2021 , 41, 477-484	2.3
6	Defining the Optimal Dose of Stereotactic Radiosurgery for Treating Cerebral Metastases in Elderly Patients. <i>Anticancer Research</i> , 2015 , 35, 5701-4	2.3

LIST OF PUBLICATIONS

5	Immunoglobulin G (IgG) Subtype Is Associated with a Favorable Survival Prognosis in Patients Irradiated for Spinal Cord Compression from Myeloma. <i>Anticancer Research</i> , 2016 , 36, 375-8	2.3
4	Impact of the Radiation Dose on Survival after Radiochemotherapy for Small-cell Lung Cancer. <i>Anticancer Research</i> , 2016 , 36, 1089-91	2.3
3	Estimating the Probability of Not Completing the Intended Course of Thoracic Radiotherapy for Lung Cancer <i>Anticancer Research</i> , 2022 , 42, 1973-1977	2.3
2	Prognostic Factors of Survival After Radiotherapy for Lung Cancer-The Impact of Smoking Pack Years <i>In Vivo</i> , 2022 , 36, 1297-1301	2.3
1	Risk Factors for Xerostomia Following Radiotherapy of Head-and-Neck Cancers <i>Anticancer Research</i> , 2022 , 42, 2657-2663	2.3